


Sanger Colony: MBFD

Abnormal Findings: There are vitreous opacities in 3/6 eyes.

## **EYE** Phenotype




#### Cornea:

1/6. There are red blood cells on the corneal epithelium. The stroma and endothelium appear normal.

### Anterior chamber:

6/6. The anterior chamber was of normal depth without cells, and the angle appeared open.



#### Iris:

6/6. The iris showed normal pigmentation without rubeosis or pupillary membranes.


PAGE 1

# Gene: Gatc

Sanger Colony: MBFD


### Lens:

6/6. No cataract was observed.



## **Ciliary body:**

6/6. Normal stroma, pigmented and nonpigmented layers were present along with cilia.



#### Vitreous:

3/6. There are pink, round opacities just posterior to the lens with infrequent cells in the vitreous.

PAGE 2

# Gene: Gatc

Sanger Colony: MBFD

### **Retina**:

3/6. The retinal ganglion and inner nuclear layer appear normal. The photoreceptors appear normal.

### **Retinal pigment epithelium and Choroid:**

6/6. Normal pigmentation. Bruch's membrane is intact. No neovascular membranes were noted.

### **Optic Nerve:**

6/6. The nerve is normal.

Methods. 6 eyes from 3 male mice were enucleated by blunt dissection and fixed. Pupil-optic nerve sections were processed with hematoxylin and eosin, and standard images were captured under light microscopy for review.

