
# Gene: Slc16a2

Sanger Colony: MBKY

### Abnormal Findings: None.

# **EYE** Phenotype



#### Cornea:


**6/6.** Normal corneal epithelium, stroma, and endothelium.

Genotype

Ý

#### Anterior chamber:

**6/6.** The anterior chamber was of normal depth without cells, and the angle appeared open.



#### Iris:

**6/6.** The iris showed normal pigmentation without rubeosis or pupillary membranes.

# Gene: Slc16a2


# Genotype

-/Y

Sanger Colony: MBKY

# Lens:

6/6. No cataract was observed.



### Ciliary body:

**6/6.** Normal stroma, pigmented and nonpigmented layers were present along with cilia.

### Vitreous:

6/6. No abnormal opacities or cells.

# Gene: Slc16a2

Genotype




Sanger Colony: MBKY

### Retina:

**6/6.** The retinal ganglion, inner nuclear and photoreceptor layers are normal.

# Retinal pigment epithelium and Choroid:

**6/6.** Normal pigmentation. Bruch's membrane is intact. No neovascular membranes were noted.



#### **Optic Nerve:**

6/6. The nerve is normal.

**Methods.** 6 eyes from 3 male mice were enucleated by blunt dissection and fixed. Pupil-optic nerve sections were processed with hematoxylin and eosin, and standard images were captured under light microscopy for review.