
# Gene: Anks4b

Sanger Colony: MBWR

### Abnormal Findings: None.

## **EYE** Phenotype



#### Cornea:

**6/6.** Normal corneal epithelium, stroma, and endothelium.

Genotype -/-

### Anterior chamber:

**6/6.** The anterior chamber was of normal depth without cells, and the angle appeared open.



#### Iris:

**6/6.** The iris showed normal pigmentation without rubeosis or pupillary membranes.


# Gene: Anks4b



Sanger Colony: MBWR


## Lens:

6/6. No cataract was observed.



### **Ciliary body:**

6/6. Normal stroma, pigmented and nonpigmented layers were present along with cilia.



### Vitreous:

6/6. No abnormal opacities or cells.

# Gene: Anks4b

Genotype -/-




Sanger Colony: MBWR

100 µm

100 µm

#### **Retina**:

6/6. The retinal ganglion, inner nuclear and photoreceptor layers are normal.



## **Retinal pigment epithelium and Choroid:**

6/6. Normal pigmentation. The extra layers of RPE cells are normally found near the disc. Bruch's membrane is intact. No neovascular membranes were noted.

#### **Optic Nerve:**

**6/6.** The nerve is normal in this oblique section.

Methods. 6 eyes from 3 male mice were enucleated by blunt dissection and fixed. Pupil-optic nerve sections were processed with hematoxylin and eosin, and standard images were captured under light microscopy for review.