

Gene: Pcdh1


Colony prefix: DAHF

Allele: Pcdh1^{em2Wtsi}

Allele type: Crispr/Cas9 mediated deletion

Allele information:

Further information about the allele can be found on the 'International Mouse Phenotyping Consortium' (IMPC) web site at <http://www.mousephenotype.org/data/genes/MGI:104692>



Mouse QC information

Loss of WT Allele (LOA) qPCR	Pass	Mutation Sequence confirmed	Pass
Mutant Specific SR-PCR	Pass	Off-target analysis complete	na

Flanking sequence:

100bp 5' and 3' of the deletion

```
[TTGAACTTGAGGGACTTCTGCAGCCCGGTGTCATCTTCATCCTCCACTGGCTTCACAGGTTTTCGGTGACTTGCTT
TTCTTCCCTTTGCTCTTGCTTCCCT][AGCTGACGTTCCCTGGGTACCGCCCCCATCCGCTTTCAGCTGTAAGCTT
TGCACAACGCCTCCTTCTACCAACATCTTGCTTAGTCAACCATGGTAA]
```

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Report Generated on: 12-07-2017

Deletion sequence:

TAGCAGCTTTGCCGCTAGGCTTGGGGGCATACAGGTCCTTAGTCTCCTTCTTACCAGCCTGGTAGCCGCTCTTG
GCCTCCCGCTGCCGGCAGTAGCGCACTAGTACTGCCAGGGCTATGAGTAAGGCGACGGCCACCACACCGGCTA
CAACCCCAAAGAGAATGTTGCCACGCTGCTTGGAACGCTCGTATTCCGGATCCCAGCGATGTCAATATCCAGG
GGCGTGTCCAGGCTATGGACGAGGAGGGTCTCTAGCAGCGTGCGGTTGGCTAAGGTCTCGTTGACGTAAAGGT
GGACTAAGGCTGTGCCGTAGCGAGGGGGCTTCCACGGTCACTGACCTTACCACGAGGCGGTGTAACCCGTG
GTGGCGCCGTTCAATTTCTTTTCCAGCGTGATGGCTCCCGAATGTGATCCAATCTGGAAGAGCCCATAAGGGTT
GCCGCCAGCGATGCTATAGGTCAGCTCAGCATTGATACCAGAGTCAATGTCCTCCGCTGTCACCTGGCTGACTG
TCTACCAAGACGTGTCTGCGGGGTGAGCAGTCGGTGAGATGTGTTGGAGGGGGCGGTGATAAAGGGTGCATT
GTCATTCTCATCCAGCACATTGATGGTGACACCAACATAAGCCGAACGAGGTGGGACTCCGCCATCTACGGCCTT
CAGTTGGAAGGTGTAGGTAAGTCTGTTGCTCCCGATCGAAGCTCAAACCTGGATAAGATGGTGCCTGTGCCATTCTG
GATAACAAAGTACCATTGTCCTGCTCTACCGAGAGCTGCACCCGGGCATTCTCCCCTTTGTCTCCGTCAATGAC
AGTACCATAACCCACTGGACTCAGCGCTGGCATATTCTCCATCACTGAGAAGTTGTAGCCACTCAGCATAAATTT
GGGGTCATTGTCATTACAGTCGAGCACATTGACGAGGACTGTGGCTGTGCCCTGAAGGCTGGGACTGCCCTGT
CGGCCGCAACCACCTTACAGCTCATAGCTGTCTCTGTTCCCGATCCAGTGATGTCTTACCACCGGATCTCTCCAT
TCTCGGGTGAGATAGTGAAGAGCCCTTGGGCAGCTGGCTCAGGTTCCAGCGAGTATACTAGCTCTGCGTTAGAG
CCAGAGTCAGCATCACTGGCCGTGACCTCGGCCACCACCTTACCAGGCTTGTGTTTTCTGGGAAGGCAACTTC
AGTGATGCTCTGGGTGAAGACGGGGGCGTTGTCATTGACGTCTACCACCTGCACCTTGAGGGAGTTGGTGCTAG
AGAGTGGAGGGTTGCCGGAATCCACAGCCACGATCTCGATGGTATAGTCTTTGACTTTCTCATAGTCGAGAGGG
GTGGTGGTCTGCAGGAAATACTTTTCTTGTCTGCTGCCTGTCTCGCTGGCCTGGCGTAGCTGGAAGGGCAC
ATCGCCTGCTACGACACAGGTGACGGCTGCGTTCTCTCCCTCGTCTCGATCAGACACCTGCACCAAGGCCACGG
CGGTCTCCTCAGCCACGTCTCTGATGTTAGCCATTCCGTCCTTGTAGTACAGTACCAGCCCTATGCCTCGGATCT
CGATGGTCCGGGCATTGCTGTTCACTGTTTCCAGTCAACAACCTACCTGGGACGGCCACTTTGGGGGTGGCG
CCTCGGTCCTTGGCGAGCACTGAGAAACGAGAGTGCTTAAATCCTCTCGGTCCACGGGCCCTGGACGGTGTAT
AAGTCCAGTGTTCGGTCTAGTCGAAAAGGGCGCCTGACAACCTCAGGTGCCTGGTGAACGTGTAGTCAATCT
CCGCATTGGCACCTTGGTCTGAGTCGTTAGCTTTCACCTACAGGAAACAGGGGCAGGTTAGTAAGCTAGGATCC
CCGTGGTGCTAATGTCCTTTCCACAAGCACATCAATGATGCTAACTTAGCACCTTTCCATAAGCGGCACATGG
TACAGTCTTCCCCCTAGGCCTGGCACTACAGTAGACACCGCTAACCTATTTTCCATAAGAGCCCAGATGCAGCTTG
CAAATCCTTCTTAGAGCTGCTGCATCACCAGGACTGGGCAGAATTTTACTCTACTTTTCAATTTGAACAGTCCACC
TAAGCACAGAGACGAGCTAACAAAGCATTCTGGATAAATGAACTGTCCCTCCCCACAGCCTTCCAAATGGATGAGA
AAGGGTTAAGCAGTAGAGATGGTTGGCATGCATGCACCTATGTGCATACCTGGTATGCAGGCATGTGACATACA
TACACACAGACTGTAAGCTGTGATTTTATCTGAGTTTGAAGAAGATGTGTTTGTTCATGTGTGTGCTTGCATCAATG
GAGACCCCATGCCAGCTAGAGGGCCCCAGGTGAGGGGCTTTCTATTGAAGGCAGCCAGGTAGAGATACGGGT
CAGAAAAAGCCCAGCAGGCCCAACCCAGCCACTGCTGTCAAACCTGGGGAAACCTGTTTCTGCAGCTCCTTAACT
GTTGTCTGCTGCTGGCAAGGCACCAGTGGAGGAATCCGGCCTGAGCCTGAGGCCAGAGGGGAGGGGTTGGTGCA
GGCCACAGAGCCTGCTGGCAGCAGGCTGGGCTTCCAGCACCAACAATGAACTGCCTGTCCCTTTGCAGTGGG
CACGCCCTCTACGCCAAGGCCGCCCTGCACTGGGACCCAGTCTATACAAACATGGGTGGTAATGGGGCAACA
GAAGCCAGGTGGGAATGGCCATACAGTACCGACTGGTGAGGGGTTGGTTAGAGGTAGTTACATCCAAACAAAAT
GTAATGAAGTGTGTGTATGTGTGTGTGTATGTGTGTGTGTGTCAGGAGAGAGGGTGGGAAGGAGGAGTAGGCATAA
CTTGGCAGAGCCTCTAAGGAGCAAAAATGAAAGCCTTGAGTTCAAATCCCAGTTCTACTGCTTTCCAATTAATTATA
TGGCTTTGGGCCAATTAATCTTCCCAAGCCTCACTCTACCAATACATAAAAATGGGGAAGAATAATAGAACGT
ATTTCAATGATTGTGATGAAGGTTAAATGGGATAATATAAATACCTAATACTGTCTCGACCATGGCACGTGTGCT
GAATTGCTCTTTCTTTTGTATCTGTCTGTCAATCATTCAATCATTCAATTTACCCAGCCATCTGTTTCTAAGGAATCCA
GCTACACAGTGAGGACTATACCCAGAGGCCACCTCATAACCTGTTGGGCTTCTGTCTTCTGAGGGAACTCCA
TCCATTCTTGTCAAGGCTTTTCTACAGGGGAGACTCCTGGTCGAGGGCTCCAGCCACCTTTGGTGTCTTTTGA
ACCTTCCCCCTCCGCTCCCAAGCAGGGTTTCTGTATAGCCCTGGCTGTCCTGGAACCTCACTCTGTAGA
CCAGGCTGGCCTCAAACCTCAGAGATCCACCTGCCTCTGCCTCCCAAGTGTGGAATTAAGGTTGTGCATCACCT
CTGACCCCTCACACCTTTGCAAGGCAAATCTCTAGCTTTTGTCTACCAACCTCACCGTGTCCATCACTAGTTCTCT
GGTGGTGTGACAGCTCTCCTATGGCCTCCAGTCTCTAGACTGGTCACCTCAGTTCTTAGCTATCTCCTTCCC
CGCACTGCTCATCTTTGTTTCTATCTGTGACTCCAGTGTCCACTCCTGCTTTGTTCTAACTCTACTTCTTCTTA
GCCACTCTCAGGACTTGTATTTCTGGCATCACCTCACTGAGAAGATGTAAAGACAGAGTACAGGACATAAGCTA
AGGTAGGCTCTGACCTCAGGCAAGTTTAAATCTCTAAGGGCTCAGTTTCTATCCATAAAAATGGGGATAATGC
TCGCTTACCTTGTACTACAAGGATTAATTATATAAATACACATAGTGCATTTAGAACAGCGCCTGGCACCTAAGCT

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Report Generated on: 12-07-2017

ATTATTATTCACCACTCTGAATGGCTGTCTTTCTATTCTTTCTCAGCCTCATTCTATATTCTCGTCCACCAGTCTCT
AGACAAGATAAAAAACCCACCCACTCACTTCAGTTCGCGGACCCAGAATGAAGGGTCTCTCAGGTTGGGTAACG
GTGTCCACACCAGCTGATCTCTTTGGTTAGCTCACTTCACGGACAGAGATAGCTTCAGCCCATGGGGAAGGA
GAAAGAAGATGGGGCTGGCAGGAGGCCAAGGGCTGAGATGACAGCGGGAGATACACCCACCCGTCTGCAGGG
ACGTTCTCTGCTCCTTCCAGGCCCCAGCCCCACCAAGCTGCTGCCTAGCCCCTGGGGCTGTTCCCATGAAGA
AGGGCGCCGAGAACTTTTAAAGAGTTGCTGGCCCCCTGCAACCATCTTAAACACCACATAACCAATGGCACCCCA
TGGCTGGGGAAGGAGTCTATGAGATTTGTCAAAGCAGGGACCCTCCTGGCTGACACAATCTCAGGACTTTTGT
GGACAGGGGCCACAATGAGGTGCCTTCAGCTGAAAGTAAAAATCTCACCAGCTAAGGGGACCTGCCCTTGGGTA
GGAGGATGGATACTCCCAATGCAGGAGAGGATCTACTGCATGAAAGATGCATTCTTGATCCAGACTGGGCTAA
GGAGAGGCCACTCCCTGAGCTTGAGCATTTCCTCCAGAAAGTTTTCTTAAATTGAGACGACAGGGAGGTAT
GAAGGTAAGTACTGAGATGATCTGTCAATGTCATCTAAGTAGTTTGACAGTGAAGAAAGTACCCTTGTAGCCGGGCA
GTGGTGGCAGTTGGGAGGCTGAGGCAGGCAGATTTCTGAGCTCGAGGCCAGCCTGGTCTACAAAGTTGAGTTC
CAGGACAGCCAGGGCTACAGAGAGAAACCCTGTCTAGAAAAACCAAAACCAACCAACAAAAAAGTACCCCTTGT
TGGGGTGGAGGAGAGGAAGCAGGTGGGAAATCCTGCTTTGGCTGGGGCTGGGGAGATGGATCGGCAAACACTA
CAGCATTCTGTTTTGTTATTTCCCTAAGTGAAGGAACCTTACACCTGCTTTTGGCAGATCTCATCTCTAAAGGTGG
CTCACCCCAACAGGTTAGATGGAGTGGGCCTCTCACCTGGATGACCGAGTGGCCAATGGGACTGTTCTCAGACA
GCTCGGCTTCGTAGGTAGGCCGCTCGAATTTGGGGCGTTGTCTGTTGTATCAAGCACAGTGACACGAAGCAGG
GCGCTGCTGGCACGTGGAGGATTGCCTCCATCCTGTACCTTGATGGTGAGGTCGTAGGAGTCCCAGCGTTCCAG
GTCCAGGTTGCCCATGACAATGAGCTGTGGCTGCTTCTCCTCCTGCTCCTCGGCTACCTGTAGTCCAAATAGCTC
CTGGGCCTCAGGCCAGCCTGCAGCTCATAGGATGCTACGCCATTGGGGCCGGCGTCACGGTCTGTGGCCAGT
GGGATGGGGAAGAGCGAGCCGATGTTGGTGTCTCAGGGATGGCCAGGGTAATGACTGGCGAGGCAAAGTTCCG
GCGTGTGTCATTGATGTCTTGACCTCTATCTGGCCCTCTAGCAGCCGGGGGCTGCCGTTCTGCACGAGGTCC
GTGATTGACACCTCAAACCTCCAGGATACAGGGATTCCCAGGGATCTGGTTCTGGCATTACGGAGCCCTCTCG
ATCAATGGAGGTCTCTGTGGTGAAGATGTCTCCAGTCTTGCCATCCACTCGAAGATACGGAGCACCTACCTCTAG
TTTATACAGATGACCCACGTCTGGTAAACCCTAGTCGGCAGCAAGGCTCCCAATAAGGGTGTGGGGCGGCTGTT
CCTCTGGCACCTTGATACTACCTGGGTGGTATGGCTGGCAGATGGAGCCAATAGGAGCAGCAGTGCCAGCAGT
AAGGGGGGCAGCAGCAACCGCTGCCCCCAAGGCCCTGGGCTGGGCCTCAGAGGCCCCATCCTGGCAGGCTCC
AGAATCAGGAGAACTACAAGAAGACACAAAGTAGAGGCCATCAGCTATGGAGAAGAACTGACTCGGAAGGCTG
TCAGAGCCACCTCCACTCTCCCTCTCCACTGATACACCATTCTCCACAAGGAGAGTCAATCCTAGCCCCAAA
CTGTGATTCCAGAACCAGAGCCTCACCCACAGTGGGGTGCAGCAGCTGTGTACGACCCAGCTGGAGACGTTGA
TAAAGCGACAGGCAGGTCTATAGCAGCTCCTGCCTGGGGCACGCCCTTCCCC

Guide RNAs used in initial experiment

Sequence	Chr	Chr Start	Chr End
GGAGACGTTGATAAAGCGACAGG	18	38203806	38203828
ACGTTGATAAAGCGACAGGCAGG	18	38203810	38203832
CCTAGCGGCAAAGCTGCTAAGGG	18	38197709	38197731
CCTGTATGCCCCAAGCCTAGCG	18	38197725	38197747

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Report Generated on: 12-07-2017

Genotyping by end-point PCR

These mice may be genotyped through a combination of separate PCR reactions that detect the gene-specific wild type allele and a mutant allele-specific short range PCR. Interpretation of the consolidated results produces the genotype of the mice. In addition to the expected product, the mutant assay may also amplify the endogenous wild type sequence which will appear as a larger band on an agarose gel. The presence of this extra band will depend on the size of the original deletion.

PCRs primer pairs and expected size bands

Assay Type	Assay	Forward Primer	Reverse Primer	Expected Size Band (bp)
Standard PCR	Wild type	Pcdh1_DF1	Pcdh1_ER1	291
Standard PCR	Mutant	Pcdh1_DF1	Pcdh1_DR1	254

Primer sequences

Primer Name	Primer Sequence (5' > 3')
Pcdh1_DF1	GGGCATCGCTCATTAGGTT
Pcdh1_ER1	AGCGTGGCAACATTCTCTTT
Pcdh1_DR1	CCACTTGTTTTGCTCCCTA

Reaction setup

Reagent	µl
DNA (~50-100 ng)	1
10x Buffer	1.5
MgCl ₂ (50 mM)	0.45
Platinum Taq (Invitrogen)	0.15
dNTPs (100 mM)	0.15
Primer 1 (10 µM)	0.3
Primer 2 (10 µM)	0.3
ddH ₂ O	11.15
Total	15

Amplification conditions

Step	Conditions	Time
1	94°C	5 min
2	94°C	30 sec
3	58°C	30 sec
4	72°C	1:30 sec
5	Go to '2' + 34 cycles	-
6	72°C	5 min
7	12°C	forever

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Report Generated on: 12-07-2017

Genotyping by loss of WT allele qPCR Assay (gene-specific assay)

The wild type loss of allele (LoA) qPCR assay uses a hydrolysis probe assay (for example Applied Biosystems TaqMan® technology) to determine the copy number of the wild type allele in a sample. Homozygotes will show no amplification, heterozygotes one copy and wild type mice will show two copies when compared to a wild type control.

The number of copies of the wildtype allele can be detected using a FAM-labelled custom qPCR TaqMan® assay. These are multiplexed with a VIC® labelled endogenous control assay (for example TaqMan® Copy Number Reference Assay, Mouse, Tfrc; Applied Biosystems part #4458366). Reference DNA controls of known genotypes should also be included to facilitate correct analysis.

Primers for LoA qPCR assay

Gene	Source	Forward Primer Seq.	Reverse Primer Seq.	Probe Primer Seq.
Pcdh1	Life Technologies	CCAATCTGGAAGAGCCCATAA	GGAGGACATTGACTCTGGTATC	TGCTGAGCTGACCTATAGCATCGC

Reactions are performed in a 10µl volume using an Applied Biosystems 7900HT Fast Real-Time PCR System or Applied Biosystems Vii7 with DNA prepared using the Sample-to-SNPTM kit (Applied Biosystems) from mouse ear biopsies. GTXpress™ buffer is also used (Applied Biosystems).

Reagent	µl
2x GTXpress™ buffer	5
20x target assay	0.5
ddH ₂ O	3
Tfrc endogenous 20x assay	0.5
DNA	1

Amplification conditions

Step	Conditions	Time
1	95°C	20 sec
2	95°C	10 sec
3	60°C	30 sec
4	Go to '2' + 34 cycles	-

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Report Generated on: 12-07-2017

Links to information and frequently asked questions

MGP mouse phenotype data:

<http://www.mousephenotype.org>

Useful publications

White, J.K., Gerdin, A.-K., Karp, N.A., Ryder, E., Buljan, M., Bussell, J.N., Salisbury, J., Clare, S., Ingham, N.J., Podrini, C., et al. (2013). Genome-wide Generation and Systematic Phenotyping of Knockout Mice Reveals New Roles for Many Genes. *Cell* 154, 452–464.

Mali P, Yang L, Esvelt KM, et al (2013) RNA-guided human genome engineering via Cas9. *Science* 339:823–6. doi: 10.1126/science.1232033

Jinek M, Chylinski K, Fonfara I, et al (2012) A programmable dual-RNA-guided DNA endonuclease in adaptive bacterial immunity. *Science* 337:816–21. doi: 10.1126/science.1225829

Cong L, Ran FA, Cox D, et al (2013) Multiplex genome engineering using CRISPR/Cas systems. *Science* 339:819–23. doi: 10.1126/science.1231143

Singh P, Schimenti JC, Bolcun-Filas E (2014) A Mouse Geneticist's Practical Guide to CRISPR Applications. *Genetics* genetics.114.169771–. doi: 10.1534/genetics.114.169771

Brandl C, Ortiz O, Röttig B, et al (2015) Creation of targeted genomic deletions using TALEN or CRISPR/Cas nuclease pairs in one-cell mouse embryos. *FEBS Open Bio* 5:26–35. doi: 10.1016/j.fob.2014.11.009

Zhou J, Wang J, Shen B, et al (2014) Dual sgRNAs facilitate CRISPR/Cas9 mediated mouse genome targeting. *FEBS J*. doi: 10.1111/febs.12735

Kraft K, Geuer S, Will AJ, et al (2015) Deletions, Inversions, Duplications: Engineering of Structural Variants using CRISPR/Cas in Mice. *Cell Rep*. doi: 10.1016/j.celrep.2015.01.016

Shen B, Zhang J, Wu H, et al (2013) Generation of gene-modified mice via Cas9/RNA-mediated gene targeting. *Cell Res* 23:720–3. doi: 10.1038/cr.2013.46

Wang H, Yang H, Shivalila CS, et al (2013) One-step generation of mice carrying mutations in multiple genes by CRISPR/Cas-mediated genome engineering. *Cell* 153:910–8. doi: 10.1016/j.cell.2013.04.025

Yang H, Wang H, Shivalila CS, et al (2013) One-Step Generation of Mice Carrying Reporter and Conditional Alleles by CRISPR/Cas-Mediated Genome Engineering. *Cell* 154:1370–1379. doi: 10.1016/j.cell.2013.08.022

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Report Generated on: 12-07-2017