

Wellcome Trust Sanger Institute Wellcome Trust Genome Campus Hinxton Cambridge CB10 1SA, U.K.

mouseinterest@sanger.ac.uk www.sanger.ac.uk

Donson (MAVY; EPD0243_2_A05)

Allele: Donson^{tm1a(EUCOMM)Wtsi}

Embryonic stem cell targeted: JM8.N4 Embryonic stem cell origin: C57BL/6N

Background used for Germ Line Transmission: C57BL/6N Taconic USA

Subsequent backcross background: C57BL/6N Taconic USA and inter cross from within Colony.

Genetic background: C57BL/6N Taconic USA; C57BL/6N

Coat Colour Information:

Black

Breeding Performance and Lifespan:

- Generally heterozygous mice from this colony conform to normal expectations of the background strain.
 - For maintenance of our colonies we pay particular attention to the age of the mating pairs and the resulting litters. In our experience the C57BL/6N substrain used to establish and progress this colony has shown some characteristics such as poor breeding, high preweaning mortality rates and failure to breed beyond three litters. We believe disturbance of litters has a detrimental effect on the mating pair. For our core and mutant colonies we have actively reduced our intervention with the mice. Daily observations, health checks, cleaning and cage movement is minimised in litters under 14 days of age.
- Our preferred breeding strategy for this line is heterozygous male x wild type female
- · Viability at Weaning Homozygous Lethal.

Bedding:

Aspen Chip derived from a Baltic supply – Supplier B&K Universal

Diet:

Autoclavable Mouse Breeder Diet 5021 – A controlled constant-nutrient diet formulated to compensate for nutrient losses that occur during steam sterilization. Supplier Lab Diet www.labdiet.com

Husbandry:

Cleaning frequency is based against cage occupancy and technician assessed level of soiling. Base changing is performed in a HEPA filtered change station which remains positive to the room environment. Gloved hands are disinfected between each cage. Diet is fed ad-libitum.

Housing System:

Individual Ventilated Cages maintained at positive pressure to the room with an average of 60 HEPA filtered air changes per hour.

This technical data sheet and information ("Datasheet") is supplied by Genome Research Limited ("GRL").

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Last updated: 22/05/2012



Wellcome Trust Sanger Institute Wellcome Trust Genome Campus Hinxton Cambridge CB10 1SA, U.K.

mouseinterest@sanger.ac.uk www.sanger.ac.uk

Further Information

Whilst all reasonable effort is made to verify the mouse line and verify the individual mouse genotype at shipment, we recommend this is confirmed by the recipient.

The heterozygous/homozygous genotype for this strain has phenotypic observations noted on the following:

Viability at weaning Recessive Lethal Study Citrobacter Challenge

Sanger MGP mutant mouse lines are mouse lines in development; information about breeding and phenotyping characteristics may be incomplete.

As the mutant mouse strains progress through the Sanger MGP primary phenotypic characterisation, the information gathered may be viewed through the Sanger Mouse Portal (www.sanger.ac.uk/mouseportal)

Information supplied here is current as of the date indicated below.

Please consult the Sanger MGP Mouse Resource Portal for progressive updates on colony information such as Viability at weaning, Fertility, General Observations.

Early notification on phenotyping data may be received by subscribing to the MGP-Early-Phenotyping-Alert.

Phenotype enquiries may be made through the contact MGPEnquiries@sanger.ac.uk.

Information regarding availability of knockout mouse resources may be queried at the International Knockout Mouse Consortium (IKMC; www.knockoutmouse.org).

Information relating to the knockout programmes may be found at the IKMC Knowledgebase (<u>www.knockoutmouse.org/kb</u>).

Information about targeting strategies may also be found at the IKMC website (www.knockoutmouse.org/about/targeting-strategies).

Details of the colony quality control tests performed for a specific mouse line may be observed through the International Knockout Mouse Consortium website (IKMC; www.knockoutmouse.org), searching for your target of interest and following the 'Details' and 'View this project' links. The allele map may also be viewed here.

Descriptions of the standard colony quality control assays may be found at the IKMC Knowledgebase (www.knockoutmouse.org/kb/25)

References

Skarnes, W. C., Rosen, B., West, A. P., Koutsourakis, M., Bushell, W., Iyer, V., Mujica, A. O., Thomas, M., Harrow, J., Cox, T., Jackson, D., Severin, J., Biggs, P., Fu, J., Nefedov, M., de Jong, P. J., Stewart, A. F. & Bradley, A. (2011). A conditional knockout resource for the genome-wide study of mouse gene function. *Nature*, 474, 337-342.

 $This \ technical \ data \ sheet \ and \ information \ ("Datasheet") \ is \ supplied \ by \ Genome \ Research \ Limited \ ("GRL").$

Although reasonable care is taken in the preparation of this Datasheet, GRL gives no warranties express or implied for any use of the Datasheet or for the accuracy of the Datasheet. GRL assumes no responsibility or liability for any decisions based upon the Datasheet. Without limiting the foregoing the Datasheet was prepared for mice supplied directly from GRL and where copies of this Datasheet are available from third party repositories or distribution centres ("Third Parties") GRL shall not be liable for any inconsistency between the mouse strain supplied by the Third Party and the Datasheet howsoever arising.

Last updated: 22/05/2012