

CMHD Pathology Report

CMHD Pathology Core

Toronto Centre for Phenogenomics 25 Orde St. 3rd fl. Toronto, Ont. M5T 3H7 Tel.(416) 586-8375 Fax (416) 586-5993

contact: Dr. Susan Newbigging ReportID: MSH13004 Report Date: January 16, 2013

email: newbigging@lunenfeld.ca Pathologist: H. Adissu

CMHD LabID: N12-1518

History:

vertebral fusion decreased lumbar vertebrae number increased sacral vertebrae number increased thoracic vertebrae number vertebral transformation increased rib number partial lethality chromosomal instability

AnimalID: M00412518 M00412518

Tissue Preservation and Staining:

thyroid not present in section

Histopathology Findings:

testis (MA:0000411)

Histopath Description:

Seminiferous tubules are diffusely vacuolated and hypocellular. They are lined by spermatogonia and numerous sertoli cells with accentuated vacuolated cytoplasmic processes filling the lumina. Rare apoptotic bodies are present. Primary spermatocytes are very rare. Myoepithelial cells are unremarkable. Interstitial cells are accentuated.

Morphological Diagnosis:

Distribution: multifocal; MPATH Diagnosis: hypoplasia MPATH:133

Definitive Diagnosis:

Testicular atrophy and lack of spermatogenesis.

epididymal duct (MA:0001735)

Histopath Description:

Low numbers of sperm cells admixed with cell debris are present within the tail of epididyms.

Morphological Diagnosis:

Distribution: Diffuse; MPATH Diagnosis: hypoplasia MPATH:133

Definitive Diagnosis:

Epididymal aspermia

Histopathology Comments:

The absence of spermatocytes is consistent with the observed seminiferous atrophy.

knee joint (MA:0000471)

Histopath Description:

There is multifocal fibrilation of the articular cartilage. There are clusters of chondrocytes (chondrones) within the articular cartilage

Morphological Diagnosis:

Distribution: multifocal; MPATH Diagnosis: degenerative change MPATH:14

Definitive Diagnosis:

Osteoarthriris, mild

liver (MA:0000358)

Histopath Description:


There is diffuse microvesicular lipidosis


Morphological Diagnosis:


Distribution: diffuse; **MPATH Diagnosis:** lipid deposition MPATH:42

Definitive Diagnosis:

Hepatic lipidosis







atrophy, 20x



Epididymal duct. hypospermia, 20x

There were no significant findings in the following tissues: Calvarium, brain, eyes, ears, tongue, Harderian gland, zymbal gland, salivary glands, nasal sinuses, teeth, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, spleen, gall bladder, exocrine and endocrine pancreas, esophagus, stomach, intestines, urinary organs and tract, adrenal gland, lymph nodes, spinal cord, bone marrow, skeletal muscles, brown fat, and skin.

AnimalID: M00444368 M00412518

Histopathology Findings:

testis (MA:0000411)

Histopath Description:

Similar but milder lesions as seen in M00412518 are present in the testis.

Morphological Diagnosis:

Distribution: diffuse; Severity: moderate; MPATH Diagnosis: hypoplasia MPATH:133

Definitive Diagnosis:

Testicular atrophy and lack of spermatogenesis.

liver (MA:0000358)

Histopath Description:

There is diffuse microvesicular lipidosis

Morphological Diagnosis:

Distribution: diffuse; Severity: moderate; MPATH Diagnosis: lipid deposition MPATH:42

Definitive Diagnosis:

Hepatic lipidosis

spinal cord (MA:0000216)

Histopath Description:

A single swollen axon is present (spheroid)

Morphological Diagnosis:

Distribution: focal; Severity: mild; MPATH Diagnosis: degenerative change MPATH:14

Definitive Diagnosis:

Axonal degeneration

brain (MA:0000168)

Histopath Description:

hydrocephalus

Morphological Diagnosis:

Distribution: bilateral; Severity: mild; MPATH Diagnosis: hydrocephalus MPATH:639

heart (MA:0000072)

Histopath Description:


There is focal necrosis within the left myocardium

Morphological Diagnosis:


Distribution: focal; MPATH Diagnosis: necrosis MPATH:4

Definitive Diagnosis:

Focal myocardial necrosis



Heart, focal necrosis, 40x



Testis. degeneration and atrophy, 20x

There were no significant findings in the following tissues: calvarium, eyes, ears, tongue, Harderian gland, zymbal gland, salivary glands, nasal sinuses, teeth, trachea, lungs, thymus, thyroid gland, parathyroid gland, spleen, gall bladder, exocrine and endocrine pancreas, esophagus, stomach, intestines, urinary organs and tract, adrenal gland, reproductive organs, lymph nodes, bones, bone marrow, skeletal muscles, brown fat, and skin.

AnimalID: M00444372 M00412518

Histopathology Findings:

liver (MA:0000358)

Histopath Description:

diffuse lipidosis

Morphological Diagnosis:

Distribution: diffuse; Severity: moderate; MPATH Diagnosis: lipid deposition MPATH:42

Definitive Diagnosis:

Hepatic lipidosis

stomach (MA:0000353)

Histopath Description:

moderate neutrophilic gastritis

Morphological Diagnosis:

Distribution: multifocal to coalescing; Severity: moderate; MPATH Diagnosis: inflammation

MPATH:212

Definitive Diagnosis:

Neutrophilic gastritis

brain (MA:0000168)

Morphological Diagnosis:

MPATH Diagnosis: hydrocephalus MPATH:639

Definitive Diagnosis:

Mild hydrocephalus

There were no significant findings in the following tissues: eyes, ears, tongue, Harderian gland, zymbal gland, salivary glands, nasal sinuses, teeth, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, spleen, gall bladder, exocrine and endocrine pancreas, esophagus, intestines, urinary organs and tract, adrenal gland, reproductive organs, lymph nodes, spinal cord, bones, bone marrow, skeletal muscles, brown fat, and skin.

AnimalID: M00383115 M00412518

Histopathology Findings:

liver (MA:0000358)

Morphological Diagnosis:

Distribution: diffuse; Severity: moderate; MPATH Diagnosis: lipid deposition MPATH:42

Definitive Diagnosis:

Hepatic lipidosis

kidney (MA:0000368)

Histopath Description:

There is 1x0.5 mm focal subcapsular aggregates of glomeruli

Morphological Diagnosis:

Severity: mild; MPATH Diagnosis: developmental and structural abnormality MPATH:55

Definitive Diagnosis:

Subcapsular glomerular aggregates

Histopathology Comments:

This is likely a developmental defect

knee joint (MA:0000471)

Histopath Description:

Mild fibrillation of the articular cartilage

Morphological Diagnosis:


Distribution: focally extensive; Severity: mild; MPATH Diagnosis: degenerative change

MPATH:14

Definitive Diagnosis:

Mild degenerative joint disease (osteoarthritis)





glomerular aggregates, 10x

Kidney, subcapsular Knee joint, articular surface, fibrillation, 20x

There were no significant findings in the following tissues: brain, eyes, ears, tongue, Harderian gland, zymbal gland, salivary glands, nasal sinuses, teeth, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, spleen, gall bladder, exocrine and endocrine pancreas, esophagus, stomach, intestines, adrenal gland, reproductive organs, lymph nodes, spinal cord, bones, marrow, skeletal muscles, brown fat, and skin.

Summary and Recommendation:

Main findings in this line are mild joint degenerative lesions (2/4), testicular degeneration and atrophy (2/2 males). We did not find histologic correlate to the chromosomal instablity observed by the phenotyping pipeline. Microscopic examination of single sections is not appropriate to confirm the vertebral and rib phenodeviants.