

# CMHD Pathology Report



# **CMHD Pathology Core**

Toronto Centre for Phenogenomics 25 Orde St. 3rd fl. Toronto, Ont. M5T 3H7 Tel.(416) 586-8375 Fax (416) 586-5993

contact: Dr. Susan Newbigging email:

newbigging@lunenfeld.ca

**Mouse Genetics Project** 

Wellcome Trust Sanger Institute Wellcome Trust Genome Campus Hinxton, Cambridge CB10 1SA UK

ReportID: Report Date: March 19, 2014

Pathologist: Dr. H. Adissu

**CMHD LabID: N13-1251** 

#### **Relevant History:**

Phenotypes:

increased erythrocyte cell number increased hemoglobin content increased hematocrit

AnimalID: M00775512 (Male) **Histopathology Findings:** 

liver (MA:0000358)

#### **Histopath Description:**

Severe lipidosis

# Morphological Diagnosis:

Distribution: diffuse; Severity: extreme; MPATH Diagnosis: steatosis MPATH:622; MPATH

Process Term: lipid deposition MPATH:42

**Definitive Diagnosis:** 

Hepatic lipidosis

# **Histopathology Comments:**

This is dietary steatosis

## brain (MA:0000168)

#### **Histopath Description:**

There is moderate dilation of the the fourth ventricle

# Morphological Diagnosis:

Distribution: diffuse; Severity: severe; MPATH Process Term: degenerative change

MPATH:14

### **Definitive Diagnosis:**

Dilation of the brain ventricles

#### **Histopathology Comments:**

Mild to moderate dilation of the ventricles is a background condition in mice of C57BL/6N background

# Organ/Tissue Analyzed:

Histopathology examination included the following organs and tissues: brain, trigeminal ganglion, eyes, salivary glands, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, exocrine and endocrine pancreas, oesophagus, stomach, small intestine, large intestine, liver, gall bladder, spleen, kidneys, adrenal gland, lymph nodes, spinal cord, bone marrow, sternum, femur and tibia with associated skeletal muscles, brown fat, pinna, skin, testis, epididymis, seminal vesicle, and prostate.

**AnimalID: M00775513 (Male) Histopathology Findings:** eye (MA:0000261)

# **Histopath Description:**

focal retinal fold

#### **Morphological Diagnosis:**

Distribution: focal; Severity: mild; MPATH Process Term: developmental dysplasia

MPATH:64

# **Definitive Diagnosis:**

Focal retinal fold/dysplasia

#### liver (MA:0000358)

### **Histopath Description:**

Severe lipidosis

#### **Morphological Diagnosis:**

Distribution: diffuse; Severity: extreme; MPATH Diagnosis: steatosis MPATH:622; MPATH

Process Term: lipid deposition MPATH:42

#### **Definitive Diagnosis:**

Hepatic lipidosis

#### **Histopathology Comments:**

This is dietary steatosis

#### brain (MA:0000168)

### **Histopath Description:**

There is moderate dilation of the fourth ventricle

#### Morphological Diagnosis:

Distribution: diffuse; Severity: severe; MPATH Process Term: degenerative change

MPATH:14

#### **Definitive Diagnosis:**

Dilation of the brain ventricles

## **Histopathology Comments:**

Mild to moderate dilation of the ventricles is a background condition in mice of C57BL/6N background

#### Organ/Tissue Analyzed:

Histopathology examination included the following organs and tissues: brain, trigeminal ganglion, eyes, salivary glands, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, exocrine and endocrine pancreas, oesophagus, stomach, small intestine, large intestine, liver, gall bladder, spleen, kidneys, adrenal gland, lymph nodes, spinal cord, bone marrow, sternum, femur and tibia with associated skeletal muscles, brown fat, pinna, skin, testis, epididymis, seminal vesicle, and prostate.

## AnimalID: M00775514 (Female)

#### **Histopathology Findings:**

#### eye (MA:0000261)

#### **Histopath Description:**

focal retinal fold

# **Morphological Diagnosis:**

Distribution: focal; Severity: mild; MPATH Process Term: developmental dysplasia

MPATH:64

#### **Definitive Diagnosis:**

Focal retinal fold/dysplasia

# liver (MA:0000358)

## **Histopath Description:**

moderate lipidosis

## **Morphological Diagnosis:**

**Distribution:** multifocal to coalescing; **Severity:** moderate; **MPATH Diagnosis:** steatosis

MPATH:622; MPATH Process Term: lipid deposition MPATH:42

# **Definitive Diagnosis:**

Hepatic lipidosis

## **Histopathology Comments:**

This is dietary steatosis

#### Organ/Tissue Analyzed:

Histopathology examination included the following organs and tissues: brain, trigeminal ganglion, eyes, salivary glands, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, exocrine and endocrine pancreas, oesophagus, stomach, small intestine, large intestine, liver, gall bladder, spleen, kidneys, adrenal gland, lymph nodes, spinal cord, bone marrow, sternum, femur and tibia with associated skeletal muscles, brown fat, pinna, skin, uterus, oviduct, and ovary, and mammary gland.

AnimalID: M00775515 (Female)

**Histopathology Findings:** 

liver (MA:0000358)

**Histopath Description:** 

moderate lipidosis

Morphological Diagnosis:

Distribution: multifocal to coalescing; Severity: moderate; MPATH Diagnosis: steatosis

MPATH:622; MPATH Process Term: lipid deposition MPATH:42

**Definitive Diagnosis:** 

Hepatic lipidosis

**Histopathology Comments:** 

This is dietary steatosis

#### Organ/Tissue Analyzed:

Histopathology examination included the following organs and tissues: brain, trigeminal ganglion, eyes, salivary glands, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, exocrine and endocrine pancreas, oesophagus, stomach, small intestine, large intestine, liver, gall bladder, spleen, kidneys, adrenal gland, lymph nodes, spinal cord, bone marrow, sternum, femur and tibia with associated skeletal muscles, brown fat, pinna, skin, uterus, oviduct, and ovary, and mammary gland.

#### **Report Summary and Recommendation:**

Lesions in this line are incidental or attributable to strain background. No morphological abnormalities were detected to explain hematological phenotypes.

Line summary: none