

# CMHD Pathology Report



#### **CMHD Pathology Core**

Toronto Centre for Phenogenomics 25 Orde St. 3rd fl. Toronto, Ont. M5T 3H7 Tel.(416) 586-8375 Fax (416) 586-5993

contact: Dr. Susan Newbigging email: newbigging@lunenfeld.ca \_\_\_\_\_

ReportID: Report Date: March 19, 2014 Pathologist: Dr. H. Adissu

#### Mouse Genetics Project Wellcome Trust Sanger

Institute
Wellcome Trust Genome
Campus
Hinxton, Cambridge
CB10 1SA
UK

**CMHD LabID: N13-1256** 

#### **Relevant History:**

fetal edema (2/9: 22%);

craniofacial abnormalities (1/9: 11%)

partial lethality

## AnimalID: M01454238 (Male) Histopathology Findings:

#### mesenteric lymph node (MA:0002829)

#### **Histopath Description:**

The mesenteric lymph node is markedly enlarged (greater than four-fold). The medulla is expanded by chords and sheets of lymphocytes. There are multiple germina centers.

#### **Morphological Diagnosis:**

**Distribution:** Diffuse; **Severity:** moderate; **MPATH Diagnosis:** hyperplasia MPATH:134; **MPATH Process Term:** hyperplasia MPATH:134

#### **Definitive Diagnosis:**

Lymphoid hyperplasia with medullary plasmacytosis.

#### **Histopathology Comments:**

The changes in the mesenteric lymph node are suggestive of draining of a regional inflammatory process. However, such a process was not observed in the tissues examined.

#### Organ/Tissue Analyzed:

Histopathology examination included the following organs and tissues: brain, trigeminal ganglion, eyes, salivary glands, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, exocrine and endocrine pancreas, oesophagus, stomach, small intestine, large intestine, liver, gall bladder, spleen, kidneys, adrenal gland, lymph nodes, spinal cord, bone marrow, sternum, femur and tibia with associated skeletal muscles, brown fat, pinna, skin, testis, epididymis, seminal vesicle, and prostate.

### AnimalID: M01249744 (Male)

#### **Histopathology Findings:**

#### eye (MA:0000261)

#### **Histopath Description:**

Involving one eye, there are clusters of external nuclear structures within the internal plexiform layer.

#### **Morphological Diagnosis:**

**Distribution:** multifocal; **Severity:** mild; **MPATH Process Term:** developmental dysplasia MPATH:64

#### **Definitive Diagnosis:**

Retinal dysplasia

#### brain (MA:0000168)

#### **Histopath Description:**

There is moderate dilation of the cerebral aqueduct

#### **Morphological Diagnosis:**

Distribution: diffuse; Severity: severe; MPATH Process Term: degenerative change

MPATH:14

#### **Definitive Diagnosis:**

Dilation of the brain ventricles

#### **Histopathology Comments:**

Mild to moderate dilation of the ventricles is a background condition in mice of C57BL/6N background

#### Organ/Tissue Analyzed:

Histopathology examination included the following organs and tissues: brain, trigeminal ganglion, eyes, salivary glands, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, exocrine and endocrine pancreas, oesophagus, stomach, small intestine, large intestine, liver, gall bladder, spleen, kidneys, adrenal gland, lymph nodes, spinal cord, bone marrow, sternum, femur and tibia with associated skeletal muscles, brown fat, pinna, skin, testis, epididymis, seminal vesicle, and prostate.

#### AnimalID: M01454243 (Female)

#### Organ/Tissue Analyzed:

Histopathology examination included the following organs and tissues: brain, trigeminal ganglion, eyes, salivary glands, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, exocrine and endocrine pancreas, oesophagus, stomach, small intestine, large intestine, liver, gall bladder, spleen, kidneys, adrenal gland, lymph nodes, spinal cord, bone marrow, sternum, femur and tibia with associated skeletal muscles, brown fat, pinna, skin, uterus, oviduct, and ovary, and mammary gland.

#### AnimalID: M01249743 (Female)

#### **Histopathology Findings:**

#### pancreas (MA:0000120)

#### **Histopath Description:**

Within the adipose tissue subadjacent to the pancreas are multifocal dilated ducts, dilated lymphatics, and blood vessels, and occasional pancreas islets. There is moderate fibrosis surrounding these structures.

#### **Morphological Diagnosis:**

MPATH Process Term: atrophy MPATH:127

#### **Definitive Diagnosis:**

Segmental panceatic exocrine atrophy

#### **Histopathology Comments:**

The lesion is suggestive of segmental (multilobular) exocrine pancreatic atrophy. The cause is not evident in the sections examined.

#### brain (MA:0000168)

#### **Histopath Description:**

There is moderate dilation of the lateral ventricles

#### **Morphological Diagnosis:**

**Distribution:** diffuse; **Severity:** moderate; **MPATH Process Term:** degenerative change MPATH:14

#### **Definitive Diagnosis:**

Dilation of the brain ventricles

#### **Histopathology Comments:**

Mild to moderate dilation of the ventricles is a background condition in mice of C57BL/6N background

#### Organ/Tissue Analyzed:

Histopathology examination included the following organs and tissues: brain, trigeminal ganglion, eyes, salivary glands, trachea, lungs, heart, thymus, thyroid gland, parathyroid gland, exocrine and endocrine pancreas, oesophagus, stomach, small intestine, large intestine, liver, gall bladder, spleen, kidneys, adrenal gland, lymph nodes, spinal cord, bone marrow, sternum, femur and tibia with associated skeletal muscles, brown fat, pinna, skin, uterus, oviduct, and ovary, and mammary gland.

**Report Summary and Recommendation:** Lesions in this line are incidental or attributable to strain background.

Line summary: none