

References

- [1] H. Ackerman, S. Usen, M. Jallow, F. Sisay-Joof, M. Pinder, and D. P. Kwiatkowski. A comparison of case-control and family-based association methods: the example of sickle-cell and malaria. *Annals of Human Genetics*, 69(Pt 5):559–565, September 2005.
- [2] C. G. Adda, V. J. Murphy, M. Sunde, L. J. Waddington, J. Schloegel, G. H. Talbo, K. Vingas, V. Kienzle, R. Masciantonio, G. J. Howlett, A. N. Hodder, M. Foley, and R. F. Anders. *Plasmodium falciparum* merozoite surface protein 2 is unstructured and forms amyloid-like fibrils. *Molecular and Biochemical Parasitology*, 166(2):159–171, August 2009.
- [3] C. Agop-Nersesian, B. Naissant, F. Ben Rached, M. Rauch, A. Kretzschmar, S. Thiberge, R. Menard, D. J. P. Ferguson, M. Meissner, and G. Langsley. Rab11a-controlled assembly of the inner membrane complex is required for completion of apicomplexan cytokinesis. *PLoS pathogens*, 5(1):e1000270, January 2009.
- [4] M. Aikawa, L. H. Miller, J. Johnson, and J. Rabbege. Erythrocyte entry by malarial parasites. a moving junction between erythrocyte and parasite. *The Journal of Cell Biology*, 77(1):72–82, April 1978.
- [5] A. Amambua-Ngwa, K. K. A. Tetteh, M. Manske, N. Gomez-Escobar, L. B. Stewart, M. E. Deerhake, I. A. Cheeseman, C. I. Newbold, A. A. Holder, E. Knuepfer, O. Janha, M. Jallow, S. Campino, B. Macinnis, D. P. Kwiatkowski, and D. J. Conway. Population genomic scan for candidate signatures of balancing selection to guide antigen characterization in malaria parasites. *PLoS genetics*, 8(11):e1002992, November 2012.
- [6] V. Amani, A. M. Vigário, E. Belnoue, M. Marussig, L. Fonseca, D. Mazier, and L. Rénia. Involvement of IFN- γ receptor-mediated signaling in pathology and anti-malarial immunity induced by *Plasmodium berghei* infection. *European Journal of Immunology*, 30(6):1646–1655, June 2000.

- [7] P. André, D. Hartwell, I. Hrachovinová, S. Saffaripour, and D. D. Wagner. Procoagulant state resulting from high levels of soluble P-selectin in blood. *Proceedings of the National Academy of Sciences of the United States of America*, 97(25):13835–13840, December 2000.
- [8] D. Asa, L. Raycroft, L. Ma, P. A. Aeed, P. S. Kaytes, A. P. Elhammer, and J. G. Geng. The P-selectin glycoprotein ligand functions as a common human leukocyte ligand for P- and E-selectins. *The Journal of Biological Chemistry*, 270(19):11662–11670, May 1995.
- [9] K. D. Augustijn, R. Kleemann, J. Thompson, T. Kooistra, C. E. Crawford, S. E. Reece, A. Pain, A. H. G. Siebum, C. J. Janse, and A. P. Waters. Functional characterization of the *Plasmodium falciparum* and *P. berghei* homologues of macrophage migration inhibitory factor. *Infection and Immunity*, 75(3):1116–1128, March 2007.
- [10] F. Austrup, D. Vestweber, E. Borges, M. Löhning, R. Bräuer, U. Herz, H. Renz, R. Hallmann, A. Scheffold, A. Radbruch, and A. Hamann. P- and E-selectin mediate recruitment of T-helper-1 but not T-helper-2 cells into inflamed tissues. *Nature*, 385(6611):81–83, January 1997.
- [11] H. Ayad and P. Georghiou. Resistance to organophosphates and carbamates in *Anopheles albimanus* based on reduced sensitivity of acetylcholinesterase. *Journal of Economic Entomology*, 68(3):295–297, June 1975.
- [12] R. P. Baker, R. Wijetilaka, and S. Urban. Two *Plasmodium* rhomboid proteases preferentially cleave different adhesins implicated in all invasive stages of malaria. *PLoS pathogens*, 2(10):e113, October 2006.
- [13] M. M. Baksh, A. K. Kussrow, M. Abou-Hamdan, M. G. Finn, and D. J. Bornhop. Label-free quantification of membrane-ligand interactions using backscattering interferometry. *Nature Biotechnology*, 29(4):357–360, April 2011.
- [14] L. H. Bannister, G. H. Mitchell, G. A. Butcher, E. D. Dennis, and S. Cohen. Structure and development of the surface coat of erythrocytic merozoites of *Plasmodium knowlesi*. *Cell and Tissue Research*, 245(2):281–290, 1986.
- [15] V. C. Barclay, D. Sim, B. H. K. Chan, L. A. Nell, M. A. Rabaa, A. S. Bell, R. F. Anders, and A. F. Read. The evolutionary consequences of blood-stage vaccination on the rodent malaria *Plasmodium chabaudi*. *PLoS biology*, 10(7):e1001368, July 2012.

- [16] F. J. Barkalow, K. L. Barkalow, and T. N. Mayadas. Dimerization of P-selectin in platelets and endothelial cells. *Blood*, 96(9):3070–3077, November 2000.
- [17] J. W. Barnwell, C. F. Ockenhouse, and D. M. Knowles. Monoclonal antibody OKM5 inhibits the *in vitro* binding of *Plasmodium falciparum*-infected erythrocytes to monocytes, endothelial, and C32 melanoma cells. *Journal of Immunology*, 135(5):3494–3497, November 1985.
- [18] A. E. Barry, L. Schultz, C. O. Buckee, and J. C. Reeder. Contrasting population structures of the genes encoding ten leading vaccine-candidate antigens of the human malaria parasite, *Plasmodium falciparum*. *PLoS ONE*, 4(12):e8497, December 2009.
- [19] S. J. Bartholdson, L. Y. Bustamante, C. Crosnier, S. Johnson, S. Lea, J. C. Rayner, and G. J. Wright. Semaphorin-7a is an erythrocyte receptor for *P. falciparum* merozoite-specific TRAP homolog, MTRAP. *PLoS pathogens*, 8(11):e1003031, 2012.
- [20] D. I. Baruch, J. A. Gormely, C. Ma, R. J. Howard, and B. L. Pasloske. *Plasmodium falciparum* erythrocyte membrane protein 1 is a parasitized erythrocyte receptor for adherence to CD36, thrombospondin, and intercellular adhesion molecule 1. *Proceedings of the National Academy of Sciences of the United States of America*, 93(8):3497–3502, April 1996.
- [21] C. C. Bass and F. M. Johns. The cultivation of malarial *Plasmodia in vitro*. *The Journal of Experimental Medicine*, 16(4):567–579, October 1912.
- [22] J. Baum, D. Richard, J. Healer, M. Rug, Z. Krnjanski, T. Gilberger, J. L. Green, A. A. Holder, and A. F. Cowman. A conserved molecular motor drives cell invasion and gliding motility across malaria life cycle stages and other apicomplexan parasites. *The Journal of Biological Chemistry*, 281(8):5197–5208, February 2006.
- [23] J. G. Beeson, K. T. Andrews, M. Boyle, M. F. Duffy, E. K. Choong, T. J. Byrne, J. M. Chesson, A. M. Lawson, and W. Chai. Structural basis for binding of *Plasmodium falciparum* erythrocyte membrane protein 1 to chondroitin sulfate and placental tissue and the influence of protein polymorphisms on binding specificity. *The Journal of Biological Chemistry*, 282(31):22426–22436, August 2007.
- [24] A. R. Berendt, D. L. Simmons, J. Tansey, C. I. Newbold, and K. Marsh. Intercellular adhesion molecule-1 is an endothelial cell adhesion receptor for *Plasmodium falciparum*. *Nature*, 341(6237):57–59, September 1989.

- [25] S. Besteiro, A. Michelin, J. Poncet, J. Dubremetz, and M. Lebrun. Export of a *Toxoplasma gondii* rhoptry neck protein complex at the host cell membrane to form the moving junction during invasion. *PLoS pathogens*, 5(2):e1000309, February 2009.
- [26] M. P. Bevilacqua, J. S. Pober, D. L. Mendrick, R. S. Cotran, and M. A. Gimbrone. Identification of an inducible endothelial-leukocyte adhesion molecule. *Proceedings of the National Academy of Sciences of the United States of America*, 84(24):9238–9242, December 1987.
- [27] M. P. Bevilacqua, S. Stengelin, M. A. Gimbrone, and B. Seed. Endothelial leukocyte adhesion molecule 1: an inducible receptor for neutrophils related to complement regulatory proteins and lectins. *Science*, 243(4895):1160–1165, March 1989.
- [28] M. J. Blackman and A. A. Holder. Secondary processing of the *Plasmodium falciparum* merozoite surface protein-1 (MSP1) by a calcium-dependent membrane-bound serine protease: shedding of MSP1₃₃ as a noncovalently associated complex with other fragments of the MSP1. *Molecular and Biochemical Parasitology*, 50(2):307–315, February 1992.
- [29] M. J. Blackman, H. G. Heidrich, S. Donachie, J. S. McBride, and A. A. Holder. A single fragment of a malaria merozoite surface protein remains on the parasite during red cell invasion and is the target of invasion-inhibiting antibodies. *The Journal of Experimental Medicine*, 172(1):379–382, July 1990.
- [30] E. Borges, W. Tietz, M. Steegmaier, T. Moll, R. Hallmann, A. Hamann, and D. Vestweber. P-selectin glycoprotein ligand-1 (PSGL-1) on T helper 1 but not on T helper 2 cells binds to P-selectin and supports migration into inflamed skin. *The Journal of Experimental Medicine*, 185(3):573–578, February 1997.
- [31] D. J. Bornhop, J. C. Latham, A. Kussrow, D. A. Markov, R. D. Jones, and H. S. Sørensen. Free-solution, label-free molecular interactions studied by back-scattering interferometry. *Science*, 317(5845):1732–1736, September 2007.
- [32] Z. Bozdech, S. Mok, G. Hu, M. Imwong, A. Jaidee, B. Russell, H. Ginsburg, F. Nosten, N. P. J. Day, N. J. White, J. M. Carlton, and P. R. Preiser. The transcriptome of *Plasmodium vivax* reveals divergence and diversity of transcriptional regulation in malaria parasites. *Proceedings of the National Academy of Sciences*, 105(42):16290–16295, October 2008.

- [33] B. K. Brandley, M. Kiso, S. Abbas, P. Nikrad, O. Srivasatava, C. Foxall, Y. Oda, and A. Hasegawa. Structure-function studies on selectin carbohydrate ligands. modifications to fucose, sialic acid and sulphate as a sialic acid replacement. *Glycobiology*, 3(6):633–641, December 1993.
- [34] K. Brose, K. S. Bland, K. H. Wang, D. Arnott, W. Henzel, C. S. Goodman, M. Tessier-Lavigne, and T. Kidd. Slit proteins bind robo receptors and have an evolutionarily conserved role in repulsive axon guidance. *Cell*, 96(6):795–806, March 1999.
- [35] M. H. Brown and A. N. Barclay. Expression of immunoglobulin and scavenger receptor superfamily domains as chimeric proteins with domains 3 and 4 of CD4 for ligand analysis. *Protein Engineering*, 7(4):515–521, April 1994.
- [36] M. H. Brown, K. Boles, P. Anton van der Merwe, V. Kumar, P. A. Mathew, and A. Neil Barclay. 2B4, the natural killer and T cell immunoglobulin superfamily surface protein, is a ligand for CD48. *Journal of Experimental Medicine*, 188(11):2083–2090, December 1998.
- [37] P. C. Bull, B. S. Lowe, M. Kortok, C. S. Molyneux, C. I. Newbold, and K. Marsh. Parasite antigens on the infected red cell surface are targets for naturally acquired immunity to malaria. *Nature Medicine*, 4(3):358–360, March 1998.
- [38] D. C. Bullard, E. J. Kunkel, H. Kubo, M. J. Hicks, I. Lorenzo, N. A. Doyle, C. M. Doerschuk, K. Ley, and A. L. Beaudet. Infectious susceptibility and severe deficiency of leukocyte rolling and recruitment in E-selectin and P-selectin double mutant mice. *The Journal of Experimental Medicine*, 183(5):2329–2336, May 1996.
- [39] H. E. Bullen, C. J. Tonkin, R. A. O'Donnell, W.-H. Tham, A. T. Papenfuss, S. Gould, A. F. Cowman, B. S. Crabb, and Paul R. Gilson. A novel family of apicomplexan glideosome-associated proteins with an inner membrane-anchoring role. *The Journal of Biological Chemistry*, 284(37):25353–25363, September 2009.
- [40] K. M. Bushell, C. Söllner, B. Schuster-Boeckler, A. Bateman, and G. J. Wright. Large-scale screening for novel low-affinity extracellular protein interactions. *Genome research*, 18(4):622–630, April 2008.
- [41] L. Y. Bustamante, S. J. Bartholdson, C. Crosnier, M. G. Campos, M. Wanaguru, C. Nguon, D. P. Kwiatkowski, G. J. Wright, and J. C. Rayner. A full-length recombinant *Plasmodium falciparum* PfRH5 protein induces inhibitory antibodies that are

- effective across common PfPR5 genetic variants. *Vaccine*, 31(2):373–379, January 2013.
- [42] A. W. Butch. Dilution protocols for detection of hook effects/prozone phenomenon. *Clinical Chemistry*, 46(10):1719–1721, October 2000.
- [43] P. Cabrales, G. M. Zanini, D. Meays, J. A. Frangos, and L. J.M. Carvalho. Murine cerebral malaria is associated with a vasospasm-like microcirculatory dysfunction, and survival upon rescue treatment is markedly increased by nimodipine. *The American Journal of Pathology*, 176(3):1306–1315, March 2010.
- [44] A. Calderaro, G. Piccolo, C. Gorrini, S. Rossi, S. Montecchini, M.-L. Dell’Anna, F. De Conto, M. C. Medici, C. Chezzi, and M. C. Arcangeletti. Accurate identification of the six human *Plasmodium* spp. causing imported malaria, including *Plasmodium ovale wallikeri* and *Plasmodium knowlesi*. *Malaria Journal*, 12:321, 2013.
- [45] M. A. Calderwood, K. Venkatesan, L. Xing, M. R. Chase, A. Vazquez, A. M. Holthaus, A. E. Ewence, N. Li, T. Hirozane-Kishikawa, D. E. Hill, M. Vidal, E. Kieff, and E. Johannsen. Epstein-Barr virus and virus human protein interaction maps. *Proceedings of the National Academy of Sciences of the United States of America*, 104(18):7606–7611, May 2007.
- [46] D. Camus and T. J. Hadley. A *Plasmodium falciparum* antigen that binds to host erythrocytes and merozoites. *Science*, 230(4725):553–556, November 1985.
- [47] J. Carlson and M. Wahlgren. *Plasmodium falciparum* erythrocyte rosetting is mediated by promiscuous lectin-like interactions. *The Journal of Experimental Medicine*, 176(5):1311–1317, November 1992.
- [48] J. M. Carlton, S. V. Angiuoli, B. B. Suh, T. W. Kooij, M. Perte, J. C. Silva, M. D. Ermolaeva, J. E. Allen, J. D. Selengut, H. L. Koo, J. D. Peterson, M. Pop, D. S. Kosack, M. F. Shumway, S. L. Bidwell, S. J. Shallom, S. E. van Aken, S. B. Riedmuller, T. V. Feldblyum, J. K. Cho, J. Quackenbush, M. Sedegah, A. Shoaiabi, L. M. Cummings, L. Florens, John R. Yates, J. D. Raine, Robert E. Sinden, M. A. Harris, D. A. Cunningham, P. R. Preiser, L. W. Bergman, A. B. Vaidya, L. H. van Lin, C. J. Janse, A. P. Waters, H. O. Smith, O. R. White, S. L. Salzberg, J. C. Venter, C. M. Fraser, S. L. Hoffman, M. J. Gardner, and D. J. Carucci. Genome sequence and comparative analysis of the model rodent malaria parasite *Plasmodium yoelii yoelii*. *Nature*, 419(6906): 512–519, October 2002.

- [49] J. M. Carlton, J. H. Adams, J. C. Silva, S. L. Bidwell, H. Lorenzi, E. Caler, J. Crabtree, S. V. Angiuoli, E. F. Merino, Paolo Amedeo, Q. Cheng, R. M. R. Coulson, B. S. Crabb, H. A. Del Portillo, K. Essien, T. V. Feldblyum, C. Fernandez-Becerra, P. R. Gilson, A. H. Gueye, X. Guo, S. Kang'a, T. W. A. Kooij, M. Korsinczky, E. V.-S. Meyer, V. Nene, I. Paulsen, O. White, S. A. Ralph, Q. Ren, T. J. Sargeant, S. L. Salzberg, C. J. Stoeckert, S. A. Sullivan, M. M. Yamamoto, S. L. Hoffman, J. R. Wortman, M. J. Gardner, M. R. Galinski, J. W. Barnwell, and C. M. Fraser-Liggett. Comparative genomics of the neglected human malaria parasite *Plasmodium vivax*. *Nature*, 455(7214):757–763, October 2008.
- [50] F. Caro, M. G. Miller, and J. L. DeRisi. Plate-based transfection and culturing technique for genetic manipulation of *Plasmodium falciparum*. *Malaria Journal*, 11(1):22, 2012.
- [51] A. Celi, G. Pellegrini, R. Lorenzet, A. De Blasi, N. Ready, and B. Furie. P-selectin induces the expression of tissue factor on monocytes. *Proceedings of the National Academy of Sciences of the United States of America*, 91(19):8767–8771, September 1994.
- [52] E. R. Chan, D. Menard, P. H. David, A. Ratsimbaoa, S. Kim, P. Chim, C. Do, B. Witkowski, O. Mercereau-Puijalon, P. A. Zimmerman, and D. Serre. Whole genome sequencing of field isolates provides robust characterization of genetic diversity in *Plasmodium vivax*. *PLoS Neglected Tropical Diseases*, 6(9):e1811, September 2012.
- [53] W. Chang, J. Li, G. Sun, H. Chen, R. D. Specian, S. M. Berney, D. N. Granger, and H. C. van der Heyde. P-selectin contributes to severe experimental malaria but is not required for leukocyte adhesion to brain microvasculature. *Infection and Immunity*, 71(4):1911–1918, April 2003.
- [54] Q. Chen, A. Barragan, V. Fernandez, A. Sundstrom, M. Schlichtherle, A. Sahlen, J. Carlson, S. Datta, and M. Wahlgren. Identification of *Plasmodium falciparum* erythrocyte membrane protein 1 (PfEMP1) as the rosetting ligand of the malaria parasite *P. falciparum*. *Journal of Experimental Medicine*, 187(1):15–23, January 1998.
- [55] K. Chotivanich, R. Udomsangpetch, K. Pattanapanyasat, W. Chierakul, J. Simpson, S. Looareesuwan, and N. J. White. Hemoglobin E: a balanced polymorphism protective against high parasitemias and thus severe *P. falciparum* malaria. *Blood*, 100(4):1172–1176, August 2002.

- [56] C. Coban, K. J. Ishii, T. Kawai, H. Hemmi, S. Sato, S. Uematsu, M. Yamamoto, O. Takeuchi, S. Itagaki, N. Kumar, T. Horii, and S. Akira. Toll-like receptor 9 mediates innate immune activation by the malaria pigment hemozoin. *The Journal of Experimental Medicine*, 201(1):19–25, January 2005.
- [57] F. B. Cogswell. The hypnozoite and relapse in primate malaria. *Clinical Microbiology Reviews*, 5(1):26–35, January 1992.
- [58] S. Cohen, I. A. McGregor, and S. Carrington. Gamma-globulin and acquired immunity to human malaria. *Nature*, 192(4804):733–737, November 1961.
- [59] V. Combes, A. R. Rosenkranz, M. Redard, G. Pizzolato, H. Lepidi, D. Vestweber, T. N. Mayadas, and G. E. Grau. Pathogenic role of P-selectin in experimental cerebral malaria: importance of the endothelial compartment. *The American Journal of Pathology*, 164(3):781–786, March 2004.
- [60] B. P. Cormack, R. H. Valdivia, and S. Falkow. FACS-optimized mutants of the green fluorescent protein (GFP). *Gene*, 173(1 Spec No):33–38, 1996.
- [61] A. F. Cowman and B. S. Crabb. Invasion of red blood cells by malaria parasites. *Cell*, 124(4):755–766, February 2006.
- [62] B. S. Crabb, B. M. Cooke, J. C. Reeder, R. F. Waller, S. R. Caruana, K. M. Davern, M. E. Wickham, G. V. Brown, R. L. Coppel, and A. F. Cowman. Targeted gene disruption shows that knobs enable malaria-infected red cells to cytoadhere under physiological shear stress. *Cell*, 89(2):287–296, April 1997.
- [63] K. Croce, S. J. Freedman, B. C. Furie, and B. Furie. Interaction between soluble P-selectin and soluble P-selectin glycoprotein ligand 1: equilibrium binding analysis. *Biochemistry*, 37(47):16472–16480, November 1998.
- [64] C. Crosnier, L. Y. Bustamante, S. J. Bartholdson, A. K. Bei, M. Theron, M. Uchikawa, S. Mboup, O. Ndir, D. P. Kwiatkowski, M. T. Duraisingh, J. C. Rayner, and G. J. Wright. Basigin is a receptor essential for erythrocyte invasion by *Plasmodium falciparum*. *Nature*, 480(7378):534–537, December 2011.
- [65] C. Crosnier, M. Wanaguru, B. McDade, F. H. Osier, K. Marsh, J. C. Rayner, and G. J. Wright. A library of functional recombinant cell-surface and secreted *P. falciparum* merozoite proteins. *Molecular & Cellular Proteomics*, 12(12):3976–3986, December 2013.

- [66] E. L. Dahl, J. L. Shock, B. R. Shenai, J. Gut, J. L. DeRisi, and P. J. Rosenthal. Tetracyclines specifically target the apicoplast of the malaria parasite *Plasmodium falciparum*. *Antimicrobial Agents and Chemotherapy*, 50(9):3124–3131, September 2006.
- [67] L. Damian. Isothermal titration calorimetry for studying protein–ligand interactions. In M. A. Williams and T. Daviter, editors, *Protein-Ligand Interactions*, volume 1008, pages 103–118. Humana Press, 2013.
- [68] B. de Chasse, V. Navratil, L. Tafforeau, M. S. Hiet, A. Aublin-Gex, S. Agaugué, G. Meiffren, F. Pradezynski, B. F. Faria, T. Chantier, M. Le Breton, J. Pellet, N. Davoust, P. E. Mangeot, A. Chaboud, F. Penin, Y. Jacob, P. O. Vidalain, M. Vidal, P. André, C. Rabourdin-Combe, and V. Lotteau. Hepatitis C virus infection protein network. *Molecular systems biology*, 4:230, November 2008.
- [69] J. DeChancie and K. N. Houk. The origins of femtomolar protein-ligand binding: hydrogen-bond cooperativity and desolvation energetics in the biotin-(strept)avidin binding site. *Journal of the American Chemical Society*, 129(17):5419–5429, May 2007.
- [70] D. L. Doolan, C. Dobano, and J. K. Baird. Acquired immunity to malaria. *Clinical Microbiology Reviews*, 22(1):13–36, January 2009.
- [71] M. Doré, R. J. Korthuis, D. N. Granger, M. L. Entman, and C. W. Smith. P-selectin mediates spontaneous leukocyte rolling *in vivo*. *Blood*, 82(4):1308–1316, August 1993.
- [72] P. Dorr, M. Westby, S. Dobbs, P. Griffin, B. Irvine, M. Macartney, J. Mori, G. Rickett, C. Smith-Burchnell, C. Napier, R. Webster, D. Armour, D. Price, B. Stammen, A. Wood, and M. Perros. Maraviroc (UK-427,857), a potent, orally bioavailable, and selective small-molecule inhibitor of chemokine receptor CCR5 with broad-spectrum anti-human immunodeficiency virus type 1 activity. *Antimicrobial Agents and Chemotherapy*, 49(11):4721–4732, November 2005.
- [73] Z. Dosztányi, V. Csizmok, P. Tompa, and I. Simon. IUPred: web server for the prediction of intrinsically unstructured regions of proteins based on estimated energy content. *Bioinformatics*, 21(16):3433–3434, August 2005.
- [74] E. L. Doyle, V. Ridger, F. Ferraro, M. Turmaine, P. Saftig, and D. F. Cutler. CD63 is an essential cofactor to leukocyte recruitment by endothelial P-selectin. *Blood*, 118(15):4265–4273, October 2011.

- [75] K. Drickamer. C-type lectin-like domains. *Current Opinion in Structural Biology*, 9(5):585–590, October 1999.
- [76] L. C. Dunlop, M. P. Skinner, L. J. Bendall, E. J. Favalaro, P. A. Castaldi, J. J. Gorman, J. R. Gamble, M. A. Vadas, and M. C. Berndt. Characterization of GMP-140 (P-selectin) as a circulating plasma protein. *The Journal of Experimental Medicine*, 175(4):1147–1150, April 1992.
- [77] M. T. Duraisingh, A. G. Maier, T. Triglia, and A. F. Cowman. Erythrocyte-binding antigen 175 mediates invasion in *Plasmodium falciparum* utilizing sialic acid-dependent and -independent pathways. *Proceedings of the National Academy of Sciences of the United States of America*, 100(8):4796–4801, April 2003.
- [78] M. T. Duraisingh, T. Triglia, S. A. Ralph, J. C. Rayner, J. W. Barnwell, G. I. McFadden, and A. F. Cowman. Phenotypic variation of *Plasmodium falciparum* merozoite proteins directs receptor targeting for invasion of human erythrocytes. *The EMBO Journal*, 22(5):1047–1057, March 2003.
- [79] Y. Durocher, S. Perret, and A. Kamen. High-level and high-throughput recombinant protein production by transient transfection of suspension-growing human 293-EBNA1 cells. *Nucleic Acids Research*, 30(2):E9, January 2002.
- [80] S. Dutta, L. S. Dlugosz, D. R. Drew, X. Ge, D. Ababacar, Y. I. Rovira, J. K. Moch, M. Shi, C. A. Long, M. Foley, J. G. Beeson, R. F. Anders, K. Miura, J. D. Haynes, and A. H. Batchelor. Overcoming antigenic diversity by enhancing the immunogenicity of conserved epitopes on the malaria vaccine candidate apical membrane antigen-1. *PLoS Pathogens*, 9(12):e1003840, December 2013.
- [81] J. A. Dvorak, L. H. Miller, W. C. Whitehouse, and T. Shiroishi. Invasion of erythrocytes by malaria merozoites. *Science*, 187(4178):748–750, February 1975.
- [82] H. M. El Sahly, S. M. Patel, R. L. Atmar, T. A. Lanford, T. Dube, D. Thompson, B. K. L. Sim, C. Long, and W. A. Keitel. Safety and immunogenicity of a recombinant nonglycosylated erythrocyte binding antigen 175 region II malaria vaccine in healthy adults living in an area where malaria is not endemic. *Clinical and Vaccine Immunology*, 17(10):1552–1559, October 2010.
- [83] M. R. Elstad, T. R. La Pine, F. S. Cowley, R. P. McEver, T. M. McIntyre, S. M. Prescott,

- and G. A. Zimmerman. P-selectin regulates platelet-activating factor synthesis and phagocytosis by monocytes. *Journal of Immunology*, 155(4):2109–2122, August 1995.
- [84] M. English, F. Esamai, A. Wasunna, F. Were, B Ogutu, A. Wamae, R. W. Snow, and N. Peshu. Assessment of inpatient paediatric care in first referral level hospitals in 13 districts in Kenya. *Lancet*, 363(9425):1948–1953, June 2004.
- [85] C. R. Engwerda, T. L. Mynott, S. Sawhney, J. B. De Souza, Q. D. Bickle, and P. M. Kaye. Locally up-regulated lymphotoxin α , not systemic tumor necrosis factor α , is the principle mediator of murine cerebral malaria. *The Journal of Experimental Medicine*, 195(10):1371–1377, May 2002.
- [86] J. E. Epstein, K. Tewari, K. E. Lyke, B K L Sim, P. F. Billingsley, M. B. Laurens, A. Gunasekera, S. Chakravarty, E. R. James, M. Sedegah, A. Richman, S. Velmurugan, S. Reyes, M. Li, K. Tucker, A. Ahumada, A. J. Ruben, T. Li, R. Stafford, A. G. Eappen, C. Tamminga, J. W. Bennett, C. F. Ockenhouse, J. R. Murphy, J. Komisar, N. Thomas, M. Loyevsky, A. Birkett, C. V. Plowe, C. Loucq, R. Edelman, T. L. Richie, R. A. Seder, and S. L. Hoffman. Live attenuated malaria vaccine designed to protect through hepatic CD8⁺ T cell immunity. *Science*, 334(6055):475–480, October 2011.
- [87] D. V. Erbe, S. R. Watson, L. G. Presta, B. A. Wolitzky, C. Foxall, B. K. Brandley, and L. A. Lasky. P- and E-selectin use common sites for carbohydrate ligand recognition and cell adhesion. *The Journal of Cell Biology*, 120(5):1227–1235, March 1993.
- [88] V. Ermert, A. H. Fink, A. P. Morse, and H. Paeth. The impact of regional climate change on malaria risk due to greenhouse forcing and land-use changes in tropical Africa. *Environmental Health Perspectives*, 120(1):77–84, January 2012.
- [89] A. Etzioni. Defects in the leukocyte adhesion cascade. *Clinical Reviews in Allergy & Immunology*, 38(1):54–60, February 2010.
- [90] S. Falati, Q. Liu, P. Gross, G. Merrill-Skoloff, J. Chou, E. Vandendries, A. Celi, K. Croce, B. C. Furie, and B. Furie. Accumulation of tissue factor into developing thrombi *in vivo* is dependent upon microparticle P-selectin glycoprotein ligand 1 and platelet P-selectin. *The Journal of Experimental Medicine*, 197(11):1585–1598, June 2003.
- [91] Y. Fan, Y. Wang, C. Ju, T. Zhang, B. Xu, W. Hu, and J. Chen. Systematic analysis

- of natural antibody responses to *P. falciparum* merozoite antigens by protein arrays. *Journal of Proteomics*, 78:148–158, January 2013.
- [92] N. Favre, B. Ryffel, G. Bordmann, and W. Rudin. The course of *Plasmodium chabaudi chabaudi* infections in interferon- γ receptor deficient mice. *Parasite Immunology*, 19(8):375–383, August 1997.
- [93] A. H. Fell, J. Currier, and M. F. Good. Inhibition of *Plasmodium falciparum* growth *in vitro* by CD4⁺ and CD8⁺ T cells from non-exposed donors. *Parasite Immunology*, 16(11):579–586, November 1994.
- [94] Z.-P. Feng, X. Zhang, P. Han, N. Arora, R. F. Anders, and R. S. Norton. Abundance of intrinsically unstructured proteins in *P. falciparum* and other apicomplexan parasite proteomes. *Molecular and Biochemical Parasitology*, 150(2):256–267, December 2006.
- [95] F. Ferron, S. Longhi, B. Canard, and D. Karlin. A practical overview of protein disorder prediction methods. *Proteins: Structure, Function, and Bioinformatics*, 65(1):1–14, July 2006.
- [96] D. A. Fidock, V. Pasquetto, H. Gras, E. Badell, W. Eling, W. R. Ballou, J. Belghiti, A. Tartar, and P. Druilhe. *Plasmodium falciparum* sporozoite invasion is inhibited by naturally acquired or experimentally induced polyclonal antibodies to the STARP antigen. *European Journal of Immunology*, 27(10):2502–2513, October 1997.
- [97] J. Flint, A. V. Hill, D. K. Bowden, S. J. Oppenheimer, P. R. Sill, S. W. Serjeantson, J. Bana-Koiri, K. Bhatia, M. P. Alpers, and A. J. Boyce. High frequencies of α -thalassaemia are the result of natural selection by malaria. *Nature*, 321(6072):744–750, June 1986.
- [98] L. Florens, M. P. Washburn, J. D. Raine, R. M. Anthony, M. Grainger, J. D. Haynes, J. Kathleen Moch, N. Muster, J. B. Sacci, D. L. Tabb, A. A. Witney, D. Wolters, Y. Wu, M. J. Gardner, A. A. Holder, R. E. Sinden, J. R. Yates, and D. J. Carucci. A proteomic view of the *Plasmodium falciparum* life cycle. *Nature*, 419(6906):520–526, October 2002.
- [99] C. Foxall, S. R. Watson, D. Dowbenko, C. Fennie, L. A. Lasky, M. Kiso, A. Hasegawa, D. Asa, and B. K. Brandley. The three members of the selectin receptor family recog-

- nize a common carbohydrate epitope, the sialyl lewis-X oligosaccharide. *The Journal of Cell Biology*, 117(4):895–902, May 1992.
- [100] U. Frevert, P. Sinnis, C. Cerami, W. Shreffler, B. Takacs, and V. Nussenzweig. Malaria circumsporozoite protein binds to heparan sulfate proteoglycans associated with the surface membrane of hepatocytes. *The Journal of Experimental Medicine*, 177(5):1287–1298, May 1993.
- [101] M. Fried and P. E. Duffy. Adherence of *Plasmodium falciparum* to chondroitin sulfate a in the human placenta. *Science*, 272(5267):1502–1504, June 1996.
- [102] R. Galizi, L. A. Doyle, M. Menichelli, F. Bernardini, A. Deredec, A. Burt, B. L. Stoddard, N. Windbichler, and A. Crisanti. A synthetic sex ratio distortion system for the control of the human malaria mosquito. *Nature Communications*, 5, June 2014.
- [103] J. R. Gamble, M. P. Skinner, M. C. Berndt, and M. A. Vadas. Prevention of activated neutrophil adhesion to endothelium by soluble adhesion protein GMP140. *Science*, 249(4967):414–417, July 1990.
- [104] F.-J. Gamo, L. M. Sanz, J. Vidal, C. de Cozar, E. Alvarez, J.-L. Lavandera, D. E. Vanderwall, D. V. S. Green, V. Kumar, S. Hasan, J. R. Brown, C. E. Peishoff, L. R. Cardon, and J. F. Garcia-Bustos. Thousands of chemical starting points for antimalarial lead identification. *Nature*, 465(7296):305–310, May 2010.
- [105] I. Garcia, Y. Miyazaki, K. Araki, M. Araki, R. Lucas, G. E. Grau, G. Milon, Y. Belkaid, C. Montixi, and W. Lesslauer. Transgenic mice expressing high levels of soluble TNF-R1 fusion protein are protected from lethal septic shock and cerebral malaria, and are highly sensitive to *Listeria monocytogenes* and *Leishmania major* infections. *European Journal of Immunology*, 25(8):2401–2407, August 1995.
- [106] Y. Garcia, A. Puentes, H. Curtidor, G. Cifuentes, C. Reyes, J. Barreto, A. Moreno, and M. E. Patarroyo. Identifying merozoite surface protein 4 and merozoite surface protein 7 *Plasmodium falciparum* protein family members specifically binding to human erythrocytes suggests a new malarial parasite-redundant survival mechanism. *Journal of medicinal chemistry*, 50(23):5665–5675, November 2007.
- [107] M. J. Gardner, N. Hall, E. Fung, O. White, M. Berriman, R. W. Hyman, J. M. Carlton, A. Pain, K. E. Nelson, S. Bowman, I. T. Paulsen, K. James, J. A. Eisen, K. Rutherford, S. L. Salzberg, A. Craig, S. Kyes, M. Chan, V. Nene, S. J. Shallom, B. Suh, J. Peterson,

- S. Angiuoli, M. Pertea, J. Allen, J. Selengut, D. Haft, M. W. Mather, A. B. Vaidya, D. M. A. Martin, A. H. Fairlamb, M. J. Fraunholz, D. S. Roos, S. A. Ralph, G. I. McFadden, L. M. Cummings, G. M. Subramanian, C. Mungall, J. C. Venter, D. J. Carucci, S. L. Hoffman, C. Newbold, R. W. Davis, C. M. Fraser, and B. Barrell. Genome sequence of the human malaria parasite *Plasmodium falciparum*. *Nature*, 419(6906): 498–511, October 2002.
- [108] D. Garzón-Ospina, L. F. Cadavid, and M. A. Patarroyo. Differential expansion of the merozoite surface protein (MSP)-7 gene family in *Plasmodium* species under a birth-and-death model of evolution. *Molecular Phylogenetics and Evolution*, 55(2):399–408, May 2010.
- [109] D. Garzón-Ospina, L. Romero-Murillo, L. F. Tobón, and M. A. Patarroyo. Low genetic polymorphism of merozoite surface proteins 7 and 10 in colombian *Plasmodium vivax* isolates. *Infection, Genetics and Evolution*, 11(2):528–531, March 2011.
- [110] D. Garzón-Ospina, C. López, J. Forero-Rodríguez, and M. A. Patarroyo. Genetic diversity and selection in three *Plasmodium vivax* merozoite surface protein 7 (*Pvmsp-7*) genes in a colombian population. *PloS One*, 7(9):e45962, 2012.
- [111] T. B. Geijtenbeek, D. J. Krooshoop, D. A. Bleijs, S. J. van Vliet, G. C. van Duijnhoven, V. Grabovsky, R. Alon, C. G. Figdor, and Y. van Kooyk. DC-SIGN-ICAM-2 interaction mediates dendritic cell trafficking. *Nature Immunology*, 1(4):353–357, October 2000.
- [112] J. G. Geng, M. P. Bevilacqua, K. L. Moore, T. M. McIntyre, S. M. Prescott, J. M. Kim, G. A. Bliss, G. A. Zimmerman, and R. P. McEver. Rapid neutrophil adhesion to activated endothelium mediated by GMP-140. *Nature*, 343(6260):757–760, February 1990.
- [113] J. G. Geng, K. L. Moore, A. E. Johnson, and R. P. McEver. Neutrophil recognition requires a Ca(2+)-induced conformational change in the lectin domain of GMP-140. *The Journal of Biological Chemistry*, 266(33):22313–22318, November 1991.
- [114] P. W. Gething, I. R. F. Elyazar, C. L. Moyes, D. L. Smith, K. E. Battle, C. A. Guerra, A. P. Patil, A. J. Tatem, R. E. Howes, M. F. Myers, D. B. George, P. Horby, H. F. L. Wertheim, R. N. Price, I. Müller, J. K. Baird, and S. I. Hay. A long neglected world malaria map: *Plasmodium vivax* endemicity in 2010. *PLoS Neglected Tropical Diseases*, 6(9):e1814, September 2012.

- [115] P. R. Gilson, T. Nebl, D. Vukcevic, R. J. Moritz, T. Sargeant, T. P. Speed, L. Schofield, and B. S. Crabb. Identification and stoichiometry of glycosylphosphatidylinositol-anchored membrane proteins of the human malaria parasite *Plasmodium falciparum*. *Molecular & Cellular Proteomics*, 5(7):1286–1299, July 2006.
- [116] V. K. Goel, X. Li, H. Chen, S. Liu, A. H. Chishti, and S. S. Oh. Band 3 is a host receptor binding merozoite surface protein 1 during the *Plasmodium falciparum* invasion of erythrocytes. *Proceedings of the National Academy of Sciences of the United States of America*, 100(9):5164–5169, April 2003.
- [117] N. D. Gómez, I. Safeukui, A. A. Adelani, R. Tewari, J. K. Reddy, S. Rao, A. A. Holder, P. Buffet, N. Mohandas, and K. Haldar. Deletion of a malaria invasion gene reduces death and anemia, in model hosts. *PloS One*, 6(9):e25477, 2011.
- [118] C. Gondeau, G. Corradin, F. Heitz, C. Le Peuch, A. Balbo, P. Schuck, and A. V. Kajava. The C-terminal domain of *Plasmodium falciparum* merozoite surface protein 3 self-assembles into α -helical coiled coil tetramer. *Molecular and Biochemical Parasitology*, 165(2):153–161, June 2009.
- [119] A. L. Goodman, E. K. Forbes, A. R. Williams, A. D. Douglas, S. C. de Cassan, K. Bauza, S. Biswas, M. D. J. Dicks, D. Llewellyn, A. Moore, C. C. J. Janse, B. M. Franke-Fayard, S. C. Gilbert, A. V. S. Hill, R. J. Pleass, and S. J. Draper. The utility of *Plasmodium berghei* as a rodent model for anti-merozoite malaria vaccine assessment. *Scientific Reports*, 3, April 2013.
- [120] D. M. Gordon, T. W. McGovern, U. Krzych, J. C. Cohen, I. Schneider, R. LaChance, D. G. Heppner, G. Yuan, M. Hollingdale, and M. Slaoui. Safety, immunogenicity, and efficacy of a recombinantly produced *Plasmodium falciparum* circumsporozoite protein-hepatitis B surface antigen subunit vaccine. *The Journal of Infectious Diseases*, 171(6):1576–1585, June 1995.
- [121] B. Grassi. *Studi Di Uno Zoologo Sulla Malaria*. R. Accademia dei Lincei, 2a ed. notevolmente accresciuta. edition, 1901.
- [122] G. E. Grau, L. F. Fajardo, P. F. Piguet, B. Allet, P. H. Lambert, and P. Vassalli. Tumor necrosis factor (cachectin) as an essential mediator in murine cerebral malaria. *Science*, 237(4819):1210–1212, September 1987.

- [123] B. J. Graves, R. L. Crowther, C. Chandran, J. M. Rumberger, S. Li, K. S. Huang, D. H. Presky, P. C. Familletti, B. A. Wolitzky, and D. K. Burns. Insight into E-selectin/ligand interaction from the crystal structure and mutagenesis of the lec/EGF domains. *Nature*, 367(6463):532–538, February 1994.
- [124] J. C. Gray, P. H. Corran, E. Mangia, M. W. Gaunt, Q. Li, K. K. A. Tetteh, S. D. Polley, D. J. Conway, A. A. Holder, T. Bacarese-Hamilton, E. M. Riley, and A. Crisanti. Profiling the antibody immune response against blood stage malaria vaccine candidates. *Clinical Chemistry*, 53(7):1244–1253, July 2007.
- [125] B. M. Greenwood, D. A. Fidock, D. E. Kyle, S. H. I. Kappe, P. L. Alonso, F. H. Collins, and P. E. Duffy. Malaria: progress, perils, and prospects for eradication. *The Journal of clinical investigation*, 118(4):1266–1276, April 2008.
- [126] J. A. Gregory, F. Li, L. M. Tomosada, C. J. Cox, A. B. Topol, J. M. Vinetz, and S. Mayfield. Algae-produced pfs25 elicits antibodies that inhibit malaria transmission. *PLoS ONE*, 7(5):e37179, May 2012.
- [127] M. A. Greischar, A. F. Read, and O. N. Bjørnstad. Synchrony in malaria infections: how intensifying within-host competition can be adaptive. *The American Naturalist*, 183(2):E36–49, February 2014.
- [128] A. C. Grüner, K. Brahim, W. Eling, R. Konings, J. Meis, M. Aikawa, P. Daubersies, C. Guérin-Marchand, S. Mellouk, G. Snounou, and P. Druilhe. The *Plasmodium falciparum* knob-associated PfEMP3 antigen is also expressed at pre-erythrocytic stages and induces antibodies which inhibit sporozoite invasion. *Molecular and Biochemical Parasitology*, 112(2):253–261, February 2001.
- [129] W. A. Guiguemde, A. A. Shelat, D. Bouck, S. Duffy, G. J. Crowther, P. H. Davis, D. C. Smithson, M. Connelly, J. Clark, F. Zhu, M. B. Jiménez-Díaz, M. S. Martinez, E. B. Wilson, A. K. Tripathi, J. Gut, E. R. Sharlow, I. Bathurst, F. El Mazouni, J. W. Fowble, I. Forquer, P. L. McGinley, S. Castro, I. Angulo-Barturen, S. Ferrer, P. J. Rosenthal, J. L. Derisi, D. J. Sullivan, J. S. Lazo, D. S. Roos, M. K. Riscoe, M. A. Phillips, P. K. Rathod, W. C. Van Voorhis, V. M. Avery, and R. K. Guy. Chemical genetics of *Plasmodium falciparum*. *Nature*, 465(7296):311–315, May 2010.
- [130] D. L. Guilbride, P. D. L. Guilbride, and P. Gawlinski. Malaria’s deadly secret: a skin stage. *Trends in Parasitology*, 28(4):142–150, April 2012.

- [131] B. B. Haab, B. H. Geierstanger, G. Michailidis, F. Vitzthum, S. Forrester, R. Okon, P. Saviranta, A. Brinker, M. Sorette, L. Perlee, S. Suresh, G. Drwal, J. N. Adkins, and G. S. Omenn. Immunoassay and antibody microarray analysis of the HUPO plasma proteome project reference specimens: systematic variation between sample types and calibration of mass spectrometry data. *Proteomics*, 5(13):3278–3291, August 2005.
- [132] N. Hall, M. Karras, J. D. Raine, J. M. Carlton, Taco W. A. Kooij, M. Berriman, L. Florens, C. S. Janssen, A. Pain, G. K. Christophides, K. James, K. Rutherford, B. Harris, D. Harris, C. Churcher, M. A. Quail, D. Ormond, J. Doggett, H. E. Trueman, J. Mendoza, S. L. Bidwell, M.-A. Rajandream, D. J. Carucci, J. R. Yates, F. C. Kafatos, C. J. Janse, B. Barrell, C. M. R. Turner, A. P. Waters, and R. E. Sinden. A comprehensive survey of the *Plasmodium* life cycle by genomic, transcriptomic, and proteomic analyses. *Science*, 307(5706):82–86, January 2005.
- [133] K. Handa, E. D. Nudelman, M. R. Stroud, T. Shiozawa, and S. Hakomori. Selectin GMP-140 (CD62; PADGEM) binds to sialosyl-le(a) and sialosyl-le(x), and sulfated glycans modulate this binding. *Biochemical and biophysical research communications*, 181(3):1223–1230, December 1991.
- [134] S. M. Handunnetti, M. R. van Schravendijk, T. Hasler, J. W. Barnwell, D. E. Greenwalt, and R. J. Howard. Involvement of CD36 on erythrocytes as a rosetting receptor for *Plasmodium falciparum*-infected erythrocytes. *Blood*, 80(8):2097–2104, October 1992.
- [135] P. K. Harris, S. Yeoh, A. R. Dluzewski, R. A. O'Donnell, C. Withers-Martinez, F. Hackett, L. H. Bannister, G. H. Mitchell, and M. J. Blackman. Molecular identification of a malaria merozoite surface sheddase. *PLoS pathogens*, 1(3):241–251, November 2005.
- [136] S. I. Hay, E. A. Okiro, P. W. Gething, A. P. Patil, A. J. Tatem, C. A. Guerra, and R. W. Snow. Estimating the global clinical burden of *Plasmodium falciparum* malaria in 2007. *PLoS medicine*, 7(6):e1000290, June 2010.
- [137] A. Heiber, F. Kruse, C. Pick, C. Grüring, S. Flemming, A. Oberli, H. Schoeler, S. Retzlaff, P. Mesén-Ramírez, Jan A. Hiss, M. Kadekoppala, L. Hecht, A. A. Holder, T-W. Gilberger, and T. Spielmann. Identification of new PNEPs indicates a substantial non-PEXEL exportome and underpins common features in plasmodium falciparum protein export. *PLoS Pathogens*, 9(8):e1003546, August 2013.
- [138] S. Herrera, W. Rudin, M. Herrera, P. Clavijo, L. Mancilla, C. de Plata, H. Matile, and U. Certa. A conserved region of the MSP-1 surface protein of *Plasmodium falciparum*

- contains a recognition sequence for erythrocyte spectrin. *The EMBO journal*, 12(4): 1607–1614, April 1993.
- [139] S. Herrera, B. L. Perlaza, A. Bonelo, and M. Arévalo-Herrera. *Aotus* monkeys: their great value for anti-malaria vaccines and drug testing. *International Journal for Parasitology*, 32(13):1625–1635, December 2002.
- [140] J. Hester, E. R. Chan, D. Menard, O. Mercereau-Puijalon, J. Barnwell, P. A. Zimmerman, and D. Serre. De novo assembly of a field isolate genome reveals novel *Plasmodium vivax* erythrocyte invasion genes. *PLoS neglected tropical diseases*, 7(12):e2569, 2013.
- [141] E. Hochuli, W. Bannwarth, H. Döbeli, R. Gentz, and D. Stüber. Genetic approach to facilitate purification of recombinant proteins with a novel metal chelate adsorbent. *Bio/Technology*, 6(11):1321–1325, November 1988.
- [142] R. Idro, K. Marsh, C. C. John, and C. R. J. Newton. Cerebral malaria: Mechanisms of brain injury and strategies for improved neurocognitive outcome. *Pediatric Research*, 68(4):267–274, October 2010.
- [143] J. Illingworth, N. S. Butler, S. Roetynck, J. Mwacharo, S. K. Pierce, P. Bejon, P. D. Crompton, K. Marsh, and F. M. Ndungu. Chronic exposure to *Plasmodium falciparum* is associated with phenotypic evidence of B and T cell exhaustion. *Journal of Immunology*, 190(3):1038–1047, February 2013.
- [144] M. Imam, S. Singh, N. K. Kaushik, and V. S. Chauhan. *Plasmodium falciparum* merozoite surface protein 3: oligomerization, self-assembly, and heme complex formation. *The Journal of Biological Chemistry*, 289(7):3856–3868, February 2014.
- [145] N. C. Iriemenam, A. H. Khirelsied, A. Nasr, G. ElGhazali, H. A. Giha, T. Elhassan A-Elgadir, A. A. Agab-Aldour, S. M. Montgomery, R. F. Anders, M. Theisen, M. Troye-Blomberg, M. I. Elbashir, and K. Berzins. Antibody responses to a panel of *Plasmodium falciparum* malaria blood-stage antigens in relation to clinical disease outcome in sudan. *Vaccine*, 27(1):62–71, January 2009.
- [146] J. D. Isaacs, G. S. Jackson, and D. M. Altmann. The role of the cellular prion protein in the immune system. *Clinical and Experimental Immunology*, 146(1):1–8, October 2006.

- [147] T. Ishida and K. Kinoshita. PrDOS: prediction of disordered protein regions from amino acid sequence. *Nucleic Acids Research*, 35:W460–464, July 2007.
- [148] D. E. Jackson. The unfolding tale of PECAM-1. *FEBS letters*, 540(1-3):7–14, April 2003.
- [149] A. Jafarshad, M. H. Dziegiel, R. Lundquist, L. K. Nielsen, S. Singh, and P. L. Druilhe. A novel antibody-dependent cellular cytotoxicity mechanism involved in defense against malaria requires costimulation of monocytes Fc γ RII and Fc γ RIII. *Journal of Immunology*, 178(5):3099–3106, March 2007.
- [150] G. N. Jakeman, A. Saul, W. L. Hogarth, and W. E. Collins. Anaemia of acute malaria infections in non-immune patients primarily results from destruction of uninfected erythrocytes. *Parasitology*, 119 (Pt 2):127–133, August 1999.
- [151] M. Jallow, Y. Y. Teo, K. S. Small, K. A. Rockett, P. Deloukas, T. G. Clark, K. Kivinen, K. A. Bojang, D. J. Conway, M. Pinder, G. Sirugo, F. Sisay-Joof, S. Usen, S. Auburn, S. J. Bumpstead, S. Campino, A. Coffey, A. Dunham, A. E. Fry, A. Green, R. Gwilliam, S. E. Hunt, M. Inouye, A. E. Jeffreys, A. Mendy, A. Palotie, S. Potter, J. Ragousis, J. Rogers, K. Rowlands, E. Somaskantharajah, P. Whittaker, C. Widdén, P. Donnelly, B. Howie, J. Marchini, A. Morris, M. SanJoaquin, E. A. Achidi, T. Agbenyega, A. Allen, O. Amodu, P. Corran, A. Djimde, A. Dolo, O. K. Doumbo, C. Drakeley, S. Dunstan, J. Evans, J. Farrar, D. Fernando, T. T. Hien, R. D. Horstmann, M. Ibrahim, N. Karunaweera, G. Kokwaro, K. A. Koram, M. Lemnge, J. Makani, K. Marsh, P. Michon, D. Modiano, M. E. Molyneux, Ivo Mueller, M. Parker, N. Peshu, C. V. Plowe, O. Puijalón, J. Reeder, H. Reyburn, E. M. Riley, A. Sakuntabhai, P. Singhasivanon, S. Sirima, A. Tall, T. E. Taylor, M. Thera, M. Troye-Blomberg, T. N. Williams, M. Wilson, D. P. Kwiatkowski, Wellcome Trust Case Control Consortium, and Malaria Genomic Epidemiology Network. Genome-wide and fine-resolution association analysis of malaria in West Africa. *Nature Genetics*, 41(6):657–665, June 2009. ISSN 1546-1718. doi: 10.1038/ng.388.
- [152] M. Jandrot-Perrus, S. Busfield, A. H. Lagrue, X. Xiong, N. Debili, T. Chickering, J. P. Le Couedic, A. Goodearl, B. Dussault, C. Fraser, W. Vainchenker, and J. L. Villeval. Cloning, characterization, and functional studies of human and mouse glycoprotein VI: a platelet-specific collagen receptor from the immunoglobulin superfamily. *Blood*, 96(5):1798–1807, September 2000.

- [153] G. M. Jeffery. Epidemiological significance of repeated infections with homologous and heterologous strains and species of *Plasmodium*. *Bulletin of the World Health Organization*, 35(6):873–882, 1966.
- [154] M. B. Jiménez-Díaz, T. Mulet, S. Viera, V. Gómez, H. Garuti, J. Ibáñez, A. Alvarez-Doval, L. D. Shultz, A. Martínez, D. Gargallo-Viola, and I. Angulo-Barturen. Improved murine model of malaria using *Plasmodium falciparum* competent strains and non-myelodepleted NOD-scid IL2R γ null mice engrafted with human erythrocytes. *Antimicrobial Agents and Chemotherapy*, 53(10):4533–4536, October 2009.
- [155] A. Y. Jin, U. I. Tuor, D. Rushforth, J. Kaur, R. N. Muller, J. L. Petterson, S. Boutry, and P. A. Barber. Reduced blood brain barrier breakdown in P-selectin deficient mice following transient ischemic stroke: a future therapeutic target for treatment of stroke. *BMC Neuroscience*, 11:12, February 2010.
- [156] G. I. Johnston, R. G. Cook, and R. P. McEver. Cloning of GMP-140, a granule membrane protein of platelets and endothelium: Sequence similarity to proteins involved in cell adhesion and inflammation. *Cell*, 56(6):1033–1044, March 1989.
- [157] D. T. Jones and D. Cozzetto. DISOPRED3: Precise disordered region predictions with annotated protein binding activity. *Bioinformatics*, November 2014.
- [158] M. Kadekoppala and A. A. Holder. Merozoite surface proteins of the malaria parasite: the MSP1 complex and the MSP7 family. *International Journal for Parasitology*, 40(10):1155–1161, August 2010.
- [159] M. Kadekoppala, R. A. O'Donnell, M. Grainger, B. S. Crabb, and A. A. Holder. Deletion of the *Plasmodium falciparum* merozoite surface protein 7 gene impairs parasite invasion of erythrocytes. *Eukaryotic Cell*, 7(12):2123–2132, December 2008.
- [160] M. Kadekoppala, S. A. Ogun, S. Howell, R. S. Gunaratne, and A. A. Holder. Systematic genetic analysis of the *Plasmodium falciparum* MSP7-like family reveals differences in protein expression, location, and importance in asexual growth of the blood-stage parasite. *Eukaryotic Cell*, 9(7):1064–1074, July 2010.
- [161] G. S. Kansas, K. B. Saunders, K. Ley, A. Zakrzewicz, R. M. Gibson, B. C. Furie, B. Furie, and T. F. Tedder. A role for the epidermal growth factor-like domain of P-selectin in ligand recognition and cell adhesion. *The Journal of Cell Biology*, 124(4):609–618, February 1994.

- [162] A. Kantele and T. S. Jokiranta. Review of cases with the emerging fifth human malaria parasite, *Plasmodium knowlesi*. *Clinical Infectious Diseases*, 52(11):1356–1362, June 2011.
- [163] S. H. I. Kappe, A. M. Vaughan, J. A. Boddey, and A. F. Cowman. That was then but this is now: Malaria research in the time of an eradication agenda. *Science*, 328(5980): 862–866, May 2010.
- [164] C. W. Kauth, U. Woehlbier, M. Kern, Z. Mekonnen, R. Lutz, N. Mücke, J. Langowski, and H. Bujard. Interactions between merozoite surface proteins 1, 6, and 7 of the malaria parasite *Plasmodium falciparum*. *The Journal of Biological Chemistry*, 281(42):31517–31527, October 2006.
- [165] C. Kebaier, T. Voza, and J. Vanderberg. Kinetics of mosquito-injected *Plasmodium* sporozoites in mice: Fewer sporozoites are injected into sporozoite-immunized mice. *PLoS Pathogens*, 5(4):e1000399, April 2009.
- [166] A. Keeley and D. Soldati. The glideosome: a molecular machine powering motility and host-cell invasion by apicomplexa. *Trends in Cell Biology*, 14(10):528–532, October 2004.
- [167] T. Kidd, K. S. Bland, and C. S. Goodman. Slit is the midline repellent for the robo receptor in drosophila. *Cell*, 96(6):785–794, March 1999. ISSN 0092-8674.
- [168] F. C. Kimberley, B. Sivasankar, and B. P. Morgan. Alternative roles for CD59. *Molecular Immunology*, 44(1-3):73–81, January 2007.
- [169] O. Koch, A. Awomoyi, S. Usen, M. Jallow, A. Richardson, J. Hull, M. Pinder, M. Newport, and D. Kwiatkowski. IFNGR1 gene promoter polymorphisms and susceptibility to cerebral malaria. *The Journal of Infectious Diseases*, 185(11):1684–1687, June 2002.
- [170] J. B. Koenderink, R. A. Kavishe, S. R. Rijpma, and F. G. M. Russel. The ABCs of multidrug resistance in malaria. *Trends in Parasitology*, 26(9):440–446, September 2010.
- [171] A. Koenig, R. Jain, R. Vig, K. E. Norgard-Sumnicht, K. L. Matta, and A. Varki. Selectin inhibition: synthesis and evaluation of novel sialylated, sulfated and fucosylated oligosaccharides, including the major capping group of GlyCAM-1. *Glycobiology*, 7(1):79–93, February 1997.

- [172] A. Koenig, K. Norgard-Sumnicht, R. Linhardt, and A. Varki. Differential interactions of heparin and heparan sulfate glycosaminoglycans with the selectins. implications for the use of unfractionated and low molecular weight heparins as therapeutic agents. *The Journal of Clinical Investigation*, 101(4):877–889, February 1998.
- [173] K. Koussis, C. Withers-Martinez, S. Yeoh, M. Child, F. Hackett, E. Knuepfer, L. Juliano, U. Woehlbier, H. Bujard, and M. J. Blackman. A multifunctional serine protease primes the malaria parasite for red blood cell invasion. *The EMBO journal*, 28(6): 725–735, March 2009.
- [174] C. Kuss, C. S. Gan, K. Gunalan, Z. Bozdech, S. K. Sze, and P. R. Preiser. Quantitative proteomics reveals new insights into erythrocyte invasion by *Plasmodium falciparum*. *Molecular & Cellular Proteomics*, 11(2):M111.010645, February 2012.
- [175] A. Kussrow, C. S. Enders, A. R. Castro, D. L. Cox, R. C. Ballard, and D. J. Bornhop. The potential of backscattering interferometry as an *in vitro* clinical diagnostic tool for the serological diagnosis of infectious disease. *The Analyst*, 135(7):1535–1537, July 2010.
- [176] D. Kwiatkowski and M. Nowak. Periodic and chaotic host-parasite interactions in human malaria. *Proceedings of the National Academy of Sciences of the United States of America*, 88(12):5111–5113, June 1991.
- [177] D. Kwiatkowski, A. V. Hill, I. Sambou, P. Twumasi, J. Castracane, K. R. Manogue, A. Cerami, D. R. Brewster, and B. M. Greenwood. TNF concentration in fatal cerebral, non-fatal cerebral, and uncomplicated *Plasmodium falciparum* malaria. *Lancet*, 336(8725):1201–1204, November 1990.
- [178] S. A. Kyes, J. A. Rowe, N. Kriek, and C. I. Newbold. Rifins: a second family of clonally variant proteins expressed on the surface of red cells infected with *Plasmodium falciparum*. *Proceedings of the National Academy of Sciences of the United States of America*, 96(16):9333–9338, August 1999.
- [179] M. La Raja. Erythrophagocytosis by peripheral monocytes in *Plasmodium falciparum* malaria. *Haematologica*, 87(4):EIM14, April 2002.
- [180] M. Labaied, N. Camargo, and S. H. I. Kappe. Depletion of the *Plasmodium berghei* thrombospondin-related sporozoite protein reveals a role in host cell entry by sporozoites. *Molecular and Biochemical Parasitology*, 153(2):158–166, June 2007.

- [181] D. J. LaCount, M. Vignali, R. Chettier, A. Phansalkar, R. Bell, J. R. Hesselberth, L. W. Schoenfeld, I. Ota, S. Sahasrabudhe, C. Kurschner, S. Fields, and R. E. Hughes. A protein interaction network of the malaria parasite *Plasmodium falciparum*. *Nature*, 438(7064):103–107, November 2005.
- [182] A. Lalremruata, M. Ball, R. Bianucci, B. Welte, A. G. Nerlich, J. F. J. Kun, and C. M. Pusch. Molecular identification of falciparum malaria and human tuberculosis co-infections in mummies from the Fayum depression (Lower Egypt). *PLoS ONE*, 8(4):e60307, April 2013.
- [183] M. Lamarque, S. Besteiro, J. Papoin, M. Roques, Brigitte Vulliez-Le Normand, J. Morlon-Guyot, J. Dubremetz, S. Fauquenoy, S. Tomavo, B. W. Faber, C. H. Kocken, A. W. Thomas, M. J. Boulanger, G. A. Bentley, and M. Lebrun. The RON2-AMA1 interaction is a critical step in moving junction-dependent invasion by apicomplexan parasites. *PLoS Pathogens*, 7(2):e1001276, February 2011.
- [184] J. Langhorne, C. Cross, E. Seixas, C. Li, and T. von der Weid. A role for B cells in the development of T cell helper function in a malaria infection in mice. *Proceedings of the National Academy of Sciences of the United States of America*, 95(4):1730–1734, February 1998.
- [185] J. Langhorne, F. M. Ndungu, A. Sponaas, and K. Marsh. Immunity to malaria: more questions than answers. *Nature Immunology*, 9(7):725–732, July 2008.
- [186] G. R. Larsen, D. Sako, T. J. Ahern, M. Shaffer, J. Erban, S. A. Sajer, R. M. Gibson, D. D. Wagner, B. C. Furie, and B. Furie. P-selectin and E-selectin. distinct but overlapping leukocyte ligand specificities. *The Journal of Biological Chemistry*, 267(16):11104–11110, June 1992.
- [187] E. Lasonder, Y. Ishihama, J. S. Andersen, A. M. W. Vermunt, A. Pain, R. W. Sauerwein, W. M. C. Eling, N. Hall, A. P. Waters, H. G. Stunnenberg, and M. Mann. Analysis of the *Plasmodium falciparum* proteome by high-accuracy mass spectrometry. *Nature*, 419(6906):537–542, October 2002.
- [188] M. K. Laufer, P. C. Thesing, N. D. Eddington, R. Masonga, F. K. Dzinjalama, S. L. Takala, T. E. Taylor, and C. V. Plowe. Return of chloroquine antimalarial efficacy in malawi. *New England Journal of Medicine*, 355(19):1959–1966, November 2006.

- [189] E. J. Lauron, K. S. Oakgrove, L. A. Tell, K. Biskar, S. W. Roy, and R. N. M. Sehgal. Transcriptome sequencing and analysis of *Plasmodium gallinaceum* reveals polymorphisms and selection on the apical membrane antigen-1. *Malaria Journal*, 13(1):382, 2014.
- [190] M. B. Lawrence and T. A. Springer. Leukocytes roll on a selectin at physiologic flow rates: distinction from and prerequisite for adhesion through integrins. *Cell*, 65(5): 859–873, May 1991.
- [191] K. Lee, P. C. S. Divis, S. K. Zakaria, A. Matusop, R. A. Julin, D. J. Conway, J. Cox-Singh, and B. Singh. *Plasmodium knowlesi*: Reservoir hosts and tracking the emergence in humans and macaques. *PLoS Pathogens*, 7(4):e1002015, April 2011.
- [192] V. L. Lew, T. Tiffert, and H. Ginsburg. Excess hemoglobin digestion and the osmotic stability of *Plasmodium falciparum*-infected red blood cells. *Blood*, 101(10):4189–4194, May 2003.
- [193] D. M. Lewinsohn, R. F. Bargatze, and E. C. Butcher. Leukocyte-endothelial cell recognition: evidence of a common molecular mechanism shared by neutrophils, lymphocytes, and other leukocytes. *Journal of Immunology*, 138(12):4313–4321, June 1987.
- [194] W. Liu, Y. Li, G. H. Learn, R. S. Rudicell, J. D. Robertson, B. F. Keele, J. N. Ndjango, C. M. Sanz, D. B. Morgan, S. Locatelli, M. K. Gonder, P. J. Kranzusch, P. D. Walsh, E. Delaporte, E. Mpoudi-Ngole, A. V. Georgiev, M. N. Muller, G. M. Shaw, M. Peeters, P. M. Sharp, J. C. Rayner, and B. H. Hahn. Origin of the human malaria parasite *Plasmodium falciparum* in gorillas. *Nature*, 467(7314):420–425, September 2010.
- [195] W. Liu, Y. Li, K. S. Shaw, G. H. Learn, L. J. Plenderleith, J. A. Malenke, S. A. Sundararaman, M. A. Ramirez, P. A. Crystal, A. G. Maier, F. Bibollet-Ruche, A. Ayouba, S. Locatelli, A. Esteban, F. Mouacha, E. Guichet, C. Butel, S. Ahuka-Mundeke, B. Inogwabini, J. N. Ndjango, S. Speede, C. M. Sanz, D. B. Morgan, M. K. Gonder, P. J. Kranzusch, P. D. Walsh, A. V. Georgiev, M. N. Muller, A. K. Piel, F. A. Stewart, M. L. Wilson, A. E. Pusey, L. Cui, Z. Wang, A. Färnert, C. J. Sutherland, D. Nolder, J. A. Hart, T. B. Hart, P. Bertolani, A. Gillis, M. LeBreton, B. Tafon, J. Kiyang, C. F. Djoko, B. S. Schneider, N. D. Wolfe, E. Mpoudi-Ngole, E. Delaporte, R. Carter, R. L. Culleton, G. M. Shaw, J. C. Rayner, M. Peeters, B. H. Hahn, and P. M. Sharp. African origin of the malaria parasite *Plasmodium vivax*. *Nature Communications*, 5, February 2014.

- [196] C. Lobo, M. Rodriguez, M. Reid, and S. Lustigman. Glycophorin c is the receptor for the *Plasmodium falciparum* erythrocyte binding ligand PfEBP-2 (baebl). *Blood*, 101(11):4628–4631, June 2003.
- [197] R. J. Lundie, L. J. Young, G. M. Davey, J. A. Villadangos, F. R. Carbone, W. R. Heath, and B. S. Crabb. Blood-stage *Plasmodium berghei* infection leads to short-lived parasite-associated antigen presentation by dendritic cells. *European Journal of Immunology*, 40(6):1674–1681, April 2010.
- [198] L. Luzzatto, F. A. Usanga, and S. Reddy. Glucose-6-phosphate dehydrogenase deficient red cells: resistance to infection by malarial parasites. *Science*, 164(3881):839–842, May 1969.
- [199] K. E. Lyke, R. Burges, Y. Cissoko, L. Sangare, M. Dao, I. Diarra, A. Kone, R. Harley, C. V. Plowe, O. K. Doumbo, and M. B. Sztein. Serum levels of the proinflammatory cytokines interleukin-1 β (IL-1 β), IL-6, IL-8, IL-10, tumor necrosis factor α , and IL-12(p70) in Malian children with severe *Plasmodium falciparum* malaria and matched uncomplicated malaria or healthy controls. *Infection and Immunity*, 72(10):5630–5637, October 2004.
- [200] B. Mahajan, J. A. Berzofsky, R. A. Boykins, V. Majam, H. Zheng, R. Chattopadhyay, P. de la Vega, J. K. Moch, J. D. Haynes, I. M. Belyakov, H. L. Nakhasi, and S. Kumar. Multiple antigen peptide vaccines against *Plasmodium falciparum* malaria. *Infection and Immunity*, 78(11):4613–4624, November 2010.
- [201] A. G. Maier, M. T. Duraisingh, J. C. Reeder, S. S. Patel, J. W. Kazura, P. A. Zimmerman, and A. F. Cowman. *Plasmodium falciparum* erythrocyte invasion through glycophorin C and selection for gerbich negativity in human populations. *Nature Medicine*, 9(1):87–92, January 2003.
- [202] Malaria Genomic Epidemiology Network and Malaria Genomic Epidemiology Network. Reappraisal of known malaria resistance loci in a large multicenter study. *Nature Genetics*, 46(11):1197–1204, November 2014.
- [203] M. Manske, Olivo Miotto, S. Campino, S. Auburn, J. Almagro-Garcia, G. Maslen, J. O’Brien, A. Djimde, O. Doumbo, I. Zongo, J. Ouedraogo, P. Michon, I. Mueller, P. Siba, A. Nzila, S. Borrmann, S. M. Kiara, K. Marsh, H. Jiang, X. Su, R. Fairhurst, D. Socheat, F. Nosten, M. Imwong, N. J. White, M. Sanders, E. Anastasi, D. Alcock, E. Drury, S. Oyola, M. A. Quail, V. Ruano-Rubio, D. Jyothi, L. Amenga-Etego,

- C. Hubbart, A. Jeffreys, K. Rowlands, C. Sutherland, C. Roper, V. Mangano, D. Modiano, John C. Tan, M. T. Ferdig, A. Amambua-Ngwa, D. J. Conway, S. Takala-Harrison, C. V. Plowe, J. C. Rayner, K. A. Rockett, T. G. Clark, C. I. Newbold, M. Berriman, B. MacInnis, and D. P. Kwiatkowski. Analysis of *Plasmodium falciparum* diversity in natural infections by deep sequencing. *Nature*, 487(7407):375–379, June 2012.
- [204] M. T. Marrelli, C. Li, J. L. Rasgon, and M. Jacobs-Lorena. Transgenic malaria-resistant mosquitoes have a fitness advantage when feeding on *Plasmodium*-infected blood. *Proceedings of the National Academy of Sciences*, 104(13):5580–5583, March 2007.
- [205] S. Martin, C. Söllner, V. Charoensawan, B. Adryan, B. Thisse, C. Thisse, S. Teichmann, and G. J. Wright. Construction of a large extracellular protein interaction network and its resolution by spatiotemporal expression profiling. *Molecular & Cellular Proteomics*, 9(12):2654–2665, December 2010.
- [206] T. N. Mayadas, R. C. Johnson, H. Rayburn, R. O. Hynes, and D. D. Wagner. Leukocyte rolling and extravasation are severely compromised in P selectin-deficient mice. *Cell*, 74(3):541–554, August 1993.
- [207] D. C. G. Mayer, J. Cofie, L. Jiang, D. L. Hartl, E. Tracy, J. Kabat, L. H. Mendoza, and L. H. Miller. Glycophorin b is the erythrocyte receptor of *Plasmodium falciparum* erythrocyte-binding ligand, EBL-1. *Proceedings of the National Academy of Sciences of the United States of America*, 106(13):5348–5352, March 2009.
- [208] M. Mayxay, S. Pukrittayakamee, P. N. Newton, and N. J. White. Mixed-species malaria infections in humans. *Trends in Parasitology*, 20(5):233–240, May 2004.
- [209] R. P. McEver, J. H. Beckstead, K. L. Moore, L. Marshall-Carlson, and D. F. Bainton. GMP-140, a platelet α -granule membrane protein, is also synthesized by vascular endothelial cells and is localized in Weibel-Palade bodies. *The Journal of Clinical Investigation*, 84(1):92–99, July 1989.
- [210] I. D. McGilvray, L. Serghides, A. Kapus, O. D. Rotstein, and K. C. Kain. Nonopsonic monocyte/macrophage phagocytosis of *Plasmodium falciparum*-parasitized erythrocytes: a role for CD36 in malarial clearance. *Blood*, 96(9):3231–3240, November 2000.
- [211] B. J. McMorrán, V. M. Marshall, C. de Graaf, K. E. Drysdale, M. Shabbar, G. K. Smyth, J. E. Corbin, W. S. Alexander, and S. J. Foote. Platelets kill intraerythrocytic malarial

- parasites and mediate survival to infection. *Science*, 323(5915):797–800, February 2009.
- [212] D. L. Medica and P. Sinnis. Quantitative dynamics of *Plasmodium yoelii* sporozoite transmission by infected anopheline mosquitoes. *Infection and Immunity*, 73(7):4363–4369, July 2005.
- [213] P. Mehta, R. D. Cummings, and R. P. McEver. Affinity and kinetic analysis of P-selectin binding to P-selectin glycoprotein ligand-1. *The Journal of Biological Chemistry*, 273(49):32506–32513, December 1998.
- [214] M. Melcher, R. A. Muhle, P. P. Henrich, S. M. Kraemer, M. Avril, I. Vigan-Womas, O. Mercereau-Puijalon, J. D. Smith, and D. A. Fidock. Identification of a role for the PfEMP1 semi-conserved head structure in protein trafficking to the surface of *Plasmodium falciparum* infected red blood cells: Red blood cell surface expression of recombinant PfEMP1. *Cellular Microbiology*, 12(10):1446–1462, October 2010.
- [215] K. Mello, T. M. Daly, J. Morrissey, A. B. Vaidya, C. A. Long, and L. W. Bergman. A multigene family that interacts with the amino terminus of *Plasmodium* MSP-1 identified using the yeast two-hybrid system. *Eukaryotic Cell*, 1(6):915–925, December 2002.
- [216] K. Mello, T. M. Daly, C. A. Long, J. M. Burns, and L. W. Bergman. Members of the merozoite surface protein 7 family with similar expression patterns differ in ability to protect against *Plasmodium yoelii* malaria. *Infection and Immunity*, 72(2):1010–1018, February 2004.
- [217] D. Ménard, C. Barnadas, C. Bouchier, C. Henry-Halldin, L. R. Gray, A. Ratsimbaoa, V. Thonier, J.-F. Carod, O. Domarle, Yves Colin, O. Bertrand, J. Picot, C. L. King, B. T. Grimberg, O. Mercereau-Puijalon, and P. A. Zimmerman. *Plasmodium vivax* clinical malaria is commonly observed in Duffy-negative Malagasy people. *Proceedings of the National Academy of Sciences of the United States of America*, 107(13):5967–5971, March 2010.
- [218] D. Menard, E. R. Chan, Christophe Benedet, A. Ratsimbaoa, S. Kim, P. Chim, C. Do, B. Witkowski, R. Durand, M. Thellier, C. Severini, E. Legrand, L. Musset, B. Y. M. Nour, O. Mercereau-Puijalon, D. Serre, and P. A. Zimmerman. Whole genome sequencing of field isolates reveals a common duplication of the duffy binding protein

- gene in malagasy *Plasmodium vivax* strains. *PLoS neglected tropical diseases*, 7(11): e2489, November 2013.
- [219] K. Mendis, B. J. Sina, P. Marchesini, and R. Carter. The neglected burden of *Plasmodium vivax* malaria. *The American Journal of Tropical Medicine and Hygiene*, 64(1-2 Suppl):97–106, February 2001.
- [220] S. R. Meshnick. Artemisinin antimalarials: mechanisms of action and resistance. *Médecine Tropicale: Revue Du Corps De Santé Colonial*, 58(3 Suppl):13–17, 1998.
- [221] P. Michon, J. R. Stevens, O. Kaneko, and J. H. Adams. Evolutionary relationships of conserved cysteine-rich motifs in adhesive molecules of malaria parasites. *Molecular Biology and Evolution*, 19(7):1128–1142, July 2002.
- [222] L. H. Miller, S. J. Mason, D. F. Clyde, and M. H. McGinniss. The resistance factor to *Plasmodium vivax* in blacks. the Duffy-blood-group genotype, FyFy. *The New England Journal of Medicine*, 295(6):302–304, August 1976.
- [223] O. R. Millington, C. Di Lorenzo, R. S. Phillips, P. Garside, and J. M. Brewer. Suppression of adaptive immunity to heterologous antigens during *Plasmodium* infection through hemozoin-induced failure of dendritic cell function. *Journal of Biology*, 5(2): 5, 2006.
- [224] O. R. Millington, V. B. Gibson, C. M. Rush, B. H. Zinselmeyer, R. S. Phillips, P. Garside, and J. M. Brewer. Malaria impairs T cell clustering and immune priming despite normal signal 1 from dendritic cells. *PLoS Pathogens*, 3(10):e143, 2007.
- [225] O. Miotto, J. Almagro-Garcia, M. Manske, B. Macinnis, S. Campino, K. A. Rockett, C. Amaratunga, P. Lim, S. Suon, S. Sreng, J. M. Anderson, S. Duong, C. Nguon, C. M. Chuor, D. Saunders, Y. Se, C. Lon, M. M. Fukuda, L. Amenga-Etego, A. V. O. Hodgson, V. Asoala, M. Imwong, S. Takala-Harrison, F. Nosten, X. Su, P. Ringwald, F. Ariey, C. Dolecek, T. T. Hien, M. F. Boni, C. Q. Thai, A. Amambua-Ngwa, D. J. Conway, A. A. Djimdé, O. K. Doumbo, I. Zongo, J. Ouedraogo, D. Alcock, E. N. Abot, S. Auburn, O. Koch, M. Sanders, C. Hubbart, G. Maslen, V. Ruano-Rubio, D. Jyothi, A. Miles, J. O'Brien, C. Gamble, S. O. Oyola, J. C. Rayner, C. I. Newbold, M. Berriman, C. C. A. Spencer, G. McVean, N. P. Day, N. J. White, D. Bethell, A. M. Dondorp, C. V. Plowe, R. M. Fairhurst, and D. P. Kwiatkowski. Multiple populations of artemisinin-resistant *Plasmodium falciparum* in cambodia. *Nature Genetics*, 45(6):648–655, June 2013.

- [226] D. Modiano, G. Luoni, B. S. Sirima, J. Simporé, F. Verra, A. Konaté, E. Rastrelli, A. Olivieri, C. Calissano, G. M. Paganotti, L. D'Urbano, I. Sanou, A. Sawadogo, G. Modiano, and M. Coluzzi. Haemoglobin C protects against clinical *Plasmodium falciparum* malaria. *Nature*, 414(6861):305–308, November 2001.
- [227] A. Mongui, O. Perez-Leal, S. C. Soto, J. Cortes, and M. A. Patarroyo. Cloning, expression, and characterisation of a *Plasmodium vivax* MSP7 family merozoite surface protein. *Biochemical and Biophysical Research Communications*, 351(3):639–644, December 2006.
- [228] R. W. Moon, J. Hall, F. Rangkuti, Y. S. Ho, N. Almond, G. H. Mitchell, A. Pain, A. A. Holder, and M. J. Blackman. Adaptation of the genetically tractable malaria pathogen *Plasmodium knowlesi* to continuous culture in human erythrocytes. *Proceedings of the National Academy of Sciences of the United States of America*, 110(2):531–536, January 2013.
- [229] K. L. Moore, K. D. Patel, R. E. Bruehl, F. Li, D. A. Johnson, H. S. Lichenstein, R. D. Cummings, D. F. Bainton, and R. P. McEver. P-selectin glycoprotein ligand-1 mediates rolling of human neutrophils on P-selectin. *The Journal of Cell Biology*, 128(4):661–671, February 1995.
- [230] R. R. Moraes Barros, J. Straimer, Juliana M. Sa, R. E. Salzman, V. A. Melendez-Muniz, J. Mu, D. A. Fidock, and T. E. Wellems. Editing the *Plasmodium vivax* genome, using zinc-finger nucleases. *The Journal of Infectious Diseases*, July 2014.
- [231] B. G. Mordmüller, W. G. Metzger, P. Juillard, B. M. Brinkman, C. L. Verweij, G. E. Grau, and P. G. Kremsner. Tumor necrosis factor in *Plasmodium falciparum* malaria: high plasma level is associated with fever, but high production capacity is associated with rapid fever clearance. *European Cytokine Network*, 8(1):29–35, March 1997.
- [232] M. I. Muniz-Junqueira, L. L. dos Santos-Neto, and C. E. Tosta. Influence of tumor necrosis factor- α on the ability of monocytes and lymphocytes to destroy intraerythrocytic *Plasmodium falciparum* *in vitro*. *Cellular Immunology*, 208(2):73–79, March 2001.
- [233] A. Nacer, A. Movila, K. Baer, S. A. Mikolajczak, Stefan H. I. Kappe, and U. Frevert. Neuroimmunological blood brain barrier opening in experimental cerebral malaria. *PLoS Pathogens*, 8(10):e1002982, October 2012.

- [234] I. Nasdala, K. Wolburg-Buchholz, H. Wolburg, A. Kuhn, K. Ebnet, G. Brachtendorf, U. Samulowitz, B. Kuster, B. Engelhardt, D. Vestweber, and S. Butz. A transmembrane tight junction protein selectively expressed on endothelial cells and platelets. *The Journal of Biological Chemistry*, 277(18):16294–16303, May 2002.
- [235] D. E. Neafsey, K. Galinsky, R. H. Y. Jiang, L. Young, S. M. Sykes, S. Saif, S. Gujja, J. M. Goldberg, S. Young, Q. Zeng, S. B. Chapman, A. P. Dash, A. R. Anvikar, P. L. Sutton, B. W. Birren, A. A. Escalante, J. W. Barnwell, and J. M. Carlton. The malaria parasite *Plasmodium vivax* exhibits greater genetic diversity than *Plasmodium falciparum*. *Nature Genetics*, 44(9):1046–50, August 2012.
- [236] T. Nebl, M. J. De Veer, and L. Schofield. Stimulation of innate immune responses by malarial glycosylphosphatidylinositol via pattern recognition receptors. *Parasitology*, 130 Suppl:S45–62, 2005.
- [237] W. Newman, L. D. Beall, C. W. Carson, G. G. Hunder, N. Graben, Z. I. Randhawa, T. V. Gopal, J. Wiener-Kronish, and M. A. Matthay. Soluble E-selectin is found in supernatants of activated endothelial cells and is elevated in the serum of patients with septic shock. *Journal of Immunology*, 150(2):644–654, January 1993.
- [238] M. Niang, A. K. Bei, K. G. Madnani, S. Pelly, S. Dankwa, U. Kanjee, K. Gunalan, A. Amaladoss, K. P. Yeo, N. S. Bob, B. Malleret, M. T. Duraisingh, and P. R. Preiser. STEVOR is a *Plasmodium falciparum* erythrocyte binding protein that mediates merozoite invasion and rosetting. *Cell Host & Microbe*, 16(1):81–93, July 2014.
- [239] K. E. Norman, K. L. Moore, R. P. McEver, and K. Ley. Leukocyte rolling *in vivo* is mediated by P-selectin glycoprotein ligand-1. *Blood*, 86(12):4417–4421, December 1995.
- [240] F. Notka, M. Liss, and R. Wagner. Industrial scale gene synthesis. *Methods in Enzymology*, 498:247–275, 2011.
- [241] C. F. Ockenhouse, T. Tegoshi, Y. Maeno, C. Benjamin, M. Ho, K. E. Kan, Y. Thway, K. Win, M. Aikawa, and R. R. Lobb. Human vascular endothelial cell adhesion receptors for *Plasmodium falciparum*-infected erythrocytes: roles for endothelial leukocyte adhesion molecule 1 and vascular cell adhesion molecule 1. *The Journal of Experimental Medicine*, 176(4):1183–1189, October 1992.

- [242] B. R. Ogutu, O. J. Apollo, D. McKinney, W. Okoth, J. Siangla, F. Dubovsky, K. Tucker, J. N. Waitumbi, C. Diggs, J. Wittes, E. Malkin, A. Leach, L. A. Soisson, J. B. Milman, L. Otieno, C. A. Holland, M. Polhemus, S. A. Remich, C. F. Ockenhouse, J. Cohen, W. R. Ballou, S. K. Martin, W. Angov, V. A. Stewart, J. A. Lyon, D. G. Heppner, M. R. Withers, and for the MSP-1 Malaria Vaccine Working Group. Blood stage malaria vaccine eliciting high antigen-specific antibody concentrations confers no protection to young children in Western Kenya. *PLoS ONE*, 4(3):e4708, March 2009.
- [243] B. Okech, G. Mujuzi, A. Ogwal, H. Shirai, T. Horii, and T. G. Egwang. High titers of IgG antibodies against *Plasmodium falciparum* serine repeat antigen 5 (SERA5) are associated with protection against severe malaria in ugandan children. *The American Journal of Tropical Medicine and Hygiene*, 74(2):191–197, February 2006.
- [244] A. Olotu, G. Fegan, J. Wambua, G. Nyangweso, K. O. Awuondo, A. Leach, M. Lievens, D. Leboulleux, P. Njuguna, N. Peshu, K. Marsh, and P. Bejon. Four-year efficacy of RTS,S/AS01e and its interaction with malaria exposure. *The New England Journal of Medicine*, 368(12):1111–1120, March 2013.
- [245] P. M. O’Neill, S. A. Ward, N. G. Berry, J. P. Jeyadevan, G. A. Biagini, E. Asadollaly, B. K. Park, and P. G. Bray. A medicinal chemistry perspective on 4-aminoquinoline antimalarial drugs. *Current Topics in Medicinal Chemistry*, 6(5):479–507, 2006.
- [246] World Health Organisation. Global report on antimalarial drug efficacy and drug resistance: 2000-2010, November 2010.
- [247] World Health Organisation. WHO interim position statement – the role of larviciding for malaria control in sub-Saharan Africa, 2012.
- [248] World Health Organization. Severe falciparum malaria. communicable diseases cluster. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 94 Suppl 1:S1–90, April 2000. ISSN 0035-9203.
- [249] World Health Organization. *Global plan for insecticide resistance management in malaria vectors*. World Health Organization, Geneva, Switzerland, 2012.
- [250] P. A. Orlandi, F. W. Klotz, and J. D. Haynes. A malaria invasion receptor, the 175-kilodalton erythrocyte binding antigen of *Plasmodium falciparum* recognizes the terminal neu5ac(α 2-3)gal- sequences of glycophorin A. *The Journal of Cell Biology*, 116(4):901–909, February 1992.

- [251] F. Osier, M. J. Mackinnon, Crosnier C., G. Fagan, G. Kamuyu, M. Wanaguru, E. Ogada, B. McDade, J. C. Rayner, G. J. Wright, and K. Marsh. New antigens for a multicomponent blood-stage malaria vaccine. *Science Translational Medicine*, 6(247), July 2014.
- [252] F. H. Osier, G. Feng, M. J. Boyle, C. Langer, J. Zhou, J. S. Richards, F. J. McCallum, L. Reiling, A. Jaworowski, R. F. Anders, K. Marsh, and J. G. Beeson. Opsonic phagocytosis of *Plasmodium falciparum* merozoites: mechanism in human immunity and a correlate of protection against malaria. *BMC Medicine*, 12(1):108, July 2014.
- [253] T. D. Otto, D. Wilinski, S. Assefa, T. M. Keane, L. R. Sarry, U. Böhme, J. Lemieux, B. Barrell, A. Pain, M. Berriman, C. Newbold, and M. Llinás. New insights into the blood-stage transcriptome of *Plasmodium falciparum* using RNA-seq. *Molecular Microbiology*, 76(1):12–24, April 2010.
- [254] T. D. Otto, U. Böhme, A. P. Jackson, M. Hunt, B. Franke-Fayard, W. A. M. Hoeijmakers, A. A. Religa, L. Robertson, M. Sanders, Solabomi A. Ogun, D. Cunningham, A. Erhart, O. Billker, S. M. Khan, H. G. Stunnenberg, J. Langhorne, A. A. Holder, A. P. Waters, C. I. Newbold, A. Pain, M. Berriman, and C. J. Janse. A comprehensive evaluation of rodent malaria parasite genomes and gene expression. *BMC biology*, 12(1):86, October 2014. ISSN 1741-7007.
- [255] T. D. Otto, J. C. Rayner, U. Böhme, A. Pain, N. Spottiswoode, M. Sanders, M. Quail, B. Ollomo, F. Renaud, A. W. Thomas, F. Prugnolle, D. J. Conway, C. Newbold, and M. Berriman. Genome sequencing of chimpanzee malaria parasites reveals possible pathways of adaptation to human hosts. *Nature Communications*, 5:4754, September 2014.
- [256] A. Ouattara, S. Takala-Harrison, M. A. Thera, D. Coulibaly, A. Niangaly, R. Saye, Y. Tolo, S. Dutta, D. G. Heppner, L. Soisson, C. L. Diggs, J. Vekemans, J. Cohen, W. C. Blackwelder, T. Dube, M. B. Laurens, O. K. Doumbo, and C. V. Plowe. Molecular basis of allele-specific efficacy of a blood-stage malaria vaccine: vaccine development implications. *The Journal of Infectious Diseases*, 207(3):511–519, February 2013.
- [257] J. A. Pachebat, I. T. Ling, M. Grainger, C. Trucco, S. Howell, D. Fernandez-Reyes, R. Gunaratne, and A. A. Holder. The 22 kDa component of the protein complex on the surface of *Plasmodium falciparum* merozoites is derived from a larger precursor, merozoite surface protein 7. *Molecular and Biochemical Parasitology*, 117(1):83–89, September 2001.

- [258] J. A. Pachebat, M. Kadekoppala, M. Grainger, A. R. Dluzewski, R. S. Gunaratne, T. J. Scott-Finnigan, S. A. Ogun, I. T. Ling, L. H. Bannister, H. M. Taylor, G. H. Mitchell, and A. A. Holder. Extensive proteolytic processing of the malaria parasite merozoite surface protein 7 during biosynthesis and parasite release from erythrocytes. *Molecular and Biochemical Parasitology*, 151(1):59–69, January 2007.
- [259] A. Pain, D. J. Ferguson, O. Kai, B. C. Urban, B. Lowe, K. Marsh, and D. J. Roberts. Platelet-mediated clumping of *Plasmodium falciparum*-infected erythrocytes is a common adhesive phenotype and is associated with severe malaria. *Proceedings of the National Academy of Sciences of the United States of America*, 98(4):1805–1810, February 2001.
- [260] A. Pain, U. Böhme, A. E. Berry, K. Mungall, R. D. Finn, A. P. Jackson, T. Mourier, J. Mistry, E. M. Pasini, M. A. Aslett, S. Balasubramaniam, K. Borgwardt, K. Brooks, C. Carret, T. J. Carver, I. Cherevach, T. Chillingworth, T. G. Clark, M. R. Galinski, N. Hall, D. Harper, D. Harris, H. Hauser, A. Ivens, C. S. Janssen, T. Keane, N. Larke, S. Lapp, M. Marti, S. Moule, I. M. Meyer, D. Ormond, N. Peters, M. Sanders, S. Sanders, T. J. Sargeant, M. Simmonds, F. Smith, R. Squares, S. Thurston, A. R. Tivey, D. Walker, B. White, E. Zuiderwijk, C. Churcher, M. A. Quail, A. F. Cowman, C. M. R. Turner, M. A. Rajandream, C. H. M. Kocken, A. W. Thomas, C. I. Newbold, B. G. Barrell, and M. Berriman. The genome of the simian and human malaria parasite *Plasmodium knowlesi*. *Nature*, 455(7214):799–803, October 2008.
- [261] M. Pardo and J. S. Choudhary. Assignment of protein interactions from affinity purification/mass spectrometry data. *Journal of Proteome Research*, 11(3):1462–1474, March 2012.
- [262] E. M. Pasini, M. Kirkegaard, P. Mortensen, H. U. Lutz, A. W. Thomas, and M. Mann. In-depth analysis of the membrane and cytosolic proteome of red blood cells. *Blood*, 108(3):791–801, August 2006.
- [263] M. Penet, M. Abou-Hamdan, N. Coltel, E. Cornille, G. E. Grau, M. de Reggi, and B. Gharib. Protection against cerebral malaria by the low-molecular-weight thiol pantethine. *Proceedings of the National Academy of Sciences of the United States of America*, 105(4):1321–1326, January 2008.
- [264] F. Peyron, B. Polack, D. Lamotte, L. Kolodie, and P. Ambroise-Thomas. *Plasmodium*

- falciparum* growth inhibition by human platelets *in vitro*. *Parasitology*, 99 Pt 3:317–322, December 1989.
- [265] C. Pfander, B. Anar, F. Schwach, T. D. Otto, M. Brochet, K. Volkmann, M. A. Quail, A. Pain, B. Rosen, W. Skarnes, J. C. Rayner, and O. Billker. A scalable pipeline for highly effective genetic modification of a malaria parasite. *Nature Methods*, 8(12): 1078–1082, October 2011.
- [266] D. M. Pigott, R. Atun, C. L. Moyes, S. I. Hay, and P. W. Gething. Funding for malaria control 2006–2010: a comprehensive global assessment. *Malaria Journal*, 11:246, July 2012.
- [267] G. Poinar. *Plasmodium dominicanan*. sp. (*Plasmodiidae: Haemospororida*) from tertiary dominican amber. *Systematic Parasitology*, 61(1):47–52, May 2005.
- [268] L. Poppe, G. S. Brown, J. S. Philo, P. V. Nikrad, and B. H. Shah. Conformation of sLe^x tetrasaccharide, free in solution and bound to E-, P-, and L-selectin. *Journal of the American Chemical Society*, 119(7):1727–1736, February 1997.
- [269] P. Potocnjak, N. Yoshida, R. S. Nussenzweig, and V. Nussenzweig. Monovalent fragments (fab) of monoclonal antibodies to a sporozoite surface antigen (pb44) protect mice against malarial infection. *The Journal of Experimental Medicine*, 151(6):1504–1513, June 1980.
- [270] J. H. Prieto, S. Koncarevic, S. K. Park, J. Yates, and K. Becker. Large-scale differential proteome analysis in *Plasmodium falciparum* under drug treatment. *PLoS ONE*, 3(12): e4098, December 2008.
- [271] N. Protopopoff, J. Matowo, R. Malima, R. Kavishe, R. Kaaya, A. Wright, P. A. West, I. Kleinschmidt, W. Kisinza, F. W. Mosha, and M. Rowland. High level of resistance in the mosquito *Anopheles gambiae* to pyrethroid insecticides and reduced susceptibility to bendiocarb in north-western tanzania. *Malaria Journal*, 12(1):149, 2013.
- [272] C. D. Putnam, M. Hammel, G. L. Hura, and J. A. Tainer. X-ray solution scattering (SAXS) combined with crystallography and computation: defining accurate macromolecular structures, conformations and assemblies in solution. *Quarterly Reviews of Biophysics*, 40(3):191–285, August 2007.
- [273] D. K. Raj, C. P. Nixon, C. E. Nixon, J. D. Dvorin, C. G. DiPetrillo, S. Pond-Tor, H.-W. Wu, G. Jolly, L. Pischel, A. Lu, I. C. Michelow, L. Cheng, S. Conteh, E. A. McDonald,

- S. Absalon, S. E. Holte, J. F. Friedman, M. Fried, P. E. Duffy, and J. D. Kurtis. Antibodies to PfSEA-1 block parasite egress from RBCs and protect against malaria infection. *Science*, 344(6186):871–877, May 2014.
- [274] V. Ramachandran, T. Yago, T. K. Epperson, M. M. Kobzdej, M. U. Nollert, R. D. Cummings, C. Zhu, and R. P. McEver. Dimerization of a selectin and its ligand stabilizes cell rolling and enhances tether strength in shear flow. *Proceedings of the National Academy of Sciences of the United States of America*, 98(18):10166–10171, August 2001.
- [275] A. Ramaprasad, A. Pain, and T. Ravasi. Defining the protein interaction network of human malaria parasite *Plasmodium falciparum*. *Genomics*, 99(2):69–75, February 2012.
- [276] L. M. Randall and C. R. Engwerda. TNF family members and malaria: old observations, new insights and future directions. *Experimental Parasitology*, 126(3):326–331, November 2010.
- [277] K. S. Reddy, A. K. Pandey, H. Singh, T. Sahar, A. Emmanuel, C. E. Chitnis, V. S. Chauhan, and D. Gaur. Bacterially expressed full-length recombinant *Plasmodium falciparum* RH5 protein binds erythrocytes and elicits potent strain-transcending parasite-neutralizing antibodies. *Infection and Immunity*, 82(1):152–164, January 2014.
- [278] A. J. Reid and M. Berriman. Genes involved in host-parasite interactions can be revealed by their correlated expression. *Nucleic Acids Research*, 41(3):1508–1518, February 2013.
- [279] D. D. Roberts, J. A. Sherwood, S. L. Spitalnik, L. J. Panton, R. J. Howard, V. M. Dixit, W. A. Frazier, L. H. Miller, and V. Ginsburg. Thrombospondin binds falciparum malaria parasitized erythrocytes and may mediate cytoadherence. *Nature*, 318(6041):64–66, November 1985.
- [280] K. J. Robson, J. R. Hall, M. W. Jennings, T. J. Harris, K. Marsh, C. I. Newbold, V. E. Tate, and D. J. Weatherall. A highly conserved amino-acid sequence in thrombospondin, properdin and in proteins from sporozoites and blood stages of a human malaria parasite. *Nature*, 335(6185):79–82, September 1988.
- [281] M. Roest, A. Reininger, J. J. Zwaginga, M. R. King, J. W. M. Heemskerk, and Biorheology Subcommittee of the SSC of the ISTH. Flow chamber-based assays to measure

- thrombus formation in vitro: requirements for standardization. *Journal of Thrombosis and Haemostasis*, 9(11):2322–2324, November 2011.
- [282] S. D. Rosen. Ligands for L-selectin: homing, inflammation, and beyond. *Annual Review of Immunology*, 22:129–156, 2004.
- [283] R. Ross. Observations on a condition necessary to the transformation of the malaria crescent. *British Medical Journal*, 1(1883):251–255, January 1897.
- [284] J. A. Rowe, J. M. Moulds, C. I. Newbold, and L. H. Miller. *Plasmodium falciparum* rosetting mediated by a parasite-variant erythrocyte membrane protein and complement-receptor 1. *Nature*, 388(6639):292–295, July 1997.
- [285] J. A. Rowe, A. Claessens, R. A. Corrigan, and M. Arman. Adhesion of *Plasmodium falciparum*-infected erythrocytes to human cells: molecular mechanisms and therapeutic implications. *Expert Reviews in Molecular Medicine*, 11:e16, May 2009.
- [286] S. W. Roy, G. D. Weedall, R. L. da Silva, S. D. Polley, and M. U. Ferreira. Sequence diversity and evolutionary dynamics of the dimorphic antigen merozoite surface protein-6 and other msp genes of *Plasmodium falciparum*. *Gene*, 443(1-2):12–21, August 2009.
- [287] W. Rudin, H. P. Eugster, G. Bordmann, J. Bonato, M. Müller, M. Yamage, and B. Ryffel. Resistance to cerebral malaria in tumor necrosis factor- α/β -deficient mice is associated with a reduction of intercellular adhesion molecule-1 up-regulation and T helper type 1 response. *The American Journal of Pathology*, 150(1):257–266, January 1997.
- [288] S. M. Rutherford and G. S. Gilani. Amino acid analysis. *Current Protocols in Protein Science*, Chapter 11:Unit 11.9, November 2009.
- [289] J. B. Sacci, J. M. C. Ribeiro, F. Huang, U. Alam, J. A. Russell, P. L. Blair, A. Witney, D. J. Carucci, A. F. Azad, and J. C. Aguiar. Transcriptional analysis of *in vivo Plasmodium yoelii* liver stage gene expression. *Molecular and Biochemical Parasitology*, 142(2):177–183, August 2005.
- [290] E. Sahin and C. J. Roberts. Size-exclusion chromatography with multi-angle light scattering for elucidating protein aggregation mechanisms. *Methods in Molecular Biology*, 899:403–423, 2012.
- [291] D. Sako, X.-J. Chang, K. M. Barone, G. Vachino, H. M. White, G. Shaw, G. M. Veldman, K. M. Bean, T. J. Ahern, B. Furie, D. A. Cumming, and G. R. Larsen. Expression

- cloning of a functional glycoprotein ligand for P-selectin. *Cell*, 75(6):1179–1186, December 1993.
- [292] D. Sako, K. M. Comess, K. M. Barone, R. T. Camphausen, D. A. Cumming, and G. D. Shaw. A sulfated peptide segment at the amino terminus of PSGL-1 is critical for P-selectin binding. *Cell*, 83(2):323–331, October 1995.
- [293] P. R. Sanders, P. R. Gilson, G. T. Cantin, D. C. Greenbaum, T. Nebl, D. J. Carucci, M. J. McConville, L. Schofield, A. N. Hodder, J. R. Yates, and B. S. Crabb. Distinct protein classes including novel merozoite surface antigens in raft-like membranes of *Plasmodium falciparum*. *The Journal of Biological Chemistry*, 280(48):40169–40176, December 2005.
- [294] K. B. Saunders, G. S. Kansas, and T. F. Tedder. Domain mapping of the selectin panel of mAb. *Tissue Antigens*, 6(42):294, 1993.
- [295] A. Scherf, R. Hernandez-Rivas, P. Buffet, E. Bottius, C. Benatar, B. Pouvelle, J. Gysin, and M. Lanzer. Antigenic variation in malaria: *in situ* switching, relaxed and mutually exclusive transcription of var genes during intra-erythrocytic development in *Plasmodium falciparum*. *The EMBO Journal*, 17(18):5418–5426, September 1998.
- [296] B. Schleiffenbaum, O. Spertini, and T. F. Tedder. Soluble L-selectin is present in human plasma at high levels and retains functional activity. *The Journal of Cell Biology*, 119(1):229–238, October 1992.
- [297] S. Schleker, J. Sun, B. Raghavan, M. Srnec, N. Müller, M. Koepfinger, L. Murthy, Z. Zhao, and J. Klein-Seetharaman. The current Salmonella-host interactome. *Proteomics. Clinical Applications*, 6(1-2):117–133, January 2012.
- [298] A. G. Schmidt, K. Lee, P. L. Yang, and S. C. Harrison. Small-molecule inhibitors of dengue-virus entry. *PLoS Pathogens*, 8(4):e1002627, April 2012.
- [299] J. A. Schmidt, I. J. Udeinya, J. H. Leech, R. J. Hay, M. Aikawa, J. Barnwell, I. Green, and L. H. Miller. *Plasmodium falciparum* malaria. *Journal of Clinical Investigation*, 70(2):379–386, August 1982.
- [300] L. Schwartz, G. Brown, B. Genton, and V. S. Moorthy. A review of malaria vaccine clinical projects based on the WHO rainbow table. *Malaria Journal*, 11(1):11, 2012.

- [301] R. A. Seder, L. Chang, M. E. Enama, K. L. Zephir, U. N. Sarwar, I. J. Gordon, L. A. Holman, E. R. James, P. F. Billingsley, A. Gunasekera, A. Richman, S. Chakravarty, A. Manoj, S. Velmurugan, M. Li, A. J. Ruben, T. Li, A. G. Eappen, R. E. Stafford, S. H. Plummer, C. S. Hendel, L. Novik, P. J. M. Costner, F. H. Mendoza, J. G. Saunders, M. C. Nason, J. H. Richardson, J. Murphy, S. A. Davidson, T. L. Richie, M. Sedegah, A. Sutamihardja, G. A. Fahle, K. E. Lyke, M. B. Laurens, M. Roederer, K. Tewari, J. E. Epstein, B. K. L. Sim, J. E. Ledgerwood, B. S. Graham, S. L. Hoffman, the VRC 312 Study Team, C. DiGiovanni, P. Williams, N. Luongo, J. Mitchell, M. B. Florez, B. Larkin, N. Berkowitz, B. Wilson, T. Clarke, O. Vasilenko, G. Yamshchikov, S. Sitar, L. Stanford, I. Pittman, R. T. Bailer, J. Casazza, H. Decederfelt, J. Starling, E. C. Williams, A. Lau, S. Antonara, J. Brocious, M. Kemp, J. Inglese, P. Dranchak, E. N. Abot, S. Reyes, H. Ganeshan, M. Belmonte, J. Huang, A. Belmonte, J. Komisar, Y. Abebe, Y. Getachew, A. Patil, S. Matheny, K. Nelson, J. Overby, V. Pich, Y. Wen, R. Fan, E. Fomumbod, A. Awe, C. Chakiath, M. King, M. S. Orozco, T. Murshedkar, D. Padilla, B. Jiang, L. Gao, N. Kc, R. Xu, M. Adams, C. Plowe, H. Loblein, P. Z. Renahan, M. Kunchai, and L. Diep. Protection against malaria by intravenous immunization with a nonreplicating sporozoite vaccine. *Science*, 341(6152):1359–1365, September 2013.
- [302] A. M. Senczuk, J. C. Reeder, M. M. Kosmala, and M. Ho. *Plasmodium falciparum* erythrocyte membrane protein 1 functions as a ligand for P-selectin. *Blood*, 98(10):3132–3135, November 2001.
- [303] S. D. Shapira, I. Gat-Viks, B. O. V. Shum, A. Dricot, M. M. de Grace, L. Wu, P. B. Gupta, T. Hao, S. J. Silver, D. E. Root, D. E. Hill, A. Regev, and N. Hacohen. A physical and regulatory map of host-influenza interactions reveals pathways in H1N1 infection. *Cell*, 139(7):1255–1267, December 2009.
- [304] N. Silmon de Monerri, H. R. Flynn, M. G. Campos, F. Hackett, K. Koussis, C. Withers-Martinez, J. M. Skehel, and M. J. Blackman. Global identification of multiple substrates for *Plasmodium falciparum* SUB1, an essential malarial processing protease. *Infection and Immunity*, 79(3):1086–1097, March 2011.
- [305] R. L. Silverstein and M. Febbraio. CD36, a scavenger receptor involved in immunity, metabolism, angiogenesis, and behavior. *Science Signaling*, 2(72):re3, May 2009.
- [306] B. K. Sim. EBA-175: an erythrocyte-binding ligand of *Plasmodium falciparum*. *Parasitology Today*, 11(6):213–217, June 1995.

- [307] B. K. Sim, C. E. Chitnis, K. Wasniowska, T. J. Hadley, and L. H. Miller. Receptor and ligand domains for invasion of erythrocytes by *Plasmodium falciparum*. *Science*, 264(5167):1941–1944, June 1994.
- [308] S. B. Sirima, S. Cousens, and P. Druilhe. Protection against malaria by MSP3 candidate vaccine. *New England Journal of Medicine*, 365(11):1062–1064, September 2011.
- [309] B. L. Smith, D. R. Gallie, H. Le, and P. K. Hansma. Visualization of poly(A)-binding protein complex formation with poly(A) RNA using atomic force microscopy. *Journal of Structural Biology*, 119(2):109–117, July 1997. doi: 10.1006/jsbi.1997.3864.
- [310] R. W. Snow, C. A. Guerra, A. M. Noor, H. Y. Myint, and S. I. Hay. The global distribution of clinical episodes of *Plasmodium falciparum* malaria. *Nature*, 434(7030):214–217, March 2005.
- [311] S. Soe, M. Theisen, C. Roussilhon, K. Aye, and P. Druilhe. Association between protection against clinical malaria and antibodies to merozoite surface antigens in an area of hyperendemicity in Myanmar: complementarity between responses to merozoite surface protein 3 and the 220-kilodalton glutamate-rich protein. *Infection and Immunity*, 72(1):247–252, January 2004.
- [312] W. S. Somers, J. Tang, G. D. Shaw, and R. T. Camphausen. Insights into the molecular basis of leukocyte tethering and rolling revealed by structures of P- and E-selectin bound to SLe(x) and PSGL-1. *Cell*, 103(3):467–479, October 2000.
- [313] R. Spaccapelo, E. Aime, S. Caterbi, P. Arcidiacono, B. Capuccini, M. Di Cristina, T. Dottorini, M. Rende, F. Bistoni, and A. Crisanti. Disruption of plasmepsin-4 and merozoites surface protein-7 genes in *Plasmodium berghei* induces combined virulence-attenuated phenotype. *Scientific Reports*, 1:39, 2011.
- [314] O. Spertini, A. S. Cordey, N. Monai, L. Giuffrè, and M. Schapira. P-selectin glycoprotein ligand 1 is a ligand for L-selectin on neutrophils, monocytes, and CD34+ hematopoietic progenitor cells. *The Journal of Cell Biology*, 135(2):523–531, October 1996.
- [315] A. Sponaas, E. T. Cadman, C. Voisine, V. Harrison, A. Boonstra, A. O’Garra, and J. Langhorne. Malaria infection changes the ability of splenic dendritic cell populations to stimulate antigen-specific t cells. *The Journal of Experimental Medicine*, 203(6):1427–1433, June 2006.

- [316] P. Srinivasan, A. Yasgar, D. K. Luci, W. L. Beatty, X. Hu, J. Andersen, D. Narum, J. K. Moch, H. Sun, J. D. Haynes, D. J. Maloney, A. Jadhav, A. Simeonov, and L. H. Miller. Disrupting malaria parasite AMA1–RON2 interaction with a small molecule prevents erythrocyte invasion. *Nature Communications*, 4, August 2013.
- [317] P. E. Stenberg, R. P. McEver, M. A. Shuman, Y. V. Jacques, and D. F. Bainton. A platelet α -granule membrane protein (GMP-140) is expressed on the plasma membrane after activation. *The Journal of Cell Biology*, 101(3):880–886, September 1985.
- [318] H. Sun. The interaction between pathogens and the host coagulation system. *Physiology*, 21:281–288, August 2006.
- [319] T. Sun, R. R. Chance, W. W. Graessley, and D. J. Lohse. A study of the separation principle in size exclusion chromatography. *Macromolecules*, 37(11):4304–4312, June 2004.
- [320] T. Sun, T. Holowka, Y. Song, S. Zierow, L. Leng, Y. Chen, H. Xiong, J. Griffith, M. Nouraie, Philip E. Thuma, E. Lolis, C. J. Janse, V. R. Gordeuk, K. Augustijn, and R. Bucala. A *Plasmodium*-encoded cytokine suppresses T-cell immunity during malaria. *Proceedings of the National Academy of Sciences of the United States of America*, 109(31):E2117–2126, July 2012.
- [321] Y. Sun, M. Gallagher-Jones, C. Barker, and G. J. Wright. A benchmarked protein microarray-based platform for the identification of novel low-affinity extracellular protein interactions. *Analytical Biochemistry*, 424(1):45–53, May 2012.
- [322] C. J. Sutherland, N. Tanomsing, D. Nolder, M. Oguike, C. Jennison, S. Pukritayakamee, C. Dolecek, T. T. Hien, V. E. do Rosário, A. P. Arez, J. Pinto, P. Michon, A. A. Escalante, F. Nosten, M. Burke, R. Lee, M. Blaze, T. D. Otto, J. P. Barnwell, A. Pain, J. H. Adams, N. J. White, N. P. J. Day, G. Snounou, P. J. Lockhart, P. L. Chiodini, M. Imwong, and S. D. Polley. Two nonrecombining sympatric forms of the human malaria parasite *Plasmodium ovale* occur globally. *The Journal of Infectious Diseases*, 201(10):1544–1550, May 2010.
- [323] S. I. Tachibana, S. A. Sullivan, S. Kawai, S. Nakamura, H. R. Kim, N. Goto, N. Arisue, N. M. Q. Palacpac, H. Honma, M. Yagi, T. Tougan, Y. Katakai, O. Kaneko, T. Mita, K. Kita, Y. Yasutomi, P. L. Sutton, R. Shakhbatyan, T. Horii, T. Yasunaga, J. W. Barnwell, A. A. Escalante, Jane M. Carlton, and K. Tanabe. *Plasmodium cynomolgi* genome

- sequences provide insight into *Plasmodium vivax* and the monkey malaria clade. *Nature Genetics*, 44(9):1051–1055, September 2012.
- [324] T. F. Tedder, A. C. Penta, H. B. Levine, and A. S. Freedman. Expression of the human leukocyte adhesion molecule, LAM1. identity with the TQ1 and leu-8 differentiation antigens. *Journal of Immunology*, 144(2):532–540, January 1990.
- [325] T. F. Tedder, D. A. Steeber, A. Chen, and P. Engel. The selectins: vascular adhesion molecules. *FASEB Journal*, 9(10):866–873, July 1995.
- [326] K. K. A. Tetteh, L. B. Stewart, L. I. Ochola, A. Amambua-Ngwa, A. W. Thomas, K. Marsh, G. D. Weedall, and D. J. Conway. Prospective identification of malaria parasite genes under balancing selection. *PLoS ONE*, 4(5):e5568, May 2009.
- [327] R. Tewari, S. A. Ogun, R. S. Gunaratne, A. Crisanti, and A. A. Holder. Disruption of *Plasmodium berghei* merozoite surface protein 7 gene modulates parasite growth *in vivo*. *Blood*, 105(1):394–396, January 2005.
- [328] W. Tham, D. W. Wilson, S. Lopaticki, C. Q. Schmidt, P. Tetteh-Quarcoo, P. Barlow, N., D. Richard, J. E. Corbin, J. G. Beeson, and A. F. Cowman. Complement receptor 1 is the host erythrocyte receptor for *Plasmodium falciparum* PfRh4 invasion ligand. *Proceedings of the National Academy of Sciences of the United States of America*, 107(40):17327–17332, October 2010.
- [329] M. A. Thera, O. K. Doumbo, D. Coulibaly, M. B. Laurens, A. Ouattara, A. K. Kone, A. B. Guindo, K. Traore, I. Traore, Bourema Kouriba, D. A. Diallo, I. Diarra, M. Daou, A. Dolo, Y. Tolo, M. S. Sissoko, A. Niangaly, M. Sissoko, S. Takala-Harrison, K. E. Lyke, Y. Wu, W. C. Blackwelder, O. Godeaux, J. Vekemans, M. Dubois, W. R. Ballou, J. Cohen, D. Thompson, T. Dube, L. Soisson, C. L. Diggs, B. House, D. E. Lanar, S. Dutta, D. G. Heppner, and C. V. Plowe. A field trial to assess a blood-stage malaria vaccine. *New England Journal of Medicine*, 365(11):1004–1013, September 2011.
- [330] M. Theron, R. L. Hesketh, S. Subramanian, and J. C. Rayner. An adaptable two-color flow cytometric assay to quantitate the invasion of erythrocytes by *Plasmodium falciparum* parasites. *Cytometry. Part A: The Journal of the International Society for Analytical Cytology*, 77(11):1067–1074, November 2010.
- [331] G. Thomas. Furin at the cutting edge: from protein traffic to embryogenesis and disease. *Nature Reviews. Molecular Cell Biology*, 3(10):753–766, October 2002.

- [332] P. Tompa. The interplay between structure and function in intrinsically unstructured proteins. *FEBS letters*, 579(15):3346–3354, June 2005.
- [333] A. Tomschy, C. Fauser, R. Landwehr, and J. Engel. Homophilic adhesion of E-cadherin occurs by a co-operative two-step interaction of N-terminal domains. *The EMBO Journal*, 15(14):3507–3514, July 1996.
- [334] F. S. Touré-Ndouo, E. S. Zang-Edou, U. Bisvigou, and J. Mezui-Me-Ndong. Relationship between *in vivo* synchronicity of *Plasmodium falciparum* and allelic diversity. *Parasitology International*, 58(4):390–393, December 2009.
- [335] W. Trager and J. Jensen. Human malaria parasites in continuous culture. *Science*, 193(4254):673–675, August 1976.
- [336] C. Trucco, D. Fernandez-Reyes, S. Howell, W. H. Stafford, T. J. Scott-Finnigan, M. Grainger, S. A. Ogun, W. R. Taylor, and A. A. Holder. The merozoite surface protein 6 gene codes for a 36 kDa protein associated with the *Plasmodium falciparum* merozoite surface protein-1 complex. *Molecular and Biochemical Parasitology*, 112(1):91–101, January 2001.
- [337] A. Tuli, M. Sharma, N. Naslavsky, S. Caplan, and J. C. Solheim. Specificity of amyloid precursor-like protein 2 interactions with MHC class I molecules. *Immunogenetics*, 60(6):303–313, June 2008.
- [338] L. Turner, T. Lavstsen, S. S. Berger, C. W. Wang, J. E. V. Petersen, M. Avril, A. J. Brazier, J. Freeth, J. S. Jespersen, M. A. Nielsen, P. Magistrado, J. Lusingu, J. D. Smith, M. K. Higgins, and T. G. Theander. Severe malaria is associated with parasite binding to endothelial protein c receptor. *Nature*, 498(7455):502–505, June 2013.
- [339] I. J. Udeinya, J. A. Schmidt, M. Aikawa, L. H. Miller, and I. Green. Falciparum malaria-infected erythrocytes specifically bind to cultured human endothelial cells. *Science*, 213(4507):555–557, July 1981.
- [340] B. C. Urban, D. J. Ferguson, A. Pain, N. Willcox, M. Plebanski, J. M. Austyn, and D. J. Roberts. *Plasmodium falciparum*-infected erythrocytes modulate the maturation of dendritic cells. *Nature*, 400(6739):73–77, July 1999.
- [341] E. A. Usanga and L. Luzzatto. Adaptation of plasmodium falciparum to glucose 6-phosphate dehydrogenase-deficient host red cells by production of parasite-encoded enzyme. *Nature*, 313(6005):793–795, March 1985.

- [342] S. Ushiyama, T. M. Laue, K. L. Moore, H. P. Erickson, and R. P. McEver. Structural and functional characterization of monomeric soluble P-selectin and comparison with membrane P-selectin. *The Journal of Biological Chemistry*, 268(20):15229–15237, July 1993.
- [343] A. Vaughan, S.-Y. Chiu, G. Ramasamy, L. Li, M. J. Gardner, A. S. Tarun, S. H.I. Kappe, and X. Peng. Assessment and improvement of the *Plasmodium yoelii yoelii* genome annotation through comparative analysis. *Bioinformatics*, 24(13):i383–i389, July 2008.
- [344] N. K. Viebig, B. Gamain, C. Scheidig, C. Lépolard, J. Przyborski, M. Lanzer, J. Gysin, and A. Scherf. A single member of the *Plasmodium falciparum* var multigene family determines cytoadhesion to the placental receptor chondroitin sulphate a. *EMBO Reports*, 6(8):775–781, August 2005.
- [345] M. Vignali, A. McKinlay, D. J. LaCount, R. Chettier, R. Bell, S. Sahasrabudhe, R. E. Hughes, and S. Fields. Interaction of an atypical *Plasmodium falciparum* ETRAMP with human apolipoproteins. *Malaria Journal*, 7:211, October 2008.
- [346] P. von Hundelshausen and C. Weber. Platelets as immune cells: Bridging inflammation and cardiovascular disease. *Circulation Research*, 100(1):27–40, January 2007.
- [347] M. Wanaguru, W. Liu, B. H. Hahn, J. C. Rayner, and G. J. Wright. RH5-basigin interaction plays a major role in the host tropism of *Plasmodium falciparum*. *Proceedings of the National Academy of Sciences of the United States of America*, 110(51):20735–20740, December 2013.
- [348] C. C. Wang. Validating targets for antiparasite chemotherapy. *Parasitology*, 114 Suppl: S31–44, 1997.
- [349] L. Wang, L. Crouch, T. L. Richie, D. H. Nhan, and R. L. Coppel. Naturally acquired antibody responses to the components of the *Plasmodium falciparum* merozoite surface protein 1 complex. *Parasite Immunology*, 25(8-9):403–412, September 2003.
- [350] J. J. Ward, J. S. Sodhi, L. J. McGuffin, B. F. Buxton, and D. T. Jones. Prediction and functional analysis of native disorder in proteins from the three kingdoms of life. *Journal of Molecular Biology*, 337(3):635–645, March 2004.
- [351] M. L. Watson, S. F. Kingsmore, G. I. Johnston, M. H. Siegelman, M. M. Le Beau, R. S. Lemons, N. S. Bora, T. A. Howard, I. L. Weissman, and R. P. McEver. Genomic orga-

- nization of the selectin family of leukocyte adhesion molecules on human and mouse chromosome 1. *The Journal of Experimental Medicine*, 172(1):263–272, July 1990.
- [352] A.S. Weyrich, T. M. McIntyre, R. P. McEver, S. M. Prescott, and G.A. Zimmerman. Monocyte tethering by P-selectin regulates monocyte chemotactic protein-1 and tumor necrosis factor- α secretion. signal integration and NF- κ B translocation. *The Journal of Clinical Investigation*, 95(5):2297–2303, May 1995.
- [353] J. Wiesner and F. Seeber. The plastid-derived organelle of protozoan human parasites as a target of established and emerging drugs. *Expert Opinion on Therapeutic Targets*, 9(1):23–44, February 2005.
- [354] A. R. Williams, A. D. Douglas, K. Miura, J. J. Illingworth, P. Choudhary, L. M. Murrungi, J. M. Furze, A. Diouf, O. Miotto, C. Crosnier, Gavin J. Wright, Dominic P. Kwiatkowski, Rick M. Fairhurst, Carole A. Long, and Simon J. Draper. Enhancing blockade of *Plasmodium falciparum* erythrocyte invasion: assessing combinations of antibodies against PfRH5 and other merozoite antigens. *PLoS Pathogens*, 8(11): e1002991, 2012.
- [355] C. T. Williams and A. F. Azad. Transcriptional analysis of the pre-erythrocytic stages of the rodent malaria parasite, *Plasmodium yoelii*. *PloS One*, 5(4):e10267, 2010.
- [356] P. A. Winstanley, E. K. Mberu, I. S. Szwandt, A. M. Breckenridge, and W. M. Watkins. *In vitro* activities of novel antifolate drug combinations against *Plasmodium falciparum* and human granulocyte CFUs. *Antimicrobial Agents and Chemotherapy*, 39(4):948–952, April 1995.
- [357] U. Woehlbier, C. Epp, F. Hackett, M. J. Blackman, and H. Bujard. Antibodies against multiple merozoite surface antigens of the human malaria parasite *Plasmodium falciparum* inhibit parasite maturation and red blood cell invasion. *Malaria Journal*, 9(1): 77, 2010.
- [358] C. S. Wong, J. R. Gamble, M. P. Skinner, C. M. Lucas, M. C. Berndt, and M. A. Vadas. Adhesion protein GMP140 inhibits superoxide anion release by human neutrophils. *Proceedings of the National Academy of Sciences of the United States of America*, 88 (6):2397–2401, March 1991.
- [359] World Health Organization and Global Malaria Programme. *World malaria report 2010*. 2010. ISBN 978 92 4 156410 6.

- [360] World Health Organization, M. Tuschman, and Global Malaria Programme. *World malaria report 2013*. 2013. ISBN 9241564695 9789241564694.
- [361] P. E. Wright and H. J. Dyson. Intrinsically unstructured proteins: re-assessing the protein structure-function paradigm. *Journal of Molecular Biology*, 293(2):321–331, October 1999.
- [362] S. Wuchty. Computational prediction of host-parasite protein interactions between *P. falciparum* and *H. sapiens*. *PLoS ONE*, 6(11):e26960, November 2011.
- [363] B. Xue, R. L. Dunbrack, R. W. Williams, A. K. Dunker, and V. N. Uversky. PONDR-FIT: A meta-predictor of intrinsically disordered amino acids. *Biochimica et Biophysica Acta - Proteins and Proteomics*, 1804(4):996–1010, April 2010.
- [364] D. M. Yañez, D. D. Manning, A. J. Cooley, W. P. Weidanz, and H. C. van der Heyde. Participation of lymphocyte subpopulations in the pathogenesis of experimental murine cerebral malaria. *Journal of Immunology*, 157(4):1620–1624, August 1996.
- [365] J. Yang, T. Hirata, K. Croce, G. Merrill-Skoloff, B. Tchernychev, E. Williams, R. Flaumenhaft, B. C. Furie, and B. Furie. Targeted gene disruption demonstrates that P-selectin glycoprotein ligand 1 (PSGL-1) is required for P-selectin-mediated but not E-selectin-mediated neutrophil rolling and migration. *The Journal of Experimental Medicine*, 190(12):1769–1782, December 1999.
- [366] X. Yang, C. G. Adda, C. A. MacRaid, A. Low, X. Zhang, W. Zeng, D. C. Jackson, R. F. Anders, and R. S. Norton. Identification of key residues involved in fibril formation by the conserved N-terminal region of *Plasmodium falciparum* merozoite surface protein 2 (MSP2). *Biochimie*, 92(10):1287–1295, October 2010.
- [367] B. G. Yipp, M. J. Hickey, G. Andonegui, A. G. Murray, S. Looareesuwan, P. Kubes, and M. Ho. Differential roles of CD36, ICAM-1, and P-selectin in *Plasmodium falciparum* cytoadherence *in vivo*. *Microcirculation*, 14(6):593–602, August 2007.
- [368] V. Yurchenko, S. Constant, and M. Bukrinsky. Dealing with the family: CD147 interactions with cyclophilins. *Immunology*, 117(3):301–309, March 2006.
- [369] Z. A. Zenonos, J. C. Rayner, and G. J. Wright. Towards a comprehensive *Plasmodium falciparum* merozoite cell surface and secreted recombinant protein library. *Malaria Journal*, 13(1):93, 2014.

- [370] E. Zerovnik. Oligomerization preceding amyloid fibril formation: a process in common to intrinsically disordered and globular proteins. *Network*, 22(1-4):154–161, 2011.
- [371] C. Zhang, B. Xiao, Y. Jiang, Y. Zhao, Z. Li, H. Gao, Y. Ling, J. Wei, S. Li, M. Lu, X.-z. Su, H. Cui, and J. Yuan. Efficient editing of malaria parasite genome using the CRISPR/Cas9 system. *mBio*, 5(4):e01414–14, July 2014.
- [372] X. Zhang, C. G. Adda, A. Low, J. Zhang, W. Zhang, H. Sun, X. Tu, R. F. Anders, and R. S. Norton. Role of the helical structure of the N-terminal region of *Plasmodium falciparum* merozoite surface protein 2 in fibril formation and membrane interaction. *Biochemistry*, 51(7):1380–1387, February 2012.
- [373] D. Zhou, P. Li, Y. Lin, J. M. Lott, A. D. Hislop, D. H. Canaday, R. R. Brutkiewicz, and J. S. Blum. Lamp-2a facilitates MHC class II presentation of cytoplasmic antigens. *Immunity*, 22(5):571–581, May 2005.