

References

- Adams, D. J., Quail, M. A., Cox, T., van der Weyden, L., Gorick, B. D., Su, Q., Chan, W. I., Davies, R., Bonfield, J. K., Law, F. et al.** (2005). A Genome-Wide, End-Sequenced 129Sv BAC Library Resource for Targeting Vector Construction. *Genomics* **86**, 753-758.
- Avilion, A. A., Nicolis, S. K., Pevny, L. H., Perez, L., Vivian, N. and Lovell-Badge, R.** (2003). Multipotent Cell Lineages in Early Mouse Development Depend on SOX2 Function. *Genes Dev.* **17**, 126-140.
- Axtell, M. J. and Bowman, J. L.** (2008). Evolution of Plant microRNAs and their Targets. *Trends Plant Sci.* **13**, 343-349.
- Azuma-Mukai, A., Oguri, H., Mituyama, T., Qian, Z. R., Asai, K., Siomi, H. and Siomi, M. C.** (2008). Characterization of Endogenous Human Argonautes and their miRNA Partners in RNA Silencing. *Proc. Natl. Acad. Sci. U. S. A.* **105**, 7964-7969.
- Babak, T., Zhang, W., Morris, Q., Blencowe, B. J. and Hughes, T. R.** (2004). Probing microRNAs with Microarrays: Tissue Specificity and Functional Inference. *RNA* **10**, 1813-1819.
- Babiarz, J. E., Ruby, J. G., Wang, Y., Bartel, D. P. and Blelloch, R.** (2008). Mouse ES Cells Express Endogenous shRNAs, siRNAs, and Other Microprocessor-Independent, Dicer-Dependent Small RNAs. *Genes Dev.* **22**, 2773-2785.
- Baek, D., Villen, J., Shin, C., Camargo, F. D., Gygi, S. P. and Bartel, D. P.** (2008). The Impact of microRNAs on Protein Output. *Nature* **455**, 64-71.
- Bar, M., Wyman, S. K., Fritz, B. R., Qi, J., Garg, K. S., Parkin, R. K., Kroh, E. M., Bendoraitis, A., Mitchell, P. S., Nelson, A. M. et al.** (2008). MicroRNA Discovery and Profiling in Human Embryonic Stem Cells by Deep Sequencing of Small RNA Libraries. *Stem Cells* **26**, 2496-2505.
- Barad, O., Meiri, E., Avniel, A., Aharonov, R., Barzilai, A., Bentwich, I., Einav, U., Gilad, S., Hurban, P., Karov, Y. et al.** (2004). MicroRNA Expression Detected by Oligonucleotide Microarrays: System Establishment and Expression Profiling in Human Tissues. *Genome Res.* **14**, 2486-2494.
- Baskerville, S. and Bartel, D. P.** (2005). Microarray Profiling of microRNAs Reveals Frequent Coexpression with Neighboring miRNAs and Host Genes. *RNA* **11**, 241-247.
- Beddington, R. S. and Robertson, E. J.** (1989). An Assessment of the Developmental Potential of Embryonic Stem Cells in the Midgestation Mouse Embryo. *Development* **105**, 733-737.

- Behm-Ansmant, I., Rehwinkel, J., Doerks, T., Stark, A., Bork, P. and Izaurralde, E.** (2006). mRNA Degradation by miRNAs and GW182 Requires both CCR4:NOT Deadenylation and DCP1:DCP2 Decapping Complexes. *Genes Dev.* **20**, 1885-1898.
- Benetti, R., Gonzalo, S., Jaco, I., Munoz, P., Gonzalez, S., Schoeftner, S., Murchison, E., Andl, T., Chen, T., Klatt, P. et al.** (2008). A Mammalian microRNA Cluster Controls DNA Methylation and Telomere Recombination Via Rbl2-Dependent Regulation of DNA Methyltransferases. *Nat. Struct. Mol. Biol.* **15**, 268-279.
- Berezikov, E., Chung, W. J., Willis, J., Cuppen, E. and Lai, E. C.** (2007). Mammalian Mirtron Genes. *Mol. Cell* **28**, 328-336.
- Bernstein, E., Caudy, A. A., Hammond, S. M. and Hannon, G. J.** (2001). Role for a Bidentate Ribonuclease in the Initiation Step of RNA Interference. *Nature* **409**, 363-366.
- Bernstein, E., Kim, S. Y., Carmell, M. A., Murchison, E. P., Alcorn, H., Li, M. Z., Mills, A. A., Elledge, S. J., Anderson, K. V. and Hannon, G. J.** (2003). Dicer is Essential for Mouse Development. *Nat. Genet.* **35**, 215-217.
- Blenkiron, C., Goldstein, L. D., Thorne, N. P., Spiteri, I., Chin, S. F., Dunning, M. J., Barbosa-Morais, N. L., Teschendorff, A. E., Green, A. R., Ellis, I. O. et al.** (2007). MicroRNA Expression Profiling of Human Breast Cancer Identifies New Markers of Tumor Subtype. *Genome Biol.* **8**, R214.
- Borchert, G. M., Lanier, W. and Davidson, B. L.** (2006). RNA Polymerase III Transcribes Human microRNAs. *Nat. Struct. Mol. Biol.* **13**, 1097-1101.
- Bradley, A., Evans, M., Kaufman, M. H. and Robertson, E.** (1984). Formation of Germ-Line Chimaeras from Embryo-Derived Teratocarcinoma Cell Lines. *Nature* **309**, 255-256.
- Brennecke, J., Stark, A., Russell, R. B. and Cohen, S. M.** (2005). Principles of microRNA-Target Recognition. *PLoS Biol.* **3**, e85.
- Cai, X., Hagedorn, C. H. and Cullen, B. R.** (2004). Human microRNAs are Processed from Capped, Polyadenylated Transcripts that can also Function as mRNAs. *RNA* **10**, 1957-1966.
- Calabrese, J. M., Seila, A. C., Yeo, G. W. and Sharp, P. A.** (2007). RNA Sequence Analysis Defines Dicer's Role in Mouse Embryonic Stem Cells. *Proc. Natl. Acad. Sci. U. S. A.* **104**, 18097-18102.
- Cam, H. and Dynlacht, B. D.** (2003). Emerging Roles for E2F: Beyond the G1/S Transition and DNA Replication. *Cancer. Cell.* **3**, 311-316.

- Castoldi, M., Schmidt, S., Benes, V., Noerholm, M., Kulozik, A. E., Hentze, M. W. and Muckenthaler, M. U.** (2006). A Sensitive Array for microRNA Expression Profiling (miChip) Based on Locked Nucleic Acids (LNA). *RNA* **12**, 913-920.
- Chan, J. A., Krichevsky, A. M. and Kosik, K. S.** (2005). MicroRNA-21 is an Antiapoptotic Factor in Human Glioblastoma Cells. *Cancer Res.* **65**, 6029-6033.
- Chen, S., Choo, A., Wang, N. D., Too, H. P. and Oh, S. K.** (2007). Establishing Efficient siRNA Knockdown in Mouse Embryonic Stem Cells. *Biotechnol. Lett.* **29**, 261-265.
- Chen, X., Whitney, E. M., Gao, S. Y. and Yang, V. W.** (2003). Transcriptional Profiling of Kruppel-Like Factor 4 Reveals a Function in Cell Cycle Regulation and Epithelial Differentiation. *J. Mol. Biol.* **326**, 665-677.
- Chen, X., Xu, H., Yuan, P., Fang, F., Huss, M., Vega, V. B., Wong, E., Orlov, Y. L., Zhang, W., Jiang, J. et al.** (2008). Integration of External Signaling Pathways with the Core Transcriptional Network in Embryonic Stem Cells. *Cell* **133**, 1106-1117.
- Chendrimada, T. P., Finn, K. J., Ji, X., Baillat, D., Gregory, R. I., Liebhaber, S. A., Pasquinelli, A. E. and Shiekhattar, R.** (2007). MicroRNA Silencing through RISC Recruitment of eIF6. *Nature* **447**, 823-828.
- Chendrimada, T. P., Gregory, R. I., Kumaraswamy, E., Norman, J., Cooch, N., Nishikura, K. and Shiekhattar, R.** (2005). TRBP Recruits the Dicer Complex to Ago2 for microRNA Processing and Gene Silencing. *Nature* **436**, 740-744.
- Davis, E., Caiment, F., Tordoir, X., Cavaille, J., Ferguson-Smith, A., Cockett, N., Georges, M. and Charlier, C.** (2005). RNAi-Mediated Allelic *trans*-Interaction at the Imprinted *Rtl1/Peg11* locus. *Curr. Biol.* **15**, 743-749.
- Denli, A. M., Tops, B. B., Plasterk, R. H., Ketting, R. F. and Hannon, G. J.** (2004). Processing of Primary microRNAs by the Microprocessor Complex. *Nature* **432**, 231-235.
- Desbaillets, I., Ziegler, U., Groscurth, P. and Gassmann, M.** (2000). Embryoid Bodies: An in Vitro Model of Mouse Embryogenesis. *Exp. Physiol.* **85**, 645-651.
- Doench, J. G. and Sharp, P. A.** (2004). Specificity of microRNA Target Selection in Translational Repression. *Genes Dev.* **18**, 504-511.
- Dye, M. J., Gromak, N. and Proudfoot, N. J.** (2006). Exon Tethering in Transcription by RNA Polymerase II. *Mol. Cell* **21**, 849-859.
- Ender, C., Krek, A., Friedlander, M. R., Beitzinger, M., Weinmann, L., Chen, W., Pfeffer, S., Rajewsky, N. and Meister, G.** (2008). A Human snoRNA with microRNA-Like Functions. *Mol. Cell* **32**, 519-528.

- Enright, A. J., John, B., Gaul, U., Tuschl, T., Sander, C. and Marks, D. S.**(2003). MicroRNA Targets in *Drosophila*. *Genome Biol.* **5**, R1.
- Eulalio, A., Behm-Ansmant, I. and Izaurralde, E.** (2007a). P Bodies: At the Crossroads of Post-Transcriptional Pathways. *Nat. Rev. Mol. Cell Biol.* **8**, 9-22.
- Eulalio, A., Behm-Ansmant, I., Schweizer, D. and Izaurralde, E.** (2007b). P-Body Formation is a Consequence, Not the Cause, of RNA-Mediated Gene Silencing. *Mol. Cell. Biol.* **27**, 3970-3981.
- Eulalio, A., Huntzinger, E., Nishihara, T., Rehwinkel, J., Fauser, M. and Izaurralde, E.** (2009). Deadenylation is a Widespread Effect of miRNA Regulation. *RNA* **15**, 21-32.
- Eulalio, A., Rehwinkel, J., Stricker, M., Huntzinger, E., Yang, S. F., Doerks, T., Dorner, S., Bork, P., Boutros, M. and Izaurralde, E.** (2007). Target-Specific Requirements for Enhancers of Decapping in miRNA-Mediated Gene Silencing. *Genes Dev.* **21**, 2558-2570.
- Farh, K. K., Grimson, A., Jan, C., Lewis, B. P., Johnston, W. K., Lim, L. P., Burge, C. B. and Bartel, D. P.** (2005). The Widespread Impact of Mammalian MicroRNAs on mRNA Repression and Evolution. *Science* **310**, 1817-1821.
- Filipowicz, W., Bhattacharyya, S. N. and Sonenberg, N.** (2008). Mechanisms of Post-Transcriptional Regulation by microRNAs: Are the Answers in Sight? *Nat. Rev. Genet.* **9**, 102-114.
- Flicek, P., Aken, B. L., Beal, K., Ballester, B., Caccamo, M., Chen, Y., Clarke, L., Coates, G., Cunningham, F., Cutts, T. et al.** (2008). Ensembl 2008. *Nucleic Acids Res.* **36**, D707-14.
- Forstemann, K., Tomari, Y., Du, T., Vagin, V. V., Denli, A. M., Bratu, D. P., Klattenhoff, C., Theurkauf, W. E. and Zamore, P. D.** (2005). Normal microRNA Maturation and Germ-Line Stem Cell Maintenance Requires Loquacious, a Double-Stranded RNA-Binding Domain Protein. *PLoS Biol.* **3**, e236.
- Friedel, R. H., Plump, A., Lu, X., Spilker, K., Jolicoeur, C., Wong, K., Venkatesh, T. R., Yaron, A., Hynes, M., Chen, B. et al.** (2005). Gene Targeting using a Promoterless Gene Trap Vector ("Targeted Trapping") is an Efficient Method to Mutate a Large Fraction of Genes. *Proc. Natl. Acad. Sci. U. S. A.* **102**, 13188-13193.
- Friedman, R. C., Farh, K. K., Burge, C. B. and Bartel, D. P.** (2009). Most Mammalian mRNAs are Conserved Targets of microRNAs. *Genome Res.* **19**, 92-105.

- Fukagawa, T., Nogami, M., Yoshikawa, M., Ikeno, M., Okazaki, T., Takami, Y., Nakayama, T. and Oshimura, M.** (2004). Dicer is Essential for Formation of the Heterochromatin Structure in Vertebrate Cells. *Nat. Cell Biol.* **6**, 784-791.
- Fukuda, T., Yamagata, K., Fujiyama, S., Matsumoto, T., Koshida, I., Yoshimura, K., Mihara, M., Naitou, M., Endoh, H., Nakamura, T. et al.** (2007). DEAD-Box RNA Helicase Subunits of the Drosha Complex are Required for Processing of rRNA and a Subset of microRNAs. *Nat. Cell Biol.* **9**, 604-611.
- Gangaraju, V. K. and Lin, H.** (2009). MicroRNAs: Key Regulators of Stem Cells. *Nat. Rev. Mol. Cell Biol.* **10**, 116-125.
- Giraldez, A. J., Cinalli, R. M., Glasner, M. E., Enright, A. J., Thomson, J. M., Baskerville, S., Hammond, S. M., Bartel, D. P. and Schier, A. F.** (2005). MicroRNAs Regulate Brain Morphogenesis in Zebrafish. *Science* **308**, 833-838.
- Giraldez, A. J., Mishima, Y., Rihel, J., Grocock, R. J., Van Dongen, S., Inoue, K., Enright, A. J. and Schier, A. F.** (2006). Zebrafish MiR-430 Promotes Deadenylation and Clearance of Maternal mRNAs. *Science* **312**, 75-79.
- Gregory, R. I., Yan, K. P., Amuthan, G., Chendrimada, T., Doratotaj, B., Cooch, N. and Shiekhattar, R.** (2004). The Microprocessor Complex Mediates the Genesis of microRNAs. *Nature* **432**, 235-240.
- Griffiths-Jones, S., Saini, H. K., van Dongen, S. and Enright, A. J.** (2008). MiRBase: Tools for microRNA Genomics. *Nucleic Acids Res.* **36**, D154-8.
- Grimson, A., Farh, K. K., Johnston, W. K., Garrett-Engele, P., Lim, L. P. and Bartel, D. P.** (2007). MicroRNA Targeting Specificity in Mammals: Determinants Beyond Seed Pairing. *Mol. Cell* **27**, 91-105.
- Grishok, A., Pasquinelli, A. E., Conte, D., Li, N., Parrish, S., Ha, I., Baillie, D. L., Fire, A., Ruvkun, G. and Mello, C. C.** (2001). Genes and Mechanisms Related to RNA Interference Regulate Expression of the Small Temporal RNAs that Control C. Elegans Developmental Timing. *Cell* **106**, 23-34.
- Guan, K., Chang, H., Rolletschek, A. and Wobus, A. M.** (2001). Embryonic Stem Cell-Derived Neurogenesis. Retinoic Acid Induction and Lineage Selection of Neuronal Cells. *Cell Tissue Res.* **305**, 171-176.
- Haase, A. D., Jaskiewicz, L., Zhang, H., Laine, S., Sack, R., Gatignol, A. and Filipowicz, W.** (2005). TRBP, a Regulator of Cellular PKR and HIV-1 Virus Expression, Interacts with Dicer and Functions in RNA Silencing. *EMBO Rep.* **6**, 961-967.

- Hameyer, D., Loonstra, A., Eshkind, L., Schmitt, S., Antunes, C., Groen, A., Bindels, E., Jonkers, J., Krimpenfort, P., Meuwissen, R. et al.** (2007). Toxicity of Ligand-Dependent Cre Recombinases and Generation of a Conditional Cre Deleter Mouse Allowing Mosaic Recombination in Peripheral Tissues. *Physiol. Genomics* **31**, 32-41.
- Han, J., Lee, Y., Yeom, K. H., Kim, Y. K., Jin, H. and Kim, V. N.** (2004). The Drosha-DGCR8 Complex in Primary microRNA Processing. *Genes Dev.* **18**, 3016-3027.
- Han, J., Lee, Y., Yeom, K. H., Nam, J. W., Heo, I., Rhee, J. K., Sohn, S. Y., Cho, Y., Zhang, B. T. and Kim, V. N.** (2006). Molecular Basis for the Recognition of Primary microRNAs by the Drosha-DGCR8 Complex. *Cell* **125**, 887-901.
- Han, J., Pedersen, J. S., Kwon, S. C., Belair, C. D., Kim, Y. K., Yeom, K. H., Yang, W. Y., Haussler, D., Blleloch, R. and Kim, V. N.** (2009). Posttranscriptional Crossregulation between Drosha and DGCR8. *Cell* **136**, 75-84.
- He, L., Thomson, J. M., Hemann, M. T., Hernando-Monge, E., Mu, D., Goodson, S., Powers, S., Cordon-Cardo, C., Lowe, S. W., Hannon, G. J. et al.** (2005). A microRNA Polycistron as a Potential Human Oncogene. *Nature* **435**, 828-833.
- Heo, I., Joo, C., Cho, J., Ha, M., Han, J. and Kim, V. N.** (2008). Lin28 Mediates the Terminal Uridylation of Let-7 Precursor MicroRNA. *Mol. Cell* **32**, 276-284.
- Hock, J., Weinmann, L., Ender, C., Rudel, S., Kremmer, E., Raabe, M., Urlaub, H. and Meister, G.** (2007). Proteomic and Functional Analysis of Argonaute-Containing mRNA-Protein Complexes in Human Cells. *EMBO Rep.* **8**, 1052-1060.
- Houbaviy, H. B., Dennis, L., Jaenisch, R. and Sharp, P. A.** (2005). Characterization of a Highly Variable Eutherian microRNA Gene. *RNA* **11**, 1245-1257.
- Houbaviy, H. B., Murray, M. F. and Sharp, P. A.** (2003). Embryonic Stem Cell-Specific MicroRNAs. *Dev. Cell.* **5**, 351-358.
- Huang, Q., Gumireddy, K., Schrier, M., le Sage, C., Nagel, R., Nair, S., Egan, D. A., Li, A., Huang, G., Klein-Szanto, A. J. et al.** (2008). The microRNAs miR-373 and miR-520c Promote Tumour Invasion and Metastasis. *Nat. Cell Biol.* **10**, 202-210.
- Huangfu, D., Osafune, K., Maehr, R., Guo, W., Eijkelenboom, A., Chen, S., Muhlestein, W. and Melton, D. A.** (2008). Induction of Pluripotent Stem Cells from Primary Human Fibroblasts with Only Oct4 and Sox2. *Nat. Biotechnol.* **26**, 1269-1275.

- Hutvagner, G., McLachlan, J., Pasquinelli, A. E., Balint, E., Tuschl, T. and Zamore, P. D.** (2001). A Cellular Function for the RNA-Interference Enzyme Dicer in the Maturation of the Let-7 Small Temporal RNA. *Science* **293**, 834-838.
- Hutvagner, G. and Simard, M. J.** (2008). Argonaute Proteins: Key Players in RNA Silencing. *Nat. Rev. Mol. Cell Biol.* **9**, 22-32.
- Ianari, A., Gallo, R., Palma, M., Alesse, E. and Gulino, A.** (2004). Specific Role for p300/CREB-Binding Protein-Associated Factor Activity in E2F1 Stabilization in Response to DNA Damage. *J. Biol. Chem.* **279**, 30830-30835.
- John, B., Enright, A. J., Aravin, A., Tuschl, T., Sander, C. and Marks, D. S.** (2004). Human MicroRNA Targets. *PLoS Biol.* **2**, e363.
- Kanellopoulou, C., Muljo, S. A., Kung, A. L., Ganesan, S., Drapkin, R., Jenuwein, T., Livingston, D. M. and Rajewsky, K.** (2005). Dicer-Deficient Mouse Embryonic Stem Cells are Defective in Differentiation and Centromeric Silencing. *Genes Dev.* **19**, 489-501.
- Kaufman, M. H., Robertson, E. J., Handyside, A. H. and Evans, M. J.** (1983). Establishment of Pluripotential Cell Lines from Haploid Mouse Embryos. *J. Embryol. Exp. Morphol.* **73**, 249-261.
- Kertesz, M., Iovino, N., Unnerstall, U., Gaul, U. and Segal, E.** (2007). The Role of Site Accessibility in microRNA Target Recognition. *Nat. Genet.* **39**, 1278-1284.
- Ketting, R. F., Fischer, S. E., Bernstein, E., Sijen, T., Hannon, G. J. and Plasterk, R. H.** (2001). Dicer Functions in RNA Interference and in Synthesis of Small RNA Involved in Developmental Timing in *C. Elegans*. *Genes Dev.* **15**, 2654-2659.
- Khvorova, A., Reynolds, A. and Jayasena, S. D.** (2003). Functional siRNAs and miRNAs Exhibit Strand Bias. *Cell* **115**, 209-216.
- Kim, D. H., Saetrom, P., Snove, O., Jr and Rossi, J. J.** (2008a). MicroRNA-Directed Transcriptional Gene Silencing in Mammalian Cells. *Proc. Natl. Acad. Sci. U. S. A.* **105**, 16230-16235.
- Kim, J., Chu, J., Shen, X., Wang, J. and Orkin, S. H.** (2008b). An Extended Transcriptional Network for Pluripotency of Embryonic Stem Cells. *Cell* **132**, 1049-1061.
- Kim, Y. K. and Kim, V. N.** (2007). Processing of Intronic microRNAs. *EMBO J.* **26**, 775-783.
- Kiriakidou, M., Tan, G. S., Lamprinaki, S., De Planell-Saguer, M., Nelson, P. T. and Mourelatos, Z.** (2007). An mRNA m7G Cap Binding-Like Motif within Human Ago2 Represses Translation. *Cell* **129**, 1141-1151.

- Knight, S. W. and Bass, B. L.** (2001). A Role for the RNase III Enzyme DCR-1 in RNA Interference and Germ Line Development in *Caenorhabditis Elegans*. *Science* **293**, 2269-2271.
- Kok, K. H., Ng, M. H., Ching, Y. P. and Jin, D. Y.** (2007). Human TRBP and PACT Directly Interact with each Other and Associate with Dicer to Facilitate the Production of Small Interfering RNA. *J. Biol. Chem.* **282**, 17649-17657.
- Kong, Y. W., Cannell, I. G., de Moor, C. H., Hill, K., Garside, P. G., Hamilton, T. L., Meijer, H. A., Dobbyn, H. C., Stoneley, M., Spriggs, K. A. et al.** (2008). The Mechanism of Micro-RNA-Mediated Translation Repression is Determined by the Promoter of the Target Gene. *Proc. Natl. Acad. Sci. U. S. A.* **105**, 8866-8871.
- Kopp, J. L., Ormsbee, B. D., Desler, M. and Rizzino, A.** (2008). Small Increases in the Level of Sox2 Trigger the Differentiation of Mouse Embryonic Stem Cells. *Stem Cells* **26**, 903-911.
- Landgraf, P., Rusu, M., Sheridan, R., Sewer, A., Iovino, N., Aravin, A., Pfeffer, S., Rice, A., Kamphorst, A. O., Landthaler, M. et al.** (2007). A Mammalian microRNA Expression Atlas Based on Small RNA Library Sequencing. *Cell* **129**, 1401-1414.
- Landthaler, M., Gaidatzis, D., Rothballer, A., Chen, P. Y., Soll, S. J., Dinic, L., Ojo, T., Hafner, M., Zavolan, M. and Tuschl, T.** (2008). Molecular Characterization of Human Argonaute-Containing Ribonucleoprotein Complexes and their Bound Target mRNAs. *RNA* **14**, 2580-2596.
- Laurent, L. C., Chen, J., Ulitsky, I., Mueller, F. J., Lu, C., Shamir, R., Fan, J. B. and Loring, J. F.** (2008). Comprehensive microRNA Profiling Reveals a Unique Human Embryonic Stem Cell Signature Dominated by a Single Seed Sequence. *Stem Cells* **26**, 1506-1516.
- Lee, R. C., Feinbaum, R. L. and Ambros, V.** (1993). The *C. Elegans* Heterochronic Gene *Lin-4* Encodes Small RNAs with Antisense Complementarity to *Lin-14*. *Cell* **75**, 843-854.
- Lee, Y., Ahn, C., Han, J., Choi, H., Kim, J., Yim, J., Lee, J., Provost, P., Radmark, O., Kim, S. et al.** (2003). The Nuclear RNase III Droscha Initiates microRNA Processing. *Nature* **425**, 415-419.
- Lee, Y., Kim, M., Han, J., Yeom, K. H., Lee, S., Baek, S. H. and Kim, V. N.** (2004a). MicroRNA Genes are Transcribed by RNA Polymerase II. *EMBO J.* **23**, 4051-4060.
- Lee, Y. S., Nakahara, K., Pham, J. W., Kim, K., He, Z., Sontheimer, E. J. and Carthew, R. W.** (2004b). Distinct Roles for *Drosophila* Dicer-1 and Dicer-2 in the siRNA/miRNA Silencing Pathways. *Cell* **117**, 69-81.

- Lewis, B. P., Burge, C. B. and Bartel, D. P.** (2005). Conserved Seed Pairing, often Flanked by Adenosines, Indicates that Thousands of Human Genes are microRNA Targets. *Cell* **120**, 15-20.
- Lewis, B. P., Shih, I. H., Jones-Rhoades, M. W., Bartel, D. P. and Burge, C. B.** (2003). Prediction of Mammalian microRNA Targets. *Cell* **115**, 787-798.
- Liang, Q., Conte, N., Skarnes, W. C. and Bradley, A.** (2008). Extensive Genomic Copy Number Variation in Embryonic Stem Cells. *Proc. Natl. Acad. Sci. U. S. A.* **105**, 17453-17456.
- Lim, L. P., Lau, N. C., Garrett-Engele, P., Grimson, A., Schelter, J. M., Castle, J., Bartel, D. P., Linsley, P. S. and Johnson, J. M.** (2005). Microarray Analysis shows that some microRNAs Downregulate Large Numbers of Target mRNAs. *Nature* **433**, 769-773.
- Lin, S. L., Chang, D. C., Chang-Lin, S., Lin, C. H., Wu, D. T., Chen, D. T. and Ying, S. Y.** (2008a). Mir-302 Reprograms Human Skin Cancer Cells into a Pluripotent ES-Cell-Like State. *RNA* **14**, 2115-2124.
- Lin, S. M., Du, P., Huber, W. and Kibbe, W. A.** (2008b). Model-Based Variance-Stabilizing Transformation for Illumina Microarray Data. *Nucleic Acids Res.* **36**, e11.
- Liu, J., Carmell, M. A., Rivas, F. V., Marsden, C. G., Thomson, J. M., Song, J. J., Hammond, S. M., Joshua-Tor, L. and Hannon, G. J.** (2004). Argonaute2 is the Catalytic Engine of Mammalian RNAi. *Science* **305**, 1437-1441.
- Liu, J., Valencia-Sanchez, M. A., Hannon, G. J. and Parker, R.** (2005). MicroRNA-Dependent Localization of Targeted mRNAs to Mammalian P-Bodies. *Nat. Cell Biol.* **7**, 719-723.
- Liu, Q., Fu, H., Sun, F., Zhang, H., Tie, Y., Zhu, J., Xing, R., Sun, Z. and Zheng, X.** (2008a). MiR-16 Family Induces Cell Cycle Arrest by Regulating Multiple Cell Cycle Genes. *Nucleic Acids Res.* **36**, 5391-5404.
- Liu, X., Huang, J., Chen, T., Wang, Y., Xin, S., Li, J., Pei, G. and Kang, J.** (2008b). Yamanaka Factors Critically Regulate the Developmental Signaling Network in Mouse Embryonic Stem Cells. *Cell Res.* **18**, 1177-1189.
- Liu, X., Jiang, F., Kalidas, S., Smith, D. and Liu, Q.** (2006). Dicer-2 and R2D2 Coordinately Bind siRNA to Promote Assembly of the siRISC Complexes. *RNA* **12**, 1514-1520.
- Lu, J., Getz, G., Miska, E. A., Alvarez-Saavedra, E., Lamb, J., Peck, D., Sweet-Cordero, A., Ebert, B. L., Mak, R. H., Ferrando, A. A. et al.** (2005). MicroRNA Expression Profiles Classify Human Cancers. *Nature* **435**, 834-838.

- Lu, Z., Liu, M., Stribinskis, V., Klinge, C. M., Ramos, K. S., Colburn, N. H. and Li, Y.** (2008). MicroRNA-21 Promotes Cell Transformation by Targeting the Programmed Cell Death 4 Gene. *Oncogene* **27**, 4373-4379.
- Mallory, A. C. and Bouche, N.** (2008). MicroRNA-Directed Regulation: To Cleave Or Not to Cleave. *Trends Plant Sci.* **13**, 359-367.
- Mansfield, J. H., Harfe, B. D., Nissen, R., Obenauer, J., Srineel, J., Chaudhuri, A., Farzan-Kashani, R., Zuker, M., Pasquinelli, A. E., Ruvkun, G., Sharp, P. A., Tabin, C. J. and McManus, T.** (2004). MicroRNA-responsive 'sensor' transgenes uncover Hox-like and other developmentally regulated patterns of vertebrate microRNA expression. *Nat. Genet.* **36**, 1079-1083.
- Marmorstein, R.** (2001). Structure of Histone Acetyltransferases. *J. Mol. Biol.* **311**, 433-444.
- Maroney, P. A., Yu, Y., Fisher, J. and Nilsen, T. W.** (2006). Evidence that microRNAs are Associated with Translating Messenger RNAs in Human Cells. *Nat. Struct. Mol. Biol.* **13**, 1102-1107.
- Marson, A., Levine, S. S., Cole, M. F., Frampton, G. M., Brambrink, T., Johnstone, S., Guenther, M. G., Johnston, W. K., Wernig, M., Newman, J. et al.** (2008). Connecting microRNA Genes to the Core Transcriptional Regulatory Circuitry of Embryonic Stem Cells. *Cell* **134**, 521-533.
- Martin, G. R.** (1981). Isolation of a Pluripotent Cell Line from Early Mouse Embryos Cultured in Medium Conditioned by Teratocarcinoma Stem Cells. *Proc. Natl. Acad. Sci. U. S. A.* **78**, 7634-7638.
- Mathonnet, G., Fabian, M. R., Svitkin, Y. V., Parsyan, A., Huck, L., Murata, T., Biffo, S., Merrick, W. C., Darzynkiewicz, E., Pillai, R. S. et al.** (2007). MicroRNA Inhibition of Translation Initiation in Vitro by Targeting the Cap-Binding Complex eIF4F. *Science* **317**, 1764-1767.
- Mattick, J. S. and Makunin, I. V.** (2006). Non-Coding RNA. *Hum. Mol. Genet.* **15** Spec No 1, R17-29.
- Medina, P. P. and Slack, F. J.** (2008). MicroRNAs and Cancer: An Overview. *Cell Cycle* **7**, 2485-2492.
- Meister, G., Landthaler, M., Patkaniowska, A., Dorsett, Y., Teng, G. and Tuschl, T.** (2004). Human Argonaute2 Mediates RNA Cleavage Targeted by miRNAs and siRNAs. *Mol. Cell* **15**, 185-197.
- Miska, E. A., Alvarez-Saavedra, E., Townsend, M., Yoshii, A., Sestan, N., Rakic, P., Constantine-Paton, M. and Horvitz, H. R.** (2004). Microarray Analysis of microRNA Expression in the Developing Mammalian Brain. *Genome Biol.* **5**, R68.

- Mitsui, K., Tokuzawa, Y., Itoh, H., Segawa, K., Murakami, M., Takahashi, K., Maruyama, M., Maeda, M. and Yamanaka, S.** (2003). The Homeoprotein Nanog is Required for Maintenance of Pluripotency in Mouse Epiblast and ES Cells. *Cell* **113**, 631-642.
- Morin, R. D., O'Connor, M. D., Griffith, M., Kuchenbauer, F., Delaney, A., Prabhu, A. L., Zhao, Y., McDonald, H., Zeng, T., Hirst, M. et al.** (2008). Application of Massively Parallel Sequencing to microRNA Profiling and Discovery in Human Embryonic Stem Cells. *Genome Res.* **18**, 610-621.
- Morlando, M., Ballarino, M., Gromak, N., Pagano, F., Bozzoni, I. and Proudfoot, N. J.** (2008). Primary microRNA Transcripts are Processed Co-Transcriptionally. *Nat. Struct. Mol. Biol.*
- Mortazavi, A., Williams, B. A., McCue, K., Schaeffer, L. and Wold, B.** (2008). Mapping and Quantifying Mammalian Transcriptomes by RNA-Seq. *Nat. Methods* **5**, 621-628.
- Murchison, E. P., Partridge, J. F., Tam, O. H., Cheloufi, S. and Hannon, G. J.** (2005). Characterization of Dicer-Deficient Murine Embryonic Stem Cells. *Proc. Natl. Acad. Sci. U. S. A.* **102**, 12135-12140.
- Nakagawa, M., Koyanagi, M., Tanabe, K., Takahashi, K., Ichisaka, T., Aoi, T., Okita, K., Mochiduki, Y., Takizawa, N. and Yamanaka, S.** (2008). Generation of Induced Pluripotent Stem Cells without Myc from Mouse and Human Fibroblasts. *Nat. Biotechnol.* **26**, 101-106.
- Newman, M. A., Thomson, J. M. and Hammond, S. M.** (2008). Lin-28 Interaction with the Let-7 Precursor Loop Mediates Regulated microRNA Processing. *RNA* **14**, 1539-1549.
- Nichols, J., Zevnik, B., Anastassiadis, K., Niwa, H., Klewe-Nebenius, D., Chambers, I., Scholer, H. and Smith, A.** (1998). Formation of Pluripotent Stem Cells in the Mammalian Embryo Depends on the POU Transcription Factor Oct4. *Cell* **95**, 379-391.
- Ning, Z., Cox, A. J. and Mullikin, J. C.** (2001). SSAHA: A Fast Search Method for Large DNA Databases. *Genome Res.* **11**, 1725-1729.
- Niida, H. and Nakanishi, M.** (2006). DNA Damage Checkpoints in Mammals. *Mutagenesis* **21**, 3-9.
- Niwa, H., Miyazaki, J. and Smith, A. G.** (2000). Quantitative Expression of Oct-3/4 Defines Differentiation, Dedifferentiation Or Self-Renewal of ES Cells. *Nat. Genet.* **24**, 372-376.
- Nord, A. S., Chang, P. J., Conklin, B. R., Cox, A. V., Harper, C. A., Hicks, G. G., Huang, C. C., Johns, S. J., Kawamoto, M., Liu, S. et al.** (2006). The International Gene Trap Consortium Website: A Portal to all Publicly Available Gene Trap Cell Lines in Mouse. *Nucleic Acids Res.* **34**, D642-8.

- Ohnishi, Y. N., Sakumi, K., Yamazaki, K., Ohnishi, Y. H., Miura, T., Tominaga, Y., Nakabeppu, Y.** (2008). Antagonistic Regulation of Cell-Matrix Adhesion by FosB and Δ FosB/ Δ 2 Δ FosB Encoded by Alternatively Spliced Forms of *fosB* Transcripts. *Mol. Biol. Cell* **19**, 4717-4729.
- Okamura, K., Hagen, J. W., Duan, H., Tyler, D. M. and Lai, E. C.** (2007). The Mirtron Pathway Generates microRNA-Class Regulatory RNAs in *Drosophila*. *Cell* **130**, 89-100.
- Okamura, K., Phillips, M. D., Tyler, D. M., Duan, H., Chou, Y. T. and Lai, E. C.** (2008). The Regulatory Activity of microRNA* Species has Substantial Influence on microRNA and 3' UTR Evolution. *Nat. Struct. Mol. Biol.* **15**, 354-363.
- Okita, K., Ichisaka, T. and Yamanaka, S.** (2007). Generation of Germline-Competent Induced Pluripotent Stem Cells. *Nature* **448**, 313-317.
- Okita, K. and Yamanaka, S.** (2006). Intracellular Signaling Pathways Regulating Pluripotency of Embryonic Stem Cells. *Curr. Stem Cell. Res. Ther.* **1**, 103-111.
- Olsen, P. H. and Ambros, V.** (1999). The Lin-4 Regulatory RNA Controls Developmental Timing in *Caenorhabditis Elegans* by Blocking LIN-14 Protein Synthesis After the Initiation of Translation. *Dev. Biol.* **216**, 671-680.
- Orford, K. W. and Scadden, D. T.** (2008). Deconstructing Stem Cell Self-Renewal: Genetic Insights into Cell-Cycle Regulation. *Nat. Rev. Genet.* **9**, 115-128.
- Petersen, C. P., Bordeleau, M. E., Pelletier, J. and Sharp, P. A.** (2006). Short RNAs Repress Translation After Initiation in Mammalian Cells. *Mol. Cell* **21**, 533-542.
- Petrocca, F., Vecchione, A. and Croce, C. M.** (2008a). Emerging Role of miR-106b-25/miR-17-92 Clusters in the Control of Transforming Growth Factor Beta Signaling. *Cancer Res.* **68**, 8191-8194.
- Petrocca, F., Visone, R., Onelli, M. R., Shah, M. H., Nicoloso, M. S., de Martino, I., Iliopoulos, D., Pilozi, E., Liu, C. G., Negrini, M. et al.** (2008b). E2F1-Regulated microRNAs Impair TGFbeta-Dependent Cell-Cycle Arrest and Apoptosis in Gastric Cancer. *Cancer. Cell.* **13**, 272-286.
- Pillai, R. S., Artus, C. G. and Filipowicz, W.** (2004). Tethering of Human Ago Proteins to mRNA Mimics the miRNA-Mediated Repression of Protein Synthesis. *RNA* **10**, 1518-1525.
- Pillai, R. S., Bhattacharyya, S. N., Artus, C. G., Zoller, T., Cougot, N., Basyuk, E., Bertrand, E. and Filipowicz, W.** (2005). Inhibition of Translational Initiation by Let-7 MicroRNA in Human Cells. *Science* **309**, 1573-1576.

- Place, R. F., Li, L. C., Pookot, D., Noonan, E. J. and Dahiya, R.** (2008). MicroRNA-373 Induces Expression of Genes with Complementary Promoter Sequences. *Proc. Natl. Acad. Sci. U. S. A.* **105**, 1608-1613.
- Rodriguez, A., Griffiths-Jones, S., Ashurst, J. L. and Bradley, A.** (2004). Identification of Mammalian microRNA Host Genes and Transcription Units. *Genome Res.* **14**, 1902-1910.
- Ruby, J. G., Jan, C. H. and Bartel, D. P.** (2007). Intronic microRNA Precursors that Bypass Drosha Processing. *Nature* **448**, 83-86.
- Saini, H. K., Enright, A. J. and Griffiths-Jones, S.** (2008). Annotation of Mammalian Primary microRNAs. *BMC Genomics* **9**, 564.
- Selbach, M., Schwanhauser, B., Thierfelder, N., Fang, Z., Khanin, R. and Rajewsky, N.** (2008). Widespread Changes in Protein Synthesis Induced by microRNAs. *Nature* **455**, 58-63.
- Sethupathy, P., Megraw, M. and Hatzigeorgiou, A. G.** (2006). A Guide through Present Computational Approaches for the Identification of Mammalian microRNA Targets. *Nat. Methods* **3**, 881-886.
- Shiohama, A., Sasaki, T., Noda, S., Minoshima, S. and Shimizu, N.** (2003). Molecular Cloning and Expression Analysis of a Novel Gene DGCR8 Located in the DiGeorge Syndrome Chromosomal Region. *Biochem. Biophys. Res. Commun.* **304**, 184-190.
- Sibilia, M. and Wagner, E. F.** (1995). Strain-Dependent Epithelial Defects in Mice Lacking the EGF Receptor. *Science* **269**, 234-238.
- Silva, J., Chambers, I., Pollard, S. and Smith, A.** (2006). Nanog Promotes Transfer of Pluripotency After Cell Fusion. *Nature* **441**, 997-1001.
- Silva, J. and Smith, A.** (2008). Capturing Pluripotency. *Cell* **132**, 532-536.
- Singh, S. K., Kagalwala, M. N., Parker-Thornburg, J., Adams, H. and Majumder, S.** (2008). REST Maintains Self-Renewal and Pluripotency of Embryonic Stem Cells. *Nature* **453**, 223-227.
- Sinkkonen, L., Hugenschmidt, T., Berninger, P., Gaidatzis, D., Mohn, F., Artus-Revel, C. G., Zavolan, M., Svoboda, P. and Filipowicz, W.** (2008). MicroRNAs Control De Novo DNA Methylation through Regulation of Transcriptional Repressors in Mouse Embryonic Stem Cells. *Nat. Struct. Mol. Biol.* **15**, 259-267.
- Smalheiser, N. R.** (2003). EST Analyses Predict the Existence of a Population of Chimeric microRNA Precursor-mRNA Transcripts Expressed in Normal Human and Mouse Tissues. *Genome Biol.* **4**, 403.

- Stanford, W. L., Cohn, J. B. and Cordes, S. P.** (2001). Gene-Trap Mutagenesis: Past, Present and Beyond. *Nat. Rev. Genet.* **2**, 756-768.
- Stryke, D., Kawamoto, M., Huang, C. C., Johns, S. J., King, L. A., Harper, C. A., Meng, E. C., Lee, R. E., Yee, A., L'Italien, L. et al.** (2003). BayGenomics: A Resource of Insertional Mutations in Mouse Embryonic Stem Cells. *Nucleic Acids Res.* **31**, 278-281.
- Suh, M. R., Lee, Y., Kim, J. Y., Kim, S. K., Moon, S. H., Lee, J. Y., Cha, K. Y., Chung, H. M., Yoon, H. S., Moon, S. Y. et al.** (2004). Human Embryonic Stem Cells Express a Unique Set of microRNAs. *Dev. Biol.* **270**, 488-498.
- Takada, H., Imoto, I., Tsuda, H., Nakanishi, Y., Ichikura, T., Mochizuki, H., Mitsufuji, S., Hosoda, F., Hirohashi, S., Ohki, M. et al.** (2005a). ADAM23, a Possible Tumor Suppressor Gene, is Frequently Silenced in Gastric Cancers by Homozygous Deletion Or Aberrant Promoter Hypermethylation. *Oncogene* **24**, 8051-8060.
- Takada, T., Nemoto, K., Yamashita, A., Kato, M., Kondo, Y. and Torii, R.** (2005b). Efficient Gene Silencing and Cell Differentiation using siRNA in Mouse and Monkey ES Cells. *Biochem. Biophys. Res. Commun.* **331**, 1039-1044.
- Takahashi, K. and Yamanaka, S.** (2006). Induction of Pluripotent Stem Cells from Mouse Embryonic and Adult Fibroblast Cultures by Defined Factors. *Cell* **126**, 663-676.
- Tam, O. H., Aravin, A. A., Stein, P., Girard, A., Murchison, E. P., Cheloufi, S., Hodges, E., Anger, M., Sachidanandam, R., Schultz, R. M. et al.** (2008). Pseudogene-Derived Small Interfering RNAs Regulate Gene Expression in Mouse Oocytes. *Nature* **453**, 534-538.
- Tang, F., Hajkova, P., Barton, S. C., Lao, K. and Surani, M. A.** (2006). MicroRNA Expression Profiling of Single Whole Embryonic Stem Cells. *Nucleic Acids Res.* **34**, e9.
- Tay, Y., Zhang, J., Thomson, A. M., Lim, B. and Rigoutsos, I.** (2008). MicroRNAs to Nanog, Oct4 and Sox2 Coding Regions Modulate Embryonic Stem Cell Differentiation. *Nature* **455**, 1124-1128.
- te Riele, H., Maandag, E. R. and Berns, A.** (1992). Highly Efficient Gene Targeting in Embryonic Stem Cells through Homologous Recombination with Isogenic DNA Constructs. *Proc. Natl. Acad. Sci. U. S. A.* **89**, 5128-5132.
- Tesar, P. J., Chenoweth, J. G., Brook, F. A., Davies, T. J., Evans, E. P., Mack, D. L., Gardner, R. L. and McKay, R. D.** (2007). New Cell Lines from Mouse Epiblast Share Defining Features with Human Embryonic Stem Cells. *Nature* **448**, 196-199.

- Tonon, G., Wong, K. K., Maulik, G., Brennan, C., Feng, B., Zhang, Y., Khatry, D. B., Protopopov, A., You, M. J., Aguirre, A. J. et al.** (2005). High-Resolution Genomic Profiles of Human Lung Cancer. *Proc. Natl. Acad. Sci. U. S. A.* **102**, 9625-9630.
- Trimarchi, J. M. and Lees, J. A.** (2002). Sibling Rivalry in the E2F Family. *Nat. Rev. Mol. Cell Biol.* **3**, 11-20.
- van Dongen, S., Abreu-Goodger, C. and Enright, A. J.** (2008). Detecting microRNA Binding and siRNA Off-Target Effects from Expression Data. *Nat. Methods* **5**, 1023-1025.
- Vasudevan, S. and Steitz, J. A.** (2007). AU-Rich-Element-Mediated Upregulation of Translation by FXR1 and Argonaute 2. *Cell* **128**, 1105-1118.
- Vella, M. C., Choi, E. Y., Lin, S. Y., Reinert, K. and Slack, F. J.** (2004). The C. Elegans microRNA Let-7 Binds to Imperfect Let-7 Complementary Sites from the Lin-41 3'UTR. *Genes Dev.* **18**, 132-137.
- Ventura, A., Young, A. G., Winslow, M. M., Lintault, L., Meissner, A., Erkeland, S. J., Newman, J., Bronson, R. T., Crowley, D., Stone, J. R. et al.** (2008). Targeted Deletion Reveals Essential and Overlapping Functions of the miR-17 through 92 Family of miRNA Clusters. *Cell* **132**, 875-886.
- Vooijs, M., Jonkers, J. and Berns, A.** (2001). A Highly Efficient Ligand-Regulated Cre Recombinase Mouse Line shows that LoxP Recombination is Position Dependent. *EMBO Rep.* **2**, 292-297.
- Voorhoeve, P. M., le Sage, C., Schrier, M., Gillis, A. J., Stoop, H., Nagel, R., Liu, Y. P., van Duijse, J., Drost, J., Griekspoor, A. et al.** (2006). A Genetic Screen Implicates miRNA-372 and miRNA-373 as Oncogenes in Testicular Germ Cell Tumors. *Cell* **124**, 1169-1181.
- Wakiyama, M., Takimoto, K., Ohara, O. and Yokoyama, S.** (2007). Let-7 microRNA-mediated mRNA deadenylation and translational repression in a mammalian cell-free system. *Genes Dev.* **21**, 1975-1982.
- Wang, J., Rao, S., Chu, J., Shen, X., Levasseur, D. N., Theunissen, T. W. and Orkin, S. H.** (2006). A Protein Interaction Network for Pluripotency of Embryonic Stem Cells. *Nature* **444**, 364-368.
- Wang, Y., Baskerville, S., Shenoy, A., Babiarz, J. E., Baehner, L. and Blelloch, R.** (2008). Embryonic Stem Cell-Specific microRNAs Regulate the G1-S Transition and Promote Rapid Proliferation. *Nat. Genet.* **40**, 1478-1483.
- Wang, Y., Medvid, R., Melton, C., Jaenisch, R. and Blelloch, R.** (2007). DGCR8 is Essential for microRNA Biogenesis and Silencing of Embryonic Stem Cell Self-Renewal. *Nat. Genet.* **39**, 380-385.

- Watanabe, T., Totoki, Y., Toyoda, A., Kaneda, M., Kuramochi-Miyagawa, S., Obata, Y., Chiba, H., Kohara, Y., Kono, T., Nakano, T. et al.** (2008). Endogenous siRNAs from Naturally Formed dsRNAs Regulate Transcripts in Mouse Oocytes. *Nature* **453**, 539-543.
- Welcker, M. and Clurman, B. E.** (2008). FBW7 Ubiquitin Ligase: A Tumour Suppressor at the Crossroads of Cell Division, Growth and Differentiation. *Nat. Rev. Cancer.* **8**, 83-93.
- Wightman, B., Ha, I. and Ruvkun, G.** (1993). Posttranscriptional Regulation of the Heterochronic Gene Lin-14 by Lin-4 Mediates Temporal Pattern Formation in *C. Elegans*. *Cell* **75**, 855-862.
- Wu, H., Xu, H., Miraglia, L. J. and Crooke, S. T.** (2000). Human RNase III is a 160-kDa Protein Involved in Preribosomal RNA Processing. *J. Biol. Chem.* **275**, 36957-36965.
- Wu, L., Fan, J. and Belasco, J. G.** (2006). MicroRNAs Direct Rapid Deadenylation of mRNA. *Proc. Natl. Acad. Sci. U. S. A.* **103**, 4034-4039.
- Xia, Y., Yu, P. B., Sidis, Y., Beppu, H., Bloch, K. D., Schneyer, A. L. and Lin, H. Y.** (2007). Repulsive Guidance Molecule RGMA Alters Utilization of Bone Morphogenetic Protein (BMP) Type II Receptors by BMP2 and BMP4. *J. Biol. Chem.* **282**, 18129-18140.
- Xu, H. M., Liao, B., Zhang, Q. J., Wang, B. B., Li, H., Zhong, X. M., Sheng, H. Z., Zhao, Y. X., Zhao, Y. M. and Jin, Y.** (2004). Wwp2, an E3 Ubiquitin Ligase that Targets Transcription Factor Oct-4 for Ubiquitination. *J. Biol. Chem.* **279**, 23495-23503.
- Yekta, S., Shih, I. H. and Bartel, D. P.** (2004). MicroRNA-Directed Cleavage of HOXB8 mRNA. *Science* **304**, 594-596.
- Yeom, K. H., Lee, Y., Han, J., Suh, M. R. and Kim, V. N.** (2006). Characterization of DGCR8/Pasha, the Essential Cofactor for Drosha in Primary miRNA Processing. *Nucleic Acids Res.* **34**, 4622-4629.
- Yi, R., Qin, Y., Macara, I. G. and Cullen, B. R.** (2003). Exportin-5 Mediates the Nuclear Export of Pre-microRNAs and Short Hairpin RNAs. *Genes Dev.* **17**, 3011-3016.
- Ying, Q. L., Nichols, J., Chambers, I. and Smith, A.** (2003). BMP Induction of Id Proteins Suppresses Differentiation and Sustains Embryonic Stem Cell Self Renewal in Collaboration with STAT3. *Cell* **115**, 281-292.
- Ying, Q. L., Wray, J., Nichols, J., Batlle-Morera, L., Doble, B., Woodgett, J., Cohen, P. and Smith, A.** (2008). The Ground State of Embryonic Stem Cell Self-Renewal. *Nature* **453**, 519-523.

- Zeng, Y. and Cullen, B. R.** (2004). Structural Requirements for Pre-microRNA Binding and Nuclear Export by Exportin 5. *Nucleic Acids Res.* **32**, 4776-4785.
- Zeng, Y. and Cullen, B. R.** (2005). Efficient Processing of Primary microRNA Hairpins by Drosha Requires Flanking Nonstructured RNA Sequences. *J. Biol. Chem.* **280**, 27595-27603.
- Zeng, Y., Yi, R. and Cullen, B. R.** (2005). Recognition and Cleavage of Primary microRNA Precursors by the Nuclear Processing Enzyme Drosha. *EMBO J.* **24**, 138-148.
- Zhao, Y. and Srivastava, D.** (2007). A Developmental View of microRNA Function. *Trends Biochem. Sci.* **32**, 189-197.
- Zhou, X., Ruan, J., Wang, G. and Zhang, W.** (2007). Characterization and Identification of microRNA Core Promoters in Four Model Species. *PLoS Comput. Biol.* **3**, e37.