

## References

1998. Genome sequence of the nematode *C. elegans*: a platform for investigating biology. *Science* **282**(5396): 2012-2018.
2004. Finishing the euchromatic sequence of the human genome. *Nature* **431**(7011): 931-945.
- Adams, M.D. Celniker, S.E. Holt, R.A. Evans, et al. 2000. The genome sequence of *Drosophila melanogaster*. *Science* **287**(5461): 2185-2195.
- Agalioti, T., Chen, G., and Thanos, D. 2002. Deciphering the transcriptional histone acetylation code for a human gene. *Cell* **111**(3): 381-392.
- Agalioti, T., Lomvardas, S., Parekh, B., Yie, J., Maniatis, T., and Thanos, D. 2000. Ordered recruitment of chromatin modifying and general transcription factors to the IFN-beta promoter. *Cell* **103**(4): 667-678.
- Ahmad, K. and Henikoff, S. 2001. Centromeres are specialized replication domains in heterochromatin. *J Cell Biol* **153**(1): 101-110.
- Ahmad, K. and Henikoff, S. 2002. The histone variant H3.3 marks active chromatin by replication-independent nucleosome assembly. *Mol Cell* **9**(6): 1191-1200.
- Alam, J. and Cook, J.L. 1990. Reporter genes: application to the study of mammalian gene transcription. *Anal Biochem* **188**(2): 245-254.
- Albertson, D.G. and Pinkel, D. 2003. Genomic microarrays in human genetic disease and cancer. *Hum Mol Genet* **12 Spec No 2**: R145-152.
- Albertson, D.G., Ylstra, B., Segraves, R., Collins, C., Dairkee, S.H., Kowbel, D., Kuo, W.L., Gray, J.W., and Pinkel, D. 2000. Quantitative mapping of amplicon structure by array CGH identifies CYP24 as a candidate oncogene. *Nat Genet* **25**(2): 144-146.
- Allfrey, V.G., Faulkner, R., and Mirsky, A.E. 1964. Acetylation And Methylation Of Histones And Their Possible Role In The Regulation Of Rna Synthesis. *Proc Natl Acad Sci U S A* **51**: 786-794.
- Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. 1990. Basic local alignment search tool. *J Mol Biol* **215**(3): 403-410.
- Altschul, S.F., Madden, T.L., Schaffer, A.A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D.J. 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* **25**(17): 3389-3402.
- Aparicio, S., Chapman, J., Stupka, E., Putnam, N. et al. 2002. Whole-genome shotgun assembly and analysis of the genome of *Fugu rubripes*. *Science* **297**(5585): 1301-1310.
- Aplan, P.D., Begley, C.G., Bertness, V., Nussmeier, M., Ezquerra, A., Coligan, J., and Kirsch, I.R. 1990a. The SCL gene is formed from a transcriptionally complex locus. *Mol Cell Biol* **10**(12): 6426-6435.
- Aplan, P.D., Jones, C.A., Chervinsky, D.S., Zhao, X., Ellsworth, M., Wu, C., McGuire, E.A., and Gross, K.W. 1997. An scl gene product lacking the transactivation domain induces bony abnormalities and cooperates with LMO1 to generate T-cell malignancies in transgenic mice. *Embo J* **16**(9): 2408-2419.
- Aplan, P.D., Lombardi, D.P., Ginsberg, A.M., Cossman, J., Bertness, V.L., and Kirsch, I.R. 1990b. Disruption of the human SCL locus by "illegitimate" V-(D)-J recombinase activity. *Science* **250**(4986): 1426-1429.
- Aplan, P.D., Nakahara, K., Orkin, S.H., and Kirsch, I.R. 1992a. The SCL gene product: a positive regulator of erythroid differentiation. *Embo J* **11**(11): 4073-4081.
- Aplan, P.D., Raimondi, S.C., and Kirsch, I.R. 1992b. Disruption of the SCL gene by a t(1;3) translocation in a patient with T cell acute lymphoblastic leukemia. *J Exp Med* **176**(5): 1303-1310.

- Bagheri-Fam, S., Ferraz, C., Demaille, J., Scherer, G., and Pfeifer, D. 2001. Comparative genomics of the SOX9 region in human and *Fugu rubripes*: conservation of short regulatory sequence elements within large intergenic regions. *Genomics* **78**(1-2): 73-82.
- Banerji, J., Olson, L., and Schaffner, W. 1983. A lymphocyte-specific cellular enhancer is located downstream of the joining region in immunoglobulin heavy chain genes. *Cell* **33**(3): 729-740.
- Banerji, J., Rusconi, S., and Schaffner, W. 1981. Expression of a beta-globin gene is enhanced by remote SV40 DNA sequences. *Cell* **27**(2 Pt 1): 299-308.
- Bannister, A.J. and Kouzarides, T. 1996. The CBP co-activator is a histone acetyltransferase. *Nature* **384**(6610): 641-643.
- Bannister, A.J., Schneider, R., and Kouzarides, T. 2002. Histone methylation: dynamic or static? *Cell* **109**(7): 801-806.
- Barton, L.M., Gottgens, B., and Green, A.R. 1999. The stem cell leukaemia (SCL) gene: a critical regulator of haemopoietic and vascular development. *Int J Biochem Cell Biol* **31**(10): 1193-1207.
- Bash, R.O., Crist, W.M., Shuster, J.J., Link, M.P., Amylon, M., Pullen, J., Carroll, A.J., Buchanan, G.R., Smith, R.G., and Baer, R. 1993. Clinical features and outcome of T-cell acute lymphoblastic leukemia in childhood with respect to alterations at the TAL1 locus: a Pediatric Oncology Group study. *Blood* **81**(8): 2110-2117.
- Bash, R.O., Hall, S., Timmons, C.F., Crist, W.M., Amylon, M., Smith, R.G., and Baer, R. 1995. Does activation of the TAL1 gene occur in a majority of patients with T-cell acute lymphoblastic leukemia? A pediatric oncology group study. *Blood* **86**(2): 666-676.
- Batzoglou, S., Pachter, L., Mesirov, J.P., Berger, B., and Lander, E.S. 2000. Human and mouse gene structure: comparative analysis and application to exon prediction. *Genome Res* **10**(7): 950-958.
- Begley, C.G., Aplan, P.D., Davey, M.P., Nakahara, K., Tchorz, K., Kurtzberg, J., Hershfield, M.S., Haynes, B.F., Cohen, D.I., Waldmann, T.A., and et al. 1989a. Chromosomal translocation in a human leukemic stem-cell line disrupts the T-cell antigen receptor delta-chain diversity region and results in a previously unreported fusion transcript. *Proc Natl Acad Sci U S A* **86**(6): 2031-2035.
- Begley, C.G., Aplan, P.D., Denning, S.M., Haynes, B.F., Waldmann, T.A., and Kirsch, I.R. 1989b. The gene SCL is expressed during early hematopoiesis and encodes a differentiation-related DNA-binding motif. *Proc Natl Acad Sci U S A* **86**(24): 10128-10132.
- Begley, C.G. and Green, A.R. 1999. The SCL gene: from case report to critical hematopoietic regulator. *Blood* **93**(9): 2760-2770.
- Begley, C.G., Robb, L., Rockman, S., Visvader, J., Bockamp, E.O., Chan, Y.S., and Green, A.R. 1994. Structure of the gene encoding the murine SCL protein. *Gene* **138**(1-2): 93-99.
- Begley, C.G., Visvader, J., Green, A.R., Aplan, P.D., Metcalf, D., Kirsch, I.R., and Gough, N.M. 1991. Molecular cloning and chromosomal localization of the murine homolog of the human helix-loop-helix gene SCL. *Proc Natl Acad Sci U S A* **88**(3): 869-873.
- Bell, A.C. and Felsenfeld, G. 2000. Methylation of a CTCF-dependent boundary controls imprinted expression of the *Igf2* gene. *Nature* **405**(6785): 482-485.
- Bell, A.C., West, A.G., and Felsenfeld, G. 1999. The protein CTCF is required for the enhancer blocking activity of vertebrate insulators. *Cell* **98**(3): 387-396.
- Berger, S.L. 2002. Histone modifications in transcriptional regulation. *Curr Opin Genet Dev* **12**(2): 142-148.
- Bernard, O., Azogui, O., Lecoindre, N., Mugneret, F., Berger, R., Larsen, C.J., and Mathieu-Mahul, D. 1992. A third tal-1 promoter is specifically used in human T cell leukemias. *J Exp Med* **176**(4): 919-925.
- Bernard, O., Guglielmi, P., Jonveaux, P., Cherif, D., Gisselbrecht, S., Mauchauffe, M., Berger, R., Larsen, C.J., and Mathieu-Mahul, D. 1990. Two distinct mechanisms for the SCL gene

- activation in the t(1;14) translocation of T-cell leukemias. *Genes Chromosomes Cancer* **1**(3): 194-208.
- Bernard, O., Lecoindre, N., Jonveaux, P., Souyri, M., Mauchauffe, M., Berger, R., Larsen, C.J., and Mathieu-Mahul, D. 1991. Two site-specific deletions and t(1;14) translocation restricted to human T-cell acute leukemias disrupt the 5' part of the tal-1 gene. *Oncogene* **6**(8): 1477-1488.
- Bernstein, B.E., Humphrey, E.L., Erlich, R.L., Schneider, R., Bouman, P., Liu, J.S., Kouzarides, T., and Schreiber, S.L. 2002. Methylation of histone H3 Lys 4 in coding regions of active genes. *Proc Natl Acad Sci U S A* **99**(13): 8695-8700.
- Bernstein, B.E., Kamal, M., Lindblad-Toh, K., Bekiranov, S., Bailey, D.K., Huebert, D.J., McMahon, S., Karlsson, E.K., Kulbokas, E.J., 3rd, Gingeras, T.R., Schreiber, S.L., and Lander, E.S. 2005. Genomic maps and comparative analysis of histone modifications in human and mouse. *Cell* **120**(2): 169-181.
- Bernstein, B.E., Liu, C.L., Humphrey, E.L., Perlstein, E.O., and Schreiber, S.L. 2004. Global nucleosome occupancy in yeast. *Genome Biol* **5**(9): R62.
- Birney, E. and Durbin, R. 1997. Dynamite: a flexible code generating language for dynamic programming methods used in sequence comparison. *Proc Int Conf Intell Syst Mol Biol* **5**: 56-64.
- Birney, E. and Durbin, R. 2000. Using GeneWise in the Drosophila annotation experiment. *Genome Res* **10**(4): 547-548.
- Blanco, J.C., Minucci, S., Lu, J., Yang, X.J., Walker, K.K., Chen, H., Evans, R.M., Nakatani, Y., and Ozato, K. 1998. The histone acetylase PCAF is a nuclear receptor coactivator. *Genes Dev* **12**(11): 1638-1651.
- Blattner, F.R., Plunkett, G., 3rd, Bloch, C.A., Perna, N.T., Burland, V., Riley, M., Collado-Vides, J., Glasner, J.D., Rode, C.K., Mayhew, G.F., Gregor, J., Davis, N.W., Kirkpatrick, H.A., Goeden, M.A., Rose, D.J., Mau, B., and Shao, Y. 1997. The complete genome sequence of Escherichia coli K-12. *Science* **277**(5331): 1453-1474.
- Blobel, G.A. 2000. CREB-binding protein and p300: molecular integrators of hematopoietic transcription. *Blood* **95**(3): 745-755.
- Bockamp, E.O., Fordham, J.L., Gottgens, B., Murrell, A.M., Sanchez, M.J., and Green, A.R. 1998. Transcriptional regulation of the stem cell leukemia gene by PU.1 and Elf-1. *J Biol Chem* **273**(44): 29032-29042.
- Bockamp, E.O., McLaughlin, F., Gottgens, B., Murrell, A.M., Elefanti, A.G., and Green, A.R. 1997. Distinct mechanisms direct SCL/tal-1 expression in erythroid cells and CD34 positive primitive myeloid cells. *J Biol Chem* **272**(13): 8781-8790.
- Bockamp, E.O., McLaughlin, F., Murrell, A.M., Gottgens, B., Robb, L., Begley, C.G., and Green, A.R. 1995. Lineage-restricted regulation of the murine SCL/TAL-1 promoter. *Blood* **86**(4): 1502-1514.
- Bode, J., Stengert-Iber, M., Kay, V., Schlake, T., and Dietz-Pfeilstetter, A. 1996. Scaffold/matrix-attached regions: topological switches with multiple regulatory functions. *Crit Rev Eukaryot Gene Expr* **6**(2-3): 115-138.
- Boffelli, D., McAuliffe, J., Ovcharenko, D., Lewis, K.D., Ovcharenko, I., Pachter, L., and Rubin, E.M. 2003. Phylogenetic shadowing of primate sequences to find functional regions of the human genome. *Science* **299**(5611): 1391-1394.
- Bonifer, C., Faust, N., Geiger, H., and Muller, A.M. 1998. Developmental changes in the differentiation capacity of haematopoietic stem cells. *Immunol Today* **19**(5): 236-241.
- Breit, T.M., Mol, E.J., Wolvers-Tettero, I.L., Ludwig, W.D., van Wering, E.R., and van Dongen, J.J. 1993. Site-specific deletions involving the tal-1 and sil genes are restricted to cells of the T cell receptor alpha/beta lineage: T cell receptor delta gene deletion mechanism affects multiple genes. *J Exp Med* **177**(4): 965-977.

- Brent, R. and Ptashne, M. 1985. A eukaryotic transcriptional activator bearing the DNA specificity of a prokaryotic repressor. *Cell* **43**(3 Pt 2): 729-736.
- Brown, L., Cheng, J.T., Chen, Q., Siciliano, M.J., Crist, W., Buchanan, G., and Baer, R. 1990. Site-specific recombination of the tal-1 gene is a common occurrence in human T cell leukemia. *Embo J* **9**(10): 3343-3351.
- Bruce, A.W., Donaldson, I.J., Wood, I.C., Yerbury, S.A., Sadowski, M.I., Chapman, M., Gottgens, B., and Buckley, N.J. 2004. Genome-wide analysis of repressor element 1 silencing transcription factor/neuron-restrictive silencing factor (REST/NRSF) target genes. *Proc Natl Acad Sci U S A* **101**(28): 10458-10463.
- Brudno, M., Do, C.B., Cooper, G.M., Kim, M.F., Davydov, E., Green, E.D., Sidow, A., and Batzoglou, S. 2003. LAGAN and Multi-LAGAN: efficient tools for large-scale multiple alignment of genomic DNA. *Genome Res* **13**(4): 721-731.
- Bulger, M. and Groudine, M. 1999. Looping versus linking: toward a model for long-distance gene activation. *Genes Dev* **13**(19): 2465-2477.
- Burge, C. and Karlin, S. 1997. Prediction of complete gene structures in human genomic DNA. *J Mol Biol* **268**(1): 78-94.
- Burke, L.J. and Baniahmad, A. 2000. Co-repressors 2000. *Faseb J* **14**(13): 1876-1888.
- Burley, S.K. and Roeder, R.G. 1996. Biochemistry and structural biology of transcription factor IID (TFIID). *Annu Rev Biochem* **65**: 769-799.
- Cao, R., Wang, L., Wang, H., Xia, L., Erdjument-Bromage, H., Tempst, P., Jones, R.S., and Zhang, Y. 2002. Role of histone H3 lysine 27 methylation in Polycomb-group silencing. *Science* **298**(5595): 1039-1043.
- Carey, J. 1991. Gel retardation. *Methods Enzymol* **208**: 103-117.
- Carlone, D.L. and Skalnik, D.G. 2001. CpG binding protein is crucial for early embryonic development. *Mol Cell Biol* **21**(22): 7601-7606.
- Carter, N.P. and Vetrie, D. 2004. Applications of genomic microarrays to explore human chromosome structure and function. *Hum Mol Genet* **13 Spec No 2**: R297-302.
- Cawley, S., Bekiranov, S., Ng, H.H., Kapranov, P., Sekinger, E.A., Kampa, D., Piccolboni, A., Sementchenko, V., Cheng, J., Williams, A.J., Wheeler, R., Wong, B., Drenkow, J., Yamanaka, M., Patel, S., Brubaker, S., Tammanna, H., Helt, G., Struhl, K., and Gingeras, T.R. 2004. Unbiased mapping of transcription factor binding sites along human chromosomes 21 and 22 points to widespread regulation of noncoding RNAs. *Cell* **116**(4): 499-509.
- Chakrabarti, S.R. and Nucifora, G. 1999. The leukemia-associated gene TEL encodes a transcription repressor which associates with SMRT and mSin3A. *Biochem Biophys Res Commun* **264**(3): 871-877.
- Chapman, M.A., Donaldson, I.J., Gilbert, J., Grafham, D., Rogers, J., Green, A.R., and Gottgens, B. 2004. Analysis of multiple genomic sequence alignments: a web resource, online tools, and lessons learned from analysis of mammalian SCL loci. *Genome Res* **14**(2): 313-318.
- Chen, D., Ma, H., Hong, H., Koh, S.S., Huang, S.M., Schurter, B.T., Aswad, D.W., and Stallcup, M.R. 1999. Regulation of transcription by a protein methyltransferase. *Science* **284**(5423): 2174-2177.
- Chen, Q., Cheng, J.T., Tasi, L.H., Schneider, N., Buchanan, G., Carroll, A., Crist, W., Ozanne, B., Siciliano, M.J., and Baer, R. 1990. The tal gene undergoes chromosome translocation in T cell leukemia and potentially encodes a helix-loop-helix protein. *Embo J* **9**(2): 415-424.
- Cheng, J.T., Hsu, H.L., Hwang, L.Y., and Baer, R. 1993. Products of the TAL1 oncogene: basic helix-loop-helix proteins phosphorylated at serine residues. *Oncogene* **8**(3): 677-683.
- Cheng, T., Shen, H., Giokas, D., Gere, J., Tenen, D.G., and Scadden, D.T. 1996. Temporal mapping of gene expression levels during the differentiation of individual primary hematopoietic cells. *Proc Natl Acad Sci U S A* **93**(23): 13158-13163.

- Cheung, P., Tanner, K.G., Cheung, W.L., Sassone-Corsi, P., Denu, J.M., and Allis, C.D. 2000. Synergistic coupling of histone H3 phosphorylation and acetylation in response to epidermal growth factor stimulation. *Mol Cell* **5**(6): 905-915.
- Cheung, W.L., Turner, F.B., Krishnamoorthy, T., Wolner, B., Ahn, S.H., Foley, M., Dorsey, J.A., Peterson, C.L., Berger, S.L., and Allis, C.D. 2005. Phosphorylation of histone H4 serine 1 during DNA damage requires casein kinase II in *S. cerevisiae*. *Curr Biol* **15**(7): 656-660.
- Choi, K., Kennedy, M., Kazarov, A., Papadimitriou, J.C., and Keller, G. 1998. A common precursor for hematopoietic and endothelial cells. *Development* **125**(4): 725-732.
- Choi, O.R. and Engel, J.D. 1988. Developmental regulation of beta-globin gene switching. *Cell* **55**(1): 17-26.
- Chow, C.M., Georgiou, A., Szutorisz, H., Maia e Silva, A., Pombo, A., Barahona, I., Dargelos, E., Canzonetta, C., and Dillon, N. 2005. Variant histone H3.3 marks promoters of transcriptionally active genes during mammalian cell division. *EMBO Rep* **6**(4): 354-360.
- Chu, S., DeRisi, J., Eisen, M., Mulholland, J., Botstein, D., Brown, P.O., and Herskowitz, I. 1998. The transcriptional program of sporulation in budding yeast. *Science* **282**(5389): 699-705.
- Chung, Y.S., Zhang, W.J., Arentson, E., Kingsley, P.D., Palis, J., and Choi, K. 2002. Lineage analysis of the hemangioblast as defined by FLK1 and SCL expression. *Development* **129**(23): 5511-5520.
- Colaizzo-Anas, T. and Aplan, P.D. 2003. Cloning and characterization of the SIL promoter. *Biochim Biophys Acta* **1625**(2): 207-213.
- Collins, S.J., Gallo, R.C., and Gallagher, R.E. 1977. Continuous growth and differentiation of human myeloid leukaemic cells in suspension culture. *Nature* **270**(5635): 347-349.
- Cottier, M., Tchirkov, A., Perissel, B., Giollant, M., Campos, L., and Vago, P. 2004. Cytogenetic characterization of seven human cancer cell lines by combining G- and R-banding, M-FISH, CGH and chromosome- and locus-specific FISH. *Int J Mol Med* **14**(4): 483-495.
- Courey, A.J. and Tjian, R. 1988. Analysis of Sp1 in vivo reveals multiple transcriptional domains, including a novel glutamine-rich activation motif. *Cell* **55**(5): 887-898.
- Courtes, C., Lecoite, N., Le Cam, L., Baudoin, F., Sardet, C., and Mathieu-Mahul, D. 2000. Erythroid-specific inhibition of the tal-1 intragenic promoter is due to binding of a repressor to a novel silencer. *J Biol Chem* **275**(2): 949-958.
- Crawford, G.E., Holt, I.E., Mullikin, J.C., Tai, D., Blakesley, R., Bouffard, G., Young, A., Masiello, C., Green, E.D., Wolfsberg, T.G., and Collins, F.S. 2004. Identifying gene regulatory elements by genome-wide recovery of DNase hypersensitive sites. *Proc Natl Acad Sci U S A* **101**(4): 992-997.
- Cross, M.A., Heyworth, C.M., Murrell, A.M., Bockamp, E.O., Dexter, T.M., and Green, A.R. 1994. Expression of lineage restricted transcription factors precedes lineage specific differentiation in a multipotent haemopoietic progenitor cell line. *Oncogene* **9**(10): 3013-3016.
- Cumano, A., Dieterlen-Lievre, F., and Godin, I. 1996. Lymphoid potential, probed before circulation in mouse, is restricted to caudal intraembryonic splanchnopleura. *Cell* **86**(6): 907-916.
- Curtis, D.J., Hall, M.A., Van Stekelenburg, L.J., Robb, L., Jane, S.M., and Begley, C.G. 2004. SCL is required for normal function of short-term repopulating hematopoietic stem cells. *Blood* **103**(9): 3342-3348.
- Cuthbert, G.L., Daujat, S., Snowden, A.W., Erdjument-Bromage, H., Hagiwara, T., Yamada, M., Schneider, R., Gregory, P.D., Tempst, P., Bannister, A.J., and Kouzarides, T. 2004. Histone deimination antagonizes arginine methylation. *Cell* **118**(5): 545-553.
- D'Souza, S.L., Elefanty, A.G., and Keller, G. 2005. SCL/Tal-1 is essential for hematopoietic commitment of the hemangioblast but not for its development. *Blood* **105**(10): 3862-3870.

- Daujat, S., Bauer, U.M., Shah, V., Turner, B., Berger, S., and Kouzarides, T. 2002. Crosstalk between CARM1 methylation and CBP acetylation on histone H3. *Curr Biol* **12**(24): 2090-2097.
- Davuluri, R.V., Grosse, I., and Zhang, M.Q. 2001. Computational identification of promoters and first exons in the human genome. *Nat Genet* **29**(4): 412-417.
- de Ruijter, A.J., van Gennip, A.H., Caron, H.N., Kemp, S., and van Kuilenburg, A.B. 2003. Histone deacetylases (HDACs): characterization of the classical HDAC family. *Biochem J* **370**(Pt 3): 737-749.
- Delabesse, E., Ogilvy, S., Chapman, M.A., Piltz, S.G., Gottgens, B., and Green, A.R. 2005. Transcriptional regulation of the SCL locus: identification of an enhancer that targets the primitive erythroid lineage in vivo. *Mol Cell Biol* **25**(12): 5215-5225.
- DeRisi, J., Penland, L., Brown, P.O., Bittner, M.L., Meltzer, P.S., Ray, M., Chen, Y., Su, Y.A., and Trent, J.M. 1996. Use of a cDNA microarray to analyse gene expression patterns in human cancer. *Nat Genet* **14**(4): 457-460.
- DeRisi, J.L., Iyer, V.R., and Brown, P.O. 1997. Exploring the metabolic and genetic control of gene expression on a genomic scale. *Science* **278**(5338): 680-686.
- Dexter, T.M., Allen, T.D., Scott, D., and Teich, N.M. 1979. Isolation and characterisation of a bipotential haematopoietic cell line. *Nature* **277**(5696): 471-474.
- Dhami, P., Coffey, A.J., Abbs, S., Vermeesch, J.R., Dumanski, J.P., Woodward, K.J., Andrews, R.M., Langford, C., and Vetrie, D. 2005. Exon array CGH: detection of copy-number changes at the resolution of individual exons in the human genome. *Am J Hum Genet* **76**(5): 750-762.
- Dieterlen-Lievre, F. 1975. On the origin of haemopoietic stem cells in the avian embryo: an experimental approach. *J Embryol Exp Morphol* **33**(3): 607-619.
- Dion, M.F., Altschuler, S.J., Wu, L.F., and Rando, O.J. 2005. Genomic characterization reveals a simple histone H4 acetylation code. *Proc Natl Acad Sci U S A* **102**(15): 5501-5506.
- Dooley, K.A., Davidson, A.J., and Zon, L.I. 2005. Zebrafish scl functions independently in hematopoietic and endothelial development. *Dev Biol* **277**(2): 522-536.
- Dorschner, M.O., Hawrylycz, M., Humbert, R., Wallace, J.C., Shafer, A., Kawamoto, J., Mack, J., Hall, R., Goldy, J., Sabo, P.J., Kohli, A., Li, Q., McArthur, M., and Stamatoyannopoulos, J.A. 2004. High-throughput localization of functional elements by quantitative chromatin profiling. *Nat Methods* **1**(3): 219-225.
- Drake, C.J., Brandt, S.J., Trusk, T.C., and Little, C.D. 1997. TAL1/SCL is expressed in endothelial progenitor cells/angioblasts and defines a dorsal-to-ventral gradient of vasculogenesis. *Dev Biol* **192**(1): 17-30.
- Drexler, H.G., Dirks, W.G., Matsuo, Y., and MacLeod, R.A. 2003. False leukemia-lymphoma cell lines: an update on over 500 cell lines. *Leukemia* **17**(2): 416-426.
- Drexler, H.G., Matsuo, A.Y., and MacLeod, R.A. 2000. Continuous hematopoietic cell lines as model systems for leukemia-lymphoma research. *Leuk Res* **24**(11): 881-911.
- Duggan, D.J., Bittner, M., Chen, Y., Meltzer, P., and Trent, J.M. 1999. Expression profiling using cDNA microarrays. *Nat Genet* **21**(1 Suppl): 10-14.
- Dzierzak, E., Medvinsky, A., and de Bruijn, M. 1998. Qualitative and quantitative aspects of haematopoietic cell development in the mammalian embryo. *Immunol Today* **19**(5): 228-236.
- Edmondson, D.G., Smith, M.M., and Roth, S.Y. 1996. Repression domain of the yeast global repressor Tup1 interacts directly with histones H3 and H4. *Genes Dev* **10**(10): 1247-1259.
- Eichmann, A., Corbel, C., Nataf, V., Vaigot, P., Breant, C., and Le Douarin, N.M. 1997. Ligand-dependent development of the endothelial and hemopoietic lineages from embryonic mesodermal cells expressing vascular endothelial growth factor receptor 2. *Proc Natl Acad Sci U S A* **94**(10): 5141-5146.

- Eickbush, T.H. and Moudrianakis, E.N. 1978. The histone core complex: an octamer assembled by two sets of protein-protein interactions. *Biochemistry* **17**(23): 4955-4964.
- Eisen, M.B., Spellman, P.T., Brown, P.O., and Botstein, D. 1998. Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci U S A* **95**(25): 14863-14868.
- Elefanty, A.G., Begley, C.G., Hartley, L., Papaevangeliou, B., and Robb, L. 1999. SCL expression in the mouse embryo detected with a targeted lacZ reporter gene demonstrates its localization to hematopoietic, vascular, and neural tissues. *Blood* **94**(11): 3754-3763.
- Elefanty, A.G., Begley, C.G., Metcalf, D., Barnett, L., Kontgen, F., and Robb, L. 1998. Characterization of hematopoietic progenitor cells that express the transcription factor SCL, using a lacZ "knock-in" strategy. *Proc Natl Acad Sci U S A* **95**(20): 11897-11902.
- Elefanty, A.G., Robb, L., Birner, R., and Begley, C.G. 1997. Hematopoietic-specific genes are not induced during in vitro differentiation of scl-null embryonic stem cells. *Blood* **90**(4): 1435-1447.
- Elwood, N.J., Cook, W.D., Metcalf, D., and Begley, C.G. 1993. SCL, the gene implicated in human T-cell leukaemia, is oncogenic in a murine T-lymphocyte cell line. *Oncogene* **8**(11): 3093-3101.
- Elwood, N.J., Green, A.R., Melder, A., Begley, C.G., and Nicola, N. 1994. The SCL protein displays cell-specific heterogeneity in size. *Leukemia* **8**(1): 106-114.
- Elwood, N.J., Zogos, H., Pereira, D.S., Dick, J.E., and Begley, C.G. 1998. Enhanced megakaryocyte and erythroid development from normal human CD34(+) cells: consequence of enforced expression of SCL. *Blood* **91**(10): 3756-3765.
- Ema, M., Faloon, P., Zhang, W.J., Hirashima, M., Reid, T., Stanford, W.L., Orkin, S., Choi, K., and Rossant, J. 2003. Combinatorial effects of Flk1 and Tal1 on vascular and hematopoietic development in the mouse. *Genes Dev* **17**(3): 380-393.
- Endoh, M., Ogawa, M., Orkin, S., and Nishikawa, S. 2002. SCL/tal-1-dependent process determines a competence to select the definitive hematopoietic lineage prior to endothelial differentiation. *Embo J* **21**(24): 6700-6708.
- Engel, N., West, A.G., Felsenfeld, G., and Bartolomei, M.S. 2004. Antagonism between DNA hypermethylation and enhancer-blocking activity at the H19 DMD is uncovered by CpG mutations. *Nat Genet* **36**(8): 883-888.
- Euskirchen, G., Royce, T.E., Bertone, P., Martone, R., Rinn, J.L., Nelson, F.K., Sayward, F., Luscombe, N.M., Miller, P., Gerstein, M., Weissman, S., and Snyder, M. 2004. CREB binds to multiple loci on human chromosome 22. *Mol Cell Biol* **24**(9): 3804-3814.
- Faloon, P., Arentson, E., Kazarov, A., Deng, C.X., Porcher, C., Orkin, S., and Choi, K. 2000. Basic fibroblast growth factor positively regulates hematopoietic development. *Development* **127**(9): 1931-1941.
- Fan, G. and Hutnick, L. 2005. Methyl-CpG binding proteins in the nervous system. *Cell Res* **15**(4): 255-261.
- Fang, J., Feng, Q., Ketel, C.S., Wang, H., Cao, R., Xia, L., Erdjument-Bromage, H., Tempst, P., Simon, J.A., and Zhang, Y. 2002. Purification and functional characterization of SET8, a nucleosomal histone H4-lysine 20-specific methyltransferase. *Curr Biol* **12**(13): 1086-1099.
- Feng, Q., Wang, H., Ng, H.H., Erdjument-Bromage, H., Tempst, P., Struhl, K., and Zhang, Y. 2002. Methylation of H3-lysine 79 is mediated by a new family of HMTases without a SET domain. *Curr Biol* **12**(12): 1052-1058.
- Fernandez-Capetillo, O., Allis, C.D., and Nussenzweig, A. 2004. Phosphorylation of histone H2B at DNA double-strand breaks. *J Exp Med* **199**(12): 1671-1677.
- Ferreira, R., Ohneda, K., Yamamoto, M., and Philipsen, S. 2005. GATA1 function, a paradigm for transcription factors in hematopoiesis. *Mol Cell Biol* **25**(4): 1215-1227.
- Fiegler, H., Carr, P., Douglas, E.J., Burford, D.C., Hunt, S., Scott, C.E., Smith, J., Vetrie, D., Gorman, P., Tomlinson, I.P., and Carter, N.P. 2003. DNA microarrays for comparative

- genomic hybridization based on DOP-PCR amplification of BAC and PAC clones. *Genes Chromosomes Cancer* **36**(4): 361-374.
- Figueiredo, M.S. and Brownlee, G.G. 1995. cis-acting elements and transcription factors involved in the promoter activity of the human factor VIII gene. *J Biol Chem* **270**(20): 11828-11838.
- Finger, L.R., Kagan, J., Christopher, G., Kurtzberg, J., Hershfield, M.S., Nowell, P.C., and Croce, C.M. 1989. Involvement of the TCL5 gene on human chromosome 1 in T-cell leukemia and melanoma. *Proc Natl Acad Sci U S A* **86**(13): 5039-5043.
- Fischle, W., Wang, Y., Jacobs, S.A., Kim, Y., Allis, C.D., and Khorasanizadeh, S. 2003. Molecular basis for the discrimination of repressive methyl-lysine marks in histone H3 by Polycomb and HP1 chromodomains. *Genes Dev* **17**(15): 1870-1881.
- Fordham, J.L., Gottgens, B., McLaughlin, F., and Green, A.R. 1999. Chromatin structure and transcriptional regulation of the stem cell leukaemia (SCL) gene in mast cells. *Leukemia* **13**(5): 750-759.
- Freiman, R.N., Albright, S.R., Zheng, S., Sha, W.C., Hammer, R.E., and Tjian, R. 2001. Requirement of tissue-selective TBP-associated factor TAFII105 in ovarian development. *Science* **293**(5537): 2084-2087.
- Galas, D.J. and Schmitz, A. 1978. DNase footprinting: a simple method for the detection of protein-DNA binding specificity. *Nucleic Acids Res* **5**(9): 3157-3170.
- Garner, M.M. and Revzin, A. 1981. A gel electrophoresis method for quantifying the binding of proteins to specific DNA regions: application to components of the Escherichia coli lactose operon regulatory system. *Nucleic Acids Res* **9**(13): 3047-3060.
- Gavin, I., Horn, P.J., and Peterson, C.L. 2001. SWI/SNF chromatin remodeling requires changes in DNA topology. *Mol Cell* **7**(1): 97-104.
- Gering, M., Rodaway, A.R., Gottgens, B., Patient, R.K., and Green, A.R. 1998. The SCL gene specifies haemangioblast development from early mesoderm. *Embo J* **17**(14): 4029-4045.
- Gerton, J.L., DeRisi, J., Shroff, R., Lichten, M., Brown, P.O., and Petes, T.D. 2000. Inaugural article: global mapping of meiotic recombination hotspots and coldspots in the yeast *Saccharomyces cerevisiae*. *Proc Natl Acad Sci U S A* **97**(21): 11383-11390.
- Gibbs, R.A. Weinstock, G.M. Metzker, M.L. et al. 2004. Genome sequence of the Brown Norway rat yields insights into mammalian evolution. *Nature* **428**(6982): 493-521.
- Godin, I., Dieterlen-Lievre, F., and Cumano, A. 1995. Emergence of multipotent hemopoietic cells in the yolk sac and paraaortic splanchnopleura in mouse embryos, beginning at 8.5 days postcoitus. *Proc Natl Acad Sci U S A* **92**(3): 773-777.
- Godin, I.E., Garcia-Porrero, J.A., Coutinho, A., Dieterlen-Lievre, F., and Marcos, M.A. 1993. Para-aortic splanchnopleura from early mouse embryos contains B1a cell progenitors. *Nature* **364**(6432): 67-70.
- Goffeau, A., Barrell, B.G., Bussey, H., Davis, R.W., Dujon, B., Feldmann, H., Galibert, F., Hoheisel, J.D., Jacq, C., Johnston, M., Louis, E.J., Mewes, H.W., Murakami, Y., Philippsen, P., Tettelin, H., and Oliver, S.G. 1996. Life with 6000 genes. *Science* **274**(5287): 546, 563-547.
- Goldfarb, A.N., Goueli, S., Mickelson, D., and Greenberg, J.M. 1992. T-cell acute lymphoblastic leukemia--the associated gene SCL/tal codes for a 42-Kd nuclear phosphoprotein. *Blood* **80**(11): 2858-2866.
- Goldknopf, I.L., Taylor, C.W., Baum, R.M., Yeoman, L.C., Olson, M.O., Prestayko, A.W., and Busch, H. 1975. Isolation and characterization of protein A24, a "histone-like" non-histone chromosomal protein. *J Biol Chem* **250**(18): 7182-7187.
- Gonzalez, G.A. and Montminy, M.R. 1989. Cyclic AMP stimulates somatostatin gene transcription by phosphorylation of CREB at serine 133. *Cell* **59**(4): 675-680.
- Gottgens, B., Barton, L.M., Chapman, M.A., Sinclair, A.M., Knudsen, B., Grafham, D., Gilbert, J.G., Rogers, J., Bentley, D.R., and Green, A.R. 2002a. Transcriptional regulation of the



stem cell leukemia gene (SCL)--comparative analysis of five vertebrate SCL loci. *Genome Res* **12**(5): 749-759.

- Gottgens, B., Barton, L.M., Gilbert, J.G., Bench, A.J., Sanchez, M.J., Bahn, S., Mistry, S., Grafham, D., McMurray, A., Vaudin, M., Amaya, E., Bentley, D.R., Green, A.R., and Sinclair, A.M. 2000. Analysis of vertebrate SCL loci identifies conserved enhancers. *Nat Biotechnol* **18**(2): 181-186.
- Gottgens, B., Broccardo, C., Sanchez, M.J., Deveaux, S., Murphy, G., Gothert, J.R., Kotsopoulou, E., Kinston, S., Delaney, L., Piltz, S., Barton, L.M., Knezevic, K., Erber, W.N., Begley, C.G., Frampton, J., and Green, A.R. 2004. The scl +18/19 stem cell enhancer is not required for hematopoiesis: identification of a 5' bifunctional hematopoietic-endothelial enhancer bound by Fli-1 and Elf-1. *Mol Cell Biol* **24**(5): 1870-1883.
- Gottgens, B., Gilbert, J.G., Barton, L.M., Grafham, D., Rogers, J., Bentley, D.R., and Green, A.R. 2001. Long-range comparison of human and mouse SCL loci: localized regions of sensitivity to restriction endonucleases correspond precisely with peaks of conserved noncoding sequences. *Genome Res* **11**(1): 87-97.
- Gottgens, B., McLaughlin, F., Bockamp, E.O., Fordham, J.L., Begley, C.G., Kosmopoulos, K., Elefanty, A.G., and Green, A.R. 1997. Transcription of the SCL gene in erythroid and CD34 positive primitive myeloid cells is controlled by a complex network of lineage-restricted chromatin-dependent and chromatin-independent regulatory elements. *Oncogene* **15**(20): 2419-2428.
- Gottgens, B., Nastos, A., Kinston, S., Piltz, S., Delabesse, E.C., Stanley, M., Sanchez, M.J., Cia-Uitz, A., Patient, R., and Green, A.R. 2002b. Establishing the transcriptional programme for blood: the SCL stem cell enhancer is regulated by a multiprotein complex containing Ets and GATA factors. *Embo J* **21**(12): 3039-3050.
- Grant, P.A., Eberharter, A., John, S., Cook, R.G., Turner, B.M., and Workman, J.L. 1999. Expanded lysine acetylation specificity of Gcn5 in native complexes. *J Biol Chem* **274**(9): 5895-5900.
- Green, A.R. and Begley, C.G. 1992. SCL and related hemopoietic helix-loop-helix transcription factors. *Int J Cell Cloning* **10**(5): 269-276.
- Green, A.R., DeLuca, E., and Begley, C.G. 1991a. Antisense SCL suppresses self-renewal and enhances spontaneous erythroid differentiation of the human leukaemic cell line K562. *Embo J* **10**(13): 4153-4158.
- Green, A.R., Rockman, S., DeLuca, E., and Begley, C.G. 1993. Induced myeloid differentiation of K562 cells with downregulation of erythroid and megakaryocytic transcription factors: a novel experimental model for hemopoietic lineage restriction. *Exp Hematol* **21**(4): 525-531.
- Green, A.R., Salvaris, E., and Begley, C.G. 1991b. Erythroid expression of the 'helix-loop-helix' gene, SCL. *Oncogene* **6**(3): 475-479.
- Grewal, S.I. and Moazed, D. 2003. Heterochromatin and epigenetic control of gene expression. *Science* **301**(5634): 798-802.
- Gribble, S.M., Roberts, I., Grace, C., Andrews, K.M., Green, A.R., and Nacheva, E.P. 2000. Cytogenetics of the chronic myeloid leukemia-derived cell line K562: karyotype clarification by multicolor fluorescence in situ hybridization, comparative genomic hybridization, and locus-specific fluorescence in situ hybridization. *Cancer Genet Cytogenet* **118**(1): 1-8.
- Gross, D.S. and Garrard, W.T. 1988. Nuclease hypersensitive sites in chromatin. *Annu Rev Biochem* **57**: 159-197.
- Grosveld, F., van Assendelft, G.B., Greaves, D.R., and Kollias, G. 1987. Position-independent, high-level expression of the human beta-globin gene in transgenic mice. *Cell* **51**(6): 975-985.
- Gu, W. and Roeder, R.G. 1997. Activation of p53 sequence-specific DNA binding by acetylation of the p53 C-terminal domain. *Cell* **90**(4): 595-606.

- Gu, X., Shin, B.H., Akbarali, Y., Weiss, A., Boltax, J., Oettgen, P., and Libermann, T.A. 2001. Tel-2 is a novel transcriptional repressor related to the Ets factor Tel/ETV-6. *J Biol Chem* **276**(12): 9421-9436.
- Hahn, S. 2004. Structure and mechanism of the RNA polymerase II transcription machinery. *Nat Struct Mol Biol* **11**(5): 394-403.
- Hall, M.A., Curtis, D.J., Metcalf, D., Elefanty, A.G., Sourris, K., Robb, L., Gothert, J.R., Jane, S.M., and Begley, C.G. 2003. The critical regulator of embryonic hematopoiesis, SCL, is vital in the adult for megakaryopoiesis, erythropoiesis, and lineage choice in CFU-S12. *Proc Natl Acad Sci U S A* **100**(3): 992-997.
- Hamiche, A., Sandaltzopoulos, R., Gdula, D.A., and Wu, C. 1999. ATP-dependent histone octamer sliding mediated by the chromatin remodeling complex NURF. *Cell* **97**(7): 833-842.
- Hansen, J.C., Tse, C., and Wolffe, A.P. 1998. Structure and function of the core histone N-termini: more than meets the eye. *Biochemistry* **37**(51): 17637-17641.
- Havas, K., Flaus, A., Phelan, M., Kingston, R., Wade, P.A., Lilley, D.M., and Owen-Hughes, T. 2000. Generation of superhelical torsion by ATP-dependent chromatin remodeling activities. *Cell* **103**(7): 1133-1142.
- Hebbes, T.R., Clayton, A.L., Thorne, A.W., and Crane-Robinson, C. 1994. Core histone hyperacetylation co-maps with generalized DNase I sensitivity in the chicken beta-globin chromosomal domain. *Embo J* **13**(8): 1823-1830.
- Heinemeyer, T., Wingender, E., Reuter, I., Hermjakob, H., Kel, A.E., Kel, O.V., Ignatieva, E.V., Ananko, E.A., Podkolodnaya, O.A., Kolpakov, F.A., Podkolodny, N.L., and Kolchanov, N.A. 1998. Databases on transcriptional regulation: TRANSFAC, TRRD and COMPEL. *Nucleic Acids Res* **26**(1): 362-367.
- Hidaka, M., Stanford, W.L., and Bernstein, A. 1999. Conditional requirement for the Flk-1 receptor in the in vitro generation of early hematopoietic cells. *Proc Natl Acad Sci U S A* **96**(13): 7370-7375.
- Hoang, T., Paradis, E., Brady, G., Billia, F., Nakahara, K., Iscove, N.N., and Kirsch, I.R. 1996. Opposing effects of the basic helix-loop-helix transcription factor SCL on erythroid and monocytic differentiation. *Blood* **87**(1): 102-111.
- Holstege, F.C., Jennings, E.G., Wyrick, J.J., Lee, T.I., Hengartner, C.J., Green, M.R., Golub, T.R., Lander, E.S., and Young, R.A. 1998. Dissecting the regulatory circuitry of a eukaryotic genome. *Cell* **95**(5): 717-728.
- Hooper, M., Hardy, K., Handyside, A., Hunter, S., and Monk, M. 1987. HPRT-deficient (Lesch-Nyhan) mouse embryos derived from germline colonization by cultured cells. *Nature* **326**(6110): 292-295.
- Hope, I.A., Mahadevan, S., and Struhl, K. 1988. Structural and functional characterization of the short acidic transcriptional activation region of yeast GCN4 protein. *Nature* **333**(6174): 635-640.
- Horak, C.E., Mahajan, M.C., Luscombe, N.M., Gerstein, M., Weissman, S.M., and Snyder, M. 2002. GATA-1 binding sites mapped in the beta-globin locus by using mammalian chlp-chip analysis. *Proc Natl Acad Sci U S A* **99**(5): 2924-2929.
- Houssaint, E. 1981. Differentiation of the mouse hepatic primordium. II. Extrinsic origin of the haemopoietic cell line. *Cell Differ* **10**(5): 243-252.
- Hsu, H.L., Huang, L., Tsan, J.T., Funk, W., Wright, W.E., Hu, J.S., Kingston, R.E., and Baer, R. 1994a. Preferred sequences for DNA recognition by the TAL1 helix-loop-helix proteins. *Mol Cell Biol* **14**(2): 1256-1265.
- Hsu, H.L., Wadman, I., and Baer, R. 1994b. Formation of in vivo complexes between the TAL1 and E2A polypeptides of leukemic T cells. *Proc Natl Acad Sci U S A* **91**(8): 3181-3185.
- Hsu, H.L., Wadman, I., Tsan, J.T., and Baer, R. 1994c. Positive and negative transcriptional control by the TAL1 helix-loop-helix protein. *Proc Natl Acad Sci U S A* **91**(13): 5947-5951.

- Huang, S. and Brandt, S.J. 2000. mSin3A regulates murine erythroleukemia cell differentiation through association with the TAL1 (or SCL) transcription factor. *Mol Cell Biol* **20**(6): 2248-2259.
- Huang, S., Qiu, Y., Shi, Y., Xu, Z., and Brandt, S.J. 2000. P/CAF-mediated acetylation regulates the function of the basic helix-loop-helix transcription factor TAL1/SCL. *Embo J* **19**(24): 6792-6803.
- Huang, S., Qiu, Y., Stein, R.W., and Brandt, S.J. 1999. p300 functions as a transcriptional coactivator for the TAL1/SCL oncoprotein. *Oncogene* **18**(35): 4958-4967.
- Hughes, T.R., Mao, M., Jones, A.R., Burchard, J., Marton, M.J., Shannon, K.W., Lefkowitz, S.M., Ziman, M., Schelter, J.M., Meyer, M.R., Kobayashi, S., Davis, C., Dai, H., He, Y.D., Stephaniants, S.B., Cavet, G., Walker, W.L., West, A., Coffey, E., Shoemaker, D.D., Stoughton, R., Blanchard, A.P., Friend, S.H., and Linsley, P.S. 2001. Expression profiling using microarrays fabricated by an ink-jet oligonucleotide synthesizer. *Nat Biotechnol* **19**(4): 342-347.
- Hughes, T.R., Marton, M.J., Jones, A.R., Roberts, C.J., Stoughton, R., Armour, C.D., Bennett, H.A., Coffey, E., Dai, H., He, Y.D., Kidd, M.J., King, A.M., Meyer, M.R., Slade, D., Lum, P.Y., Stepaniants, S.B., Shoemaker, D.D., Gachotte, D., Chakraborty, K., Simon, J., Bard, M., and Friend, S.H. 2000. Functional discovery via a compendium of expression profiles. *Cell* **102**(1): 109-126.
- Hwang, L.Y., Siegelman, M., Davis, L., Oppenheimer-Marks, N., and Baer, R. 1993. Expression of the TAL1 proto-oncogene in cultured endothelial cells and blood vessels of the spleen. *Oncogene* **8**(11): 3043-3046.
- Im, H., Park, C., Feng, Q., Johnson, K.D., Kiekhäfer, C.M., Choi, K., Zhang, Y., and Bresnick, E.H. 2003. Dynamic regulation of histone H3 methylated at lysine 79 within a tissue-specific chromatin domain. *J Biol Chem* **278**(20): 18346-18352.
- Iyer, V.R., Horak, C.E., Scafe, C.S., Botstein, D., Snyder, M., and Brown, P.O. 2001. Genomic binding sites of the yeast cell-cycle transcription factors SBF and MBF. *Nature* **409**(6819): 533-538.
- Izraeli, S., Colaizzo-Anas, T., Bertness, V.L., Mani, K., Aplan, P.D., and Kirsch, I.R. 1997. Expression of the SIL gene is correlated with growth induction and cellular proliferation. *Cell Growth Differ* **8**(11): 1171-1179.
- Jacobson, R.H., Ladurner, A.G., King, D.S., and Tjian, R. 2000. Structure and function of a human TAFII250 double bromodomain module. *Science* **288**(5470): 1422-1425.
- Jenuwein, T. and Allis, C.D. 2001. Translating the histone code. *Science* **293**(5532): 1074-1080.
- Johnson, G.R. and Moore, M.A. 1975. Role of stem cell migration in initiation of mouse foetal liver haemopoiesis. *Nature* **258**(5537): 726-728.
- Kadonaga, J.T. 2004. Regulation of RNA polymerase II transcription by sequence-specific DNA binding factors. *Cell* **116**(2): 247-257.
- Kallianpur, A.R., Jordan, J.E., and Brandt, S.J. 1994. The SCL/TAL-1 gene is expressed in progenitors of both the hematopoietic and vascular systems during embryogenesis. *Blood* **83**(5): 1200-1208.
- Kappel, A., Schlaeger, T.M., Flamme, I., Orkin, S.H., Risau, W., and Breier, G. 2000. Role of SCL/Tal-1, GATA, and ets transcription factor binding sites for the regulation of flk-1 expression during murine vascular development. *Blood* **96**(9): 3078-3085.
- Kapranov, P., Cawley, S.E., Drenkow, J., Bekiranov, S., Strausberg, R.L., Fodor, S.P., and Gingeras, T.R. 2002. Large-scale transcriptional activity in chromosomes 21 and 22. *Science* **296**(5569): 916-919.
- Kennedy, M., Firpo, M., Choi, K., Wall, C., Robertson, S., Kabrun, N., and Keller, G. 1997. A common precursor for primitive erythropoiesis and definitive haematopoiesis. *Nature* **386**(6624): 488-493.

- Khorasanizadeh, S. 2004. The nucleosome: from genomic organization to genomic regulation. *Cell* **116**(2): 259-272.
- Kim, J., Bhinge, A.A., Morgan, X.C., and Iyer, V.R. 2005a. Mapping DNA-protein interactions in large genomes by sequence tag analysis of genomic enrichment. *Nat Methods* **2**(1): 47-53.
- Kim, J., Jia, L., Tilley, W.D., and Coetzee, G.A. 2003. Dynamic methylation of histone H3 at lysine 4 in transcriptional regulation by the androgen receptor. *Nucleic Acids Res* **31**(23): 6741-6747.
- Kim, T.H., Barrera, L.O., Zheng, M., Qu, C., Singer, M.A., Richmond, T.A., Wu, Y., Green, R.D., and Ren, B. 2005b. A high-resolution map of active promoters in the human genome. *Nature* **436**(7052): 876-880.
- Kingston, R.E. and Narlikar, G.J. 1999. ATP-dependent remodeling and acetylation as regulators of chromatin fluidity. *Genes Dev* **13**(18): 2339-2352.
- Klenova, E.M., Nicolas, R.H., Paterson, H.F., Carne, A.F., Heath, C.M., Goodwin, G.H., Neiman, P.E., and Lobanenkoy, V.V. 1993. CTCF, a conserved nuclear factor required for optimal transcriptional activity of the chicken c-myc gene, is an 11-Zn-finger protein differentially expressed in multiple forms. *Mol Cell Biol* **13**(12): 7612-7624.
- Kocher, O., Cheresch, P., and Lee, S.W. 1996. Identification and partial characterization of a novel membrane-associated protein (MAP17) up-regulated in human carcinomas and modulating cell replication and tumor growth. *Am J Pathol* **149**(2): 493-500.
- Kondo, Y., Shen, L., Yan, P.S., Huang, T.H., and Issa, J.P. 2004. Chromatin immunoprecipitation microarrays for identification of genes silenced by histone H3 lysine 9 methylation. *Proc Natl Acad Sci U S A* **101**(19): 7398-7403.
- Korber, P., Luckenbach, T., Blaschke, D., and Horz, W. 2004. Evidence for histone eviction in trans upon induction of the yeast PHO5 promoter. *Mol Cell Biol* **24**(24): 10965-10974.
- Kouzarides, T. 2002. Histone methylation in transcriptional control. *Curr Opin Genet Dev* **12**(2): 198-209.
- Krogan, N.J., Dover, J., Wood, A., Schneider, J., Heidt, J., Boateng, M.A., Dean, K., Ryan, O.W., Golshani, A., Johnston, M., Greenblatt, J.F., and Shilatifard, A. 2003. The Paf1 complex is required for histone H3 methylation by COMPASS and Dot1p: linking transcriptional elongation to histone methylation. *Mol Cell* **11**(3): 721-729.
- Krosil, G., He, G., Lefrancois, M., Charron, F., Romeo, P.H., Jolicoeur, P., Kirsch, I.R., Nemer, M., and Hoang, T. 1998. Transcription factor SCL is required for c-kit expression and c-Kit function in hemopoietic cells. *J Exp Med* **188**(3): 439-450.
- Kurdistani, S.K. and Grunstein, M. 2003. In vivo protein-protein and protein-DNA crosslinking for genomewide binding microarray. *Methods* **31**(1): 90-95.
- Kurdistani, S.K., Tavazoie, S., and Grunstein, M. 2004. Mapping global histone acetylation patterns to gene expression. *Cell* **117**(6): 721-733.
- Labastie, M.C., Cortes, F., Romeo, P.H., Dulac, C., and Peault, B. 1998. Molecular identity of hematopoietic precursor cells emerging in the human embryo. *Blood* **92**(10): 3624-3635.
- Lachner, M. and Jenuwein, T. 2002. The many faces of histone lysine methylation. *Curr Opin Cell Biol* **14**(3): 286-298.
- Lachner, M., O'Carroll, D., Rea, S., Mechtler, K., and Jenuwein, T. 2001. Methylation of histone H3 lysine 9 creates a binding site for HP1 proteins. *Nature* **410**(6824): 116-120.
- Lachner, M., O'Sullivan, R.J., and Jenuwein, T. 2003. An epigenetic road map for histone lysine methylation. *J Cell Sci* **116**(Pt 11): 2117-2124.
- Lagger, G., O'Carroll, D., Rembold, M., Khier, H., Tischler, J., Weitzer, G., Schuettengruber, B., Hauser, C., Brunmeir, R., Jenuwein, T., and Seiser, C. 2002. Essential function of histone deacetylase 1 in proliferation control and CDK inhibitor repression. *Embo J* **21**(11): 2672-2681.

- Lahlil, R., Lecuyer, E., Herblot, S., and Hoang, T. 2004. SCL assembles a multifactorial complex that determines glycophorin A expression. *Mol Cell Biol* **24**(4): 1439-1452.
- Lander, E.S. Linton, L.M. Birren, B. Nusbaum, et al. 2001. Initial sequencing and analysis of the human genome. *Nature* **409**(6822): 860-921.
- Langst, G. and Becker, P.B. 2001. Nucleosome mobilization and positioning by ISWI-containing chromatin-remodeling factors. *J Cell Sci* **114**(Pt 14): 2561-2568.
- Larson, R.C., Lavenir, I., Larson, T.A., Baer, R., Warren, A.J., Wadman, I., Nottage, K., and Rabbitts, T.H. 1996. Protein dimerization between Lmo2 (Rbtn2) and Tal1 alters thymocyte development and potentiates T cell tumorigenesis in transgenic mice. *Embo J* **15**(5): 1021-1027.
- Lazo, P.A., Lee, J.S., and Tschlis, P.N. 1990. Long-distance activation of the Myc protooncogene by provirus insertion in Mlvi-1 or Mlvi-4 in rat T-cell lymphomas. *Proc Natl Acad Sci U S A* **87**(1): 170-173.
- Lazrak, M., Deleuze, V., Noel, D., Haouzi, D., Chalhoub, E., Dohet, C., Robbins, I., and Mathieu, D. 2004. The bHLH TAL-1/SCL regulates endothelial cell migration and morphogenesis. *J Cell Sci* **117**(Pt 7): 1161-1171.
- Lecointe, N., Bernard, O., Naert, K., Joulin, V., Larsen, C.J., Romeo, P.H., and Mathieu-Mahul, D. 1994. GATA-and SP1-binding sites are required for the full activity of the tissue-specific promoter of the tal-1 gene. *Oncogene* **9**(9): 2623-2632.
- Lecuyer, E., Herblot, S., Saint-Denis, M., Martin, R., Begley, C.G., Porcher, C., Orkin, S.H., and Hoang, T. 2002. The SCL complex regulates c-kit expression in hematopoietic cells through functional interaction with Sp1. *Blood* **100**(7): 2430-2440.
- Lee, C.K., Shibata, Y., Rao, B., Strahl, B.D., and Lieb, J.D. 2004a. Evidence for nucleosome depletion at active regulatory regions genome-wide. *Nat Genet* **36**(8): 900-905.
- Lee, D.U., Avni, O., Chen, L., and Rao, A. 2004b. A distal enhancer in the interferon-gamma (IFN-gamma) locus revealed by genome sequence comparison. *J Biol Chem* **279**(6): 4802-4810.
- Lee, T.I., Rinaldi, N.J., Robert, F., Odom, D.T., Bar-Joseph, Z., Gerber, G.K., Hannett, N.M., Harbison, C.T., Thompson, C.M., Simon, I., Zeitlinger, J., Jennings, E.G., Murray, H.L., Gordon, D.B., Ren, B., Wyrick, J.J., Tagne, J.B., Volkert, T.L., Fraenkel, E., Gifford, D.K., and Young, R.A. 2002. Transcriptional regulatory networks in *Saccharomyces cerevisiae*. *Science* **298**(5594): 799-804.
- Lenhard, B., Sandelin, A., Mendoza, L., Engstrom, P., Jareborg, N., and Wasserman, W.W. 2003. Identification of conserved regulatory elements by comparative genome analysis. *J Biol* **2**(2): 13.
- Leroy-Viard, K., Vinit, M.A., Lecointe, N., Mathieu-Mahul, D., and Romeo, P.H. 1994. Distinct DNase-I hypersensitive sites are associated with TAL-1 transcription in erythroid and T-cell lines. *Blood* **84**(11): 3819-3827.
- Leuther, K.K., Salmeron, J.M., and Johnston, S.A. 1993. Genetic evidence that an activation domain of GAL4 does not require acidity and may form a beta sheet. *Cell* **72**(4): 575-585.
- Levine, M. and Tjian, R. 2003. Transcription regulation and animal diversity. *Nature* **424**(6945): 147-151.
- Liang, G., Lin, J.C., Wei, V., Yoo, C., Cheng, J.C., Nguyen, C.T., Weisenberger, D.J., Egger, G., Takai, D., Gonzales, F.A., and Jones, P.A. 2004. Distinct localization of histone H3 acetylation and H3-K4 methylation to the transcription start sites in the human genome. *Proc Natl Acad Sci U S A* **101**(19): 7357-7362.
- Liao, E.C., Paw, B.H., Oates, A.C., Pratt, S.J., Postlethwait, J.H., and Zon, L.I. 1998. SCL/Tal-1 transcription factor acts downstream of cloche to specify hematopoietic and vascular progenitors in zebrafish. *Genes Dev* **12**(5): 621-626.

- Liao, W., Bisgrove, B.W., Sawyer, H., Hug, B., Bell, B., Peters, K., Grunwald, D.J., and Stainier, D.Y. 1997. The zebrafish gene *cloche* acts upstream of a *flk-1* homologue to regulate endothelial cell differentiation. *Development* **124**(2): 381-389.
- Lieb, J.D., Liu, X., Botstein, D., and Brown, P.O. 2001. Promoter-specific binding of Rap1 revealed by genome-wide maps of protein-DNA association. *Nat Genet* **28**(4): 327-334.
- Lien, C.L., McAnally, J., Richardson, J.A., and Olson, E.N. 2002. Cardiac-specific activity of an Nkx2-5 enhancer requires an evolutionarily conserved Smad binding site. *Dev Biol* **244**(2): 257-266.
- Lipshutz, R.J., Fodor, S.P., Gingeras, T.R., and Lockhart, D.J. 1999. High density synthetic oligonucleotide arrays. *Nat Genet* **21**(1 Suppl): 20-24.
- Litt, M.D., Simpson, M., Gaszner, M., Allis, C.D., and Felsenfeld, G. 2001a. Correlation between histone lysine methylation and developmental changes at the chicken beta-globin locus. *Science* **293**(5539): 2453-2455.
- Litt, M.D., Simpson, M., Recillas-Targa, F., Prioleau, M.N., and Felsenfeld, G. 2001b. Transitions in histone acetylation reveal boundaries of three separately regulated neighboring loci. *Embo J* **20**(9): 2224-2235.
- Liu, C.L., Kaplan, T., Kim, M., Buratowski, S., Schreiber, S.L., Friedman, N., and Rando, O.J. 2005. Single-nucleosome mapping of histone modifications in *S. cerevisiae*. *PLoS Biol* **3**(10): e328.
- Liu, C.L., Schreiber, S.L., and Bernstein, B.E. 2003. Development and validation of a T7 based linear amplification for genomic DNA. *BMC Genomics* **4**(1): 19.
- Loots, G.G., Locksley, R.M., Blankespoor, C.M., Wang, Z.E., Miller, W., Rubin, E.M., and Frazer, K.A. 2000. Identification of a coordinate regulator of interleukins 4, 13, and 5 by cross-species sequence comparisons. *Science* **288**(5463): 136-140.
- Lopez, R.G., Carron, C., Oury, C., Gardellin, P., Bernard, O., and Ghysdael, J. 1999. TEL is a sequence-specific transcriptional repressor. *J Biol Chem* **274**(42): 30132-30138.
- Lorch, Y., Cairns, B.R., Zhang, M., and Kornberg, R.D. 1998. Activated RSC-nucleosome complex and persistently altered form of the nucleosome. *Cell* **94**(1): 29-34.
- Lorch, Y., Zhang, M., and Kornberg, R.D. 1999. Histone octamer transfer by a chromatin-remodeling complex. *Cell* **96**(3): 389-392.
- Loury, R. and Sassone-Corsi, P. 2003. Histone phosphorylation: how to proceed. *Methods* **31**(1): 40-48.
- Lozzio, B.B. and Lozzio, C.B. 1977. Properties of the K562 cell line derived from a patient with chronic myeloid leukemia. *Int J Cancer* **19**(1): 136.
- Lu, Q., Wallrath, L.L., and Elgin, S.C. 1995. The role of a positioned nucleosome at the *Drosophila melanogaster* hsp26 promoter. *Embo J* **14**(19): 4738-4746.
- Lucito, R., West, J., Reiner, A., Alexander, J., Esposito, D., Mishra, B., Powers, S., Norton, L., and Wigler, M. 2000. Detecting gene copy number fluctuations in tumor cells by microarray analysis of genomic representations. *Genome Res* **10**(11): 1726-1736.
- Luger, K., Mader, A.W., Richmond, R.K., Sargent, D.F., and Richmond, T.J. 1997. Crystal structure of the nucleosome core particle at 2.8 Å resolution. *Nature* **389**(6648): 251-260.
- Ma, J. and Ptashne, M. 1987. A new class of yeast transcriptional activators. *Cell* **51**(1): 113-119.
- MacLeod, R.A., Nagel, S., Kaufmann, M., Janssen, J.W., and Drexler, H.G. 2003. Activation of HOX11L2 by juxtaposition with 3'-BCL11B in an acute lymphoblastic leukemia cell line (HPB-ALL) with t(5;14)(q35;q32.2). *Genes Chromosomes Cancer* **37**(1): 84-91.
- Mahadevan, L.C., Willis, A.C., and Barratt, M.J. 1991. Rapid histone H3 phosphorylation in response to growth factors, phorbol esters, okadaic acid, and protein synthesis inhibitors. *Cell* **65**(5): 775-783.
- Malik, H.S. and Henikoff, S. 2003. Phylogenomics of the nucleosome. *Nat Struct Biol* **10**(11): 882-891.

- Manaia, A., Lemarchandel, V., Klaine, M., Max-Audit, I., Romeo, P., Dieterlen-Lievre, F., and Godin, I. 2000. Lmo2 and GATA-3 associated expression in intraembryonic hemogenic sites. *Development* **127**(3): 643-653.
- Maniatis, T., Goodbourn, S., and Fischer, J.A. 1987. Regulation of inducible and tissue-specific gene expression. *Science* **236**(4806): 1237-1245.
- Mantripragada, K.K., Buckley, P.G., Benetkiewicz, M., De Bustos, C., Hirvela, C., Jarbo, C., Bruder, C.E., Wensman, H., Mathiesen, T., Nyberg, G., Papi, L., Collins, V.P., Ichimura, K., Evans, G., and Dumanski, J.P. 2003. High-resolution profiling of an 11 Mb segment of human chromosome 22 in sporadic schwannoma using array-CGH. *Int J Oncol* **22**(3): 615-622.
- Mantripragada, K.K., Buckley, P.G., de Stahl, T.D., and Dumanski, J.P. 2004. Genomic microarrays in the spotlight. *Trends Genet* **20**(2): 87-94.
- Mao, D.Y., Watson, J.D., Yan, P.S., Baryshte-Lovejoy, D., Khosravi, F., Wong, W.W., Farnham, P.J., Huang, T.H., and Penn, L.Z. 2003. Analysis of Myc bound loci identified by CpG island arrays shows that Max is essential for Myc-dependent repression. *Curr Biol* **13**(10): 882-886.
- Marmorstein, R. and Berger, S.L. 2001. Structure and function of bromodomains in chromatin-regulating complexes. *Gene* **272**(1-2): 1-9.
- Martienssen, R.A., Doerge, R.W., and Colot, V. 2005. Epigenomic mapping in Arabidopsis using tiling microarrays. *Chromosome Res* **13**(3): 299-308.
- Marton, M.J., DeRisi, J.L., Bennett, H.A., Iyer, V.R., Meyer, M.R., Roberts, C.J., Stoughton, R., Burchard, J., Slade, D., Dai, H., Bassett, D.E., Jr., Hartwell, L.H., Brown, P.O., and Friend, S.H. 1998. Drug target validation and identification of secondary drug target effects using DNA microarrays. *Nat Med* **4**(11): 1293-1301.
- Martone, R., Euskirchen, G., Bertone, P., Hartman, S., Royce, T.E., Luscombe, N.M., Rinn, J.L., Nelson, F.K., Miller, P., Gerstein, M., Weissman, S., and Snyder, M. 2003. Distribution of NF-kappaB-binding sites across human chromosome 22. *Proc Natl Acad Sci U S A* **100**(21): 12247-12252.
- Mautner, J., Joos, S., Werner, T., Eick, D., Bornkamm, G.W., and Polack, A. 1995. Identification of two enhancer elements downstream of the human c-myc gene. *Nucleic Acids Res* **23**(1): 72-80.
- Mayor, C., Brudno, M., Schwartz, J.R., Poliakov, A., Rubin, E.M., Frazer, K.A., Pachter, L.S., and Dubchak, I. 2000. VISTA: visualizing global DNA sequence alignments of arbitrary length. *Bioinformatics* **16**(11): 1046-1047.
- Medvinsky, A. and Dzierzak, E. 1996. Definitive hematopoiesis is autonomously initiated by the AGM region. *Cell* **86**(6): 897-906.
- Medvinsky, A.L., Samoylina, N.L., Muller, A.M., and Dzierzak, E.A. 1993. An early pre-liver intraembryonic source of CFU-S in the developing mouse. *Nature* **364**(6432): 64-67.
- Meersseman, G., Pennings, S., and Bradbury, E.M. 1992. Mobile nucleosomes--a general behavior. *Embo J* **11**(8): 2951-2959.
- Mendez, J. and Stillman, B. 2000. Chromatin association of human origin recognition complex, cdc6, and minichromosome maintenance proteins during the cell cycle: assembly of prereplication complexes in late mitosis. *Mol Cell Biol* **20**(22): 8602-8612.
- Mermod, N., O'Neill, E.A., Kelly, T.J., and Tjian, R. 1989. The proline-rich transcriptional activator of CTF/NF-I is distinct from the replication and DNA binding domain. *Cell* **58**(4): 741-753.
- Metivier, R., Penot, G., Hubner, M.R., Reid, G., Brand, H., Kos, M., and Gannon, F. 2003. Estrogen receptor-alpha directs ordered, cyclical, and combinatorial recruitment of cofactors on a natural target promoter. *Cell* **115**(6): 751-763.
- Mielke, C., Kohwi, Y., Kohwi-Shigematsu, T., and Bode, J. 1990. Hierarchical binding of DNA fragments derived from scaffold-attached regions: correlation of properties in vitro and function in vivo. *Biochemistry* **29**(32): 7475-7485.

- Mikkola, H.K., Klintman, J., Yang, H., Hock, H., Schlaeger, T.M., Fujiwara, Y., and Orkin, S.H. 2003. Haematopoietic stem cells retain long-term repopulating activity and multipotency in the absence of stem-cell leukaemia SCL/tal-1 gene. *Nature* **421**(6922): 547-551.
- Mito, Y., Henikoff, J.G., and Henikoff, S. 2005. Genome-scale profiling of histone H3.3 replacement patterns. *Nat Genet* **37**(10): 1090-1097.
- Mizzen, C.A., Yang, X.J., Kokubo, T., Brownell, J.E., Bannister, A.J., Owen-Hughes, T., Workman, J., Wang, L., Berger, S.L., Kouzarides, T., Nakatani, Y., and Allis, C.D. 1996. The TAF(II)250 subunit of TFIID has histone acetyltransferase activity. *Cell* **87**(7): 1261-1270.
- Moazed, D. 2001. Common themes in mechanisms of gene silencing. *Mol Cell* **8**(3): 489-498.
- Moore, M.A. and Metcalf, D. 1970. Ontogeny of the haemopoietic system: yolk sac origin of in vivo and in vitro colony forming cells in the developing mouse embryo. *Br J Haematol* **18**(3): 279-296.
- Moore, M.A. and Owen, J.J. 1967. Experimental studies on the development of the thymus. *J Exp Med* **126**(4): 715-726.
- Morikawa, S., Tatsumi, E., Baba, M., Harada, T., and Yasuhira, K. 1978. Two E-rosette-forming lymphoid cell lines. *Int J Cancer* **21**(2): 166-170.
- Mouthon, M.A., Bernard, O., Mitjavila, M.T., Romeo, P.H., Vainchenker, W., and Mathieu-Mahul, D. 1993. Expression of tal-1 and GATA-binding proteins during human hematopoiesis. *Blood* **81**(3): 647-655.
- Mueller-Sturm, H.P., Sogo, J.M., and Schaffner, W. 1989. An enhancer stimulates transcription in trans when attached to the promoter via a protein bridge. *Cell* **58**(4): 767-777.
- Muller, A.M., Medvinsky, A., Strouboulis, J., Grosveld, F., and Dzierzak, E. 1994. Development of hematopoietic stem cell activity in the mouse embryo. *Immunity* **1**(4): 291-301.
- Munshi, N., Merika, M., Yie, J., Senger, K., Chen, G., and Thanos, D. 1998. Acetylation of HMG I(Y) by CBP turns off IFN beta expression by disrupting the enhanceosome. *Mol Cell* **2**(4): 457-467.
- Murray, P. 1932. The development 'in vitro' of blood of the early chick embryo. *Strangeways Res Labor Cambridge*: 497-521.
- Murre, C., McCaw, P.S., and Baltimore, D. 1989. A new DNA binding and dimerization motif in immunoglobulin enhancer binding, daughterless, MyoD, and myc proteins. *Cell* **56**(5): 777-783.
- Murrell, A.M., Bockamp, E.O., Gottgens, B., Chan, Y.S., Cross, M.A., Heyworth, C.M., and Green, A.R. 1995. Discordant regulation of SCL/TAL-1 mRNA and protein during erythroid differentiation. *Oncogene* **11**(1): 131-139.
- Myers, F.A., Chong, W., Evans, D.R., Thorne, A.W., and Crane-Robinson, C. 2003. Acetylation of histone H2B mirrors that of H4 and H3 at the chicken beta-globin locus but not at housekeeping genes. *J Biol Chem* **278**(38): 36315-36322.
- Nagy, P.L., Griesenbeck, J., Kornberg, R.D., and Cleary, M.L. 2002. A trithorax-group complex purified from *Saccharomyces cerevisiae* is required for methylation of histone H3. *Proc Natl Acad Sci U S A* **99**(1): 90-94.
- Nan, X., Ng, H.H., Johnson, C.A., Laherty, C.D., Turner, B.M., Eisenman, R.N., and Bird, A. 1998. Transcriptional repression by the methyl-CpG-binding protein MeCP2 involves a histone deacetylase complex. *Nature* **393**(6683): 386-389.
- Narlikar, G.J., Fan, H.Y., and Kingston, R.E. 2002. Cooperation between complexes that regulate chromatin structure and transcription. *Cell* **108**(4): 475-487.
- Naumann, S., Reutzel, D., Speicher, M., and Decker, H.J. 2001. Complete karyotype characterization of the K562 cell line by combined application of G-banding, multiplex-fluorescence in situ hybridization, fluorescence in situ hybridization, and comparative genomic hybridization. *Leuk Res* **25**(4): 313-322.



- Ng, H.H., Feng, Q., Wang, H., Erdjument-Bromage, H., Tempst, P., Zhang, Y., and Struhl, K. 2002a. Lysine methylation within the globular domain of histone H3 by Dot1 is important for telomeric silencing and Sir protein association. *Genes Dev* **16**(12): 1518-1527.
- Ng, H.H., Robert, F., Young, R.A., and Struhl, K. 2003. Targeted recruitment of Set1 histone methylase by elongating Pol II provides a localized mark and memory of recent transcriptional activity. *Mol Cell* **11**(3): 709-719.
- Ng, H.H., Xu, R.M., Zhang, Y., and Struhl, K. 2002b. Ubiquitination of histone H2B by Rad6 is required for efficient Dot1-mediated methylation of histone H3 lysine 79. *J Biol Chem* **277**(38): 34655-34657.
- Nickel, B.E., Allis, C.D., and Davie, J.R. 1989. Ubiquitinated histone H2B is preferentially located in transcriptionally active chromatin. *Biochemistry* **28**(3): 958-963.
- O'Neil, J., Billa, M., Oikemus, S., and Kelliher, M. 2001. The DNA binding activity of TAL-1 is not required to induce leukemia/lymphoma in mice. *Oncogene* **20**(29): 3897-3905.
- O'Neil, J., Shank, J., Cusson, N., Murre, C., and Kelliher, M. 2004. TAL1/SCL induces leukemia by inhibiting the transcriptional activity of E47/HEB. *Cancer Cell* **5**(6): 587-596.
- Oberley, M.J., Inman, D.R., and Farnham, P.J. 2003. E2F6 negatively regulates BRCA1 in human cancer cells without methylation of histone H3 on lysine 9. *J Biol Chem* **278**(43): 42466-42476.
- Odom, D.T., Zizlsperger, N., Gordon, D.B., Bell, G.W., Rinaldi, N.J., Murray, H.L., Volkert, T.L., Schreiber, J., Rolfe, P.A., Gifford, D.K., Fraenkel, E., Bell, G.I., and Young, R.A. 2004. Control of pancreas and liver gene expression by HNF transcription factors. *Science* **303**(5662): 1378-1381.
- Okazaki, Y., Furuno, M., Kasukawa, T. et al. 2002. Analysis of the mouse transcriptome based on functional annotation of 60,770 full-length cDNAs. *Nature* **420**(6915): 563-573.
- Orian, A., van Steensel, B., Delrow, J., Bussemaker, H.J., Li, L., Sawado, T., Williams, E., Loo, L.W., Cowley, S.M., Yost, C., Pierce, S., Edgar, B.A., Parkhurst, S.M., and Eisenman, R.N. 2003. Genomic binding by the Drosophila Myc, Max, Mad/Mnt transcription factor network. *Genes Dev* **17**(9): 1101-1114.
- Orkin, S.H. and Zon, L.I. 2002. Hematopoiesis and stem cells: plasticity versus developmental heterogeneity. *Nat Immunol* **3**(4): 323-328.
- Orlando, V. 2000. Mapping chromosomal proteins in vivo by formaldehyde-crosslinked-chromatin immunoprecipitation. *Trends Biochem Sci* **25**(3): 99-104.
- Orlando, V., Strutt, H., and Paro, R. 1997. Analysis of chromatin structure by in vivo formaldehyde cross-linking. *Methods* **11**(2): 205-214.
- Osley, M.A. 1991. The regulation of histone synthesis in the cell cycle. *Annu Rev Biochem* **60**: 827-861.
- Page, R.D. 1996. TreeView: an application to display phylogenetic trees on personal computers. *Comput Appl Biosci* **12**(4): 357-358.
- Palis, J., Robertson, S., Kennedy, M., Wall, C., and Keller, G. 1999. Development of erythroid and myeloid progenitors in the yolk sac and embryo proper of the mouse. *Development* **126**(22): 5073-5084.
- Pardy, K. 1994. Reporter enzymes for the study of promoter activity. *Mol Biotechnol* **2**(1): 23-27.
- Pennacchio, L.A. and Rubin, E.M. 2001. Genomic strategies to identify mammalian regulatory sequences. *Nat Rev Genet* **2**(2): 100-109.
- Pham, A.D. and Sauer, F. 2000. Ubiquitin-activating/conjugating activity of TAFII250, a mediator of activation of gene expression in Drosophila. *Science* **289**(5488): 2357-2360.
- Pinkel, D., Segreaves, R., Sudar, D., Clark, S., Poole, I., Kowbel, D., Collins, C., Kuo, W.L., Chen, C., Zhai, Y., Dairkee, S.H., Ljung, B.M., Gray, J.W., and Albertson, D.G. 1998. High resolution analysis of DNA copy number variation using comparative genomic hybridization to microarrays. *Nat Genet* **20**(2): 207-211.

- Poirel, H., Lopez, R.G., Lacronique, V., Della Valle, V., Mauchauffe, M., Berger, R., Ghysdael, J., and Bernard, O.A. 2000. Characterization of a novel ETS gene, TELB, encoding a protein structurally and functionally related to TEL. *Oncogene* **19**(41): 4802-4806.
- Pokholok, D.K., Harbison, C.T., Levine, S., Cole, M., Hannett, N.M., Lee, T.I., Bell, G.W., Walker, K., Rolfe, P.A., Herbolzheimer, E., Zeitlinger, J., Lewitter, F., Gifford, D.K., and Young, R.A. 2005. Genome-wide map of nucleosome acetylation and methylation in yeast. *Cell* **122**(4): 517-527.
- Pollack, J.R., Perou, C.M., Alizadeh, A.A., Eisen, M.B., Pergamenschikov, A., Williams, C.F., Jeffrey, S.S., Botstein, D., and Brown, P.O. 1999. Genome-wide analysis of DNA copy-number changes using cDNA microarrays. *Nat Genet* **23**(1): 41-46.
- Porcher, C., Swat, W., Rockwell, K., Fujiwara, Y., Alt, F.W., and Orkin, S.H. 1996. The T cell leukemia oncoprotein SCL/tal-1 is essential for development of all hematopoietic lineages. *Cell* **86**(1): 47-57.
- Prasad, K.S., Jordan, J.E., Koury, M.J., Bondurant, M.C., and Brandt, S.J. 1995. Erythropoietin stimulates transcription of the TAL1/SCL gene and phosphorylation of its protein products. *J Biol Chem* **270**(19): 11603-11611.
- Pulford, K., Lecointe, N., Leroy-Viard, K., Jones, M., Mathieu-Mahul, D., and Mason, D.Y. 1995. Expression of TAL-1 proteins in human tissues. *Blood* **85**(3): 675-684.
- Raghuraman, M.K., Winzeler, E.A., Collingwood, D., Hunt, S., Wodicka, L., Conway, A., Lockhart, D.J., Davis, R.W., Brewer, B.J., and Fangman, W.L. 2001. Replication dynamics of the yeast genome. *Science* **294**(5540): 115-121.
- Ramakrishnan, V. 1997. Histone structure and the organization of the nucleosome. *Annu Rev Biophys Biomol Struct* **26**: 83-112.
- Ramaswamy, S., Tamayo, P., Rifkin, R., Mukherjee, S., Yeang, C.H., Angelo, M., Ladd, C., Reich, M., Latulippe, E., Mesirov, J.P., Poggio, T., Gerald, W., Loda, M., Lander, E.S., and Golub, T.R. 2001. Multiclass cancer diagnosis using tumor gene expression signatures. *Proc Natl Acad Sci U S A* **98**(26): 15149-15154.
- Rea, S., Eisenhaber, F., O'Carroll, D., Strahl, B.D., Sun, Z.W., Schmid, M., Opravil, S., Mechtler, K., Ponting, C.P., Allis, C.D., and Jenuwein, T. 2000. Regulation of chromatin structure by site-specific histone H3 methyltransferases. *Nature* **406**(6796): 593-599.
- Reid, J.L., Iyer, V.R., Brown, P.O., and Struhl, K. 2000. Coordinate regulation of yeast ribosomal protein genes is associated with targeted recruitment of Esa1 histone acetylase. *Mol Cell* **6**(6): 1297-1307.
- Reinke, H. and Horz, W. 2003. Histones are first hyperacetylated and then lose contact with the activated PHO5 promoter. *Mol Cell* **11**(6): 1599-1607.
- Ren, B., Cam, H., Takahashi, Y., Volkert, T., Terragni, J., Young, R.A., and Dynlacht, B.D. 2002. E2F integrates cell cycle progression with DNA repair, replication, and G(2)/M checkpoints. *Genes Dev* **16**(2): 245-256.
- Ren, B., Robert, F., Wyrick, J.J., Aparicio, O., Jennings, E.G., Simon, I., Zeitlinger, J., Schreiber, J., Hannett, N., Kanin, E., Volkert, T.L., Wilson, C.J., Bell, S.P., and Young, R.A. 2000. Genome-wide location and function of DNA binding proteins. *Science* **290**(5500): 2306-2309.
- Richards, E.J. and Elgin, S.C. 2002. Epigenetic codes for heterochromatin formation and silencing: rounding up the usual suspects. *Cell* **108**(4): 489-500.
- Rinn, J.L., Euskirchen, G., Bertone, P., Martone, R., Luscombe, N.M., Hartman, S., Harrison, P.M., Nelson, F.K., Miller, P., Gerstein, M., Weissman, S., and Snyder, M. 2003. The transcriptional activity of human Chromosome 22. *Genes Dev* **17**(4): 529-540.
- Risau, W. and Flamme, I. 1995. Vasculogenesis. *Annu Rev Cell Dev Biol* **11**: 73-91.
- Robb, L., Elwood, N.J., Elefanty, A.G., Kontgen, F., Li, R., Barnett, L.D., and Begley, C.G. 1996. The scl gene product is required for the generation of all hematopoietic lineages in the adult mouse. *Embo J* **15**(16): 4123-4129.

- Robb, L., Lyons, I., Li, R., Hartley, L., Kontgen, F., Harvey, R.P., Metcalf, D., and Begley, C.G. 1995. Absence of yolk sac hematopoiesis from mice with a targeted disruption of the *scl* gene. *Proc Natl Acad Sci U S A* **92**(15): 7075-7079.
- Robertson, S.M., Kennedy, M., Shannon, J.M., and Keller, G. 2000. A transitional stage in the commitment of mesoderm to hematopoiesis requiring the transcription factor SCL/tal-1. *Development* **127**(11): 2447-2459.
- Robyr, D., Suka, Y., Xenarios, I., Kurdistani, S.K., Wang, A., Suka, N., and Grunstein, M. 2002. Microarray deacetylation maps determine genome-wide functions for yeast histone deacetylases. *Cell* **109**(4): 437-446.
- Rogakou, E.P., Pilch, D.R., Orr, A.H., Ivanova, V.S., and Bonner, W.M. 1998. DNA double-stranded breaks induce histone H2AX phosphorylation on serine 139. *J Biol Chem* **273**(10): 5858-5868.
- Roh, T.Y., Cuddapah, S., and Zhao, K. 2005. Active chromatin domains are defined by acetylation islands revealed by genome-wide mapping. *Genes Dev* **19**(5): 542-552.
- Roh, T.Y., Ngau, W.C., Cui, K., Landsman, D., and Zhao, K. 2004. High-resolution genome-wide mapping of histone modifications. *Nat Biotechnol* **22**(8): 1013-1016.
- Roth, S.Y., Denu, J.M., and Allis, C.D. 2001. Histone acetyltransferases. *Annu Rev Biochem* **70**: 81-120.
- Ruppert, S. and Tjian, R. 1995. Human TAFII250 interacts with RAP74: implications for RNA polymerase II initiation. *Genes Dev* **9**(22): 2747-2755.
- Sabin, F. 1920. Studies on the origin of blood vessels and of red blood corpuscles as seen in the living blastoderm of chicks during the second day of incubation. *Carnegie Inst Wash Pub no 272, Contrib Embryol* **9**: 214-262.
- Sanchez, M., Gottgens, B., Sinclair, A.M., Stanley, M., Begley, C.G., Hunter, S., and Green, A.R. 1999. An SCL 3' enhancer targets developing endothelium together with embryonic and adult haematopoietic progenitors. *Development* **126**(17): 3891-3904.
- Sanchez, M.J., Bockamp, E.O., Miller, J., Gambardella, L., and Green, A.R. 2001. Selective rescue of early haematopoietic progenitors in *Scl(-/-)* mice by expressing *Scl* under the control of a stem cell enhancer. *Development* **128**(23): 4815-4827.
- Santos-Rosa, H., Schneider, R., Bannister, A.J., Sherriff, J., Bernstein, B.E., Emre, N.C., Schreiber, S.L., Mellor, J., and Kouzarides, T. 2002. Active genes are tri-methylated at K4 of histone H3. *Nature* **419**(6905): 407-411.
- Sassone-Corsi, P., Mizzen, C.A., Cheung, P., Crosio, C., Monaco, L., Jacquot, S., Hanauer, A., and Allis, C.D. 1999. Requirement of Rsk-2 for epidermal growth factor-activated phosphorylation of histone H3. *Science* **285**(5429): 886-891.
- Schena, M., Shalon, D., Davis, R.W., and Brown, P.O. 1995. Quantitative monitoring of gene expression patterns with a complementary DNA microarray. *Science* **270**(5235): 467-470.
- Schild, C., Claret, F.X., Wahli, W., and Wolffe, A.P. 1993. A nucleosome-dependent static loop potentiates estrogen-regulated transcription from the *Xenopus* vitellogenin B1 promoter in vitro. *Embo J* **12**(2): 423-433.
- Schneider, R., Bannister, A.J., Myers, F.A., Thorne, A.W., Crane-Robinson, C., and Kouzarides, T. 2004. Histone H3 lysine 4 methylation patterns in higher eukaryotic genes. *Nat Cell Biol* **6**(1): 73-77.
- Schneider, U., Schwenk, H.U., and Bornkamm, G. 1977. Characterization of EBV-genome negative "null" and "T" cell lines derived from children with acute lymphoblastic leukemia and leukemic transformed non-Hodgkin lymphoma. *Int J Cancer* **19**(5): 621-626.
- Schnitzler, G., Sif, S., and Kingston, R.E. 1998. Human SWI/SNF interconverts a nucleosome between its base state and a stable remodeled state. *Cell* **94**(1): 17-27.
- Schnitzler, G.R., Cheung, C.L., Hafner, J.H., Saurin, A.J., Kingston, R.E., and Lieber, C.M. 2001. Direct imaging of human SWI/SNF-remodeled mono- and polynucleosomes by atomic force microscopy employing carbon nanotube tips. *Mol Cell Biol* **21**(24): 8504-8511.

- Schubeler, D., MacAlpine, D.M., Scalzo, D., Wirbelauer, C., Kooperberg, C., van Leeuwen, F., Gottschling, D.E., O'Neill, L.P., Turner, B.M., Delrow, J., Bell, S.P., and Groudine, M. 2004. The histone modification pattern of active genes revealed through genome-wide chromatin analysis of a higher eukaryote. *Genes Dev* **18**(11): 1263-1271.
- Schubeler, D., Scalzo, D., Kooperberg, C., van Steensel, B., Delrow, J., and Groudine, M. 2002. Genome-wide DNA replication profile for *Drosophila melanogaster*: a link between transcription and replication timing. *Nat Genet* **32**(3): 438-442.
- Schug, J. and Overton, G.C. 1997. Modeling transcription factor binding sites with Gibbs Sampling and Minimum Description Length encoding. *Proc Int Conf Intell Syst Mol Biol* **5**: 268-271.
- Schuh, A.C., Faloon, P., Hu, Q.L., Bhimani, M., and Choi, K. 1999. In vitro hematopoietic and endothelial potential of flk-1(-/-) embryonic stem cells and embryos. *Proc Natl Acad Sci U S A* **96**(5): 2159-2164.
- Schuler, G.D. 1997. Sequence mapping by electronic PCR. *Genome Res* **7**(5): 541-550.
- Schwartz, S., Elnitski, L., Li, M., Weirauch, M., Riemer, C., Smit, A., Green, E.D., Hardison, R.C., and Miller, W. 2003. MultiPipMaker and supporting tools: Alignments and analysis of multiple genomic DNA sequences. *Nucleic Acids Res* **31**(13): 3518-3524.
- Schwartz, S., Zhang, Z., Frazer, K.A., Smit, A., Riemer, C., Bouck, J., Gibbs, R., Hardison, R., and Miller, W. 2000. PipMaker--a web server for aligning two genomic DNA sequences. *Genome Res* **10**(4): 577-586.
- Shabalina, S.A. and Spiridonov, N.A. 2004. The mammalian transcriptome and the function of non-coding DNA sequences. *Genome Biol* **5**(4): 105.
- Shaffer, L.G. and Bejjani, B.A. 2004. A cytogeneticist's perspective on genomic microarrays. *Hum Reprod Update* **10**(3): 221-226.
- Shalaby, F., Ho, J., Stanford, W.L., Fischer, K.D., Schuh, A.C., Schwartz, L., Bernstein, A., and Rossant, J. 1997. A requirement for Flk1 in primitive and definitive hematopoiesis and vasculogenesis. *Cell* **89**(6): 981-990.
- Shalaby, F., Rossant, J., Yamaguchi, T.P., Gertsenstein, M., Wu, X.F., Breitman, M.L., and Schuh, A.C. 1995. Failure of blood-island formation and vasculogenesis in Flk-1-deficient mice. *Nature* **376**(6535): 62-66.
- Shi, Y., Lan, F., Matson, C., Mulligan, P., Whetstone, J.R., Cole, P.A., Casero, R.A., and Shi, Y. 2004. Histone demethylation mediated by the nuclear amine oxidase homolog LSD1. *Cell* **119**(7): 941-953.
- Shimamoto, T., Ohyashiki, K., Ohyashiki, J.H., Kawakubo, K., Fujimura, T., Iwama, H., Nakazawa, S., and Toyama, K. 1995. The expression pattern of erythrocyte/megakaryocyte-related transcription factors GATA-1 and the stem cell leukemia gene correlates with hematopoietic differentiation and is associated with outcome of acute myeloid leukemia. *Blood* **86**(8): 3173-3180.
- Shipp, M.A., Ross, K.N., Tamayo, P., Weng, A.P., Kutok, J.L., Aguiar, R.C., Gaasenbeek, M., Angelo, M., Reich, M., Pinkus, G.S., Ray, T.S., Koval, M.A., Last, K.W., Norton, A., Lister, T.A., Mesirov, J., Neuberg, D.S., Lander, E.S., Aster, J.C., and Golub, T.R. 2002. Diffuse large B-cell lymphoma outcome prediction by gene-expression profiling and supervised machine learning. *Nat Med* **8**(1): 68-74.
- Shivdasani, R.A., Mayer, E.L., and Orkin, S.H. 1995. Absence of blood formation in mice lacking the T-cell leukaemia oncoprotein tal-1/SCL. *Nature* **373**(6513): 432-434.
- Silver, L. and Palis, J. 1997. Initiation of murine embryonic erythropoiesis: a spatial analysis. *Blood* **89**(4): 1154-1164.
- Simon, I., Barnett, J., Hannett, N., Harbison, C.T., Rinaldi, N.J., Volkert, T.L., Wyrick, J.J., Zeitlinger, J., Gifford, D.K., Jaakkola, T.S., and Young, R.A. 2001. Serial regulation of transcriptional regulators in the yeast cell cycle. *Cell* **106**(6): 697-708.

- Sinclair, A.M., Gottgens, B., Barton, L.M., Stanley, M.L., Pardanaud, L., Klaine, M., Gering, M., Bahn, S., Sanchez, M., Bench, A.J., Fordham, J.L., Bockamp, E., and Green, A.R. 1999. Distinct 5' SCL enhancers direct transcription to developing brain, spinal cord, and endothelium: neural expression is mediated by GATA factor binding sites. *Dev Biol* **209**(1): 128-142.
- Singh-Gasson, S., Green, R.D., Yue, Y., Nelson, C., Blattner, F., Sussman, M.R., and Cerrina, F. 1999. Maskless fabrication of light-directed oligonucleotide microarrays using a digital micromirror array. *Nat Biotechnol* **17**(10): 974-978.
- Smale, S.T. and Kadonaga, J.T. 2003. The RNA polymerase II core promoter. *Annu Rev Biochem* **72**: 449-479.
- Snow, K. and Judd, W. 1987. Heterogeneity of a human T-lymphoblastoid cell line. *Exp Cell Res* **171**(2): 389-403.
- Solinas-Toldo, S., Lampel, S., Stilgenbauer, S., Nickolenko, J., Benner, A., Dohner, H., Cremer, T., and Lichter, P. 1997. Matrix-based comparative genomic hybridization: biochips to screen for genomic imbalances. *Genes Chromosomes Cancer* **20**(4): 399-407.
- Solomon, M.J. and Varshavsky, A. 1985. Formaldehyde-mediated DNA-protein crosslinking: a probe for in vivo chromatin structures. *Proc Natl Acad Sci U S A* **82**(19): 6470-6474.
- Stainier, D.Y., Weinstein, B.M., Detrich, H.W., 3rd, Zon, L.I., and Fishman, M.C. 1995. Cloche, an early acting zebrafish gene, is required by both the endothelial and hematopoietic lineages. *Development* **121**(10): 3141-3150.
- Strahl, B.D., Briggs, S.D., Brame, C.J., Caldwell, J.A., Koh, S.S., Ma, H., Cook, R.G., Shabanowitz, J., Hunt, D.F., Stallcup, M.R., and Allis, C.D. 2001. Methylation of histone H4 at arginine 3 occurs in vivo and is mediated by the nuclear receptor coactivator PRMT1. *Curr Biol* **11**(12): 996-1000.
- Strahl, B.D., Ohba, R., Cook, R.G., and Allis, C.D. 1999. Methylation of histone H3 at lysine 4 is highly conserved and correlates with transcriptionally active nuclei in Tetrahymena. *Proc Natl Acad Sci U S A* **96**(26): 14967-14972.
- Studitsky, V.M., Clark, D.J., and Felsenfeld, G. 1994. A histone octamer can step around a transcribing polymerase without leaving the template. *Cell* **76**(2): 371-382.
- Suka, N., Suka, Y., Carmen, A.A., Wu, J., and Grunstein, M. 2001. Highly specific antibodies determine histone acetylation site usage in yeast heterochromatin and euchromatin. *Mol Cell* **8**(2): 473-479.
- Sun, Z.W. and Allis, C.D. 2002. Ubiquitination of histone H2B regulates H3 methylation and gene silencing in yeast. *Nature* **418**(6893): 104-108.
- Suto, R.K., Clarkson, M.J., Tremethick, D.J., and Luger, K. 2000. Crystal structure of a nucleosome core particle containing the variant histone H2A.Z. *Nat Struct Biol* **7**(12): 1121-1124.
- Szutorisz, H., Canzonetta, C., Georgiou, A., Chow, C.M., Tora, L., and Dillon, N. 2005. Formation of an active tissue-specific chromatin domain initiated by epigenetic marking at the embryonic stem cell stage. *Mol Cell Biol* **25**(5): 1804-1820.
- Tagle, D.A., Koop, B.F., Goodman, M., Slightom, J.L., Hess, D.L., and Jones, R.T. 1988. Embryonic epsilon and gamma globin genes of a prosimian primate (*Galago crassicaudatus*). Nucleotide and amino acid sequences, developmental regulation and phylogenetic footprints. *J Mol Biol* **203**(2): 439-455.
- Tanigawa, T., Elwood, N., Metcalf, D., Cary, D., DeLuca, E., Nicola, N.A., and Begley, C.G. 1993. The SCL gene product is regulated by and differentially regulates cytokine responses during myeloid leukemic cell differentiation. *Proc Natl Acad Sci U S A* **90**(16): 7864-7868.
- Tanigawa, T., Nicola, N., McArthur, G.A., Strasser, A., and Begley, C.G. 1995. Differential regulation of macrophage differentiation in response to leukemia inhibitory factor/oncostatin-M/interleukin-6: the effect of enforced expression of the SCL transcription factor. *Blood* **85**(2): 379-390.

- Tavian, M., Coulombel, L., Luton, D., Clemente, H.S., Dieterlen-Lievre, F., and Peault, B. 1996. Aorta-associated CD34+ hematopoietic cells in the early human embryo. *Blood* **87**(1): 67-72.
- Thiesen, H.J. and Bach, C. 1990. Target Detection Assay (TDA): a versatile procedure to determine DNA binding sites as demonstrated on SP1 protein. *Nucleic Acids Res* **18**(11): 3203-3209.
- Thomson, S., Clayton, A.L., Hazzalin, C.A., Rose, S., Barratt, M.J., and Mahadevan, L.C. 1999. The nucleosomal response associated with immediate-early gene induction is mediated via alternative MAP kinase cascades: MSK1 as a potential histone H3/HMG-14 kinase. *Embo J* **18**(17): 4779-4793.
- Torrano, V., Chernukhin, I., Docquier, F., D'Arcy, V., Leon, J., Klenova, E., and Delgado, M.D. 2005. CTCF regulates growth and erythroid differentiation of human myeloid leukemia cells. *J Biol Chem* **280**(30): 28152-28161.
- Tse, C., Georgieva, E.I., Ruiz-Garcia, A.B., Sendra, R., and Hansen, J.C. 1998a. Gcn5p, a transcription-related histone acetyltransferase, acetylates nucleosomes and folded nucleosomal arrays in the absence of other protein subunits. *J Biol Chem* **273**(49): 32388-32392.
- Tse, C., Sera, T., Wolffe, A.P., and Hansen, J.C. 1998b. Disruption of higher-order folding by core histone acetylation dramatically enhances transcription of nucleosomal arrays by RNA polymerase III. *Mol Cell Biol* **18**(8): 4629-4638.
- Tuan, D., Solomon, W., Li, Q., and London, I.M. 1985. The "beta-like-globin" gene domain in human erythroid cells. *Proc Natl Acad Sci U S A* **82**(19): 6384-6388.
- Tuerk, C. and Gold, L. 1990. Systematic evolution of ligands by exponential enrichment: RNA ligands to bacteriophage T4 DNA polymerase. *Science* **249**(4968): 505-510.
- Turpen, J.B., Kelley, C.M., Mead, P.E., and Zon, L.I. 1997. Bipotential primitive-definitive hematopoietic progenitors in the vertebrate embryo. *Immunity* **7**(3): 325-334.
- van Dijk, K., Marley, K.E., Jeong, B.R., Xu, J., Hesson, J., Cerny, R.L., Waterborg, J.H., and Cerutti, H. 2005. Monomethyl histone H3 lysine 4 as an epigenetic mark for silenced euchromatin in *Chlamydomonas*. *Plant Cell* **17**(9): 2439-2453.
- Van Hooser, A., Goodrich, D.W., Allis, C.D., Brinkley, B.R., and Mancini, M.A. 1998. Histone H3 phosphorylation is required for the initiation, but not maintenance, of mammalian chromosome condensation. *J Cell Sci* **111** (Pt 23): 3497-3506.
- van Leeuwen, F., Gafken, P.R., and Gottschling, D.E. 2002. Dot1p modulates silencing in yeast by methylation of the nucleosome core. *Cell* **109**(6): 745-756.
- Vicent, G.P., Nacht, A.S., Smith, C.L., Peterson, C.L., Dimitrov, S., and Beato, M. 2004. DNA instructed displacement of histones H2A and H2B at an inducible promoter. *Mol Cell* **16**(3): 439-452.
- Visvader, J. and Begley, C.G. 1991. Helix-loop-helix genes translocated in lymphoid leukemia. *Trends Biochem Sci* **16**(9): 330-333.
- Visvader, J.E., Fujiwara, Y., and Orkin, S.H. 1998. Unsuspected role for the T-cell leukemia protein SCL/tal-1 in vascular development. *Genes Dev* **12**(4): 473-479.
- Vitelli, L., Condorelli, G., Lulli, V., Hoang, T., Luchetti, L., Croce, C.M., and Peschle, C. 2000. A pentamer transcriptional complex including tal-1 and retinoblastoma protein downmodulates c-kit expression in normal erythroblasts. *Mol Cell Biol* **20**(14): 5330-5342.
- Vogelauer, M., Wu, J., Suka, N., and Grunstein, M. 2000. Global histone acetylation and deacetylation in yeast. *Nature* **408**(6811): 495-498.
- Wadman, I.A., Osada, H., Grutz, G.G., Agulnick, A.D., Westphal, H., Forster, A., and Rabbitts, T.H. 1997. The LIM-only protein Lmo2 is a bridging molecule assembling an erythroid, DNA-binding complex which includes the TAL1, E47, GATA-1 and Ldb1/NLI proteins. *Embo J* **16**(11): 3145-3157.

- Wall, L., deBoer, E., and Grosveld, F. 1988. The human beta-globin gene 3' enhancer contains multiple binding sites for an erythroid-specific protein. *Genes Dev* **2**(9): 1089-1100.
- Wang, C.Y., Petryniak, B., Thompson, C.B., Kaelin, W.G., and Leiden, J.M. 1993. Regulation of the Ets-related transcription factor Elf-1 by binding to the retinoblastoma protein. *Science* **260**(5112): 1330-1335.
- Wang, Y., Wysocka, J., Sayegh, J., Lee, Y.H., Perlin, J.R., Leonelli, L., Sonbuchner, L.S., McDonald, C.H., Cook, R.G., Dou, Y., Roeder, R.G., Clarke, S., Stallcup, M.R., Allis, C.D., and Coonrod, S.A. 2004. Human PAD4 regulates histone arginine methylation levels via demethylination. *Science* **306**(5694): 279-283.
- Waterston, R.H. et al. 2002. Initial sequencing and comparative analysis of the mouse genome. *Nature* **420**(6915): 520-562.
- Watt, S.M., Gschmeissner, S.E., and Bates, P.A. 1995. PECAM-1: its expression and function as a cell adhesion molecule on hemopoietic and endothelial cells. *Leuk Lymphoma* **17**(3-4): 229-244.
- Weber, F., de Villiers, J., and Schaffner, W. 1984. An SV40 "enhancer trap" incorporates exogenous enhancers or generates enhancers from its own sequences. *Cell* **36**(4): 983-992.
- Weinmann, A.S., Bartley, S.M., Zhang, T., Zhang, M.Q., and Farnham, P.J. 2001. Use of chromatin immunoprecipitation to clone novel E2F target promoters. *Mol Cell Biol* **21**(20): 6820-6832.
- Weinmann, A.S., Yan, P.S., Oberley, M.J., Huang, T.H., and Farnham, P.J. 2002. Isolating human transcription factor targets by coupling chromatin immunoprecipitation and CpG island microarray analysis. *Genes Dev* **16**(2): 235-244.
- Wells, J., Graveel, C.R., Bartley, S.M., Madore, S.J., and Farnham, P.J. 2002. The identification of E2F1-specific target genes. *Proc Natl Acad Sci U S A* **99**(6): 3890-3895.
- Wells, J., Yan, P.S., Cechvala, M., Huang, T., and Farnham, P.J. 2003. Identification of novel pRb binding sites using CpG microarrays suggests that E2F recruits pRb to specific genomic sites during S phase. *Oncogene* **22**(10): 1445-1460.
- West, A.G., Gaszner, M., and Felsenfeld, G. 2002. Insulators: many functions, many mechanisms. *Genes Dev* **16**(3): 271-288.
- West, A.G., Huang, S., Gaszner, M., Litt, M.D., and Felsenfeld, G. 2004. Recruitment of histone modifications by USF proteins at a vertebrate barrier element. *Mol Cell* **16**(3): 453-463.
- White, E.J., Emanuelsson, O., Scalzo, D., Royce, T., Kosak, S., Oakeley, E.J., Weissman, S., Gerstein, M., Groudine, M., Snyder, M., and Schubeler, D. 2004. DNA replication-timing analysis of human chromosome 22 at high resolution and different developmental states. *Proc Natl Acad Sci U S A* **101**(51): 17771-17776.
- White, K.P., Rifkin, S.A., Hurban, P., and Hogness, D.S. 1999. Microarray analysis of Drosophila development during metamorphosis. *Science* **286**(5447): 2179-2184.
- Whitehouse, I., Flaus, A., Cairns, B.R., White, M.F., Workman, J.L., and Owen-Hughes, T. 1999. Nucleosome mobilization catalysed by the yeast SWI/SNF complex. *Nature* **400**(6746): 784-787.
- Willingham, A.T., Orth, A.P., Batalov, S., Peters, E.C., Wen, B.G., Aza-Blanc, P., Hogenesch, J.B., and Schultz, P.G. 2005. A strategy for probing the function of noncoding RNAs finds a repressor of NFAT. *Science* **309**(5740): 1570-1573.
- Wingender, E., Chen, X., Hehl, R., Karas, H., Liebich, I., Matys, V., Meinhardt, T., Pruss, M., Reuter, I., and Schacherer, F. 2000. TRANSFAC: an integrated system for gene expression regulation. *Nucleic Acids Res* **28**(1): 316-319.
- Wirbelauer, C., Bell, O., and Schubeler, D. 2005. Variant histone H3.3 is deposited at sites of nucleosomal displacement throughout transcribed genes while active histone modifications show a promoter-proximal bias. *Genes Dev* **19**(15): 1761-1766.

- Woodfine, K., Fiegler, H., Beare, D.M., Collins, J.E., McCann, O.T., Young, B.D., Debernardi, S., Mott, R., Dunham, I., and Carter, N.P. 2004. Replication timing of the human genome. *Hum Mol Genet* **13**(2): 191-202.
- Workman, J.L. and Kingston, R.E. 1998. Alteration of nucleosome structure as a mechanism of transcriptional regulation. *Annu Rev Biochem* **67**: 545-579.
- Wright, W.E., Binder, M., and Funk, W. 1991. Cyclic amplification and selection of targets (CASTing) for the myogenin consensus binding site. *Mol Cell Biol* **11**(8): 4104-4110.
- Wu, C., Wong, Y.C., and Elgin, S.C. 1979. The chromatin structure of specific genes: II. Disruption of chromatin structure during gene activity. *Cell* **16**(4): 807-814.
- Wu, J. and Grunstein, M. 2000. 25 years after the nucleosome model: chromatin modifications. *Trends Biochem Sci* **25**(12): 619-623.
- Wyrick, J.J., Aparicio, J.G., Chen, T., Barnett, J.D., Jennings, E.G., Young, R.A., Bell, S.P., and Aparicio, O.M. 2001. Genome-wide distribution of ORC and MCM proteins in *S. cerevisiae*: high-resolution mapping of replication origins. *Science* **294**(5550): 2357-2360.
- Xia, Y., Brown, L., Tsan, J.T., Yang, C.Y., Siciliano, M.J., Crist, W.M., Carroll, A.J., and Baer, R. 1992. The translocation (1;14)(p34;q11) in human T-cell leukemia: chromosome breakage 25 kilobase pairs downstream of the TAL1 protooncogene. *Genes Chromosomes Cancer* **4**(3): 211-216.
- Xiong, Z., Tsark, W., Singer-Sam, J., and Riggs, A.D. 1998. Differential replication timing of X-linked genes measured by a novel method using single-nucleotide primer extension. *Nucleic Acids Res* **26**(2): 684-686.
- Xu, H.M., Zhang, S., Liu, D.P., Li, X.G., Hao, D.L., and Liang, C.C. 2002. Efficient isolation of regulatory sequences from human genome and BAC DNA. *Biochem Biophys Res Commun* **290**(3): 1079-1083.
- Yeh, R.F., Lim, L.P., and Burge, C.B. 2001. Computational inference of homologous gene structures in the human genome. *Genome Res* **11**(5): 803-816.
- Yelin, R., Dahary, D., Sorek, R., Levanon, E.Y., Goldstein, O., Shoshan, A., Diber, A., Biton, S., Tamir, Y., Khosravi, R., Nemzer, S., Pinner, E., Walach, S., Bernstein, J., Savitsky, K., and Rotman, G. 2003. Widespread occurrence of antisense transcription in the human genome. *Nat Biotechnol* **21**(4): 379-386.
- Young, P.E., Baumhueter, S., and Lasky, L.A. 1995. The sialomucin CD34 is expressed on hematopoietic cells and blood vessels during murine development. *Blood* **85**(1): 96-105.
- Yuan, G.C., Liu, Y.J., Dion, M.F., Slack, M.D., Wu, L.F., Altschuler, S.J., and Rando, O.J. 2005. Genome-scale identification of nucleosome positions in *S. cerevisiae*. *Science* **309**(5734): 626-630.
- Zhang, Y. 2003. Transcriptional regulation by histone ubiquitination and deubiquitination. *Genes Dev* **17**(22): 2733-2740.
- Zhang, Y. 2004. Molecular biology: no exception to reversibility. *Nature* **431**(7009): 637-639.
- Zhang, Y., Payne, K.J., Zhu, Y., Price, M.A., Parrish, Y.K., Zielinska, E., Barsky, L.W., and Crooks, G.M. 2005. SCL expression at critical points in human hematopoietic lineage commitment. *Stem Cells* **23**(6): 852-860.
- Zhao, H. and Dean, A. 2004. An insulator blocks spreading of histone acetylation and interferes with RNA polymerase II transfer between an enhancer and gene. *Nucleic Acids Res* **32**(16): 4903-4919.