

## REFERENCES.

- The International HapMap Consortium (2003). The International HapMap Project. *Nature* *426*, 789-796.
- The ENCODE Project Consortium (2004). The ENCODE (ENCyclopedia Of DNA Elements) Project. *Science* *306*, 636-640.
- International Human Genome Sequencing Consortium (2004). Finishing the euchromatic sequence of the human genome. *Nature* *431*, 931-945.
- The International HapMap Consortium (2005). A haplotype map of the human genome. *Nature* *437*, 1299-1320.
- The Wellcome Trust Case Control Consortium (2007). Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. *Nature* *447*, 661-678.
- The International HapMap Consortium (2007). A second generation human haplotype map of over 3.1 million SNPs. *Nature* *449*, 851-861.
- The ENCODE Project Consortium (2007). Identification and analysis of functional elements in 1% of the human genome by the ENCODE pilot project. *Nature* *447*, 799-816.
- Myocardial Infarction Genetics Consortium (2009). Genome-wide association of early-onset myocardial infarction with single nucleotide polymorphisms and copy number variants. *Nat. Genet.* *41*, 334-340.
- Coronary Artery Disease Consortium (2009). Large scale association analysis of novel genetic loci for coronary artery disease. *Arterioscl. Thromb. Vas. Biol.* *29*, 774-780.
- The 1000 Genomes Project Consortium (2010). A map of human genome variation from population-scale sequencing. *Nature* *467*, 1061-1073.
- The Wellcome Trust Case Control Consortium (2010). Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. *Nature* *464*, 713-720.
- The ENCODE Project Consortium (2011). A user's guide to the Encyclopedia of DNA Elements (ENCODE). *PLoS Biol.* *9*, e1001046.
- Adams, D., Altucci, L., Antonarakis, S.E., Ballesteros, J., Beck, S., Bird, A., Bock, C., Boehm, B., Campo, E., Caricasole, A., et al. (2012). BLUEPRINT to decode the epigenetic signature written in blood. *Nat. Biotechnol.* *30*, 224-226.
- Ahituv, N., Zhu, Y., Visel, A., Holt, A., Afzal, V., Pennacchio, L.A. & Rubin, E.M. (2007). Deletion of ultraconserved elements yields viable mice. *PLoS Biol.* *5*, e234.
- Akalin, A., Fredman, D., Arner, E., Dong, X., Bryne, J.C., Suzuki, H., Daub, C.O., Hayashizaki, Y. & Lenhard, B. (2009). Transcriptional features of genomic regulatory blocks. *Genome Biol.* *10*, R38.
- Al Olama, A.A., Kote-Jarai, Z., Giles, G.G., Guy, M., Morrison, J., Severi, G., Leongamornlert, D.A., Tymrakiewicz, M., Jhavar, S., Saunders, E., et al. (2009). Multiple loci on 8q24 associated with prostate cancer susceptibility. *Nat. Genet.* *41*, 1058-1060.
- Albers, C.A., Cvejic, A., Favier, R., Bouwmans, E.E., Alessi, M.-C., Bertone, P., Jordan, G., Kettleborough, R.N.W., Kiddie, G., Kostadima, M., et al. (2011). Exome sequencing identifies NBEAL2 as the causative gene for gray platelet syndrome. *Nat. Genet.* *43*, 735-737.

- Albers, C.A., Paul, D.S., Schulze, H., Freson, K., Stephens, J.C., Smethurst, P.A., Jolley, J.D., Cvejic, A., Kostadima, M., Bertone, P., et al. (2012). Compound inheritance of a low-frequency regulatory SNP and a rare null mutation in exon-junction complex subunit RBM8A causes TAR syndrome. *Nat. Genet.* *44*, 435-439.
- Albert, T.J., Molla, M.N., Muzny, D.M., Nazareth, L., Wheeler, D., Song, X., Richmond, T.A., Middle, C.M., Rodesch, M.J., Packard, C.J., et al. (2007). Direct selection of human genomic loci by microarray hybridization. *Nat. Methods* *4*, 903-905.
- Altshuler, D., Daly, M.J. & Lander, E.S. (2008). Genetic mapping in human disease. *Science* *322*, 881-888.
- Andersson, L.C., Nilsson, K. & Gahmberg, C.G. (1979). K562—a human erythroleukemic cell line. *Int. J. Cancer* *23*, 143-147.
- Babu, M.M., Luscombe, N.M., Aravind, L., Gerstein, M. & Teichmann, S.A. (2004). Structure and evolution of transcriptional regulatory networks. *Curr. Opin. Struct. Biol.* *14*, 283-291.
- Bai, L. & Morozov, A.V. (2010). Gene regulation by nucleosome positioning. *Trends Genet.* *26*, 476-483.
- Baker, M. (2012). Functional genomics: the changes that count. *Nature* *482*, 257-262.
- Bamshad, M.J., Ng, S.B., Bigham, A.W., Tabor, H.K., Emond, M.J., Nickerson, D.A. & Shendure, J. (2011). Exome sequencing as a tool for Mendelian disease gene discovery. *Nat. Rev. Genet.* *12*, 745-755.
- Bannister, A.J. & Kouzarides, T. (2011). Regulation of chromatin by histone modifications. *Cell Res.* *21*, 381-395.
- Barrett, J.C. & Cardon, L.R. (2006). Evaluating coverage of genome-wide association studies. *Nat. Genet.* *38*, 659-662.
- Barrett, J.C., Clayton, D.G., Concannon, P., Akolkar, B., Cooper, J.D., Erlich, H.A., Julier, C., Morahan, G., Nerup, J., Nierras, C., et al. (2009). Genome-wide association study and meta-analysis find that over 40 loci affect risk of type 1 diabetes. *Nat. Genet.* *41*, 703-707.
- Barski, A., Cuddapah, S., Cui, K., Roh, T.-Y., Schones, D.E., Wang, Z., Wei, G., Chepelev, I. & Zhao, K. (2007). High-resolution profiling of histone methylations in the human genome. *Cell* *129*, 823-837.
- Bartholomew, C., Kilbey, A., Clark, A.-M. & Walker, M. (1997). The Evi-1 proto-oncogene encodes a transcriptional repressor activity associated with transformation. *Oncogene* *14*, 569-577.
- Bell, A.C., West, A.G. & Felsenfeld, G. (1999). The protein CTCF is required for the enhancer blocking activity of vertebrate insulators. *Cell* *98*, 387-396.
- Bell, O., Schwaiger, M., Oakeley, E.J., Liener, F., Beisel, C., Stadler, M.B. & Schübeler, D. (2010). Accessibility of the Drosophila genome discriminates P<sub>c</sub>G repression, H4K16 acetylation and replication timing. *Nat. Struct. Mol. Biol.* *17*, 894-900.
- Bell, O., Tiwari, V.K., Thomä, N.H. & Schübeler, D. (2011). Determinants and dynamics of genome accessibility. *Nat. Rev. Genet.* *12*, 554-564.
- Bernstein, B.E., Mikkelsen, T.S., Xie, X., Kamal, M., Huebert, D.J., Cuff, J., Fry, B., Meissner, A., Wernig, M., Plath, K., et al. (2006). A bivalent chromatin structure marks key developmental genes in embryonic stem cells. *Cell* *125*, 315-326.
- Bernstein, B.E., Stamatoyannopoulos, J.A., Costello, J.F., Ren, B., Milosavljevic, A., Meissner, A., Kellis, M., Marra, M.A., Beaudet, A.L., Ecker, J.R., et al. (2010). The NIH Roadmap Epigenomics Mapping Consortium. *Nat. Biotechnol.* *28*, 1045-1048.
- Bird, A.P. (1987). CpG islands as gene markers in the vertebrate nucleus. *Trends Genet.* *3*, 342-347.

- Blow, M.J., McCulley, D.J., Li, Z., Zhang, T., Akiyama, J.A., Holt, A., Plajzer-Frick, I., Shoukry, M., Wright, C., Chen, F., et al. (2010). ChIP-Seq identification of weakly conserved heart enhancers. *Nat. Genet.* 42, 806-810.
- Bodmer, W. & Bonilla, C. (2008). Common and rare variants in multifactorial susceptibility to common diseases. *Nat. Genet.* 40, 695-701.
- Boos, C.J. & Lip, G.Y.H. (2007). Assessment of mean platelet volume in coronary artery disease—what does it mean? *Thromb. Res.* 120, 11-13.
- Botstein, D., White, R.L., Skolnick, M. & Davis, R.W. (1980). Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *Am. J. Hum. Genet.* 32, 314-331.
- Boyle, A.P., Davis, S., Shulha, H.P., Meltzer, P., Margulies, E.H., Weng, Z., Furey, T.S. & Crawford, G.E. (2008). High-resolution mapping and characterization of open chromatin across the genome. *Cell* 132, 311-322.
- Boyle, A.P., Guinney, J., Crawford, G.E. & Furey, T.S. (2008). F-Seq: a feature density estimator for high-throughput sequence tags. *Bioinformatics* 24, 2537-2538.
- Boyle, A.P., Song, L., Lee, B.-K., London, D., Keefe, D., Birney, E., Iyer, V.R., Crawford, G.E. & Furey, T.S. (2011). High-resolution genome-wide in vivo footprinting of diverse transcription factors in human cells. *Genome Res.* 21, 456-464.
- Bustamante, C.D., De La Vega, F.M. & Burchard, E.G. (2011). Genomics for the world. *Nature* 475, 163-165.
- Cantor, A.B. (2005). GATA transcription factors in hematologic disease. *Int. J. Hematol.* 81, 378-384.
- Carbon, S., Ireland, A., Mungall, C.J., Shu, S., Marshall, B. & Lewis, S. (2009). AmiGO: online access to ontology and annotation data. *Bioinformatics* 25, 288-289.
- Carey, M., Lin, Y.-S., Green, M.R. & Ptashne, M. (1990). A mechanism for synergistic activation of a mammalian gene by GAL4 derivatives. *Nature* 345, 361-364.
- Carninci, P., Sandelin, A., Lenhard, B., Katayama, S., Shimokawa, K., Ponjavic, J., Semple, C.A.M., Taylor, M.S., Engström, P.G., Frith, M.C., et al. (2006). Genome-wide analysis of mammalian promoter architecture and evolution. *Nat. Genet.* 38, 626-635.
- Cartharius, K., Frech, K., Grote, K., Klocke, B., Haltmeier, M., Klingenhoff, A., Frisch, M., Bayerlein, M. & Werner, T. (2005). MatInspector and beyond: promoter analysis based on transcription factor binding sites. *Bioinformatics* 21, 2933-2942.
- Cheung, V.G. & Spielman, R.S. (2009). Genetics of human gene expression: mapping DNA variants that influence gene expression. *Nat. Rev. Genet.* 10, 595-604.
- Chin, M.H., Mason, M.J., Xie, W., Volinia, S., Singer, M., Peterson, C., Ambartsumyan, G., Aimiuwu, O., Richter, L., Zhang, J., et al. (2009). Induced pluripotent stem cells and embryonic stem cells are distinguished by gene expression signatures. *Cell Stem Cell* 5, 111-123.
- Chow, C.-M., Georgiou, A., Szutorisz, H., Maia e Silva, A., Pombo, A., Barahona, I., Dargelos, E., Canzonetta, C. & Dillon, N. (2005). Variant histone H3.3 marks promoters of transcriptionally active genes during mammalian cell division. *EMBO Rep.* 6, 354-360.
- Chu, S.G., Becker, R.C., Berger, P.B., Bhatt, D.L., Eikelboom, J.W., Konkle, B., Mohler, E.R., Reilly, M.P. & Berger, J.S. (2010). Mean platelet volume as a predictor of cardiovascular risk: a systematic review and meta-analysis. *J. Thromb. Haemost.* 8, 148-156.

- Cirulli, E.T. & Goldstein, D.B. (2010). Uncovering the roles of rare variants in common disease through whole-genome sequencing. *Nat. Rev. Genet.* *11*, 415-425.
- Clapier, C.R. & Cairns, B.R. (2009). The biology of chromatin remodeling complexes. *Annu. Rev. Biochem.* *78*, 273-304.
- Clark, T.G., Andrew, T., Cooper, G.M., Margulies, E.H., Mullikin, J.C. & Balding, D.J. (2007). Functional constraint and small insertions and deletions in the ENCODE regions of the human genome. *Genome Biol.* *8*, R180.
- Coffey, A.J., Kokocinski, F., Calafato, M.S., Scott, C.E., Palta, P., Drury, E., Joyce, C.J., LeProust, E.M., Harrow, J., Hunt, S., et al. (2011). The GENCODE exome: sequencing the complete human exome. *Eur. J. Hum. Genet.* *19*, 827-831.
- Cohen, J.C., Kiss, R.S., Pertsemidis, A., Marcel, Y.L., McPherson, R. & Hobbs, H.H. (2004). Multiple rare alleles contribute to low plasma levels of HDL cholesterol. *Science* *305*, 869-872.
- Cohen, J.C., Boerwinkle, E., Thomas H. Mosley, J. & Hobbs, H.H. (2006). Sequence variations in PCSK9, low LDL, and protection against coronary heart disease. *N. Engl. J. Med.* *354*, 1264-1272.
- Collins, F.S., Guyer, M.S. & Charkravarti, A. (1997). Variations on a theme: cataloging human DNA sequence variation. *Science* *278*, 1580-1581.
- Cookson, W., Liang, L., Abecasis, G., Moffatt, M. & Lathrop, M. (2009). Mapping complex disease traits with global gene expression. *Nat. Rev. Genet.* *10*, 184-194.
- Cooper, G.M. & Shendure, J. (2011). Needles in stacks of needles: finding disease-causal variants in a wealth of genomic data. *Nat. Rev. Genet.* *12*, 628-640.
- Crawford, G.E., Holt, I.E., Mullikin, J.C., Tai, D., Green, E.D., Wolfsberg, T.G. & Collins, F.S. (2004). Identifying gene regulatory elements by genome-wide recovery of DNase hypersensitive sites. *Proc. Natl. Acad. Sci. USA* *101*, 992-997.
- Crawford, G.E., Davis, S., Scacheri, P.C., Renaud, G., Halawi, M.J., Erdos, M.R., Green, R., Meltzer, P.S., Wolfsberg, T.G. & Collins, F.S. (2006). DNase-chip: a high-resolution method to identify DNase I hypersensitive sites using tiled microarrays. *Nat. Methods* *3*, 503-509.
- Crawford, G.E., Holt, I.E., Whittle, J., Webb, B.D., Tai, D., Davis, S., Margulies, E.H., Chen, Y., Bernat, J.A., Ginsburg, D., et al. (2006). Genome-wide mapping of DNase hypersensitive sites using massively parallel signature sequencing (MPSS). *Genome Res.* *16*, 123-131.
- Creyghton, M.P., Cheng, A.W., Welstead, G.G., Kooistra, T., Carey, B.W., Steine, E.J., Hanna, J., Lodato, M.A., Frampton, G.M., Sharp, P.A., et al. (2010). Histone H3K27ac separates active from poised enhancers and predicts developmental state. *Proc. Natl. Acad. Sci. USA* *107*, 21931-21936.
- Croft, D., O'Kelly, G., Wu, G., Haw, R., Gillespie, M., Matthews, L., Caudy, M., Garapati, P., Gopinath, G., Jassal, B., et al. (2011). Reactome: a database of reactions, pathways and biological processes. *Nucl. Acids Res.* *39*, D691-D697.
- Cuddapah, S., Jothi, R., Schones, D.E., Roh, T.-Y., Cui, K. & Zhao, K. (2009). Global analysis of the insulator binding protein CTCF in chromatin barrier regions reveals demarcation of active and repressive domains. *Genome Res.* *19*, 24-32.

- Cui, K., Zang, C., Roh, T.-Y., Schones, D.E., Childs, R.W., Peng, W. & Zhao, K. (2009). Chromatin signatures in multipotent human hematopoietic stem cells indicate the fate of bivalent genes during differentiation. *Cell Stem Cell* 4, 80-93.
- Daly, M.J., Rioux, J.D., Schaffner, S.F., Hudson, T.J. & Lander, E.S. (2001). High-resolution haplotype structure in the human genome. *Nat. Genet.* 29, 229-232.
- Danesh, J., Collins, R., Appleby, P. & Peto, R. (1998). Association of fibrinogen, C-reactive protein, albumin, or leukocyte count with coronary heart disease: meta-analyses of prospective studies. *JAMA* 279, 1477-1482.
- De Gobbi, M., Viprakasit, V., Hughes, J.R., Fisher, C., Buckle, V.J., Ayyub, H., Gibbons, R.J., Vernimmen, D., Yoshinaga, Y., de Jong, P., et al. (2006). A regulatory SNP causes a human genetic disease by creating a new transcriptional promoter. *Science* 312, 1215-1217.
- de Souza, N. (2010). Primer: induced pluripotency. *Nat. Methods* 7, 20-21.
- Deaton, A.M. & Bird, A. (2011). CpG islands and the regulation of transcription. *Genes Dev.* 25, 1010-1022.
- Dermitzakis, E.T. (2012). Cellular genomics for complex traits. *Nat. Rev. Genet.* 13, 215-220.
- Dion, M.F., Altschuler, S.J., Wu, L.F. & Rando, O.J. (2005). Genomic characterization reveals a simple histone H4 acetylation code. *Proc. Natl. Acad. Sci. USA* 102, 5501-5506.
- Dixon, A.L., Liang, L., Moffatt, M.F., Chen, W., Heath, S., Wong, K.C.C., Taylor, J., Burnett, E., Gut, I., Farrall, M., et al. (2007). A genome-wide association study of global gene expression. *Nat. Genet.* 39, 1202-1207.
- Doi, A., Park, I.-H., Wen, B., Murakami, P., Aryee, M.J., Irizarry, R., Herb, B., Ladd-Acosta, C., Rho, J., Loewer, S., et al. (2009). Differential methylation of tissue- and cancer-specific CpG island shores distinguishes human induced pluripotent stem cells, embryonic stem cells and fibroblasts. *Nat. Genet.* 41, 1350-1353.
- Donis-Keller, H., Green, P., Helms, C., Cartinhour, S., Weiffenbach, B., Stephens, K., Keith, T.P., Bowden, D.W., Smith, D.R., Lander, E.S., et al. (1987). A genetic linkage map of the human genome. *Cell* 51, 319-337.
- Donnelly, P. (2008). Progress and challenges in genome-wide association studies in humans. *Nature* 456, 728-731.
- Dorahy, D.J., Thorne, R.F., Fecondo, J.V. & Burns, G.F. (1997). Stimulation of platelet activation and aggregation by a carboxyl-terminal peptide from thrombospondin binding to the integrin-associated protein receptor. *J. Biol. Chem.* 272, 1323-1330.
- Dorschner, M.O., Hawrylycz, M., Humbert, R., Wallace, J.C., Shafer, A., Kawamoto, J., Mack, J., Hall, R., Goldy, J., Sabo, P.J., et al. (2004). High-throughput localization of functional elements by quantitative chromatin profiling. *Nat. Methods* 1, 219-225.
- Du, P., Kibbe, W.A. & Lin, S.M. (2008). lumi: a pipeline for processing Illumina microarray. *Bioinformatics* 24, 1547-1548.
- Edery, P., Marcaillou, C., Sahbatou, M., Labalme, A., Chastang, J., Touraine, R., Tubacher, E., Senni, F., Bober, M.B., Nampoothiri, S., et al. (2010). Association of TALS developmental disorder with defect in minor splicing component U4atac snRNA. *Science* 332, 240-243.
- Edwards, A.O., Ritter, R., III, Abel, K.J., Manning, A., Panhuysen, C. & Farrer, L.A. (2005). Complement factor H polymorphism and age-related macular degeneration. *Science* 308, 421-424.
- Egelhofer, T.A., Minoda, A., Klugman, S., Lee, K., Kolasinska-Zwierz, P., Alekseyenko, A.A., Cheung, M.-S., Day, D.S., Gadel, S., Gorchakov, A.A., et al. (2011). An assessment of histone-modification antibody quality. *Nat. Struct. Mol. Biol.* 18, 91-93.

- Emilsson, V., Thorleifsson, G., Zhang, B., Leonardson, A.S., Zink, F., Zhu, J., Carlson, S., Helgason, A., Walters, G.B., Gunnarsdottir, S., et al. (2008). Genetics of gene expression and its effect on disease. *Nature* *452*, 423-428.
- Emison, E.S., McCallion, A.S., Kashuk, C.S., Bush, R.T., Grice, E., Lin, S., Portnoy, M.E., Cutler, D.J., Green, E.D. & Chakravarti, A. (2005). A common sex-dependent mutation in a RET enhancer underlies Hirschsprung disease risk. *Nature* *434*, 857-863.
- Ensrud, K. & Grimm, R.H., Jr. (1992). The white blood cell count and risk for coronary heart disease. *Am. Heart J.* *124*, 207-213.
- Epstein, D.J. (2009). Cis-regulatory mutations in human disease. *Brief. Funct. Genomics Proteomics* *8*, 310-316.
- Erdmann, J., Grohennig, A., Braund, P.S., König, I.R., Hengstenberg, C., Hall, A.S., Linsel-Nitschke, P., Kathiresan, S., Wright, B., Trégouët, D.-A., et al. (2009). New susceptibility locus for coronary artery disease on chromosome 3q22.3. *Nat. Genet.* *41*, 280-282.
- Ernst, J. & Kellis, M. (2010). Discovery and characterization of chromatin states for systematic annotation of the human genome. *Nat. Biotechnol.* *28*, 817-825.
- Ernst, J., Kheradpour, P., Mikkelsen, T.S., Shores, N., Ward, L.D., Epstein, C.B., Zhang, X., Wang, L., Issner, R., Coyne, M., et al. (2011). Mapping and analysis of chromatin state dynamics in nine human cell types. *Nature* *473*, 43-49.
- Evans, D.M., Frazer, I.H. & Martin, N.G. (1999). Genetic and environmental causes of variation in basal levels of blood cells. *Twin Res.* *2*, 250-257.
- Falet, H., Hoffmeister, K.M., Neujahr, R. & Hartwig, J.H. (2002). Normal Arp2/3 complex activation in platelets lacking WASp. *Blood* *100*, 2113-2122.
- Farnham, P.J. (2009). Insights from genomic profiling of transcription factors. *Nat. Rev. Genet.* *10*, 605-616.
- Fatemi, M., Pao, M.M., Jeong, S., Gal-Yam, E.N., Egger, G., Weisenberger, D.J. & Jones, P.A. (2005). Footprinting of mammalian promoters: use of a CpG DNA methyltransferase revealing nucleosome positions at a single molecule level. *Nucl. Acids Res.* *33*, e176.
- Field, Y., Kaplan, N., Fondufe-Mittendorf, Y., Moore, I.K., Sharon, E., Lubling, Y., Widom, J. & Segal, E. (2008). Distinct modes of regulation by chromatin encoded through nucleosome positioning signals. *PLoS Comput. Biol.* *4*, e1000216.
- Firmann, M., Mayor, V., Vidal, P.M., Bochud, M., Pécout, A., Hayoz, D., Paccaud, F., Preisig, M., Song, K.S., Yuan, X., et al. (2008). The CoLaus study: a population-based study to investigate the epidemiology and genetic determinants of cardiovascular risk factors and metabolic syndrome. *BMC Cardiovasc. Disord.* *8*, 6.
- Forsberg, E.C., Downs, K.M. & Bresnick, E.H. (2000). Direct interaction of NF-E2 with hypersensitive site 2 of the  $\beta$ -globin locus control region in living cells. *Blood* *96*, 334-339.
- Fragoso, G. & Hager, G.L. (1997). Analysis of in vivo nucleosome positions by determination of nucleosome-linker boundaries in crosslinked chromatin. *Methods* *11*, 246-252.
- Frazer, K.A., Murray, S.S., Schork, N.J. & Topol, E.J. (2009). Human genetic variation and its contribution to complex traits. *Nat. Rev. Genet.* *10*, 241-251.

- Freedman, M.L., Monteiro, A.N.A., Gayther, S.A., Coetzee, G.A., Risch, A., Plass, C., Casey, G., De Biasi, M., Carlson, C., Duggan, D., et al. (2011). Principles for the post-GWAS functional characterization of cancer risk loci. *Nat. Genet.* 43, 513-518.
- Freson, K., Devriendt, K., Matthijs, G., Van Hoof, A., De Vos, R., Thys, C., Minner, K., Hoylaerts, M.F., Vermeylen, J. & Van Geet, C. (2001). Platelet characteristics in patients with X-linked macrothrombocytopenia because of a novel GATA1 mutation. *Blood* 98, 85-92.
- Freson, K., Stolarz, K., Aerts, R., Brand, E., Brand-Herrmann, S.-M., Kawecka-Jaszcz, K., Kuznetsova, T., Tikhonoff, V., Thijs, L., Vermeylen, J., et al. (2007). -391 C to G substitution in the regulator of G-protein signalling-2 promoter increases susceptibility to the metabolic syndrome in white European men: consistency between molecular and epidemiological studies. *J. Hypertens.* 25, 117-125.
- Fugman, D.A., Witte, D.P., Jones, C.L.A., Aronow, B.J. & Lieberman, M.A. (1990). In vitro establishment and characterization of a human megakaryoblastic cell line. *Blood* 75, 1252-1261.
- Furniss, D., Lettice, L.A., Taylor, I.B., Critchley, P.S., Giele, H., Hill, R.E. & Wilkie, A.O.M. (2008). A variant in the sonic hedgehog regulatory sequence (ZRS) is associated with triphalangeal thumb and deregulates expression in the developing limb. *Hum. Mol. Genet.* 17, 2417-2423.
- Gabriel, S.B., Schaffner, S.F., Nguyen, H., Moore, J.M., Roy, J., Blumenstiel, B., Higgins, J., DeFelice, M., Lochner, A., Faggart, M., et al. (2002). The structure of haplotype blocks in the human genome. *Science* 296, 2225-2229.
- Garner, C., Tatu, T., Reittie, J.E., Littlewood, T., Darley, J., Cervino, S., Farrall, M., Kelly, P., Spector, T.D. & Thein, S.L. (2000). Genetic influences on F cells and other hematologic variables: a twin heritability study. *Blood* 95, 342-346.
- Gaszner, M. & Felsenfeld, G. (2006). Insulators: exploiting transcriptional and epigenetic mechanisms. *Nat. Rev. Genet.* 7, 703-713.
- Gaulton, K.J., Nammo, T., Pasquali, L., Simon, J.M., Giresi, P.G., Fogarty, M.P., Panhuis, T.M., Mieczkowski, P., Secchi, A., Bosco, D., et al. (2010). A map of open chromatin in human pancreatic islets. *Nat. Genet.* 42, 255-259.
- Geddis, A.E. (2006). Inherited thrombocytopenia: congenital amegakaryocytic thrombocytopenia and thrombocytopenia with absent radii. *Sem. Hematol.* 43, 196-203.
- Geissmann, F., Manz, M.G., Jung, S., Sieweke, M.H., Merad, M. & Ley, K. (2010). Development of monocytes, macrophages, and dendritic cells. *Science* 327, 656-661.
- Gibson, G. (2012). Rare and common variants: twenty arguments. *Nat. Rev. Genet.* 13, 135-145.
- Gieger, C., Radhakrishnan, A., Cvejic, A., Tang, W., Porcu, E., Pistis, G., Serbanovic-Canic, J., Elling, U., Goodall, A.H., Labrune, Y., et al. (2011). New gene functions in megakaryopoiesis and platelet formation. *Nature* 480, 201-208.
- Giresi, P.G., Kim, J., McDaniell, R.M., Iyer, V.R. & Lieb, J.D. (2007). FAIRE (Formaldehyde-Assisted Isolation of Regulatory Elements) isolates active regulatory elements from human chromatin. *Genome Res.* 17, 877-885.
- Giresi, P.G. & Lieb, J.D. (2009). Isolation of active regulatory elements from eukaryotic chromatin using FAIRE (Formaldehyde Assisted Isolation of Regulatory Elements). *Methods* 48, 233-239.

- Gnirke, A., Melnikov, A., Maguire, J., Rogov, P., LeProust, E.M., Brockman, W., Fennell, T., Giannoukos, G., Fisher, S., Russ, C., et al. (2009). Solution hybrid selection with ultra-long oligonucleotides for massively parallel targeted sequencing. *Nat. Biotechnol.* *27*, 182-189.
- Goasguen, J.E., Bennett, J.M., Bain, B.J., Vallespi, T., Brunning, R. & Mufti, G.J. (2009). Morphological evaluation of monocytes and their precursors. *Haematologica* *94*, 994-997.
- Gottschling, D.E. (1992). Telomere-proximal DNA in *Saccharomyces cerevisiae* is refractory to methyltransferase activity in vivo. *Proc. Natl. Acad. Sci. USA* *89*, 4062-4065.
- Grant, S.F.A., Thorleifsson, G., Reynisdottir, I., Benediktsson, R., Manolescu, A., Sainz, J., Helgason, A., Stefansson, H., Emilsson, V., Helgadottir, A., et al. (2006). Variant of transcription factor 7-like 2 (TCF7L2) gene confers risk of type 2 diabetes. *Nat. Genet.* *38*, 320-323.
- Gravel, S., Henn, B.M., Gutenkunst, R.N., Indap, A.R., Marth, G.T., Clark, A.G., Yu, F., Gibbs, R.A. & Bustamante, C.D. (2011). Demographic history and rare allele sharing among human populations. *Proc. Natl. Acad. Sci. USA* *108*, 11983-11988.
- Greenhalgh, K.L., Howell, R.T., Bottani, A., Ancliff, P.J., Brunner, H.G., Verschueren-Bemelmans, C.C., Vernon, E., Brown, K.W. & Newbury-Ecob, R.A. (2002). Thrombocytopenia-absent radius syndrome: a clinical genetic study. *J. Med. Genet.* *39*, 876-881.
- Gretarsdottir, S., Baas, A.F., Thorleifsson, G., Holm, H., den Heijer, M., de Vries, J.P., Kranendonk, S.E., Zeebregts, C.J., van Sterkenburg, S.M., Geelkerken, R.H., et al. (2010). Genome-wide association study identifies a sequence variant within the DAB2IP gene conferring susceptibility to abdominal aortic aneurysm. *Nat. Genet.* *42*, 692-697.
- Grice, E.A., Rochelle, E.S., Green, E.D., Chakravarti, A. & McCallion, A.S. (2005). Evaluation of the RET regulatory landscape reveals the biological relevance of a HSCR-implicated enhancer. *Hum. Mol. Genet.* *14*, 3837-3845.
- Gudbjartsson, D.F., Bjornsdottir, U.S., Halapi, E., Helgadottir, A., Sulem, P., Jonsdottir, G.M., Thorleifsson, G., Helgadottir, H., Steinhorsdottir, V., Stefansson, H., et al. (2009). Sequence variants affecting eosinophil numbers associate with asthma and myocardial infarction. *Nat. Genet.* *41*, 342-347.
- Guey, L.T., Kravic, J., Melander, O., Burtt, N.P., Laramie, J.M., Lyssenko, V., Jonsson, A., Lindholm, E., Tuomi, T., Isomaa, B., et al. (2011). Power in the phenotypic extremes: a simulation study of power in discovery and replication of rare variants. *Genet. Epidemiol.* *35*, 236-246.
- Gusella, J.F., Wexler, N.S., Conneally, P.M., Naylor, S.L., Anderson, M.A., Tanzi, R.E., Watkins, P.C., Ottina, K., Wallace, M.R., Sakaguchi, A.Y., et al. (1983). A polymorphic DNA marker genetically linked to Huntington's disease. *Nature* *306*, 234-238.
- Hachet, O. & Ephrussi, A. (2001). Drosophila Y14 shuttles to the posterior of the oocyte and is required for oskar mRNA transport. *Curr. Biol.* *11*, 1666-1674.
- Hahn, S. (2004). Structure and mechanism of the RNA polymerase II transcription machinery. *Nat. Struct. Mol. Biol.* *11*, 394-403.
- Haiman, C.A., Patterson, N., Freedman, M.L., Myers, S.R., Pike, M.C., Waliszewska, A., Neubauer, J., Tandon, A., Schirmer, C., McDonald, G.J., et al. (2007). Multiple regions within 8q24 independently affect risk for prostate cancer. *Nat. Genet.* *39*, 638-644.

- Haines, J.L., Hauser, M.A., Schmidt, S., Scott, W.K., Olson, L.M., Gallins, P., Spencer, K.L., Kwan, S.Y., Noureddine, M., Gilbert, J.R., et al. (2005). Complement factor H variant increases the risk of age-related macular degeneration. *Science* 308, 419-421.
- Hall, J.G., Levin, J., Kuhn, J.P., Ottenheimer, E.J., van Berkum, K.A. & McKusick, V.A. (1969). Thrombocytopenia with absent radius (TAR). *Medicine (Baltimore)* 48, 411-439.
- Haremak, T., Sridharan, J., Dvora, S. & Weinstein, D.C. (2010). Regulation of vertebrate embryogenesis by the exon junction complex core component Eif4a3. *Dev. Dynam.* 239, 1977-1987.
- Harismendy, O. & Frazer, K.A. (2009). Elucidating the role of 8q24 in colorectal cancer. *Nat. Genet.* 41, 868-869.
- Harismendy, O., Notani, D., Song, X., Rahim, N.G., Tanasa, B., Heintzman, N., Ren, B., Fu, X.-D., Topol, E.J., Rosenfeld, M.G., et al. (2011). 9p21 DNA variants associated with coronary artery disease impair interferon- $\gamma$  signalling response. *Nature* 470, 264-268.
- Hark, A.T., Schoenherr, C.J., Katz, D.J., Ingram, R.S., Levorse, J.M. & Tilghman, S.M. (2000). CTCF mediates methylation-sensitive enhancer-blocking activity at the H19/Igf2 locus. *Nature* 405, 486-489.
- Hassan, A.H., Neely, K.E. & Workman, J.L. (2001). Histone acetyltransferase complexes stabilize SWI/SNF binding to promoter nucleosomes. *Cell* 104, 817-827.
- Hawkins, P.T. & Stephens, L.R. (2007). PI3K $\gamma$  is a key regulator of inflammatory responses and cardiovascular homeostasis. *Science* 318, 64-66.
- Hawkins, R.D., Hon, G.C. & Ren, B. (2010). Next-generation genomics: an integrative approach. *Nat. Rev. Genet.* 11, 476-486.
- He, H., Liyanarachchi, S., Akagi, K., Nagy, R., Li, J., Dietrich, R.C., Li, W., Sebastian, N., Wen, B., Xin, B., et al. (2011). Mutations in U4atac snRNA, a component of the minor spliceosome, in the developmental disorder MOPD I. *Science* 332, 238-240.
- Heintzman, N.D., Stuart, R.K., Hon, G., Fu, Y., Ching, C.W., Hawkins, R.D., Barrera, L.O., Van Calcar, S., Qu, C., Ching, K.A., et al. (2007). Distinct and predictive chromatin signatures of transcriptional promoters and enhancers in the human genome. *Nat. Genet.* 39, 311-318.
- Heintzman, N.D., Hon, G.C., Hawkins, R.D., Kheradpour, P., Stark, A., Harp, L.F., Ye, Z., Lee, L.K., Stuart, R.K., Ching, C.W., et al. (2009). Histone modifications at human enhancers reflect global cell-type-specific gene expression. *Nature* 459, 108-112.
- Helgadottir, A., Thorleifsson, G., Manolescu, A., Gretarsdottir, S., Blöndal, T., Jonasdottir, A., Jonasdottir, A., Sigurdsson, A., Baker, A., Palsson, A., et al. (2007). A common variant on chromosome 9p21 affects the risk of myocardial infarction. *Science* 316, 1491-1493.
- Helgadottir, A., Thorleifsson, G., Magnusson, K.P., Grétarsdottir, S., Steinhorsdottir, V., Manolescu, A., Jones, G.T., Rinkel, G.J.E., Blankensteijn, J.D., Ronkainen, A., et al. (2008). The same sequence variant on 9p21 associates with myocardial infarction, abdominal aortic aneurysm and intracranial aneurysm. *Nat. Genet.* 40, 217-224.
- Henikoff, S. (2008). Nucleosome destabilization in the epigenetic regulation of gene expression. *Nat. Rev. Genet.* 9, 15-26.

- Hesselberth, J.R., Chen, X., Zhang, Z., Sabo, P.J., Sandstrom, R., Reynolds, A.P., Thurman, R.E., Neph, S., Kuehn, M.S., Noble, W.S., et al. (2009). Global mapping of protein-DNA interactions in vivo by digital genomic footprinting. *Nat. Methods* 6, 283-289.
- Hindorff, L.A., Sethupathy, P., Junkins, H.A., Ramos, E.M., Mehta, J.P., Collins, F.S. & Manolio, T.A. (2009). Potential etiologic and functional implications of genome-wide association loci for human diseases and traits. *Proc. Natl. Acad. Sci. USA* 106, 9362-9367.
- Hirsch, E., Bosco, O., Tropel, P., Laffargue, M., Calvez, R., Altruda, F., Wyman, M.P. & Montruccchio, G. (2001). Resistance to thromboembolism in PI3K $\gamma$ -deficient mice. *FASEB J.* 15, 2019-2021.
- Hoffman, M., Blum, A., Baruch, R., Kaplan, E. & Benjamin, M. (2004). Leukocytes and coronary heart disease. *Atherosclerosis* 172, 1-6.
- Hon, G., Wang, W. & Ren, B. (2009). Discovery and annotation of functional chromatin signatures in the human genome. *PLoS Comput. Biol.* 5, e1000566.
- Horn, P.J. & Peterson, C.L. (2002). Chromatin higher order folding—wrapping up transcription. *Science* 297, 1824-1827.
- Huang, N., Lee, I., Marcotte, E.M. & Hurles, M.E. (2010). Characterising and predicting haploinsufficiency in the human genome. *PLoS Genet.* 6, e1001154.
- Ioshikhes, I.P. & Zhang, M.Q. (2000). Large-scale human promoter mapping using CpG islands. *Nat. Genet.* 26, 61-63.
- Jedlitschky, G., Tirschmann, K., Lubenow, L.E., Nieuwenhuis, H.K., Akkerman, J.W.N., Greinacher, A. & Kroemer, H.K. (2004). The nucleotide transporter MRP4 (ABCC4) is highly expressed in human platelets and present in dense granules, indicating a role in mediator storage. *Blood* 104, 3603-3610.
- Jedlitschky, G., Cattaneo, M., Lubenow, L.E., Rosskopf, D., Lecchi, A., Artoni, A., Motta, G., Nießen, J., Kroemer, H.K. & Greinacher, A. (2010). Role of MRP4 (ABCC4) in platelet adenine nucleotide-storage. *Am. J. Pathol.* 176, 1097-1103.
- Jenuwein, T. & Allis, C.D. (2001). Translating the histone code. *Science* 293, 1074-1080.
- Jiang, C. & Pugh, B.F. (2009). Nucleosome positioning and gene regulation: advances through genomics. *Nat. Rev. Genet.* 10, 161-172.
- Jin, C., Zang, C., Wei, G., Cui, K., Peng, W., Zhao, K. & Felsenfeld, G. (2009). H3.3/H2A.Z double variant-containing nucleosomes mark ‘nucleosome-free regions’ of active promoters and other regulatory regions. *Nat. Genet.* 41, 941-945.
- Johansen, C.T., Wang, J., Lanktree, M.B., Cao, H., McIntyre, A.D., Ban, M.R., Martins, R.A., Kennedy, B.A., Hassell, R.G., Visser, M.E., et al. (2010). Excess of rare variants in genes identified by genome-wide association study of hypertriglyceridemia. *Nat. Genet.* 42, 684-687.
- John, S., Sabo, P.J., Thurman, R.E., Sung, M.-H., Biddie, S.C., Johnson, T.A., Hager, G.L. & Stamatoyannopoulos, J.A. (2011). Chromatin accessibility pre-determines glucocorticoid receptor binding patterns. *Nat. Genet.* 43, 264-268.
- Johnson, A.D., Yanek, L.R., Chen, M.-H., Faraday, N., Larson, M.G., Tofler, G., Lin, S.J., Kraja, A.T., Province, M.A., Yang, Q., et al. (2010). Genome-wide meta-analyses identifies seven loci associated with platelet aggregation in response to agonists. *Nat. Genet.* 42, 608-613.

- Johnson, D.S., Mortazavi, A., Myers, R.M. & Wold, B. (2007). Genome-wide mapping of in vivo protein-DNA interactions. *Science* 316, 1497-1502.
- Jones, C.I., Bray, S., Garner, S.F., Stephens, J., de Bono, B., Angenent, W.G.J., Bentley, D., Burns, P., Coffey, A., Deloukas, P., et al. (2009). A functional genomics approach reveals novel quantitative trait loci associated with platelet signalling pathways. *Blood* 114, 1405-1416.
- Jones, P.L., Veenstra, G.C.J., Wade, P.A., Vermaak, D., Kass, S.U., Landsberger, N., Strouboulis, J. & Wolffe, A.P. (1998). Methylated DNA and MeCP2 recruit histone deacetylase to repress transcription. *Nat. Genet.* 19, 187-191.
- Kagey, M.H., Newman, J.J., Bilodeau, S., Zhan, Y., Orlando, D.A., van Berkum, N.L., Ebmeier, C.C., Goossens, J., Rahl, P.B., Levine, S.S., et al. (2010). Mediator and cohesin connect gene expression and chromatin architecture. *Nature* 467, 430-435.
- Kalisky, T. & Quake, S.R. (2011). Single-cell genomics. *Nat. Methods* 8, 311-314.
- Kamath, S., Blann, A.D. & Lip, G.Y.H. (2001). Platelet activation: assessment and quantification. *Eur. Heart J.* 22, 1561-1571.
- Kaplan, N., Moore, I.K., Fondufe-Mittendorf, Y., Gossett, A.J., Tillo, D., Field, Y., LeProust, E.M., Hughes, T.R., Lieb, J.D., Widom, J., et al. (2009). The DNA-encoded nucleosome organization of a eukaryotic genome. *Nature* 458, 362-366.
- Kathiresan, S., Melander, O., Guiducci, C., Surti, A., Burtt, N.P., Rieder, M.J., Cooper, G.M., Roos, C., Voight, B.F., Havulinna, A.S., et al. (2008). Six new loci associated with blood low-density lipoprotein cholesterol, high-density lipoprotein cholesterol or triglycerides in humans. *Nat. Genet.* 40, 189-197.
- Kim, T.H., Barrera, L.O., Zheng, M., Qu, C., Singer, M.A., Richmond, T.A., Wu, Y., Green, R.D. & Ren, B. (2005). A high-resolution map of active promoters in the human genome. *Nature* 436, 876-880.
- Kim, T.H., Abdullaev, Z.K., Smith, A.D., Ching, K.A., Loukinov, D.I., Green, R.D., Zhang, M.Q., Lobanenkov, V.V. & Ren, B. (2007). Analysis of the vertebrate insulator protein CTCF-binding sites in the human genome. *Cell* 128, 1231-1245.
- Kim, V.N., Kataoka, N. & Dreyfuss, G. (2001). Role of the nonsense-mediated decay factor hUpf3 in the splicing-dependent exon-exon junction complex. *Science* 293, 1832-1836.
- Klein, R.J., Zeiss, C., Chew, E.Y., Tsai, J.-Y., Sackler, R.S., Haynes, C., Henning, A.K., SanGiovanni, J.P., Mane, S.M., Mayne, S.T., et al. (2005). Complement factor H polymorphism in age-related macular degeneration. *Science* 308, 385-389.
- Kleinjan, D.A. & van Heyningen, V. (2005). Long-range control of gene expression: emerging mechanisms and disruption in disease. *Am. J. Hum. Genet.* 76, 8-32.
- Klopocki, E., Schulze, H., Strauß, G., Ott, C.-E., Hall, J., Trotter, F., Fleischhauer, S., Greenhalgh, L., Newbury-Ecob, R.A., Neumann, L.M., et al. (2007). Complex inheritance pattern resembling autosomal recessive inheritance involving a microdeletion in thrombocytopenia-absent radius syndrome. *Am. J. Hum. Genet.* 80, 232-240.
- Kobor, M.S., Venkatasubrahmanyam, S., Meneghini, M.D., Gin, J.W., Jennings, J.L., Link, A.J., Madhani, H.D. & Rine, J. (2004). A protein complex containing the conserved Swi2/Snf2-related ATPase Swr1p deposits histone variant H2A.Z into euchromatin. *PLoS Biol.* 2, e131.
- Koeffler, H.P. & Golde, D.W. (1980). Human myeloid leukemia cell lines: a review. *Blood* 56, 344-350.

- Konev, A.Y., Tribus, M., Park, S.Y., Podhraski, V., Lim, C.Y., Emelyanov, A.V., Vershilova, E., Pirrotta, V., Kadonaga, J.T., Lusser, A., et al. (2007). CHD1 motor protein is required for deposition of histone variant H3.3 into chromatin in vivo. *Science* 317, 1087-1090.
- Kouzarides, T. (2007). Chromatin modifications and their function. *Cell* 128, 693-705.
- Kruglyak, L. & Nickerson, D.A. (2001). Variation is the spice of life. *Nat. Genet.* 27, 234-236.
- Kryukov, G.V., Shpunt, A., Stamatoyannopoulos, J.A. & Sunyaev, S.R. (2009). Power of deep, all-exon resequencing for discovery of human trait genes. *Proc. Natl. Acad. Sci. USA* 106, 3871-3876.
- Kurokawa, M., Mitani, K., Imai, Y., Ogawa, S., Yazaki, Y. & Hirai, H. (1998). The t(3;21) fusion product, AML1/Evi-1, interacts with Smad3 and blocks transforming growth factor- $\beta$ -mediated growth inhibition of myeloid cells. *Blood* 92, 4003-4012.
- Kurokawa, M., Mitani, K., Irie, K., Matsuyama, T., Takahashi, T., Chiba, S., Yazaki, Y., Matsumoto, K. & Hirai, H. (1998). The oncprotein Evi-1 represses TGF- $\beta$  signalling by inhibiting Smad3. *Nature* 394, 92-96.
- Lander, E.S. (1996). The new genomics: global views of biology. *Science* 274, 536-539.
- Lander, E.S. (2011). Initial impact of the sequencing of the human genome. *Nature* 470, 187-197.
- Lango Allen, H., Estrada, K., Lettre, G., Berndt, S.I., Weedon, M.N., Rivadeneira, F., Willer, C.J., Jackson, A.U., Vedantam, S., Raychaudhuri, S., et al. (2010). Hundreds of variants clustered in genomic loci and biological pathways affect human height. *Nature* 467, 832-838.
- Lawrence, M., Gentleman, R. & Carey, V. (2009). rtracklayer: an R package for interfacing with genome browsers. *Bioinformatics* 25, 1841-1842.
- Lawrence, R., Day-Williams, A.G., Mott, R., Broxholme, J., Cardon, L.R. & Zeggini, E. (2009). GLIDERS—a web-based search engine for genome-wide linkage disequilibrium between HapMap SNPs. *BMC Bioinformatics* 10, 367.
- Le Hir, H., Gatfield, D., Izaurralde, E. & Moore, M.J. (2001). The exon-exon junction complex provides a binding platform for factors involved in mRNA export and nonsense-mediated mRNA decay. *EMBO J.* 20, 4987-4997.
- Lenhard, B., Sandelin, A. & Carninci, P. (2012). Metazoan promoters: emerging characteristics and insights into transcriptional regulation. *Nat. Rev. Genet.* 13, 233-245.
- Lettice, L.A., Horikoshi, T., Heaney, S.J.H., van Baren, M.J., van der Linde, H.C., Breedveld, G.J., Joosse, M., Akarsu, N., Oostra, B.A., Endo, N., et al. (2002). Disruption of a long-range cis-acting regulator for Shh causes preaxial polydactyly. *Proc. Natl. Acad. Sci. USA* 99, 7548-7553.
- Lettice, L.A., Heaney, S.J.H., Purdie, L.A., Li, L., de Beer, P., Oostra, B.A., Goode, D., Elgar, G., Hill, R.E. & de Graaff, E. (2003). A long-range Shh enhancer regulates expression in the developing limb and fin and is associated with preaxial polydactyly. *Hum. Mol. Genet.* 12, 1725-1735.
- Levine, M. (2010). Transcriptional enhancers in animal development and evolution. *Curr. Biol.* 20, R754-R763.
- Levy, D., Ehret, G.B., Rice, K., Verwoert, G.C., Launer, L.J., Dehghan, A., Glazer, N.L., Morrison, A.C., Johnson, A.D., Aspelund, T., et al. (2009). Genome-wide association study of blood pressure and hypertension. *Nat. Genet.* 41, 677-687.
- Li, G., Levitus, M., Bustamante, C. & Widom, J. (2005). Rapid spontaneous accessibility of nucleosomal DNA. *Nat. Struct. Mol. Biol.* 12, 46-53.

- Li, H. & Durbin, R. (2009). Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics* 25, 1754-1760.
- Li, Q., Peterson, K.R., Fang, X. & Stamatoyannopoulos, G. (2002). Locus control regions. *Blood* 100, 3077-3086.
- Li, Y., Willer, C., Sanna, S. & Abecasis, G. (2009). Genotype imputation. *Annu. Rev. Genomics Hum. Genet.* 10, 387-406.
- Liang, G., Lin, J.C.Y., Wei, V., Yoo, C., Cheng, J.C., Nguyen, C.T., Weisenberger, D.J., Egger, G., Takai, D., Gonzales, F.A., et al. (2004). Distinct localization of histone H3 acetylation and H3-K4 methylation to the transcription start sites in the human genome. *Proc. Natl. Acad. Sci. USA* 101, 7357-7362.
- Libioulle, C., Louis, E., Hansoul, S., Sandor, C., Farnir, F., Franchimont, D., Vermeire, S., Dewit, O., de Vos, M., Dixon, A., et al. (2007). Novel Crohn disease locus identified by genome-wide association maps to a gene desert on 5p13.1 and modulates expression of PTGER4. *PLoS Genet.* 3, e58.
- Lin, Y.-S., Carey, M., Ptashne, M. & Green, M.R. (1990). How different eukaryotic transcriptional activators can cooperate promiscuously. *Nature* 345, 359-361.
- Lomvardas, S. & Thanos, D. (2001). Nucleosome sliding via TBP DNA binding in vivo. *Cell* 106, 685-696.
- Loots, G.G., Locksley, R.M., Blankespoor, C.M., Wang, Z.E., Miller, W., Rubin, E.M. & Frazer, K.A. (2000). Identification of a coordinate regulator of interleukins 4, 13, and 5 by cross-species sequence comparisons. *Science* 288, 136-140.
- Lowe, C.E., Cooper, J.D., Brusko, T., Walker, N.M., Smyth, D.J., Bailey, R., Bourget, K., Plagnol, V., Field, S., Atkinson, M., et al. (2007). Large-scale genetic fine mapping and genotype-phenotype associations implicate polymorphism in the IL2RA region in type 1 diabetes. *Nat. Genet.* 39, 1074-1082.
- Lozzio, C.B. & Lozzio, B.B. (1975). Human chronic myelogenous leukemia cell-line with positive Philadelphia chromosome. *Blood* 45, 321-334.
- Lucas, I., Palakodeti, A., Jiang, C., Young, D.J., Jiang, N., Fernald, A.A. & Le Beau, M.M. (2007). High-throughput mapping of origins of replication in human cells. *EMBO Rep.* 8, 770-777.
- Ludlow, L.B., Schick, B.P., Budarf, M.L., Driscoll, D.A., Zackai, E.H., Cohen, A. & Konkle, B.A. (1996). Identification of a mutation in a GATA binding site of the platelet glycoprotein Ib $\beta$  promoter resulting in the Bernard-Soulier syndrome. *J. Biol. Chem.* 271, 22076-22080.
- Luger, K., Mäder, A.W., Richmond, R.K., Sargent, D.F. & Richmond, T.J. (1997). Crystal structure of the nucleosome core particle at 2.8 Å resolution. *Nature* 389, 251-260.
- Lunter, G. & Goodson, M. (2011). Stampy: a statistical algorithm for sensitive and fast mapping of Illumina sequence reads. *Genome Res.* 21, 936-939.
- Lupski, J.R., Reid, J.G., Gonzaga-Jauregui, C., Rio Deiros, D., Chen, D.C.Y., Nazareth, L., Bainbridge, M., Dinh, H., Jing, C., Wheeler, D.A., et al. (2010). Whole-genome sequencing in a patient with Charcot-Marie-Tooth neuropathy. *N. Engl. J. Med.* 362, 1181-1191.
- Lykke-Andersen, J., Shu, M.-D. & Steitz, J.A. (2001). Communication of the position of exon-exon junctions to the mRNA surveillance machinery by the protein RNPS1. *Science* 293, 1836-1839.
- Macaulay, I.C., Tijssen, M.R., Thijssen-Timmer, D.C., Gusnanto, A., Steward, M., Burns, P., Langford, C.F., Ellis, P.D., Dudbridge, F., Zwaginga, J.-J., et al. (2007). Comparative gene expression profiling of in vitro

- differentiated megakaryocytes and erythroblasts identifies novel activatory and inhibitory platelet membrane proteins. *Blood* *109*, 3260-3269.
- Maher, B. (2008). Personal genomes: the case of the missing heritability. *Nature* *456*, 18-21.
- Malik, S. & Roeder, R.G. (2010). The metazoan Mediator co-activator complex as an integrative hub for transcriptional regulation. *Nat. Rev. Genet.* *11*, 761-772.
- Manolio, T.A., Collins, F.S., Cox, N.J., Goldstein, D.B., Hindorff, L.A., Hunter, D.J., McCarthy, M.I., Ramos, E.M., Cardon, L.R., Chakravarti, A., et al. (2009). Finding the missing heritability of complex diseases. *Nature* *461*, 747-753.
- Maston, G.A., Evans, S.K. & Green, M.R. (2006). Transcriptional regulatory elements in the human genome. *Annu. Rev. Genomics Hum. Genet.* *7*, 29-59.
- Matthews, L., Gopinath, G., Gillespie, M., Caudy, M., Croft, D., de Bono, B., Garapati, P., Hemish, J., Hermjakob, H., Jassal, B., et al. (2009). Reactome knowledgebase of human biological pathways and processes. *Nucl. Acids Res.* *37*, D619-D622.
- May, D., Blow, M.J., Kaplan, T., McCullley, D.J., Jensen, B.C., Akiyama, J.A., Holt, A., Plajzer-Frick, I., Shoukry, M., Wright, C., et al. (2012). Large-scale discovery of enhancers from human heart tissue. *Nat. Genet.* *44*, 89-93.
- McCarthy, M.I., Abecasis, G.R., Cardon, L.R., Goldstein, D.B., Little, J., Ioannidis, J.P.A. & Hirschhorn, J.N. (2008). Genome-wide association studies for complex traits: consensus, uncertainty and challenges. *Nat. Rev. Genet.* *9*, 356-369.
- McCarthy, M.I. & Hirschhorn, J.N. (2008). Genome-wide association studies: potential next steps on a genetic journey. *Hum. Mol. Genet.* *17*, R156-R165.
- McDonald, T.P. & Sullivan, P.S. (1993). Megakaryocytic and erythrocytic cell lines share a common precursor cell. *Exp. Hematol.* *21*, 1316-1320.
- McKenna, A., Hanna, M., Banks, E., Sivachenko, A., Cibulskis, K., Kernytsky, A., Garimella, K., Altshuler, D., Gabriel, S., Daly, M., et al. (2010). The Genome Analysis Toolkit: a MapReduce framework for analyzing next-generation DNA sequencing data. *Genome Res.* *20*, 1297-1303.
- McKittrick, E., Gafken, P.R., Ahmad, K. & Henikoff, S. (2004). Histone H3.3 is enriched in covalent modifications associated with active chromatin. *Proc. Natl. Acad. Sci. USA* *101*, 1525-1530.
- McLean, C.Y., Bristor, D., Hiller, M., Clarke, S.L., Schaar, B.T., Lowe, C.B., Wenger, A.M. & Bejerano, G. (2010). GREAT improves functional interpretation of cis-regulatory regions. *Nat. Biotechnol.* *28*, 495-501.
- McPherson, R., Pertsemlidis, A., Kavaslar, N., Stewart, A., Roberts, R., Cox, D.R., Hinds, D.A., Pennacchio, L.A., Tybjaerg-Hansen, A., Folsom, A.R., et al. (2007). A common allele on chromosome 9 associated with coronary heart disease. *Science* *316*, 1488-1491.
- Meisinger, C., Prokisch, H., Gieger, C., Soranzo, N., Mehta, D., Rosskopf, D., Lichtner, P., Klopp, N., Stephens, J., Watkins, N.A., et al. (2009). A genome-wide association study identifies three loci associated with mean platelet volume. *Am. J. Hum. Genet.* *84*, 66-71.
- Metzker, M.L. (2010). Sequencing technologies—the next generation. *Nat. Rev. Genet.* *11*, 31-46.
- Michelson, A.D. (2010). Antiplatelet therapies for the treatment of cardiovascular disease. *Nat. Rev. Drug Discov.* *9*, 154-169.

- Mikkelsen, T.S., Ku, M., Jaffe, D.B., Issac, B., Lieberman, E., Giannoukos, G., Alvarez, P., Brockman, W., Kim, T.-K., Koche, R.P., et al. (2007). Genome-wide maps of chromatin state in pluripotent and lineage-committed cells. *Nature* *448*, 553-561.
- Miranda-Saavedra, D. & Göttgens, B. (2008). Transcriptional regulatory networks in hematopoiesis. *Curr. Opin. Genet. Dev.* *18*, 530-535.
- Mito, Y., Henikoff, J.G. & Henikoff, S. (2007). Histone replacement marks the boundaries of cis-regulatory domains. *Science* *315*, 1408-1411.
- Mizuguchi, G., Shen, X., Landry, J., Wu, W.-H., Sen, S. & Wu, C. (2004). ATP-driven exchange of histone H2AZ variant catalyzed by SWR1 chromatin remodeling complex. *Science* *303*, 343-348.
- Moffatt, M.F., Kabesch, M., Liang, L., Dixon, A.L., Strachan, D., Heath, S., Depner, M., von Berg, A., Bufe, A., Rietschel, E., et al. (2007). Genetic variants regulating ORMDL3 expression contribute to the risk of childhood asthma. *Nature* *448*, 470-473.
- Morgan, M., Anders, S., Lawrence, M., Aboyoun, P., Pagès, H. & Gentleman, R. (2009). ShortRead: a bioconductor package for input, quality assessment and exploration of high-throughput sequence data. *Bioinformatics* *25*, 2607-2608.
- Musunuru, K., Strong, A., Frank-Kamenetsky, M., Lee, N.E., Ahfeldt, T., Sachs, K.V., Li, X., Li, H., Kuperwasser, N., Ruda, V.M., et al. (2010). From noncoding variant to phenotype via SORT1 at the 1p13 cholesterol locus. *Nature* *466*, 714-719.
- Myers, S., Freeman, C., Auton, A., Donnelly, P. & McVean, G. (2008). A common sequence motif associated with recombination hot spots and genome instability in humans. *Nat. Genet.* *40*, 1124-1129.
- Nagy, P.L., Cleary, M.L., Brown, P.O. & Lieb, J.D. (2003). Genome-wide demarcation of RNA polymerase II transcription units revealed by physical fractionation of chromatin. *Proc. Natl. Acad. Sci. USA* *100*, 6364-6369.
- Narlikar, L. & Ovcharenko, I. (2009). Identifying regulatory elements in eukaryotic genomes. *Brief. Funct. Genomics Proteomics* *8*, 215-230.
- Nejentsev, S., Walker, N., Riches, D., Egholm, M. & Todd, J.A. (2009). Rare variants of IFIH1, a gene implicated in antiviral responses, protect against type 1 diabetes. *Science* *324*, 387-389.
- Newton-Cheh, C., Johnson, T., Gateva, V., Tobin, M.D., Bochud, M., Coin, L., Najjar, S.S., Zhao, J.H., Heath, S.C., Eyheramendy, S., et al. (2009). Genome-wide association study identifies eight loci associated with blood pressure. *Nat. Genet.* *41*, 666-676.
- Ng, S.B., Bigham, A.W., Buckingham, K.J., Hannibal, M.C., McMillin, M.J., Gildersleeve, H.I., Beck, A.E., Tabor, H.K., Cooper, G.M., Mefford, H.C., et al. (2010). Exome sequencing identifies MLL2 mutations as a cause of Kabuki syndrome. *Nat. Genet.* *42*, 790-793.
- Ng, S.B., Buckingham, K.J., Lee, C., Bigham, A.W., Tabor, H.K., Dent, K.M., Huff, C.D., Shannon, P.T., Jabs, E.W., Nickerson, D.A., et al. (2010). Exome sequencing identifies the cause of a mendelian disorder. *Nat. Genet.* *42*, 30-35.
- Nica, A.C., Montgomery, S.B., Dimas, A.S., Stranger, B.E., Beazley, C., Barroso, I. & Dermitzakis, E.T. (2010). Candidate causal regulatory effects by integration of expression QTLs with complex trait genetic associations. *PLoS Genet.* *6*, e1000895.

- Nica, A.C., Parts, L., Glass, D., Nisbet, J., Barrett, A., Sekowska, M., Travers, M., Potter, S., Grundberg, E., Small, K., et al. (2011). The architecture of gene regulatory variation across multiple human tissues: the MuTHER study. *PLoS Genet.* 7, e1002003.
- Nicholson, P., Yepiskoposyan, H., Metze, S., Zamudio Orozco, R., Kleinschmidt, N. & Mühlmann, O. (2010). Nonsense-mediated mRNA decay in human cells: mechanistic insights, functions beyond quality control and the double-life of NMD factors. *Cell. Mol. Life Sci.* 67, 677-700.
- Nicolae, D.L., Gamazon, E., Zhang, W., Duan, S., Dolan, M.E. & Cox, N.J. (2010). Trait-associated SNPs are more likely to be eQTLs: annotation to enhance discovery from GWAS. *PLoS Genet.* 6, e1000888.
- Nikopoulos, K., Gilissen, C., Hoischen, A., van Nouhuys, C.E., Boonstra, F.N., Blokland, E.A.W., Arts, P., Wieskamp, N., Strom, T.M., Ayuso, C., et al. (2010). Next-generation sequencing of a 40 Mb linkage interval reveals TSPAN12 mutations in patients with familial exudative vitreoretinopathy. *Am. J. Hum. Genet.* 86, 240-247.
- Nobrega, M.A., Ovcharenko, I., Afzal, V. & Rubin, E.M. (2003). Scanning human gene deserts for long-range enhancers. *Science* 302, 413.
- O'Donnell, C.J., Kavousi, M., Smith, A.V., Kardia, S.L., Feitosa, M.F., Hwang, S.J., Sun, Y.V., Province, M.A., Aspelund, T., Dehghan, A., et al. (2011). Genome-wide association study for coronary artery calcification with follow-up in myocardial infarction. *Circulation* 124, 2855-2864.
- Ogbourne, S. & Antalis, T.M. (1998). Transcriptional control and the role of silencers in transcriptional regulation in eukaryotes. *Biochem. J.* 331, 1-14.
- Okou, D.T., Steinberg, K.M., Middle, C., Cutler, D.J., Albert, T.J. & Zwick, M.E. (2007). Microarray-based genomic selection for high-throughput resequencing. *Nat. Methods* 4, 907-909.
- Ong, C.-T. & Corces, V.G. (2011). Enhancer function: new insights into the regulation of tissue-specific gene expression. *Nat. Rev. Genet.* 12, 283-293.
- Orford, K., Kharchenko, P., Lai, W., Dao, M.C., Worhunsky, D.J., Ferro, A., Janzen, V., Park, P.J. & Scadden, D.T. (2008). Differential H3K4 methylation identifies developmentally poised hematopoietic genes. *Dev. Cell* 14, 798-809.
- Org, E., Eyheramendy, S., Juhanson, P., Gieger, C., Lichtner, P., Klopp, N., Veldre, G., Döring, A., Viigimaa, M., Söber, S., et al. (2009). Genome-wide scan identifies CDH13 as a novel susceptibility locus contributing to blood pressure determination in two European populations. *Hum. Mol. Genet.* 18, 2288-2296.
- Orkin, S.H. (2000). Diversification of haematopoietic stem cells to specific lineages. *Nat. Rev. Genet.* 1, 57-64.
- Orkin, S.H. & Zon, L.I. (2008). Hematopoiesis: an evolving paradigm for stem cell biology. *Cell* 132, 631-644.
- Palacios, I.M., Gatfield, D., St Johnston, D. & Izaurralde, E. (2004). An eIF4AIII-containing complex required for mRNA localization and nonsense-mediated mRNA decay. *Nature* 427, 753-757.
- Pang, L., Weiss, M.J. & Poncz, M. (2005). Megakaryocyte biology and related disorders. *J. Clin. Invest.* 115, 3332-3338.
- Panne, D. (2008). The enhanceosome. *Curr. Opin. Struct. Biol.* 18, 236-242.
- Panzenböck, B., Bartunek, P., Mapara, M.Y. & Zenke, M. (1998). Growth and differentiation of human stem cell factor/erythropoietin-dependent erythroid progenitor cells in vitro. *Blood* 92, 3658-3668.
- Park, P.J. (2009). ChIP-seq: advantages and challenges of a maturing technology. *Nat. Rev. Genet.* 10, 669-680.

- Pasquet, J.-M., Gross, B.S., Gratacap, M.-P., Quek, L., Pasquet, S., Payrastre, B., van Willigen, G., Mountford, J.C. & Watson, S.P. (2000). Thrombopoietin potentiates collagen receptor signaling in platelets through a phosphatidylinositol 3-kinase-dependent pathway. *Blood* 95, 3429-3434.
- Paul, D.S., Nisbet, J.P., Yang, T.-P., Meacham, S., Rendon, A., Hautaviita, K., Tallila, J., White, J., Tijssen, M.R., Sivapalaratnam, S., et al. (2011). Maps of open chromatin guide the functional follow-up of genome-wide association signals: application to hematological traits. *PLoS Genet.* 7, e1002139.
- Pe'er, I., de Bakker, P.I.W., Maller, J., Yelensky, R., Altshuler, D. & Daly, M.J. (2006). Evaluating and improving power in whole-genome association studies using fixed marker sets. *Nat. Genet.* 38, 663-667.
- Pennacchio, L.A., Ahituv, N., Moses, A.M., Prabhakar, S., Nobrega, M.A., Shoukry, M., Minovitsky, S., Dubchak, I., Holt, A., Lewis, K.D., et al. (2006). In vivo enhancer analysis of human conserved non-coding sequences. *Nature* 444, 499-502.
- Pennacchio, L.A. & Visel, A. (2010). Limits of sequence and functional conservation. *Nat. Genet.* 42, 557-558.
- Pennisi, E. (2011). Disease risk links to gene regulation. *Science* 332, 1031.
- Perkins, A.S., Mercer, J.A., Jenkins, N.A. & Copeland, N.G. (1991). Patterns of Evi-1 expression in embryonic and adult tissues suggest that Evi-1 plays an important regulatory role in mouse development. *Development* 111, 479-487.
- Phillips, J.E. & Corces, V.G. (2009). CTCF: master weaver of the genome. *Cell* 137, 1194-1211.
- Pickrell, J.K., Gaffney, D.J., Gilad, Y. & Pritchard, J.K. (2011). False positive peaks in ChIP-seq and other sequencing-based functional assays caused by unannotated high copy number regions. *Bioinformatics* 27, 2144-2146.
- Pique-Regi, R., Degner, J.F., Pai, A.A., Gaffney, D.J., Gilad, Y. & Pritchard, J.K. (2011). Accurate inference of transcription factor binding from DNA sequence and chromatin accessibility data. *Genome Res.* 21, 447-455.
- Plomin, R., Haworth, C.M.A. & Davis, O.S.P. (2009). Common disorders are quantitative traits. *Nat. Rev. Genet.* 10, 872-878.
- Pomerantz, M.M., Ahmadiyeh, N., Jia, L., Herman, P., Verzi, M.P., Doddapaneni, H., Beckwith, C.A., Chan, J.A., Hills, A., Davis, M., et al. (2009). The 8q24 cancer risk variant rs6983267 shows long-range interaction with MYC in colorectal cancer. *Nat. Genet.* 41, 882-884.
- Ponjavic, J., Lenhard, B., Kai, C., Kawai, J., Carninci, P., Hayashizaki, Y. & Sandelin, A. (2006). Transcriptional and structural impact of TATA-initiation site spacing in mammalian core promoters. *Genome Biol.* 7, R78.
- Porreca, G.J., Zhang, K., Li, J.B., Xie, B., Austin, D., Vassallo, S.L., LeProust, E.M., Peck, B.J., Emig, C.J., Dahl, F., et al. (2007). Multiplex amplification of large sets of human exons. *Nat. Methods* 4, 931-936.
- Prabhakar, S., Poulin, F., Shoukry, M., Afzal, V., Rubin, E.M., Couronne, O. & Pennacchio, L.A. (2006). Close sequence comparisons are sufficient to identify human cis-regulatory elements. *Genome Res.* 16, 855-863.
- Pritchard, J.K. (2001). Are rare variants responsible for susceptibility to complex diseases? *Am. J. Hum. Genet.* 69, 124-137.
- Pritchard, J.K. & Przeworski, M. (2001). Linkage disequilibrium in humans: models and data. *Am. J. Hum. Genet.* 69, 1-14.

- Rach, E.A., Winter, D.R., Benjamin, A.M., Corcoran, D.L., Ni, T., Zhu, J. & Ohler, U. (2011). Transcription initiation patterns indicate divergent strategies for gene regulation at the chromatin level. *PLoS Genet.* 7, e1001274.
- Raisner, R.M., Hartley, P.D., Meneghini, M.D., Bao, M.Z., Liu, C.L., Schreiber, S.L., Rando, O.J. & Madhani, H.D. (2005). Histone variant H2A.Z marks the 5' ends of both active and inactive genes in euchromatin. *Cell* 123, 233-248.
- Recillas-Targa, F., Pikaart, M.J., Burgess-Beusse, B., Bell, A.C., Litt, M.D., West, A.G., Gaszner, M. & Felsenfeld, G. (2002). Position-effect protection and enhancer blocking by the chicken  $\beta$ -globin insulator are separable activities. *Proc. Natl. Acad. Sci. USA* 99, 6883-6888.
- Reich, D.E., Cargill, M., Bolk, S., Ireland, J., Sabeti, P.C., Richter, D.J., Lavery, T., Kouyoumjian, R., Farhadian, S.F., Ward, R., et al. (2001). Linkage disequilibrium in the human genome. *Nature* 411, 199-204.
- Reich, D.E. & Lander, E.S. (2001). On the allelic spectrum of human disease. *Trends Genet.* 17, 502-510.
- Risch, N. & Merikangas, K. (1996). The future of genetic studies of complex human diseases. *Science* 273, 1516-1517.
- Rivas, M.A., Beaudoin, M., Gardet, A., Stevens, C., Sharma, Y., Zhang, C.K., Boucher, G., Ripke, S., Ellinghaus, D., Burtt, N., et al. (2011). Deep resequencing of GWAS loci identifies independent rare variants associated with inflammatory bowel disease. *Nat. Genet.* 43, 1066-1073.
- Roach, J.C., Glusman, G., Smit, A.F.A., Huff, C.D., Hubley, R., Shannon, P.T., Rowen, L., Pant, K.P., Goodman, N., Bamshad, M., et al. (2010). Analysis of genetic inheritance in a family quartet by whole-genome sequencing. *Science* 328, 636-639.
- Robertson, G., Hirst, M., Bainbridge, M., Bilenky, M., Zhao, Y., Zeng, T., Euskirchen, G., Bernier, B., Varhol, R., Delaney, A., et al. (2007). Genome-wide profiles of STAT1 DNA association using chromatin immunoprecipitation and massively parallel sequencing. *Nat. Methods* 4, 651-657.
- Robinson, J.T., Thorvaldsdóttir, H., Winckler, W., Guttman, M., Lander, E.S., Getz, G. & Mesirov, J.P. (2011). Integrative genomics viewer. *Nat. Biotechnol.* 29, 24-26.
- Roider, H.G., Lenhard, B., Kanhere, A., Haas, S.A. & Vingron, M. (2009). CpG-depleted promoters harbor tissue-specific transcription factor binding signals—implications for motif overrepresentation analyses. *Nucl. Acids Res.* 37, 6305-6315.
- Roth, G.J. (1991). Developing relationships: arterial platelet adhesion, glycoprotein Ib, and leucine-rich glycoproteins. *Blood* 77, 5-19.
- Rotival, M., Zeller, T., Wild, P.S., Maouche, S., Szymczak, S., Schillert, A., Castagné, R., Deisereth, A., Proust, C., Brochetton, J., et al. (2011). Integrating genome-wide genetic variations and monocyte expression data reveals trans-regulated gene modules in humans. *PLoS Genet.* 7, e1002367.
- Rozen, S. & Skaltsky, H. (2000). Primer3 on the WWW for general users and for biologist programmers. In: *Methods in Molecular Biology: Bioinformatics—Methods and Protocols*. Humana Press.
- Rückle, T., Schwarz, M.K. & Rommel, C. (2006). PI3K $\gamma$  inhibition: towards an ‘aspirin of the 21st century’? *Nat. Rev. Drug Discov.* 5, 903-918.

- Sabo, P.J., Hawrylycz, M., Wallace, J.C., Humbert, R., Yu, M., Shafer, A., Kawamoto, J., Hall, R., Mack, J., Dorschner, M.O., et al. (2004). Discovery of functional noncoding elements by digital analysis of chromatin structure. *Proc. Natl. Acad. Sci. USA* *101*, 16837-16842.
- Sabo, P.J., Kuehn, M.S., Thurman, R., Johnson, B.E., Johnson, E.M., Cao, H., Yu, M., Rosenzweig, E., Goldy, J., Haydock, A., et al. (2006). Genome-scale mapping of DNase I sensitivity in vivo using tiling DNA microarrays. *Nat. Methods* *3*, 511-518.
- Sagai, T., Hosoya, M., Mizushina, Y., Tamura, M. & Shiroishi, T. (2005). Elimination of a long-range cis-regulatory module causes complete loss of limb-specific Shh expression and truncation of the mouse limb. *Development* *132*, 797-803.
- Saito, H. (1997). Megakaryocytic cell lines. *Baillière Clin. Haem.* *10*, 47-63.
- Sakamaki, S., Hirayama, Y., Matsunaga, T., Kuroda, H., Kusakabe, T., Akiyama, T., Konuma, Y., Sasaki, K., Tsuji, N., Okamoto, T., et al. (1999). Transforming growth factor- $\beta$ 1 (TGF- $\beta$ 1) induces thrombopoietin from bone marrow stromal cells, which stimulates the expression of TGF- $\beta$  receptor on megakaryocytes and, in turn, renders them susceptible to suppression by TGF- $\beta$  itself with high specificity. *Blood* *94*, 1961-1970.
- Salicioni, A.M., Xi, M., Vanderveer, L.A., Balsara, B., Testa, J.R., Dunbrack, R.L., Jr. & Godwin, A.K. (2000). Identification and structural analysis of human RBM8A and RBM8B: two highly conserved RNA-binding motif proteins that interact with OVCA1, a candidate tumor suppressor. *Genomics* *69*, 54-62.
- Samani, N.J., Erdmann, J., Hall, A.S., Hengstenberg, C., Mangino, M., Mayer, B., Dixon, R.J., Meitinger, T., Braund, P., Wichmann, H.-E., et al. (2007). Genomewide association analysis of coronary artery disease. *N. Engl. J. Med.* *357*, 443-453.
- Sandelin, A., Carninci, P., Lenhard, B., Ponjavic, J., Hayashizaki, Y. & Hume, D.A. (2007). Mammalian RNA polymerase II core promoters: insights from genome-wide studies. *Nat. Rev. Genet.* *8*, 424-436.
- Sanseau, P., Agarwal, P., Barnes, M.R., Pastinen, T., Richards, J.B., Cardon, L.R. & Mooser, V. (2012). Use of genome-wide association studies for drug repositioning. *Nat. Biotechnol.* *30*, 317-320.
- Sasaki, T., Irie-Sasaki, J., Jones, R.G., Oliveira-dos-Santos, A.J., Stanford, W.L., Bolon, B., Wakeham, A., Itie, A., Bouchard, D., Kozieradzki, I., et al. (2000). Function of PI3K $\gamma$  in thymocyte development, T cell activation, and neutrophil migration. *Science* *287*, 1040-1046.
- Schadt, E.E. (2009). Molecular networks as sensors and drivers of common human diseases. *Nature* *461*, 218-223.
- Schneider, R., Bannister, A.J., Myers, F.A., Thorne, A.W., Crane-Robinson, C. & Kouzarides, T. (2004). Histone H3 lysine 4 methylation patterns in higher eukaryotic genes. *Nat. Cell Biol.* *6*, 73-77.
- Schoenwaelder, S.M., Ono, A., Sturgeon, S., Chan, S.M., Mangin, P., Maxwell, M.J., Turnbull, S., Mulchandani, M., Anderson, K., Kauffenstein, G., et al. (2007). Identification of a unique co-operative phosphoinositide 3-kinase signaling mechanism regulating integrin  $\alpha$ IIb $\beta$ 3 adhesive function in platelets. *J. Biol. Chem.* *282*, 28648-28658.
- Schones, D.E., Cui, K., Cuddapah, S., Roh, T.-Y., Barski, A., Wang, Z., Wei, G. & Zhao, K. (2008). Dynamic regulation of nucleosome positioning in the human genome. *Cell* *132*, 887-898.
- Schones, D.E. & Zhao, K. (2008). Genome-wide approaches to studying chromatin modifications. *Nat. Rev. Genet.* *9*, 179-191.

- Schotta, G., Lachner, M., Sarma, K., Ebert, A., Sengupta, R., Reuter, G., Reinberg, D. & Jenuwein, T. (2004). A silencing pathway to induce H3-K9 and H4-K20 trimethylation at constitutive heterochromatin. *Genes Dev.* 18, 1251-1262.
- Schunkert, H., Götz, A., Braund, P., McGinnis, R., Trégouët, D.-A., Mangino, M., Linsel-Nitschke, P., Cambien, F., Hengstenberg, C., Stark, K., et al. (2008). Repeated replication and a prospective meta-analysis of the association between chromosome 9p21.3 and coronary artery disease. *Circulation* 117, 1675-1684.
- Schunkert, H., König, I.R., Kathiresan, S., Reilly, M.P., Assimes, T.L., Holm, H., Preuss, M., Stewart, A.F.R., Barbalic, M., Gieger, C., et al. (2011). Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. *Nat. Genet.* 43, 333-338.
- Schuster, S.C., Miller, W., Ratan, A., Tomsho, L.P., Giardine, B., Kasson, L.R., Harris, R.S., Petersen, D.C., Zhao, F., Qi, J., et al. (2010). Complete Khoisan and Bantu genomes from southern Africa. *Nature* 463, 943-947.
- Schwartz, B.E. & Ahmad, K. (2005). Transcriptional activation triggers deposition and removal of the histone variant H3.3. *Genes Dev.* 19, 804-814.
- Segal, E., Fondufe-Mittendorf, Y., Chen, L., Thåström, A., Field, Y., Moore, I.K., Wang, J.-P.Z. & Widom, J. (2006). A genomic code for nucleosome positioning. *Nature* 442, 772-778.
- Senyuk, V., Sinha, K.K., Li, D., Rinaldi, C.R., Yanamandra, S. & Nucifora, G. (2007). Repression of RUNX1 activity by EVI1: a new role of EVI1 in leukemogenesis. *Cancer Res.* 67, 5658-5666.
- Sexton, T., Bantignies, F. & Cavalli, G. (2009). Genomic interactions: chromatin loops and gene meeting points in transcriptional regulation. *Sem. Cell Dev. Biol.* 20, 849-855.
- Shaw, S. & Oliver, R.A.M. (1959). Congenital hypoplastic thrombocytopenia with skeletal deformities in siblings. *Blood* 14, 374-377.
- Shimizu, S., Nagasawa, T., Katoh, O., Komatsu, N., Yokota, J. & Morishita, K. (2002). EVI1 is expressed in megakaryocyte cell lineage and enforced expression of EVI1 in UT-7/GM cells induces megakaryocyte differentiation. *Biochem. Biophys. Res. Commun.* 292, 609-616.
- Shogren-Knaak, M., Ishii, H., Sun, J.-M., Pazin, M.J., Davie, J.R. & Peterson, C.L. (2006). Histone H4-K16 acetylation controls chromatin structure and protein interactions. *Science* 311, 844-847.
- Sieberts, S.K. & Schadt, E.E. (2007). Moving toward a system genetics view of disease. *Mamm. Genome* 18, 389-401.
- Simon, J.M., Giresi, P.G., Davis, I.J. & Lieb, J.D. (2012). Using formaldehyde-assisted isolation of regulatory elements (FAIRE) to isolate active regulatory DNA. *Nat. Protoc.* 7, 256-267.
- Singh, J. & Klar, A.J.S. (1992). Active genes in budding yeast display enhanced in vivo accessibility to foreign DNA methylases: a novel in vivo probe for chromatin structure of yeast. *Genes Dev.* 6, 186-196.
- Slavka, G., Perkmann, T., Haslacher, H., Greisenegger, S., Marsik, C., Wagner, O.F. & Endler, G. (2011). Mean platelet volume may represent a predictive parameter for overall vascular mortality and ischemic heart disease. *Arterioscler. Thromb. Vasc. Biol.* 31, 1215-1218.
- Smith, C.L. & Peterson, C.L. (2005). ATP-dependent chromatin remodeling. *Curr. Top. Dev. Biol.* 65, 115-148.
- Song, L., Zhang, Z., Grasfeder, L.L., Boyle, A.P., Giresi, P.G., Lee, B.-K., Sheffield, N.C., Gräf, S., Huss, M., Keefe, D., et al. (2011). Open chromatin defined by DNaseI and FAIRE identifies regulatory elements that shape cell-type identity. *Genome Res.* 21, 1757-1767.

- Soranzo, N., Rendon, A., Gieger, C., Jones, C.I., Watkins, N.A., Menzel, S., Döring, A., Stephens, J., Prokisch, H., Erber, W., et al. (2009). A novel variant on chromosome 7q22.3 associated with mean platelet volume, counts and function. *Blood* *113*, 3831-3837.
- Soranzo, N., Spector, T.D., Mangino, M., Kühnel, B., Rendon, A., Teumer, A., Willenborg, C., Wright, B., Chen, L., Li, M., et al. (2009). A genome-wide meta-analysis identifies 22 loci associated with eight hematological parameters in the HaemGen consortium. *Nat. Genet.* *41*, 1182-1190.
- Spilianakis, C.G., Lalioti, M.D., Town, T., Lee, G.R. & Flavell, R.A. (2005). Interchromosomal associations between alternatively expressed loci. *Nature* *435*, 637-645.
- Stein, A., Takasuka, T.E. & Collings, C.K. (2010). Are nucleosome positions *in vivo* primarily determined by histone-DNA sequence preferences? *Nucl. Acids Res.* *38*, 709-719.
- Stitzel, N.O., Kiezun, A. & Sunyaev, S. (2011). Computational and statistical approaches to analyzing variants identified by exome sequencing. *Genome Biol.* *12*, 227.
- Subramanian, A., Tamayo, P., Mootha, V.K., Mukherjee, S., Ebert, B.L., Gillette, M.A., Paulovich, A., Pomeroy, S.L., Golub, T.R., Lander, E.S., et al. (2005). Gene set enrichment analysis: a knowledge-based approach for interpreting genome-wide expression profiles. *Proc. Natl. Acad. Sci. USA* *102*, 15545-15550.
- Suganuma, T., Gutiérrez, J.L., Li, B., Florens, L., Swanson, S.K., Washburn, M.P., Abmayr, S.M. & Workman, J.L. (2008). ATAC is a double histone acetyltransferase complex that stimulates nucleosome sliding. *Nat. Struct. Mol. Biol.* *15*, 364-372.
- Suzuki, R. & Shimodaira, H. (2006). Pvclust: an R package for assessing the uncertainty in hierarchical clustering. *Bioinformatics* *22*, 1540-1542.
- Tabilio, A., Pelicci, P.G., Vinci, G., Mannoni, P., Civin, C.I., Vainchenker, W., Testa, U., Lipinski, M., Rochant, H. & Breton-Gorius, J. (1983). Myeloid and megakaryocytic properties of K-562 cell lines. *Cancer Res.* *43*, 4569-4574.
- Talbert, P.B. & Henikoff, S. (2010). Histone variants—ancient wrap artists of the epigenome. *Nat. Rev. Mol. Cell Biol.* *11*, 264-275.
- Tarpey, P.S., Raymond, F.L., Nguyen, L.S., Rodriguez, J., Hackett, A., Vandeleur, L., Smith, R., Shoubridge, C., Edkins, S., Stevens, C., et al. (2007). Mutations in UPF3B, a member of the nonsense-mediated mRNA decay complex, cause syndromic and nonsyndromic mental retardation. *Nat. Genet.* *39*, 1127-1133.
- Taverna, S.D., Li, H., Ruthenburg, A.J., Allis, C.D. & Patel, D.J. (2007). How chromatin-binding modules interpret histone modifications: lessons from professional pocket pickers. *Nat. Struct. Mol. Biol.* *14*, 1025-1040.
- Teslovich, T.M., Musunuru, K., Smith, A.V., Edmondson, A.C., Stylianou, I.M., Koseki, M., Pirruccello, J.P., Ripatti, S., Chasman, D.I., Willer, C.J., et al. (2010). Biological, clinical and population relevance of 95 loci for blood lipids. *Nature* *466*, 707-713.
- Thomas-Chollier, M., Hufton, A., Heinig, M., O'Keeffe, S., El Masri, N., Roider, H.G., Manke, T. & Vingron, M. (2011). Transcription factor binding predictions using TRAP for the analysis of ChIP-seq data and regulatory SNPs. *Nat. Protoc.* *6*, 1860-1869.
- Tijssen, M.R., Cvejic, A., Joshi, A., Hannah, R.L., Ferreira, R., Forrai, A., Bellissimo, D.C., Oram, S.H., Smethurst, P.A., Wilson, N.K., et al. (2011). Genome-wide analysis of simultaneous GATA1/2, RUNX1, FLI1, and SCL binding in megakaryocytes identifies hematopoietic regulators. *Dev. Cell* *20*, 597-609.

- Todd, J.A., Walker, N.M., Cooper, J.D., Smyth, D.J., Downes, K., Plagnol, V., Bailey, R., Nejentsev, S., Field, S.F., Payne, F., et al. (2007). Robust associations of four new chromosome regions from genome-wide analyses of type 1 diabetes. *Nat. Genet.* 39, 857-864.
- Tomlinson, I., Webb, E., Carvajal-Carmona, L., Broderick, P., Kemp, Z., Spain, S., Penegar, S., Chandler, I., Gorman, M., Wood, W., et al. (2007). A genome-wide association scan of tag SNPs identifies a susceptibility variant for colorectal cancer at 8q24.21. *Nat. Genet.* 39, 984-988.
- Trégouët, D.-A., König, I.R., Erdmann, J., Munteanu, A., Braund, P.S., Hall, A.S., Grohennig, A., Linsel-Nitschke, P., Perret, C., DeSuremain, M., et al. (2009). Genome-wide haplotype association study identifies the SLC22A3-LPAL2-LPA gene cluster as a risk locus for coronary artery disease. *Nat. Genet.* 41, 283-285.
- Trip, M.D., Cats, V.M., van Capelle, F.J. & Vreeken, J. (1990). Platelet hyperreactivity and prognosis in survivors of myocardial infarction. *N. Engl. J. Med.* 322, 1549-1554.
- Trynka, G., Hunt, K.A., Bockett, N.A., Romanos, J., Mistry, V., Szperl, A., Bakker, S.F., Bardella, M.T., Bhaw-Rosun, L., Castillejo, G., et al. (2011). Dense genotyping identifies and localizes multiple common and rare variant association signals in celiac disease. *Nat. Genet.* 43, 1193-1201.
- Tuupanen, S., Turunen, M., Lehtonen, R., Hallikas, O., Vanharanta, S., Kivioja, T., Björklund, M., Wei, G., Yan, J., Niittymäki, I., et al. (2009). The common colorectal cancer predisposition SNP rs6983267 at chromosome 8q24 confers potential to enhanced Wnt signaling. *Nat. Genet.* 41, 885-890.
- Valouev, A., Johnson, S.M., Boyd, S.D., Smith, C.L., Fire, A.Z. & Sidow, A. (2011). Determinants of nucleosome organization in primary human cells. *Nature* 474, 516-520.
- van der Harst, P., Zhang, W., Leach, I.M., Rendon, A., Verweij, N., Sehmi, J., Paul, D.S., Elling, U., Allayee, H., Li, X., et al. (2012). 75 genetic loci influencing the human red blood cell. *Nature*, in press.
- van Steensel, B. & Dekker, J. (2010). Genomics tools for unraveling chromosome architecture. *Nat. Biotechnol.* 28, 1089-1095.
- Vaquerizas, J.M., Kummerfeld, S.K., Teichmann, S.A. & Luscombe, N.M. (2009). A census of human transcription factors: function, expression and evolution. *Nat. Rev. Genet.* 10, 252-263.
- Verlaan, D.J., Berlivet, S., Hunninghake, G.M., Madore, A.-M., Larivière, M., Moussette, S., Grundberg, E., Kwan, T., Ouimet, M., Ge, B., et al. (2009). Allele-specific chromatin remodeling in the ZPBP2/GSDMB/ORMDL3 locus associated with the risk of asthma and autoimmune disease. *Am. J. Hum. Genet.* 85, 377-393.
- Vilar, J.M.G. & Saiz, L. (2005). DNA looping in gene regulation: from the assembly of macromolecular complexes to the control of transcriptional noise. *Curr. Opin. Genet. Dev.* 15, 136-144.
- Visel, A., Prabhakar, S., Akiyama, J.A., Shoukry, M., Lewis, K.D., Holt, A., Plajzer-Frick, I., Afzal, V., Rubin, E.M. & Pennacchio, L.A. (2008). Ultraconservation identifies a small subset of extremely constrained developmental enhancers. *Nat. Genet.* 40, 158-160.
- Visel, A., Blow, M.J., Li, Z., Zhang, T., Akiyama, J.A., Holt, A., Plajzer-Frick, I., Shoukry, M., Wright, C., Chen, F., et al. (2009). ChIP-seq accurately predicts tissue-specific activity of enhancers. *Nature* 457, 854-858.
- Visscher, P.M., Brown, M.A., McCarthy, M.I. & Yang, J. (2012). Five years of GWAS discovery. *Am. J. Hum. Genet.* 90, 7-24.
- Visvader, J. & Adams, J.M. (1993). Megakaryocytic differentiation induced in 416B myeloid cells by GATA-2 and GATA-3 transgenes or 5-azacytidine is tightly coupled to GATA-1 expression. *Blood* 82, 1493-1501.

- Visvader, J.E., Elefanti, A.G., Strasser, A. & Adams, J.M. (1992). GATA-1 but not SCL induces megakaryocytic differentiation in an early myeloid line. *EMBO J.* *11*, 4557-4564.
- Visvader, J.E., Crossley, M., Hill, J., Orkin, S.H. & Adams, J.M. (1995). The C-terminal zinc finger of GATA-1 or GATA-2 is sufficient to induce megakaryocytic differentiation of an early myeloid cell line. *Mol. Cell. Biol.* *15*, 634-641.
- Volpi, L., Roversi, G., Colombo, E.A., Leijsten, N., Concolino, D., Calabria, A., Mencarelli, M.A., Fimiani, M., Macchiardi, F., Pfundt, R., et al. (2009). Targeted next-generation sequencing appoints c16orf57 as clericuzio-type poikiloderma with neutropenia gene. *Am. J. Hum. Genet.* *86*, 72-76.
- Wang, X. & Hayes, J.J. (2008). Acetylation mimics within individual core histone tail domains indicate distinct roles in regulating the stability of higher-order chromatin structure. *Mol. Cell. Biol.* *28*, 227-236.
- Wang, Y., O'Connell, J.R., McArdle, P.F., Wade, J.B., Dorff, S.E., Shah, S.J., Shi, X., Pan, L., Rampersaud, E., Shen, H., et al. (2009). Whole-genome association study identifies STK39 as a hypertension susceptibility gene. *Proc. Natl. Acad. Sci. USA* *106*, 226-231.
- Wang, Z., Zang, C., Rosenfeld, J.A., Schones, D.E., Barski, A., Cuddapah, S., Cui, K., Roh, T.-Y., Peng, W., Zhang, M.Q., et al. (2008). Combinatorial patterns of histone acetylations and methylations in the human genome. *Nat. Genet.* *40*, 897-903.
- Watkins, N.A., Gusnanto, A., de Bono, B., De, S., Miranda-Saavedra, D., Hardie, D.L., Angenent, W.G.J., Attwood, A.P., Ellis, P.D., Erber, W., et al. (2009). A HaemAtlas: characterizing gene expression in differentiated human blood cells. *Blood* *113*, e1-e9.
- Weischenfeldt, J., Damgaard, I., Bryder, D., Theilgaard-Mönch, K., Thoren, L.A., Nielsen, F.C., Jacobsen, S.E.W., Nerlov, C. & Porse, B.T. (2008). NMD is essential for hematopoietic stem and progenitor cells and for eliminating by-products of programmed DNA rearrangements. *Genes Dev.* *22*, 1381-1396.
- Wendt, K.S., Yoshida, K., Itoh, T., Bando, M., Koch, B., Schirghuber, E., Tsutsumi, S., Nagae, G., Ishihara, K., Mishiro, T., et al. (2008). Cohesin mediates transcriptional insulation by CCCTC-binding factor. *Nature* *451*, 796-801.
- Whitehouse, I., Rando, O.J., Delrow, J. & Tsukiyama, T. (2007). Chromatin remodelling at promoters suppresses antisense transcription. *Nature* *450*, 1031-1035.
- Wiegand, H.L., Lu, S. & Cullen, B.R. (2003). Exon junction complexes mediate the enhancing effect of splicing on mRNA expression. *Proc. Natl. Acad. Sci. USA* *100*, 11327-11332.
- Willer, C.J., Sanna, S., Jackson, A.U., Scuteri, A., Bonnycastle, L.L., Clarke, R., Heath, S.C., Timpson, N.J., Najjar, S.S., Stringham, H.M., et al. (2008). Newly identified loci that influence lipid concentrations and risk of coronary artery disease. *Nat. Genet.* *40*, 161-169.
- Wirbelauer, C., Bell, O. & Schübeler, D. (2005). Variant histone H3.3 is deposited at sites of nucleosomal displacement throughout transcribed genes while active histone modifications show a promoter-proximal bias. *Genes Dev.* *19*, 1761-1766.
- Witte, D.P., Harris, R.E., Jenski, L.J. & Lampkin, B.C. (1986). Megakaryoblastic leukemia in an infant: establishment of a megakaryocytic tumor cell line in athymic nude mice. *Cancer* *58*, 238-244.

- Woolfe, A., Goodson, M., Goode, D.K., Snell, P., McEwen, G.K., Vavouri, T., Smith, S.F., North, P., Callaway, H., Kelly, K., et al. (2005). Highly conserved non-coding sequences are associated with vertebrate development. *PLoS Biol.* 3, e7.
- Workman, J.L. & Kingston, R.E. (1992). Nucleosome core displacement in vitro via a metastable transcription factor-nucleosome complex. *Science* 258, 1780-1784.
- Wray, G.A. (2007). The evolutionary significance of cis-regulatory mutations. *Nat. Rev. Genet.* 8, 206-216.
- Wu, C., Bingham, P.M., Livak, K.J., Holmgren, R. & Elgin, S.C.R. (1979). The chromatin structure of specific genes: I. evidence for higher order domains of defined DNA sequence. *Cell* 16, 797-806.
- Wu, C. (1980). The 5' ends of Drosophila heat shock genes in chromatin are hypersensitive to DNase I. *Nature* 286, 854-860.
- Wu, T.D. & Nacu, S. (2010). Fast and SNP-tolerant detection of complex variants and splicing in short reads. *Bioinformatics* 26, 873-881.
- Wymann, M.P., Zvelebil, M. & Laffargue, M. (2003). Phosphoinositide 3-kinase signalling—which way to target? *Trends Pharmacol. Sci.* 24, 366-376.
- Wysocka, J., Swigut, T., Milne, T.A., Dou, Y., Zhang, X., Burlingame, A.L., Roeder, R.G., Brivanlou, A.H. & Allis, C.D. (2005). WDR5 associates with histone H3 methylated at K4 and is essential for H3 K4 methylation and vertebrate development. *Cell* 121, 859-872.
- Yang, T.-P., Beazley, C., Montgomery, S.B., Dimas, A.S., Gutierrez-Arcelus, M., Stranger, B.E., Deloukas, P. & Dermitzakis, E.T. (2010). Genevar: a database and Java application for the analysis and visualization of SNP-gene associations in eQTL studies. *Bioinformatics* 26, 2474-2476.
- Yeager, M., Xiao, N., Hayes, R.B., BouVard, P., Desany, B., Burdett, L., Orr, N., Matthews, C., Qi, L., Crenshaw, A., et al. (2008). Comprehensive resequence analysis of a 136 kb region of human chromosome 8q24 associated with prostate and colon cancers. *Hum. Genet.* 124, 161-170.
- Yoshimura, K., Nakamura, H., Trapnell, B.C., Dalemans, W., Pavirani, A., Lecocq, J.-P. & Crystal, R.G. (1991). The cystic fibrosis gene has a 'housekeeping'-type promoter and is expressed at low levels in cells of epithelial origin. *J. Biol. Chem.* 266, 9140-9144.
- Zanke, B.W., Greenwood, C.M.T., Rangrej, J., Kustra, R., Tenesa, A., Farrington, S.M., Prendergast, J., Olschwang, S., Chiang, T., Crowd, E., et al. (2007). Genome-wide association scan identifies a colorectal cancer susceptibility locus on chromosome 8q24. *Nat. Genet.* 39, 989-994.
- Zaret, K.S. & Carroll, J.S. (2011). Pioneer transcription factors: establishing competence for gene expression. *Genes Dev.* 25, 2227-2241.
- Zeuner, A., Signore, M., Martinetti, D., Bartucci, M., Peschle, C. & De Maria, R. (2007). Chemotherapy-induced thrombocytopenia derives from the selective death of megakaryocyte progenitors and can be rescued by stem cell factor. *Cancer Res.* 67, 4767-4773.
- Zhang, Z. & Pugh, B.F. (2011). High-resolution genome-wide mapping of the primary structure of chromatin. *Cell* 144, 175-186.
- Zhang, Z., Wippo, C.J., Wal, M., Ward, E., Korber, P. & Pugh, B.F. (2011). A packing mechanism for nucleosome organization reconstituted across a eukaryotic genome. *Science* 332, 977-980.

- Zhao, M., Song, B., Pu, J., Wada, T., Reid, B., Tai, G., Wang, F., Guo, A., Walczysko, P., Gu, Y., et al. (2006). Electrical signals control wound healing through phosphatidylinositol-3-OH kinase- $\gamma$  and PTEN. *Nature* 442, 457-460.
- Zhou, V.W., Goren, A. & Bernstein, B.E. (2011). Charting histone modifications and the functional organization of mammalian genomes. *Nat. Rev. Genet.* 12, 7-18.