

References

- [1] Abecasis, G. R., Altshuler, D., Auton, A., Brooks, L. D., Durbin, R. M., Gibbs, R. a., Hurles, M. E., and McVean, G. a. (2010). A map of human genome variation from population-scale sequencing. *Nature*, 467(7319):1061–73.
- [2] Abou Hassan, O. K., Fahed, A. C., Batrawi, M., Arabi, M., Refaat, M. M., DePalma, S. R., Seidman, J. G., Seidman, C. E., Bitar, F. F., and Nemer, G. M. (2015). NKX2-5 Mutations in an Inbred Consanguineous Population: Genetic and Phenotypic Diversity. *Scientific Reports*, 5:8848.
- [3] Abraham, C. and Cho, J. H. (2006). Functional consequences of NOD2 (CARD15) mutations. *Inflammatory Bowel Diseases*, 12(7):641–650.
- [4] Adzhubei, I., Schmidt, S., Peshkin, L., Ramensky, V., and Sunyaev, S. (2010). A method and server for predicting damaging missense mutations. *Nature Methodshods*, 7(4):248–249.
- [5] Agarwal, S. and Cunningham-Rundles, C. (2009). Autoimmunity in Common Variable Immunodeficiency. *Current Allergy and Asthma Reports*, 9(5):347–352.
- [6] Aguilar-Bryan, L. and Bryan, J. (2008). Neonatal diabetes mellitus. *Endocrine Reviews*, 29(3):265–91.
- [7] Akawi, N., McRae, J., Ansari, M., Balasubramanian, M., Blyth, M., Brady, A. F., Clayton, S., Cole, T., Deshpande, C., Fitzgerald, T. W., Foulds, N., Francis, R., Gabriel, G., Gerety, S. S., Goodship, J., Hobson, E., Jones, W. D., Joss, S., King, D., Klena, N., Kumar, A., Lees, M., Lelliott, C., Lord, J., McMullan, D., Osio, D., Piombo, V., Prigmore, E., Rajan, D., Rosser, E., Sifrim, A., Smith, A., Swaminathan, G. J., Turnpenny, P., Whitworth, J., Wright, C. F., Firth, H. V., Barrett, J. C., Lo, C. W., FitzPatrick, D. R., and Hurles, M. E. (2015). Discovery of four recessive developmental disorders using probabilistic genotype and phenotype matching among 4,125 families. *Nature Genetics*, 47(11):1363–1369.
- [8] Al-Bousafy, A. (2006). Libyan Boy with Autosomal Recessive Trait (P22-phox Defect) of Chronic Granulomatous Disease. *Libyan J Med*, 1(2).
- [9] Al Taji, E., Biebermann, H., Límanová, Z., Hníková, O., Zikmund, J., Dame, C., Grüters, A., Lebl, J., and Krude, H. (2007). Screening for mutations in transcription factors in a Czech cohort of 170 patients with congenital and early-onset hypothyroidism: identification of a novel PAX8 mutation in dominantly inherited early-onset non-autoimmune hypothyroidism. *European Journal of Endocrinology*, 156(5):521–9.

- [10] Al Turki, S. (2013). Genetic investigations of Tetralogy of Fallot in trios. *University of Cambridge*, PhD Thesis.
- [11] Al Turki, S., Manickaraj, A. K., Mercer, C. L., Gerety, S. S., Hitz, M.-P., Lindsay, S., D'Alessandro, L. C. a., Swaminathan, G. J., Bentham, J., Arndt, A.-K., Low, J., Breckpot, J., Gewillig, M., Thienpont, B., Abdul-Khalil, H., Harnack, C., Hoff, K., Kramer, H.-H., Schubert, S., Siebert, R., Toka, O., Cosgrove, C., Watkins, H., Lucassen, A. M., O'Kelly, I. M., Salmon, A. P., Bu'lock, F. a., Granados-Riveron, J., Setchfield, K., Thornborough, C., Brook, J. D., Mulder, B., Klaassen, S., Bhattacharya, S., Devriendt, K., Fitzpatrick, D. F., Wilson, D. I., Mital, S., and Hurles, M. E. (2014). Rare variants in NR2F2 cause congenital heart defects in humans. *American Journal of Human Genetics*, 94(4):574–85.
- [12] Albert, T. J., Molla, M. N., Muzny, D. M., Nazareth, L., Wheeler, D., Song, X., Richmond, T. a., Middle, C. M., Rodesch, M. J., Packard, C. J., Weinstock, G. M., and Gibbs, R. a. (2007). Direct selection of human genomic loci by microarray hybridization. *Nature Methods*, 4(11):903–905.
- [13] Altshuler, D., Daly, M. J., and Lander, E. (2009). Genetic Mapping in Human Disease. *Science*, 322(5903):881–888.
- [14] Altshuler, D. M., Gibbs, R. A., Peltonen, L., Dermitzakis, E. T., Schaffner, S. F., Yu, F., Bonnen, P. E., de Bakker, P. I. W., Deloukas, P., Gabriel, S. B., Gwilliam, R., Hunt, S., Inouye, M., Jia, X., Palotie, A., Parkin, M., Whittaker, P., Chang, K., Hawes, A., Lewis, L. R., Ren, Y., Wheeler, D., Muzny, D. M., Barnes, C., Darvishi, K., Hurles, M., Korn, J. M., Kristiansson, K., Lee, C., McCarrol, S. A., Nemesh, J., Keinan, A., Montgomery, S. B., Pollack, S., Price, A. L., Soranzo, N., Gonzaga-Jauregui, C., Anttila, V., Brodeur, W., Daly, M. J., Leslie, S., McVean, G., Moutsianas, L., Nguyen, H., Zhang, Q., Ghori, M. J. R., McGinnis, R., McLaren, W., Takeuchi, F., Grossman, S. R., Shlyakhter, I., Hostetter, E. B., Sabeti, P. C., Adebamowo, C. A., Foster, M. W., Gordon, D. R., Licinio, J., Manca, M. C., Marshall, P. A., Matsuda, I., Ngare, D., Wang, V. O., Reddy, D., Rotimi, C. N., Royal, C. D., Sharp, R. R., Zeng, C., Brooks, L. D., and McEwen, J. E. (2010). Integrating common and rare genetic variation in diverse human populations. *Nature*, 467(7311):52–8.
- [15] Alzahrani, A. S., Baitei, E. Y., Zou, M., and Shi, Y. (2006). Metastatic Follicular Thyroid Carcinoma Arising from Congenital Goiter as a Result of a Novel Splice Donor Site Mutation in the Thyroglobulin Gene. *The Journal of Clinical Endocrinology and Metabolism*, 91(August):740–746.
- [16] Amendola, E., Luca, P. D., Macchia, P. E., Terracciano, D., Rosica, A., Chiappetta, G., Kimura, S., Mansouri, A., Affuso, A., Arra, C., Macchia, V., Lauro, R. D., and Felice, M. D. (2005). A Mouse Model Demonstrates a Multigenic Origin of Congenital Hypothyroidism. *The Journal of Clinical Endocrinology and Metabolism*, 146(August):5038–5047.
- [17] Ananthakrishnan, A. N. (2015). Epidemiology and risk factors for IBD. *Nature Reviews. Gastroenterology & hepatology*, 12(April):205–217.

- [18] Anderson, C. a., Pettersson, F. F. H., Clarke, G. G. M., Cardon, L. R., Morris, A. P., and Zondervan, K. T. (2010). Data quality control in genetic case-control association studies. *Nature Protocols*, 5(9):1564–73.
- [19] Andoh, A., Zhang, Z., Inatomi, O., Fujino, S., Deguchi, Y., Araki, Y., Tsujikawa, T., Kitoh, K., Kim-Mitsuyama, S., Takayanagi, A., Shimizu, N., and Fujiyama, Y. (2005). Interleukin-22, a member of the IL-10 subfamily, induces inflammatory responses in colonic subepithelial myofibroblasts. *Gastroenterology*, 129(3):969–984.
- [20] Andreoletti, G., Ashton, J. J., Coelho, T., Willis, C., Haggarty, R., Gibson, J., Holloway, J., Batra, A., Afzal, N. a., Beattie, R. M., and Ennis, S. (2015). Exome analysis of patients with concurrent pediatric inflammatory bowel disease and autoimmune disease. *Inflammatory Bowel Diseases*, 21(6):1.
- [21] Arico, M., Imashuku, S., Clementi, R., Hibi, S., Teramura, T., Danesino, C., Haber, D. a., and Nichols, K. E. (2001). Brief report Hemophagocytic lymphohistiocytosis due to germline mutations in SH2D1A , the X-linked lymphoproliferative disease gene. *Blood*, 97(4):1131–1133.
- [22] Asimit, J. and Zeggini, E. (2010). Rare variant association analysis methods for complex traits. *Annual Review of Genetics*, 44:293–308.
- [23] Auton, A., Abecasis, G. R., Altshuler, D. M., Durbin, R. M., Bentley, D. R., Chakravarti, A., Clark, A. G., Donnelly, P., Eichler, E. E., Flücke, P., Gabriel, S. B., Gibbs, R. A., Green, E. D., Hurles, M. E., Knoppers, B. M., Korbel, J. O., Lander, E. S., Lee, C., Lehrach, H., Mardis, E. R., Marth, G. T., McVean, G. A., Nickerson, D. A., Schmidt, J. P., Sherry, S. T., Wang, J., Wilson, R. K., Boerwinkle, E., Doddapaneni, H., Han, Y., Korchnya, V., Kovar, C., Lee, S., Muzny, D., Reid, J. G., Zhu, Y., Chang, Y., Feng, Q., Fang, X., Guo, X., Jian, M., Jiang, H., Jin, X., Lan, T., Li, G., Li, J., Li, Y. Y., Liu, S., Liu, X., Lu, Y., Ma, X., Tang, M., Wang, B., Wang, G., Wu, H., Wu, R., Xu, X., Yin, Y., Zhang, D., Zhang, W., Zhao, J., Zhao, M., Zheng, X., Gupta, N., Gharani, N., Toji, L. H., Gerry, N. P., Resch, A. M., Barker, J., Clarke, L., Gil, L., Hunt, S. E., Kelman, G., Kulesha, E., Leinonen, R., McLaren, W. M., Radhakrishnan, R., Roa, A., Smirnov, D., Smith, R. E., Streeter, I., Thormann, A., Toneva, I., Vaughan, B., Zheng-Bradley, X., Grocock, R., Humphray, S., James, T., Kingsbury, Z., Sudbrak, R., Albrecht, M. W., Amstislavskiy, V. S., Borodina, T. A., Lienhard, M., Mertes, F., Sultan, M., Timmermann, B., Yaspo, M.-L., Fulton, L., Fulton, R., Ananiev, V., Belaia, Z., Beloslyudtsev, D., Bouk, N., Chen, C., Church, D., Cohen, R., Cook, C., Garner, J., Hefferton, T., Kimelman, M., Liu, C., Lopez, J., Meric, P., O'Sullivan, C., Ostapchuk, Y., Phan, L., Ponomarov, S., Schneider, V., Shekhtman, E., Sirotnik, K., Slotta, D., Zhang, H., Balasubramaniam, S., Burton, J., Danecek, P., Keane, T. M., Kolb-Kokocinski, A., McCarthy, S., Stalker, J., Quail, M., Davies, C. J., Gollub, J., Webster, T., Wong, B., Zhan, Y., Campbell, C. L., Kong, Y., Marcketta, A., Yu, F., Antunes, L., Bainbridge, M., Sabo, A., Huang, Z., Coin, L. J. M., Fang, L., Li, Q., Li, Z., Lin, H., Liu, B., Luo, R., Shao, H., Xie, Y., Ye, C., Yu, C., Zhang, F., Zheng, H., Zhu, H., Alkan, C., Dal, E., Kahveci, F., Garrison, E. P., Kural, D., Lee, W.-P., Fung Leong, W., Stromberg, M., Ward, A. N., Wu, J., Zhang, M., Daly, M. J., DePristo, M. A., Handsaker, R. E., Banks, E., Bhatia, G., del Angel, G., Genovese, G., Li, H., Kashin, S., McCarroll, S. A., Nemesh, J. C., Poplin, R. E., Yoon, S. C., Lihm, J., Makarov, V., Gottipati,

- S., Keinan, A., Rodriguez-Flores, J. L., Rausch, T., Fritz, M. H., Stütz, A. M., Beal, K., Datta, A., Herrero, J., Ritchie, G. R. S., Zerbino, D., Sabeti, P. C., Shlyakhter, I., Schaffner, S. F., Vitti, J., Cooper, D. N., Ball, E. V., Stenson, P. D., Barnes, B., Bauer, M., Keira Cheetham, R., Cox, A., Eberle, M., Kahn, S., Murray, L., Peden, J., Shaw, R., Kenny, E. E., Batzer, M. A., Konkel, M. K., Walker, J. A., MacArthur, D. G., Lek, M., Herwig, R., Ding, L., Koboldt, D. C., Larson, D., Ye, K. K., Gravel, S., Swaroop, A., Chew, E., Lappalainen, T., Erlich, Y., Gymrek, M., Frederick Willems, T., Simpson, J. T., Shriver, M. D., Rosenfeld, J. A., Bustamante, C. D., Montgomery, S. B., De La Vega, F. M., Byrnes, J. K., Carroll, A. W., DeGorter, M. K., Lacroute, P., Maples, B. K., Martin, A. R., Moreno-Estrada, A., Shringarpure, S. S., Zakharia, F., Halperin, E., Baran, Y., Cerveira, E., Hwang, J., Malhotra, A., Plewczynski, D., Radew, K., Romanovitch, M., Zhang, C., Hyland, F. C. L., Craig, D. W., Christoforides, A., Homer, N., Izatt, T., Kurdoglu, A. A., Sinari, S. A., Squire, K., Xiao, C., Sebat, J., Antaki, D., Gujral, M., Noor, A., Ye, K. K., Burchard, E. G., Hernandez, R. D., Gignoux, C. R., Haussler, D., Katzman, S. J., James Kent, W., Howie, B., Ruiz-Linares, A., Dermitzakis, E. T., Devine, S. E., Min Kang, H., Kidd, J. M., Blackwell, T., Caron, S., Chen, W., Emery, S., Fritzsche, L., Fuchsberger, C., Jun, G., Li, B., Lyons, R., Scheller, C., Sidore, C., Song, S., Sliwerska, E., Taliun, D., Tan, A., Welch, R., Kate Wing, M., Zhan, X., Awadalla, P., Hodgkinson, A., Li, Y. Y., Shi, X., Quitadamo, A., Lunter, G., Marchini, J. L., Myers, S., Churchhouse, C., Delaneau, O., Gupta-Hinch, A., Kretzschmar, W., Iqbal, Z., Mathieson, I., Menelaou, A., Rimmer, A., Xifara, D. K., Oleksyk, T. K., Fu, Y. Y., Liu, X., Xiong, M., Jorde, L., Witherspoon, D., Xing, J., Browning, B. L., Browning, S. R., Hormozdiari, F., Sudmant, P. H., Khurana, E., Tyler-Smith, C., Albers, C. A., Ayub, Q., Chen, Y., Colonna, V., Jostins, L., Walter, K., Xue, Y., Gerstein, M. B., Abzyov, A., Balasubramanian, S., Chen, J., Clarke, D., Fu, Y. Y., Harmanci, A. O., Jin, M., Lee, D., Liu, J., Jasmine Mu, X., Zhang, J., Zhang, Y. Y., Hartl, C., Shakir, K., Degenhardt, J., Meiers, S., Raeder, B., Paolo Casale, F., Stegle, O., Lameijer, E.-W., Hall, I., Bafna, V., Michaelson, J., Gardner, E. J., Mills, R. E., Dayama, G., Chen, K., Fan, X., Chong, Z., Chen, T., Chaisson, M. J., Huddleston, J., Malig, M., Nelson, B. J., Parrish, N. F., Blackburne, B., Lindsay, S. J., Ning, Z., Zhang, Y. Y., Lam, H., Sisu, C., Challis, D., Evani, U. S., Lu, J., Nagaswamy, U., Yu, J., Li, W., Habegger, L., Yu, H., Cunningham, F., Dunham, I., Lage, K., Berg Jespersen, J., Horn, H., Kim, D., Desalle, R., Narechania, A., Wilson Sayres, M. A., Mendez, F. L., David Poznik, G., Underhill, P. A., Coin, L. J. M., Mittelman, D., Banerjee, R., Cerezo, M., Fitzgerald, T. W., Louzada, S., Massaia, A., Ritchie, G. R. S., Yang, F., Kalra, D., Hale, W., Dan, X., Barnes, K. C., Beiswanger, C., Cai, H., Cao, H., Henn, B., Jones, D., Kaye, J. S., Kent, A., Kerasidou, A., Mathias, R. A., Ossorio, P. N., Parker, M., Rotimi, C. N., Royal, C. D., Sandoval, K., Su, Y., Tian, Z., Tishkoff, S., Via, M., Wang, Y., Yang, H., Yang, L., Zhu, J., Bodmer, W., Bedoya, G., Cai, Z., Gao, Y., Chu, J., Peltonen, L., Garcia-Montero, A., Orfao, A., Dutil, J., Martinez-Cruzado, J. C., Mathias, R. A., Hennis, A., Watson, H., McKenzie, C., Qadri, F., LaRocque, R., Deng, X., Asogun, D., Folarin, O., Happi, C., Omoniwa, O., Stremlau, M., Tariyal, R., Jallow, M., Sisay Joof, F., Corrah, T., Rockett, K., Kwiatkowski, D., Kooner, J., Tnh Hiê'n, T., Dunstan, S. J., Thuy Hang, N., Fonnlie, R., Garry, R., Kanneh, L., Moses, L., Schieffelin, J., Grant, D. S., Gallo, C., Poletti, G., Saleheen, D., Rasheed, A., Brooks, L. D., Felsenfeld, A. L., McEwen, J. E., Vaydylevich, Y., Duncanson, A., Dunn, M., and Schloss, J. A. (2015). A

- global reference for human genetic variation. *Nature*, 526(7571):68–74.
- [24] Avitzur, Y., Guo, C., Mastropaoletti, L. a., Bahrami, E., Chen, H., Zhao, Z., Elkadri, A., Dhillon, S., Murchie, R., Fattouh, R., Huynh, H., Walker, J. L., Wales, P. W., Cutz, E., Kakuta, Y., Dudley, J., Kammermeier, J., Powrie, F., Shah, N., Walz, C., Nathrath, M., Kotlarz, D., Puchaka, J., Krieger, J. R., Racek, T., Kirchner, T., Walters, T. D., Brumell, J. H., Griffiths, A. M., Rezaei, N., Rashtian, P., Najafi, M., Monajemzadeh, M., Pelsue, S., McGovern, D. P. B., Uhlig, H. H., Schadt, E., Klein, C., Snapper, S. B., and Muise, A. M. (2014). Mutations in tetratricopeptide repeat domain 7A result in a severe form of very early onset inflammatory bowel disease. *Gastroenterology*, 146(4):1028–39.
- [25] Awadalla, P., Gauthier, J., Myers, R. a., Casals, F., Hamdan, F. F., Griffing, A. R., Côté, M., Henrion, E., Spiegelman, D., Tarabeux, J., Piton, A., Yang, Y., Boyko, A., Bustamante, C., Xiong, L., Rapoport, J. L., Addington, A. M., DeLisi, J. L. E., Krebs, M.-O., Joober, R., Millet, B., Fombonne, E., Mottron, L., Zilversmit, M., Keebler, J., Daoud, H., Marineau, C., Roy-Gagnon, M.-H., Dubé, M.-P., Eyre-Walker, A., Drapeau, P., Stone, E. a., Lafrenière, R. G., and Rouleau, G. a. (2010). Direct measure of the de novo mutation rate in autism and schizophrenia cohorts. *American Journal of Human Genetics*, 87(3):316–24.
- [26] Badano, J. L. and Katsanis, N. (2002). Beyond Mendel: an evolving view of human genetic disease transmission. *Nature Review Genetics*, 3(10):779–789.
- [27] Bain, S. C., Prins, J. B., Hearne, C. M., Rodrigues, N. R., Rowe, B. R., Pritchard, L. E., Ritchie, R. J., Hall, J. R., Undlien, D. E., Ronningen, K. S., and al., E. (1992). Insulin gene region-encoded susceptibility to type 1 diabetes is not restricted to HLA-DR4-positive individuals. *Nature Genetics*, 2(3):212–215.
- [28] Bakker, B., Bikker, H., Vulsmma, T., Randamie, J. S. E. D. E., Wiedijk, B. M., and Vijlder, J. A. N. J. M. D. E. (2000). Two Decades of Screening for Congenital Hypothyroidism in the Netherlands: TPO Gene Mutations in Total Iodide Organification Defects (an Update). *The Journal of Clinical Endocrinology and Metabolism*, 85(10):3708–3712.
- [29] Balaresque, P. L., Ballereau, S. J., and Jobling, M. A. (2007). Challenges in human genetic diversity: Demographic history and adaptation. *Human Molecular Genetics*, 16(R2):134–139.
- [30] Baldini, A. (2005). Dissecting contiguous gene defects: TBX1. *Current Opinion in Genetics and Development*, 15(3 SPEC. ISS.):279–284.
- [31] Bamshad, M. J., Ng, S. B., Bigham, A. W., Tabor, H. K., Emond, M. J., Nickerson, D. a., and Shendure, J. (2011). Exome sequencing as a tool for Mendelian disease gene discovery. *Nature Reviews Genetics*, 12(11):745–55.
- [32] Barrett, J. C. and Cardon, L. R. (2006). Evaluating coverage of genome-wide association studies. *Nature Genetics*, 38(6):659–662.

- [33] Barrett, J. C., Hansoul, S., Nicolae, D. L., Cho, J. H., Duerr, R. H., Rioux, J. D., Brant, S. R., Silverberg, M. S., Taylor, K. D., Michael, M., Bitton, A., Dassopoulos, T., Datta, L. W., Green, T., Griffiths, M., Kistner, E. O., Murtha, M. T., Regueiro, M. D., Jerome, I., Schumm, L. P., Steinhart, a. H., Targan, S. R., Ramnik, J., Prescott, J., Onnie, C. M., Fisher, S. a., Marchini, J., and Ghori, J. (2009). Genome-wide association defines more than thirty distinct susceptibility loci for Crohn's disease. *Nat Genet.*, 40(8):955–962.
- [34] Bartlett, H. and Weeks, D. L. (2011). Examining the Cardiac NK-2 Genes in Early Heart Development. *Development*, 31(3):335–341.
- [35] Baumgart, D. C. and Sandborn, W. J. (2007). Inflammatory bowel disease: clinical aspects and established and evolving therapies. *Lancet*, 369(9573):1641–1657.
- [36] Beardsall, K. and Ogilvy-Stuart, A. L. (2004). Congenital hypothyroidism. *Current Paediatrics*, 14(5):422–429.
- [37] Beasley, T. M., Erickson, S., and Allison, D. B. (2009). Rank-based inverse normal transformations are increasingly used, but are they merited? *Behavior Genetics*, 39(5):580–595.
- [38] Beaulieu, C. L., Majewski, J., Schwartzenbacher, J., Samuels, M. E., Fernandez, B. A., Bernier, F. P., Brudno, M., Knoppers, B., Marcadier, J., Dymant, D., Adam, S., Bulman, D. E., Jones, S. J. M., Avard, D., Nguyen, M. T., Rousseau, F., Marshall, C., Wintle, R. F., Shen, Y., Scherer, S. W., Friedman, J. M., Michaud, J. L., and Boycott, K. M. (2014). FORGE Canada Consortium: Outcomes of a 2-year national rare-disease gene-discovery project. *American Journal of Human Genetics*, 94(6):809–817.
- [39] Begue, B., Verdier, J., Rieux-Lauzier, F., Goulet, O., Morali, A., Canioni, D., Hugot, J.-P., Daussy, C., Verkarre, V., Pigneur, B., Fischer, A., Klein, C., Cerf-Bensussan, N., and Ruemmele, F. M. (2011). Defective IL10 signaling defining a subgroup of patients with inflammatory bowel disease. *The American Journal of Gastroenterology*, 106(8):1544–55.
- [40] Bell, C. J., Dinwiddie, D. L., Miller, N. a., Hateley, S. L., Ganusova, E. E., Mudge, J., Langley, R. J., Zhang, L., Lee, C. C., Schilkey, F. D., Sheth, V., Woodward, J. E., Peckham, H. E., Schroth, G. P., Kim, R. W., Kingsmore, S. F., Elena, E., and Ryan, W. (2011). Carrier Testing for Severe Childhood Recessive Disease by Next-Generation Sequencing. *Science Translational Medicine*, 3(65):65ra4.
- [41] Belsky, D. and Israel, S. (2014). Integrating Genetics and Social Science: Genetic Risk Scores. *Biodemographic Soc Biol*, 60:137–155.
- [42] Berg, J. S., Khoury, M. J., and Evans, J. P. (2011). Deploying whole genome sequencing in clinical practice and public health: meeting the challenge one bin at a time. *Genetics in medicine: official journal of the American College of Medical Genetics*, 13(6):499–504.
- [43] Bhattacharya, S., Das, A., Ghosh, S., Dasgupta, R., and Bagchi, A. (2014). Hypoglycosylation of dystroglycan due to T192M mutation: A molecular insight behind the fact. *Gene*, 537(1):108–114.

- [44] Bhoj, E., Halbach, S., McDonald-Mcginn, D., Tan, C., Lande, R., Waggoner, D., and Zackai, E. (2013). Expanding the spectrum of microdeletion 4q21 syndrome: A partial phenotype with incomplete deletion of the minimal critical region and a new association with cleft palate and pierre robin sequence. *American Journal of Medical Genetics, Part A*, 161(9):2327–2333.
- [45] Biank, V., Broeckel, U., and Kugathasan, S. (2007). Pediatric inflammatory bowel disease: clinical and molecular genetics. *Inflammatory Bowel Diseases*, 13(11):1430–1438.
- [46] Biben, C., Weber, R., Kesteven, S., Stanley, E., McDonald, L., Elliott, D. A., Barnett, L., Ko, F., Robb, L., Feneley, M., and Harvey, R. P. (2000). Cardiac Septal and Valvular Dysmorphogenesis in Mice Heterozygous for Mutations in the Homeobox Gene Nkx2-5. *Circulation Research*, 10:888–896.
- [47] Biebermann, H., Schöneberg, T., Krude, H., Schultz, G., Gudermann, T., and Grüters, a. (1997). Mutations of the human thyrotropin receptor gene causing thyroid hypoplasia and persistent congenital hypothyroidism. *The Journal of Clinical Endocrinology and Metabolism*, 82(10):3471–80.
- [48] Bittles (2001). Consanguinity and its relevance to clinical genetics. *Clinical Genetics*, 60:89–98.
- [49] Blair, D. R., Lyttle, C. S., Mortensen, J. M., Bearden, C. F., Jensen, A. B., Khiabanian, H., Melamed, R., Rabadan, R., Bernstam, E. V., Brunak, S., Jensen, L. J., Nicolae, D., Shah, N. H., Grossman, R. L., Cox, N. J., White, K. P., and Rzhetsky, A. (2013). A nondegenerate code of deleterious variants in mendelian loci contributes to complex disease risk. *Cell*, 155(1):70–80.
- [50] Blau, N., Van Spronsen, F. J., and Levy, H. L. (2010). Phenylketonuria. *The Lancet*, 376(9750):1417–1427.
- [51] Bonnet, C., Andrieux, J., Béri-Dexheimer, M., Leheup, B., Boute, O., Manouvrier, S., Delobel, B., Copin, H., Receveur, a., Mathieu, M., Thiriez, G., Le Caignec, C., David, a., de Blois, M. C., Malan, V., Philippe, a., Cormier-Daire, V., Colleaux, L., Flori, E., Dollfus, H., Pelletier, V., Thauvin-Robinet, C., Masurel-Paulet, a., Faivre, L., Tardieu, M., Bahi-Buisson, N., Callier, P., Mugneret, F., Edery, P., Jonveaux, P., and Sanlaville, D. (2010). Microdeletion at chromosome 4q21 defines a new emerging syndrome with marked growth restriction, mental retardation and absent or severely delayed speech. *Journal of Medical Genetics*, 47(6):377–84.
- [52] Booth, C., Gilmour, K. C., Veys, P., Gennery, A. R., Slatter, M. A., Chapel, H., Heath, P. T., Steward, C. G., Smith, O., Meara, A. O., Kerrigan, H., Mahlaoui, N., Cavazzana-calvo, M., Fischer, A., Moshous, D., Blanche, S., Schmid, J. P., Latour, S., Saint-basile, G. D., Albert, M., Notheis, G., Rieber, N., Strahm, B., Ritterbusch, H., Sedlacek, P., Jazbec, J., Kanegane, H., Nichols, K. E., Hanson, I. C., and Kapoor, N. (2011). X-linked lymphoproliferative disease due to SAP / SH2D1A deficiency: a multicenter study on the manifestations , management and outcome of the disease. *Blood*, 117(1):53–62.

- [53] Botstein, D. and Risch, N. (2003). Discovering genotypes underlying human phenotypes: past successes for mendelian disease, future approaches for complex disease. *Nature Genetics*, 33 Suppl(march):228–37.
- [54] Botstein, D., White, R. L., Skolnick, M., and Davis, R. W. (1980). Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *American Journal of Human Genetics*, 32(3):314–31.
- [55] Boycott, K. M., Vanstone, M. R., Bulman, D. E., and MacKenzie, A. E. (2013). Rare-disease genetics in the era of next-generation sequencing: discovery to translation. *Nature Reviews Genetics*, 14(10):681–91.
- [56] Brandau, O., Schuster, V., Weiss, M., Hellebrand, H., Fink, F. M., Kreczy, A., Friedrich, W., Strahm, B., Niemeyer, C., Belohradsky, B. H., and Meindl, A. (1999). Epstein-Barr virus-negative boys with non-Hodgkin lymphoma are mutated in the SH2D1A gene, as are patients with X-linked lymphoproliferative disease (XLP). *Human Molecular Genetics*, 8(13):2407–2413.
- [57] BROAD Institute (2013). White Paper: Creating a Global Alliance to Enable Responsible Sharing of Genomic and Clinical Data. *BROAD Communications*.
- [58] Brommage, R., Liu, J., Hansen, G. M., Kirkpatrick, L. L., Potter, D. G., Sands, A. T., Zambrowicz, B., Powell, D. R., and Vogel, P. (2014). High-throughput screening of mouse gene knockouts identifies established and novel skeletal phenotypes. *Bone Research*, 2:14034.
- [59] Brown, R. S. and Demmer, L. a. (2002). The etiology of thyroid dysgenesis-still an enigma after all these years. *The Journal of Clinical Endocrinology and Metabolism*, 87(9):4069–71.
- [60] Brunham, L. R. and Hayden, M. R. (2013). Hunting human disease genes: Lessons from the past, challenges for the future. *Human Genetics*, 132(6):603–617.
- [61] Brust, E. S., Beltrao, C. B., Chammas, M. C., Watanabe, T., Sapienza, M. T., and Marui, S. (2012). Absence of mutations in PAX8, NKX2.5, and TSH receptor genes in patients with thyroid dysgenesis. *Arg Bras Endocrinol Metabol*, 56(4):8–12.
- [62] Buijsse, B., Simmons, R. K., Griffin, S. J., and Schulze, M. B. (2011). Risk assessment tools for identifying individuals at risk of developing type 2 diabetes. *Epidemiologic Reviews*, 33(1):46–62.
- [63] Burniat, A., Pirson, I., Vilain, C., Kulik, W., Afink, G., Moreno-Reyes, R., Corvilain, B., and Abramowicz, M. (2012). Iodotyrosine deiodinase defect identified via genome-wide approach. *Journal of Clinical Endocrinology and Metabolism*, 97(July 2012):1276–1283.
- [64] Bush, W. S. and Moore, J. H. (2012). Chapter 11: Genome-Wide Association Studies. *PLoS Computational Biology*, 8(12).

- [65] Buysse, K., Riemersma, M., Powell, G., Van reeuwijk, J., Chitayat, D., Roscioli, T., Kamsteeg, E. J., Van den elzen, C., Van beusekom, E., Blaser, S., Babul-Hirji, R., Halliday, W., Wright, G. J., Stemple, D. L., Lin, Y. Y., Lefeber, D. J., and Van bokhoven, H. (2013). Missense mutations in beta-1,3-N-acetylglucosaminyltransferase 1 (B3GNT1) cause Walker-Warburg syndrome. *Human Molecular Genetics*, 22(9):1746–1754.
- [66] Cangul, H., Aycan, Z., Olivera-Nappa, A., Saglam, H., Schoenmakers, N. a., Boelaert, K., Cetinkaya, S., Tarim, O., Bober, E., Darendeliler, F., Bas, V., Demir, K., Aydin, B. K., Kendall, M., Cole, T., Höglér, W., Chatterjee, V. K. K., Barrett, T. G., and Maher, E. R. (2013). Thyroid dyshormonogenesis is mainly caused by TPO mutations in consanguineous community. *Clinical Endocrinology*, 79(2):275–81.
- [67] Cangul, H., Morgan, N. V., Forman, J. R., Saglam, H., Aycan, Z., Yakut, T., Gulten, T., Tarim, O., Bober, E., Cesur, Y., Kirby, G. A., Pasha, S., Karkucak, M., Eren, E., Cetinkaya, S., Bas, V., Demir, K., Yuca, S. A., Meyer, E., Kendall, M., Hogler, W., Barrett, T. G., and Maher, E. R. (2010). Novel TSHR mutations in consanguineous families with congenital nongoitrous hypothyroidism. *Clinical Endocrinology*, 73(5):671–677.
- [68] Cannioto, Z., Berti, I., Martelossi, S., Bruno, I., Giurici, N., Crovella, S., and Ventura, a. (2009). IBD and IBD mimicking enterocolitis in children younger than 2 years of age. *European Journal of Pediatrics*, 168(2):149–55.
- [69] Cao, X.-Y., Jiang, X.-M., Dou, Z.-H., Rakeman, M. A., Zhang, M.-L., O'Donnell, K., Ma, T., Amette, K., DeLong, N., and DeLong, G. R. (1994). Timing of Vulnerability of the Brain to Iodine Deficiency in Endemic Cretinism. *The New England Journal of Medicine*, 331:1739–1744.
- [70] Carre, A., Rachdi, L., Tron, E., Richard, B., Castanet, M., Schlumberger, M., Bidart, J. M., Szinnai, G., and Polak, M. (2011). Hes1 is required for appropriate morphogenesis and differentiation during mouse thyroid gland development. *PLoS ONE*, 6(2).
- [71] Carson, A. R., Smith, E. N., Matsui, H., Brækkan, S. K., Jepsen, K., Hansen, J.-b., and Frazer, K. A. (2014). Effective filtering strategies to improve data quality from population-based whole exome sequencing studies. *BMC Bioinformatics*, 15:1–15.
- [72] Carss, K. J., Hillman, S. C., Parthiban, V., McMullan, D. J., Maher, E. R., Kilby, M. D., and Hurles, M. E. (2014). Exome sequencing improves genetic diagnosis of structural fetal abnormalities revealed by ultrasound. *Human Molecular Genetics*, 23(12):3269–77.
- [73] Carter, M. J. (2004). Guidelines for the management of inflammatory bowel disease in adults. *Gut*, 53(suppl_5):v1–v16.
- [74] Castanet, M., Polak, M., Bonai, C., Lyonnet, S., Czernichow, P., and Le, J. (2001). Nineteen Years of National Screening for Congenital Hypothyroidism: Familial Cases with Thyroid Dysgenesis. *The Journal of Clinical Endocrinology & Metabolism*, 86(5):2009–2014.

- [75] Castanet, M., Sura-Trueba, S., Chauty, A., Carré, A., de Roux, N., Heath, S., Léger, J., Lyonnet, S., Czernichow, P., and Polak, M. (2005). Linkage and mutational analysis of familial thyroid dysgenesis demonstrate genetic heterogeneity implicating novel genes. *European Journal of Human Genetics: EJHG*, 13(2):232–239.
- [76] Cheng, A. Y., Teo, Y. Y., and Ong, R. T. H. (2014). Assessing single nucleotide variant detection and genotype calling on whole-genome sequenced individuals. *Bioinformatics*, 30(12):1707–1713.
- [77] Chong, J. X., Buckingham, K. J., Jhangiani, S. N., Boehm, C., Sobreira, N., Smith, J. D., Harrell, T. M., McMillin, M. J., Wiszniewski, W., Gambin, T., Coban Akdemir, Z. H., Doheny, K., Scott, A. F., Avramopoulos, D., Chakravarti, A., Hoover-Fong, J., Mathews, D., Witmer, P. D., Ling, H., Hetrick, K., Watkins, L., Patterson, K. E., Reinier, F., Blue, E., Muzny, D., Kircher, M., Bilguvar, K., Lopez-Giraldez, F., Sutton, V. R., Tabor, H. K., Leal, S. M., Gunel, M., Mane, S., Gibbs, R. A., Boerwinkle, E., Hamosh, A., Shendure, J., Lupski, J. R., Lifton, R. P., Valle, D., Nickerson, D. A., and Bamshad, M. J. (2015). The Genetic Basis of Mendelian Phenotypes: Discoveries, Challenges, and Opportunities. *American Journal of Human Genetics*, 97(2):199–215.
- [78] Christodoulou, K., Wiskin, A. E., Gibson, J., Tapper, W., Willis, C., Afzal, N. a., Upstill-Goddard, R., Holloway, J. W., Simpson, M. a., Beattie, R. M., Collins, A., and Ennis, S. (2013). Next generation exome sequencing of paediatric inflammatory bowel disease patients identifies rare and novel variants in candidate genes. *Gut*, 62(7):977–984.
- [79] Chun, S. and Fay, J. C. (2009). Identification of deleterious mutations within three human genomes. *Genome research*, 19:1553–1561.
- [80] Cingolani, P., Platts, A., Wang, L. L., Coon, M., Nguyen, T., Wang, L., Land, S. J., Lu, X., and Ruden, D. M. (2012). A program for annotating and predicting the effects of single nucleotide polymorphisms, SnpEff: SNPs in the genome of *Drosophila melanogaster* strain w 1118; iso-2; iso-3. *Fly*, 6(2):80–92.
- [81] Ciofani, M., Madar, A., Galan, C., Sellars, M., MacE, K., Pauli, F., Agarwal, A., Huang, W., Parkurst, C. N., Muratet, M., Newberry, K. M., Meadows, S., Greenfield, A., Yang, Y., Jain, P., Kirigin, F. K., Birchmeier, C., Wagner, E. F., Murphy, K. M., Myers, R. M., Bonneau, R., and Littman, D. R. (2012). A validated regulatory network for Th17 cell specification. *Cell*, 151(2):289–303.
- [82] Citterio, C. E., Machiavelli, G. A., Miras, M. B., Gruñero-Papendieck, L., Lachlan, K., Sobrero, G., Chiesa, A., Walker, J., Muñoz, L., Testa, G., Belforte, F. S., González-Sarmiento, R., Rivolta, C. M., and Targovnik, H. M. (2013). New insights into thyroglobulin gene: Molecular analysis of seven novel mutations associated with goiter and hypothyroidism. *Molecular and Cellular Endocrinology*, 365(2):277–291.
- [83] Civitareale, D., Filippis, V. D. E., Cisternino, C., and Tassi, V. (1997). Absence of Mutations in the Gene Transcription Thyroid Dysgenesis in Patients with EncodingThyroid. *Thyroid*, 7(3).

- [84] Clark, M. J., Chen, R. R., Lam, H. Y. K., Karczewski, K. J., Chen, R. R., Euskirchen, G., Butte, A. J., and Snyder, M. (2011). Performance comparison of exome DNA sequencing technologies. *Nature Biotechnology*, 29(10):908–914.
- [85] Clarke, G. M., Anderson, C. a., Pettersson, F. H., Cardon, L. R., and Andrew, P. (2011). Basic statistical analysis in genetic case-control studies. *Nature Protocols*, 6(2):121–133.
- [86] Clément, K., Vaisse, C., Lahlou, N., Cabrol, S., Pelloux, V., Cassuto, D., Gourmelen, M., Dina, C., Chambaz, J., Lacorte, J. M., Basdevant, a., Bougnères, P., Lebouc, Y., Froguel, P., and Guy-Grand, B. (1998). A mutation in the human leptin receptor gene causes obesity and pituitary dysfunction. *Nature*, 392(6674):398–401.
- [87] Cleynen, I., Boucher, G., Jostins, L., Schumm, L. P., Zeissig, S., Ahmad, T., Andersen, V., Andrews, J. M., Annese, V., Brand, S., Brant, S. R., Cho, J. H., Daly, M. J., Dubinsky, M., Duerr, R. H., Ferguson, L. R., Franke, A., Kupcinskas, L., Lawrence, I. C., Lee, J. C., Satsangi, J., Schreiber, S., Théâtre, E., Jong, A. E. V. D. M.-d., Mansfi, J., Silverberg, M. S., Radford-smith, G., McGovern, D. P. B., Barrett, J. C., Lees, C. W., and Adelaide, R. (2015). Inherited determinants of Crohn’s disease and ulcerative colitis phenotypes: a genetic association study. *The Lancet*, 6736(15):1–12.
- [88] Clifton-Bligh, R. J., Wentworth, J. M., Heinz, P., Crisp, M. S., John, R., Lazarus, J. H., Ludgate, M., and Chatterjee, V. K. (1998). Mutation of the gene encoding human TTF-2 associated with thyroid agenesis, cleft palate and choanal atresia. *Nature Genetics*, 19(4):399–401.
- [89] Coffey, a. J., Brooksbank, R. a., Brandau, O., Oohashi, T., Howell, G. R., Bye, J. M., Cahn, a. P., Durham, J., Heath, P., Wray, P., Pavitt, R., Wilkinson, J., Leversha, M., Huckle, E., Shaw-Smith, C. J., Dunham, a., Rhodes, S., Schuster, V., Porta, G., Yin, L., Serafini, P., Sylla, B., Zollo, M., Franco, B., Bolino, a., Seri, M., Lanyi, a., Davis, J. R., Webster, D., Harris, a., Lenoir, G., de St Basile, G., Jones, a., Behloradsky, B. H., Achatz, H., Murken, J., Fassler, R., Sumegi, J., Romeo, G., Vaudin, M., Ross, M. T., Meindl, a., and Bentley, D. R. (1998). Host response to EBV infection in X-linked lymphoproliferative disease results from mutations in an SH2-domain encoding gene. *Nature Genetics*, 20(2):129–135.
- [90] Cognard, N., Scerbo, M. J., Obringer, C., Yu, X., Costa, F., Haser, E., Le, D., Stoetzel, C., Roux, M. J., Moulin, B., Dollfus, H., and Marion, V. (2015). Comparing the Bbs10 complete knockout phenotype with a specific renal epithelial knockout one highlights the link between renal defects and systemic inactivation in mice. *Cilia*, 4(1):10.
- [91] Colombel, J. and Grandbastien, B. (1996). Clinical characteristics of Crohn’s disease in 72 families. *Gastroenterology*, 111(3):604–607.
- [92] Congdon, T., Nguyen, L. Q., Nogueira, C. R., Habiby, R. L., Medeiros-neto, G., Kopp, P., Endocrinology, D., C, M. M. T., and H, P. E. R. L. (2001). A Novel Mutation (Q40P) in PAX8 Associated with Congenital Hypothyroidism and Thyroid Hypoplasia: Evidence for Phenotypic Variability in Mother and Child. *The Journal of Clinical Endocrinology and Metabolism*, 86(August):3962–3967.

- [93] Connelly, T. M., Berg, A. S., Iii, L. H., Brinton, D., Deiling, S., and Koltun, W. A. (2015). Genetic determinants associated with early age of diagnosis of IBD. *Diseases of the Colon and Rectum*, 58(3):321–327.
- [94] Conrad, D. F., Pinto, D., Redon, R., Feuk, L., Gokcumen, O., Zhang, Y., Aerts, J., Andrews, T. D., Barnes, C., Campbell, P., Fitzgerald, T., Hu, M., Ihm, C. H., Kristiansson, K., Macarthur, D. G., Macdonald, J. R., Onyiah, I., Pang, A. W. C., Robson, S., Stirrups, K., Valsesia, A., Walter, K., Wei, J., Tyler-Smith, C., Carter, N. P., Lee, C., Scherer, S. W., and Hurles, M. E. (2010). Origins and functional impact of copy number variation in the human genome. *Nature*, 464(7289):704–12.
- [95] CONVERGE Consortium (2015). Sparse whole-genome sequencing identifies two loci for major depressive disorder. *Nature*, 523(7562):588.
- [96] Cooley, M. A., Kern, C. B., Fresco, V. M., Wessels, A., Thompson, R. P., McQuinn, T. C., Twal, W. O., Mjaatvedt, C. H., Drake, C. J., and Argraves, W. S. (2008). Fibulin-1 is required for morphogenesis of neural crest-derived structures. *Developmental Biology*, 319(2):336–345.
- [97] Cooper, D. N., Krawczak, M., Polychronakos, C., Tyler-Smith, C., and Kehrer-Sawatzki, H. (2013). Where genotype is not predictive of phenotype: towards an understanding of the molecular basis of reduced penetrance in human inherited disease. *Human genetics*, 132(10):1077–130.
- [98] Cooper, G. M., Stone, E. a., Asimenos, G., Green, E. D., Batzoglou, S., and Sidow, A. (2005). Distribution and intensity of constraint in mammalian genomic sequence. *Genome research*, 15(7):901–13.
- [99] Corbetta, C., Weber, G., Cortinovis, F., Calebiro, D., Passoni, A., Vigone, M. C., Beck-Peccoz, P., Chiumello, G., and Persani, L. (2009). A 7-year experience with low blood TSH cutoff levels for neonatal screening reveals an unsuspected frequency of congenital hypothyroidism (CH). *Clinical Endocrinology*, 71(5):739–45.
- [100] Corder, E. H., Saunders, a. M., Strittmatter, W. J., Schmeichel, D. E., Gaskell, P. C., Small, G. W., Roses, a. D., Haines, J. L., and Pericak-Vance, M. a. (1993). Gene dose of apolipoprotein E type 4 allele and the risk of Alzheimer's disease in late onset families. *Science (New York, N.Y.)*, 261(5123):921–923.
- [101] Crow, J. F. and Weinberg, W. (2000). The origins, patterns and implications of human spontaneous mutation. *Nature Reviews Genetics*, 1(October):40–47.
- [102] Cutler DJ, Zwick ME, Okou DT, Prahalad S, Walters T, G. S. (2015). Dissecting allele architecture of early onset IBD using high-density genotyping. *PLoS ONE*, 10(6):1–12.
- [103] D'Alessandro, L. C. A., Al Turki, S., Manickaraj, A. K., Manase, D., Mulder, B. J. M., Bergin, L., Rosenberg, H. C., Mondal, T., Gordon, E., Lougheed, J., Smythe, J., Devriendt, K., Bhattacharya, S., Watkins, H., Bentham, J., Bowdin, S., Hurles, M. E., and Mital, S. (2016). Exome sequencing identifies rare variants in multiple genes in atrioventricular septal defect. *Genetics in Medicine*, 18(2):189–198.

- [104] Damgaard, R. B., Fiil, B. K., Speckmann, C., Yabal, M., zur Stadt, U., Bekker-Jensen, S., Jost, P. J., Ehl, S., Mailand, N., and Gyrd-Hansen, M. (2013). Disease-causing mutations in the XIAP BIR2 domain impair NOD2-dependent immune signalling. *EMBO Molecular Medicine*, 5(8):1278–1295.
- [105] Danecek, P., Auton, A., Abecasis, G., Albers, C. a., Banks, E., DePristo, M. a., Handsaker, R. E., Lunter, G., Marth, G. T., Sherry, S. T., McVean, G., and Durbin, R. (2011). The variant call format and VCFtools. *Bioinformatics (Oxford, England)*, 27(15):2156–8.
- [106] Danjou, F., Zoledziewska, M., Sidore, C., Steri, M., Busonero, F., Maschio, A., Mulas, A., Perseu, L., Barella, S., Porcu, E., Pistis, G., Pitzalis, M., Pala, M., Menzel, S., Metrustry, S., Spector, T. D., Leoni, L., Angius, A., Uda, M., Moi, P., Thein, S. L., Galanello, R., Abecasis, G. R., Schlessinger, D., Sanna, S., and Cucca, F. (2015). Genome-wide association analyses based on whole-genome sequencing in Sardinia provide insights into regulation of hemoglobin levels. *Nature Genetics*, 47(11):1264–71.
- [107] Davydov, E. V., Goode, D. L., Sirota, M., Cooper, G. M., Sidow, A., and Batzoglou, S. (2010). Identifying a high fraction of the human genome to be under selective constraint using GERP++. *PLoS Computational Biology*, 6(12).
- [108] de Bakker, P. I. W., Ferreira, M. A. R., Jia, X., Neale, B. M., Raychaudhuri, S., and Voight, B. F. (2008). Practical aspects of imputation-driven meta-analysis of genome-wide association studies. *Human Molecular Genetics*, 17(R2):122–128.
- [109] de Lange, K. M. and Barrett, J. C. (2015). Understanding inflammatory bowel disease via immunogenetics. *Journal of Autoimmunity*, 64:91–100.
- [110] de Lange, K. M., Moutsianas, L., Lee, J. C., Lamb, C. A., Luo, Y., Kennedy, N. A., Jostins, L., Rice, D. L., Gutierrez-Achury, J., Ji, S.-G., Heap, G., Nimmo, E. R., Edwards, C., Henderson, P., Mowat, C., Sanderson, J., Satsangi, J., Simmons, A., Wilson, D. C., Tremelling, M., Hart, A., Mathew, C. G., Newman, W. G., Parkes, M., Lees, C. W., Uhlig, H., Hawkey, C., Prescott, N. J., Ahmad, T., Mansfield, J., Anderson, C. A., and Barrett, J. (2016). Genome-wide association study implicates immune activation of multiple integrin genes in inflammatory bowel disease. *BioRxiv*, pages 1–19.
- [111] de Ligt, J., Willemse, M. H., van Bon, B. W., Kleefstra, T., Yntema, H. G., Kroes, T., Vulto-van Silfhout, A. T., Koolen, D. a., de Vries, P., Gilissen, C., del Rosario, M., Hoischen, A., Scheffer, H., de Vries, B. B., Brunner, H. G., Veltman, J. a., and Vissers, L. E. (2012). Diagnostic Exome Sequencing in Persons with Severe Intellectual Disability. *New England Journal of Medicine*, 367(20):1921–1929.
- [112] de Luca, A., Smeekens, S. P., Casagrande, A., Iannitti, R., Conway, K. L., Gresnigt, M. S., Begun, J., Plantinga, T. S., Joosten, L. a. B., van der Meer, J. W. M., Chamilos, G., Netea, M. G., Xavier, R. J., Dinarello, C. a., Romani, L., and van de Veerdonk, F. L. (2014). IL-1 receptor blockade restores autophagy and reduces inflammation in chronic granulomatous disease in mice and in humans. *Proceedings of the National Academy of Sciences of the United States of America*, 111(9):3526–31.

- [113] DeBaun, M. R., Niemitz, E. L., McNeil, D. E., Brandenburg, S. A., Lee, M. P., and Feinberg, A. P. (2002). Epigenetic alterations of H19 and LIT1 distinguish patients with Beckwith-Wiedemann syndrome with cancer and birth defects. *American Journal of Human Genetics*, 70(3):604–11.
- [114] Deladoey, J. (2012). Congenital Hypothyroidism due to Thyroid Dysgenesis: From Epidemiology to Molecular Mechanisms. In Dr. Drahomira Springer (Ed.), editor, *A New Look at Hypothyroidism*, pages 229–242. InTech.
- [115] Dentice, M., Cordeddu, V., Rosica, A., Ferrara, A. M., Santarpia, L., Salvatore, D., Chiovato, L., Perri, A., Moschini, L., Fazzini, C., Olivieri, A., Costa, P., Stopponi, V., Baserga, M., De Felice, M., Sorcini, M., Fenzi, G., Di Lauro, R., Tartaglia, M., and Macchia, P. E. (2006). Missense mutation in the transcription factor NKX2-5: a novel molecular event in the pathogenesis of thyroid dysgenesis. *The Journal of Clinical Endocrinology and Metabolism*, 91(4):1428–33.
- [116] DePristo, M. a., Banks, E., Poplin, R., Garimella, K. V., Maguire, J. R., Hartl, C., Philippakis, A. a., del Angel, G., Rivas, M. a., Hanna, M., McKenna, A., Fennell, T. J., Kernytsky, A. M., Sivachenko, A. Y., Cibulskis, K., Gabriel, S. B., Altshuler, D., and Daly, M. J. (2011). A framework for variation discovery and genotyping using next-generation DNA sequencing data. *Nature Genetics*, 43(5):491–8.
- [117] Derrien, T., Johnson, R., Bussotti, G., Tanzer, A., Djebali, S., Tilgner, H., Guernec, G., Merkel, A., Gonzalez, D., Lagarde, J., Jb, B., Lipovich, L., Gonzalez, J., Ca, D., Tr, G., Hubbard, T., Notredame, C., Harrow, J., and Guigó, R. (2012). The GENCODE v7 catalogue of human long non-coding RNAs: Analysis of their structure , evolution and expression. *Genome Research*, 22:1775–1789.
- [118] Desmet, F. O., Hamroun, D., Collod-Béroud, G., Claustres, M., and Béroud, C. (2010). Bioinformatics identification of splice site signals and prediction of mutation effects. *Research Advances in Nucleic Acids Research*, (September 2015):1–14.
- [119] Di Palma, T., Conti, A., de Cristofaro, T., Scala, S., Nitsch, L., and Zannini, M. (2011). Identification of novel Pax8 targets in FRTL-5 thyroid cells by gene silencing and expression microarray analysis. *PloS one*, 6(9):e25162.
- [120] Dietrich, J. W., Landgrafe, G., and Fotiadou, E. H. (2012). TSH and Thyrotropic Agonists: Key Actors in Thyroid Homeostasis. *Journal of Thyroid Research*, 2012:351864.
- [121] Dinwiddie, D. L., Bracken, J. M., Bass, J. a., Christenson, K., Soden, S. E., Saunders, C. J., Miller, N. a., Singh, V., Zwick, D. L., Roberts, C. C., Dalal, J., and Kingsmore, S. F. (2013). Molecular diagnosis of infantile onset inflammatory bowel disease by exome sequencing. *Genomics*, 102(5-6):442–7.
- [122] Do, R., Kathiresan, S., and Abecasis, G. R. (2012). Exome sequencing and complex disease: practical aspects of rare variant association studies. *Human Molecular Genetics*, 21(R1):R1–9.

- [123] Do, R., Stitzel, N. O., Won, H.-H., Jørgensen, A. B., Duga, S., Angelica Merlini, P., Kiezun, A., Farrall, M., Goel, A., Zuk, O., Guella, I., Asselta, R., Lange, L. a., Peloso, G. M., Auer, P. L., Girelli, D., Martinelli, N., Farlow, D. N., DePristo, M. a., Roberts, R., Stewart, A. F. R., Saleheen, D., Danesh, J., Epstein, S. E., Sivapalaratnam, S., Hovingh, G. K., Kastelein, J. J., Samani, N. J., Schunkert, H., Erdmann, J., Shah, S. H., Kraus, W. E., Davies, R., Nikpay, M., Johansen, C. T., Wang, J., Hegele, R. a., Hechter, E., Marz, W., Kleber, M. E., Huang, J., Johnson, A. D., Li, M., Burke, G. L., Gross, M., Liu, Y., Assimes, T. L., Heiss, G., Lange, E. M., Folsom, A. R., Taylor, H. a., Olivieri, O., Hamsten, A., Clarke, R., Reilly, D. F., Yin, W., Rivas, M. a., Donnelly, P., Rossouw, J. E., Psaty, B. M., Herrington, D. M., Wilson, J. G., Rich, S. S., Bamshad, M. J., Tracy, R. P., Cupples, L. A., Rader, D. J., Reilly, M. P., Spertus, J. a., Cresci, S., Hartiala, J., Tang, W. H. W., Hazen, S. L., Allayee, H., Reiner, A. P., Carlson, C. S., Kooperberg, C., Jackson, R. D., Boerwinkle, E., Lander, E. S., Schwartz, S. M., Siscovick, D. S., McPherson, R., Tybjaerg-Hansen, A., Abecasis, G. R., Watkins, H., Nickerson, D. a., Ardiissino, D., Sunyaev, S. R., O'Donnell, C. J., Altshuler, D., Gabriel, S., and Kathiresan, S. (2015). Exome sequencing identifies rare LDLR and APOA5 alleles conferring risk for myocardial infarction. *Nature*, 518(7537):102–6.
- [124] Donaldson, M. and Jones, J. (2013). Optimising Outcome in Congenital Hypothyroidism: Current Opinions on Best Practice in Initial Assessment and Subsequent Management. *J Clin Res Pediatr Endocrinol*, 5(Suppl 1):13–22.
- [125] Dudas, P. L., Mentone, S., Greineder, C. F., Biemesderfer, D., Aronson, P. S., and Paul, L. (2006). Immunolocalization of anion transporter Slc26a7 in mouse kidney. *American journal of Physiology*, 8029:937–945.
- [126] Duerr, R. H., Taylor, K. D., Brant, S. R., Rioux, J. D., Silverberg, M. S., Daly, M. J., Steinhart, a. H., Abraham, C., Regueiro, M., Griffiths, a., Dassopoulos, T., Bitton, a., Yang, H., Targan, S. R., Datta, L. W., Kistner, E. O., Schumm, L. P., Lee, a. T., Gregersen, P. K., Barmada, M. M., Rotter, J. I., Nicolae, D. L., and Cho, J. H. (2006). A Genome-Wide Association Study Identifies IL23R as an Inflammatory Bowel Disease Gene. *Science*, 314(5804):1461–1463.
- [127] El Omari, K., de Mesmaeker, J., Karia, D., Ginn, H., Bhattacharya, S., and Mancini, E. J. (2012). Structure of the DNA-bound T-box domain of human TBX1, a transcription factor associated with the DiGeorge syndrome. *Proteins: Structure, Function and Bioinformatics*, 80(2):655–660.
- [128] Eng, L., Coutinho, G., Nahas, S., Yeo, G., Tanouye, R., Babaei, M., Dork, T., Burge, C., and Gatti, R. A. (2004). Nonclassical Splicing Mutations in the Coding and Noncoding Regions of the ATM Gene: Maximum Entropy Estimates of Splice Junction Strengths. *Human Mutation*, 23(1):67–76.
- [129] Essers, J., Lee, J., Kugathasan, S., Stevens, C. R., Consortium, N. I. B. D. G., Grant, R., and Daly, M. J. (2009). Established genetic risk factors do not distinguish early and later onset Crohn's Disease. *Inflammatory bowel disease*, 15(10):1508–1514.
- [130] Evangelou, E. and Ioannidis, J. P. A. (2013). Meta-analysis methods for genome-wide association studies and beyond. *Nature Reviews Genetics*, 14(6):379–89.

- [131] Evans, D. M. and Cardon, L. R. (2004). Guidelines for genotyping in genomewide linkage studies: single-nucleotide-polymorphism maps versus microsatellite maps. *American Journal of Human Genetics*, 75:687–692.
- [132] Evans, D. M., Spencer, C. C. a., Pointon, J. J., Su, Z., Harvey, D., Kochan, G., Oppermann, U., Dilthey, A., Pirinen, M., Stone, M. a., Appleton, L., Moutsianas, L., Leslie, S., Wordsworth, T., Kenna, T. J., Karaderi, T., Thomas, G. P., Ward, M. M., Weisman, M. H., Farrar, C., Bradbury, L. a., Danoy, P., Inman, R. D., Maksymowich, W., Gladman, D., Rahman, P., Morgan, A., Marzo-Ortega, H., Bowness, P., Gaffney, K., Gaston, J. S. H., Smith, M., Bruges-Armas, J., Couto, A.-R., Sorrentino, R., Paladini, F., Ferreira, M. a., Xu, H., Liu, Y., Jiang, L., Lopez-Larrea, C., Díaz-Peña, R., López-Vázquez, A., Zayats, T., Band, G., Bellenguez, C., Blackburn, H., Blackwell, J. M., Bramon, E., Bumpstead, S. J., Casas, J. P., Corvin, A., Craddock, N., Deloukas, P., Dronov, S., Duncanson, A., Edkins, S., Freeman, C., Gillman, M., Gray, E., Gwilliam, R., Hammond, N., Hunt, S. E., Jankowski, J., Jayakumar, A., Langford, C., Liddle, J., Markus, H. S., Mathew, C. G., McCann, O. T., McCarthy, M. I., Palmer, C. N. a., Peltonen, L., Plomin, R., Potter, S. C., Rautanen, A., Ravindrarajah, R., Ricketts, M., Samani, N., Sawcer, S. J., Strange, A., Trembath, R. C., Viswanathan, A. C., Waller, M., Weston, P., Whittaker, P., Widaa, S., Wood, N. W., McVean, G., Reveille, J. D., Wordsworth, B. P., Brown, M. a., and Donnelly, P. (2011). Interaction between ERAP1 and HLA-B27 in ankylosing spondylitis implicates peptide handling in the mechanism for HLA-B27 in disease susceptibility. *Nature Genetics*, 43(8):761–767.
- [133] Evans, D. M., Visscher, P. M., and Wray, N. R. (2009). Harnessing the information contained within genome-wide association studies to improve individual prediction of complex disease risk. *Human Molecular Genetics*, 18(18):3525–3531.
- [134] Evans, W. E. and Relling, M. V. (2007). Pharmacogenomics: Translating Functional Genomics into Rational Therapeutics. *Science*, 487(1999).
- [135] Exome Aggregation Consortium (2015). Analysis of protein-coding genetic variation in 60,706 humans. *bioRxiv*, pages 1–26.
- [136] Eyre-Walker, A. and Keightley, P. D. (2007). The distribution of fitness effects of new mutations. *Nature Reviews Genetics*, 8(8):610–8.
- [137] Fagman, H., Amendola, E., Parrillo, L., Zoppoli, P., Marotta, P., Scarfò, M., De Luca, P., de Carvalho, D. P., Ceccarelli, M., De Felice, M., and Di Lauro, R. (2011). Gene expression profiling at early organogenesis reveals both common and diverse mechanisms in foregut patterning. *Developmental biology*, 359(2):163–75.
- [138] Fagman, H., Grände, M., Gritli-Linde, A., and Nilsson, M. (2004). Genetic deletion of sonic hedgehog causes hemiagenesis and ectopic development of the thyroid in mouse. *The American journal of pathology*, 164(5):1865–1872.
- [139] Fagman, H., Liao, J., Westerlund, J., Andersson, L., Morrow, B. E., and Nilsson, M. (2007). The 22q11 deletion syndrome candidate gene Tbx1 determines thyroid size and positioning. *Human Molecular Genetics*, 16(3):276–85.

- [140] Fagman, H. and Nilsson, M. (2010a). Morphogenesis of the thyroid gland. *Molecular and cellular endocrinology*, 323(1):35–54.
- [141] Fagman, H. and Nilsson, M. (2010b). Morphogenetics of early thyroid development. *Journal of Molecular Endocrinology*, 46(1):R33–R42.
- [142] Fankhauser, C., Chory, J., Kircher, S., Ringli, C., Boylan, M. T., Quail, P. H., Deng, X. W., Puente, P., Whitelam, G. C., Harberd, N. P., Lisch, D. R., Quail, P. H., and Wang, H. (2007). A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity. *Science*, 318(November):1305–1309.
- [143] Felice, M. D., Ovitt, C., Biffali, E., Rodriguez-mallon, A., Arra, C., Anastassiadis, K., Macchia, P. E., Mattei, M.-g., Mariano, A., Schöler, H., Macchia, V., and Lauro, R. D. (1998). A mouse model for hereditary thyroid dysgenesis and cleft palate. *Nature Genetics*, 19(august):3–6.
- [144] Felice, M. D. E., Lauro, R. D. I., Zoologica, S., Dohrn, A., and Biology, M. (2004). Thyroid Development and Its Disorders: Genetics and Molecular Mechanisms. *Endocrine Reviews*, 25(August):722–746.
- [145] Fellows, A., Griffin, M. E., Petrella, B. L., Zhong, L., Parvin-nejad, F. P., and Matera, A. G. (2012). AU1/hnRNP D represses expression of VEGF in macrophages. *Molecular Biology of the Cell*, 23:1414–1422.
- [146] Fernández, L. P., López-Márquez, A., Martínez, A. M., Gómez-López, G., and Santisteban, P. (2013). New insights into FoxE1 functions: identification of direct FoxE1 targets in thyroid cells. *PloS one*, 8(5):e62849.
- [147] Fernández, L. P., López-Márquez, A., and Santisteban, P. (2015). Thyroid transcription factors in development, differentiation and disease. *Nature Reviews. Endocrinology*, 11(1):29–42.
- [148] Filipovich, A. H., Zhang, K., Snow, A. L., and Marsh, R. A. (2010). X-linked lymphoproliferative syndromes: Brothers or distant cousins? *Blood*, 116(18):3398–3408.
- [149] Firth, H. V., Richards, S. M., Bevan, A. P., Clayton, S., Corpas, M., Rajan, D., Vooren, S. V., Moreau, Y., Pettett, R. M., and Carter, N. P. (2009). DECIPHER: Database of Chromosomal Imbalance and Phenotype in Humans Using Ensembl Resources. *American Journal of Human Genetics*, 84(4):524–533.
- [150] Fitzgerald, T. W., Gerety, S. S., Jones, W. D., van Kogelenberg, M., King, D. A., McRae, J., Morley, K. I., Parthiban, V., Al-Turki, S., Ambridge, K., Barrett, D. M., Bayzatinova, T., Clayton, S., Coomber, E. L., Gribble, S., Jones, P., Krishnappa, N., Mason, L. E., Middleton, A., Miller, R., Prigmore, E., Rajan, D., Sifrim, A., Tivey, A. R., Ahmed, M., Akawi, N., Andrews, R., Anjum, U., Archer, H., Armstrong, R., Balasubramanian, M., Banerjee, R., Baralle, D., Batstone, P., Baty, D., Bennett, C., Berg, J., Bernhard, B., Bevan, A. P., Blair, E., Blyth, M., Bohanna, D., Bourdon, L., Bourn, D., Brady, A., Bragin, E., Brewer, C., Brueton, L., Brunstrom, K., Bumpstead, S. J., Bunyan, D. J., Burn, J., Burton, J., Canham, N., Castle, B.,

- Chandler, K., Clasper, S., Clayton-Smith, J., Cole, T., Collins, A., Collinson, M. N., Connell, F., Cooper, N., Cox, H., Cresswell, L., Cross, G., Crow, Y., D'Alessandro, M., Dabir, T., Davidson, R., Davies, S., Dean, J., Deshpande, C., Devlin, G., Dixit, A., Dominiczak, A., Donnelly, C., Donnelly, D., Douglas, A., Duncan, A., Eason, J., Edkins, S., Ellard, S., Ellis, P., Elmslie, F., Evans, K., Everest, S., Fendick, T., Fisher, R., Flinter, F., Foulds, N., Fryer, A., Fu, B., Gardiner, C., Gaunt, L., Ghali, N., Gibbons, R., Gomes Pereira, S. L., Goodship, J., Goudie, D., Gray, E., Greene, P., Greenhalgh, L., Harrison, L., Hawkins, R., Hellens, S., Henderson, A., Hobson, E., Holden, S., Holder, S., Hollingsworth, G., Homfray, T., Humphreys, M., Hurst, J., Ingram, S., Irving, M., Jarvis, J., Jenkins, L., Johnson, D., Jones, D., Jones, E., Josifova, D., Joss, S., Kaemba, B., Kazembe, S., Kerr, B., Kini, U., Kinning, E., Kirby, G., Kirk, C., Kivuva, E., Kraus, A., Kumar, D., Lachlan, K., Lam, W., Lampe, A., Langman, C., Lees, M., Lim, D., Lowther, G., Lynch, S. A., Magee, A., Maher, E., Mansour, S., Marks, K., Martin, K., Maye, U., McCann, E., McConnell, V., McEntagart, M., McGowan, R., McKay, K., McKee, S., McMullan, D. J., McNerlan, S., Mehta, S., Metcalfe, K., Miles, E., Mohammed, S., Montgomery, T., Moore, D., Morgan, S., Morris, A., Morton, J., Mugalaasi, H., Murday, V., Nevitt, L., Newbury-Ecob, R., Norman, A., O'Shea, R., Ogilvie, C., Park, S., Parker, M. J., Patel, C., Paterson, J., Payne, S., Phipps, J., Pilz, D. T., Porteous, D., Pratt, N., Prescott, K., Price, S., Pridham, A., Procter, A., Purnell, H., Ragge, N., Rankin, J., Raymond, L., Rice, D., Robert, L., Roberts, E., Roberts, G., Roberts, J., Roberts, P., Ross, A., Rosser, E., Saggar, A., Samant, S., Sandford, R., Sarkar, A., Schweiger, S., Scott, C., Scott, R., Selby, A., Seller, A., Sequeira, C., Shannon, N., Sharif, S., Shaw-Smith, C., Shearing, E., Shears, D., Simonic, I., Simpkin, D., Singzon, R., Skitt, Z., Smith, A., Smith, B., Smith, K., Smithson, S., Sneddon, L., Splitt, M., Squires, M., Stewart, F., Stewart, H., Suri, M., Sutton, V., Swaminathan, G. J., Sweeney, E., Tatton-Brown, K., Taylor, C., Taylor, R., Tein, M., Temple, I. K., Thomson, J., Tolmie, J., Torokwa, A., Treacy, B., Turner, C., Turnpenny, P., Tysoe, C., Vandersteen, A., Vasudevan, P., Vogt, J., Wakeling, E., Walker, D., Waters, J., Weber, A., Wellesley, D., Whiteford, M., Widaa, S., Wilcox, S., Williams, D., Williams, N., Woods, G., Wragg, C., Wright, M., Yang, F., Yau, M., Carter, N. P., Parker, M., Firth, H. V., FitzPatrick, D. R., Wright, C. F., Barrett, J. C., and Hurles, M. E. (2014). Large-scale discovery of novel genetic causes of developmental disorders. *Nature*, 519(7542):223–228.
- [151] Forrest, A. R. R., Kawaji, H., Rehli, M., Kenneth Baillie, J., de Hoon, M. J. L., Haberle, V., Lassmann, T., Kulakovskiy, I. V., Lizio, M., Itoh, M., Andersson, R., Mungall, C. J., Meehan, T. F., Schmeier, S., Bertin, N., Jørgensen, M., Dimont, E., Arner, E., Schmidl, C., Schaefer, U., Medvedeva, Y. a., Plessy, C., Vitezic, M., Severin, J., Semple, C. a., Ishizu, Y., Young, R. S., Francescato, M., Alam, I., Albanese, D., Altschuler, G. M., Arakawa, T., Archer, J. a. C., Arner, P., Babina, M., Rennie, S., Balwierz, P. J., Beckhouse, A. G., Pradhan-Bhatt, S., Blake, J. a., Blumenthal, A., Bodega, B., Bonetti, A., Briggs, J., Brombacher, F., Maxwell Burroughs, a., Califano, A., Cannistraci, C. V., Carbajo, D., Chen, Y., Chierici, M., Ciani, Y., Clevers, H. C., Dalla, E., Davis, C. a., Detmar, M., Diehl, A. D., Dohi, T., Drabløs, F., Edge, A. S. B., Edinger, M., Ekwall, K., Endoh, M., Enomoto, H., Fagiolini, M., Fairbairn, L., Fang, H., Farach-Carson, M. C., Faulkner, G. J., Favorov, A. V., Fisher, M. E., Frith, M. C., Fujita, R., Fukuda, S., Furlanello, C., Furuno, M., Furusawa, J.-i., Geijtenbeek, T. B., Gibson, A. P., Gingeras, T.,

- Goldowitz, D., Gough, J., Guhl, S., Guler, R., Gustincich, S., Ha, T. J., Hamaguchi, M., Hara, M., Harbers, M., Harshbarger, J., Hasegawa, A., Hasegawa, Y., Hashimoto, T., Herlyn, M., Hitchens, K. J., Ho Sui, S. J., Hofmann, O. M., Hoof, I., Hori, F., Huminiecki, L., Iida, K., Ikawa, T., Jankovic, B. R., Jia, H., Joshi, A., Jurman, G., Kaczkowski, B., Kai, C., Kaida, K., Kaiho, A., Kajiyama, K., Kanamori-Katayama, M., Kasianov, A. S., Kasukawa, T., Katayama, S., Kato, S., Kawaguchi, S., Kawamoto, H., Kawamura, Y. I., Kawashima, T., Kempfle, J. S., Kenna, T. J., Kere, J., Khachigian, L. M., Kitamura, T., Peter Klinken, S., Knox, A. J., Kojima, M., Kojima, S., Kondo, N., Koseki, H., Koyasu, S., Krampitz, S., Kubosaki, A., Kwon, A. T., Laros, J. F. J., Lee, W., Lennartsson, A., Li, K., Lilje, B., Lipovich, L., Mackay-sim, A., Manabe, R.-i., Mar, J. C., Marchand, B., Mathelier, A., Mejhert, N., Meynert, A., Mizuno, Y., de Lima Morais, D. a., Morikawa, H., Morimoto, M., Moro, K., Motakis, E., Motohashi, H., Mummary, C. L., Murata, M., Nagao-Sato, S., Nakachi, Y., Nakahara, F., Nakamura, T., Nakamura, Y., Nakazato, K., van Nimwegen, E., Ninomiya, N., Nishiyori, H., Noma, S., Nozaki, T., Ogishima, S., Ohkura, N., Ohmiya, H., Ohno, H., Ohshima, M., Okada-Hatakeyama, M., Okazaki, Y., Orlando, V., Ovchinnikov, D. a., Pain, A., Passier, R., Patrikakis, M., Persson, H., Piazza, S., Prendergast, J. G. D., Rackham, O. J. L., Ramilowski, J. a., Rashid, M., Ravasi, T., Rizzu, P., Roncador, M., Roy, S., Rye, M. B., Saijyo, E., Sajantila, A., Saka, A., Sakaguchi, S., Sakai, M., Sato, H., Satoh, H., Savvi, S., Saxena, A., Schneider, C., Schultes, E. a., Schulze-Tanzil, G. G., Schwegmann, A., Sengstag, T., Sheng, G., Shimoji, H., Shimoni, Y., Shin, J. W., Simon, C., Sugiyama, D., Sugiyama, T., Suzuki, M., Suzuki, N., Swoboda, R. K., 't Hoen, P. a. C., Tagami, M., Takahashi, N., Takai, J., Tanaka, H., Tatsukawa, H., Tatum, Z., Thompson, M., Toyoda, H., Toyoda, T., Valen, E., van de Wetering, M., van den Berg, L. M., Verardo, R., Vijayan, D., Vorontsov, I. E., Wasserman, W. W., Watanabe, S., Wells, C. a., Winteringham, L. N., Wolvetang, E., Wood, E. J., Yamaguchi, Y., Yamamoto, M., Yoneda, M., Yonekura, Y., Yoshida, S., Zabierowski, S. E., Zhang, P. G., Zhao, X., Zucchelli, S., Summers, K. M., Suzuki, H., Daub, C. O., Kawai, J., Heutink, P., Hide, W., Freeman, T. C., Lenhard, B., Bajic, V. B., Taylor, M. S., Makeev, V. J., Sandelin, A., Hume, D. a., Carninci, P., Hayashizaki, Y., and Baillie, J. K. (2014). A promoter-level mammalian expression atlas. *Nature*, 507(7493):462–470.
- [152] Fortune, M. D., Guo, H., Burren, O., Schofield, E., Walker, N. M., Ban, M., Sawcer, S. J., Bowes, J., Worthington, J., Barton, A., Eyre, S., Todd, J. a., and Wallace, C. (2015). Statistical colocalization of genetic risk variants for related autoimmune diseases in the context of common controls. *Nature Genetics*, 47(7):839–846.
- [153] Franke, A., McGovern, D. P. B., Barrett, J. C., Wang, K., Radford-Smith, G. L., Ahmad, T., Lees, C. W., Balschun, T., Lee, J., Roberts, R., Anderson, C. A., Bis, J. C., Bumpstead, S., Ellinghaus, D., Festen, E. M., Georges, M., Green, T., Haritunians, T., Jostins, L., Latiano, A., Mathew, C. G., Montgomery, G. W., Prescott, N. J., Raychaudhuri, S., Rotter, J. I., Schumm, P., Sharma, Y., Simms, L. A., Taylor, K. D., Whiteman, D., Wijmenga, C., Baldassano, R. N., Barclay, M., Bayless, T. M., Brand, S., Büning, C., Cohen, A., Colombel, J.-F., Cottone, M., Stronati, L., Denson, T., De Vos, M., D'Inca, R., Dubinsky, M., Edwards, C., Florin, T., Franchimont, D., Gearry, R., Glas, J., Van Gossum, A., Guthery, S. L., Halfvarson, J., Verspaget, H. W., Hugot, J.-P., Karban, A., Laukens, D., Lawrance,

- I., Lemann, M., Levine, A., Libioulle, C., Louis, E., Mowat, C., Newman, W., Panés, J., Phillips, A., Proctor, D. D., Regueiro, M., Russell, R., Rutgeerts, P., Sanderson, J., Sans, M., Seibold, F., Steinhart, A. H., Stokkers, P. C. F., Torkvist, L., Kullak-Ublick, G., Wilson, D., Walters, T., Targan, S. R., Brant, S. R., Rioux, J. D., D'Amato, M., Weersma, R. K., Kugathasan, S., Griffiths, A. M., Mansfield, J. C., Vermeire, S., Duerr, R. H., Silverberg, M. S., Satsangi, J., Schreiber, S., Cho, J. H., Annese, V., Hakonarson, H., Daly, M. J., and Parkes, M. (2010). Genome-wide meta-analysis increases to 71 the number of confirmed Crohn's disease susceptibility loci. *Nature Genetics*, 42(12):1118–25.
- [154] Frazer, K. A., Ballinger, D. G., Cox, D. R., Hinds, D. A., Stuve, L. L., Gibbs, R. A., Belmont, J. W., Boudreau, A., Hardenbol, P., Leal, S. M., Pasternak, S., Wheeler, D. A., Willis, T. D., Yu, F., Yang, H., Zeng, C., Gao, Y., Hu, H., Hu, W., Li, C., Lin, W., Liu, S., Pan, H., Tang, X., Wang, J., Wang, W., Yu, J., Zhang, B., Zhang, Q., Zhao, H., Zhou, J., Gabriel, S. B., Barry, R., Blumenstiel, B., Camargo, A., Defelice, M., Faggart, M., Goyette, M., Gupta, S., Moore, J., Nguyen, H., Onofrio, R. C., Parkin, M., Roy, J., Stahl, E., Winchester, E., Ziaugra, L., Altshuler, D., Shen, Y., Yao, Z., Huang, W., Chu, X., He, Y., Jin, L., Liu, Y., Shen, Y., Sun, W., Wang, H., Wang, Y., Wang, Y., Xiong, X., Xu, L., Waye, M. M. Y., Tsui, S. K. W., Xue, H., Wong, J. T.-F., Galver, L. M., Fan, J.-B., Gunderson, K., Murray, S. S., Oliphant, A. R., Chee, M. S., Montpetit, A., Chagnon, F., Ferretti, V., Leboeuf, M., Olivier, J.-F., Phillips, M. S., Roumy, S., Sallée, C., Verner, A., Hudson, T. J., Kwok, P.-Y., Cai, D., Koboldt, D. C., Miller, R. D., Pawlikowska, L., Taillon-Miller, P., Xiao, M., Tsui, L.-C., Mak, W., Song, Y. Q., Tam, P. K. H., Nakamura, Y., Kawaguchi, T., Kitamoto, T., Morizono, T., Nagashima, A., Ohnishi, Y., Sekine, A., Tanaka, T., Tsunoda, T., Deloukas, P., Bird, C. P., Delgado, M., Dermitzakis, E. T., Gwilliam, R., Hunt, S., Morrison, J., Powell, D., Stranger, B. E., Whittaker, P., Bentley, D. R., Daly, M. J., de Bakker, P. I. W., Barrett, J., Chretien, Y. R., Maller, J., McCarroll, S., Patterson, N., Pe'er, I., Price, A., Purcell, S., Richter, D. J., Sabeti, P., Saxena, R., Schaffner, S. F., Sham, P. C., Varilly, P., Stein, L. D., Krishnan, L., Smith, A. V., Tello-Ruiz, M. K., Thorisson, G. A., Chakravarti, A., Chen, P. E., Cutler, D. J., Kashuk, C. S., Lin, S., Abecasis, G. R., Guan, W., Li, Y., Munro, H. M., Qin, Z. S., Thomas, D. J., McVean, G., Auton, A., Bottolo, L., Cardin, N., Eyheramendy, S., Freeman, C., Marchini, J., Myers, S., Spencer, C., Stephens, M., Donnelly, P., Cardon, L. R., Clarke, G., Evans, D. M., Morris, A. P., Weir, B. S., Mullikin, J. C., Sherry, S. T., Feolo, M., Skol, A., Zhang, H., Matsuda, I., Fukushima, Y., Macer, D. R., Suda, E., Rotimi, C. N., Adebamowo, C. A., Ajayi, I., Aniagwu, T., Marshall, P. A., Nkwodimma, C., Royal, C. D. M., Leppert, M. F., Dixon, M., Peiffer, A., Qiu, R., Kent, A., Kato, K., Niikawa, N., Adewole, I. F., Knoppers, B. M., Foster, M. W., Clayton, E. W., Watkin, J., Muzny, D., Nazareth, L., Sodergren, E., Weinstock, G. M., Yakub, I., Birren, B. W., Wilson, R. K., Fulton, L. L., Rogers, J., Burton, J., Carter, N. P., Clee, C. M., Griffiths, M., Jones, M. C., McLay, K., Plumb, R. W., Ross, M. T., Sims, S. K., Willey, D. L., Chen, Z., Han, H., Kang, L., Godbout, M., Wallenburg, J. C., L'Archevêque, P., Bellemare, G., Saeki, K., Wang, H., An, D., Fu, H., Li, Q., Wang, Z., Wang, R., Holden, A. L., Brooks, L. D., McEwen, J. E., Guyer, M. S., Wang, V. O., Peterson, J. L., Shi, M., Spiegel, J., Sung, L. M., Zacharia, L. F., Collins, F. S., Kennedy, K., Jamieson, R., and Stewart, J. (2007). A second generation human haplotype map of over 3.1 million SNPs. *Nature*, 449(7164):851–61.

- [155] Fromer, M., Pocklington, A. J., Kavanagh, D. H., Williams, H. J., Dwyer, S., Gormley, P., Georgieva, L., Rees, E., Palta, P., Ruderfer, D. M., Carrera, N., Humphreys, I., Johnson, J. S., Roussos, P., Barker, D. D., Banks, E., Milanova, V., Grant, S. G., Hannon, E., Rose, S. A., Chambert, K., Mahajan, M., Scolnick, E. M., Moran, J. L., Kirov, G., Palotie, A., McCarroll, S. A., Holmans, P., Sklar, P., Owen, M. J., Purcell, S. M., and O'Donovan, M. C. (2014). De novo mutations in schizophrenia implicate synaptic networks. *Nature*, 506(7487):179–184.
- [156] Fuchsberger, C., Flannick, J., Teslovich, T. M., Mahajan, A., Agarwala, V., Gaulton, K. J., Ma, C., Fontanillas, P., Moutsianas, L., McCarthy, D. J., Rivas, M. A., Perry, J. R. B., Sim, X., Blackwell, T. W., Robertson, N. R., Rayner, N. W., Cingolani, P., Locke, A. E., Tajes, J. F., Highland, H. M., Dupuis, J., Chines, P. S., Lindgren, C. M., Hartl, C., Jackson, A. U., Chen, H., Huyghe, J. R., van de Bunt, M., Pearson, R. D., Kumar, A., Müller-Nurasyid, M., Grarup, N., Stringham, H. M., Gamazon, E. R., Lee, J., Chen, Y., Scott, R. A., Below, J. E., Chen, P., Huang, J., Go, M. J., Stitzel, M. L., Pasko, D., Parker, S. C. J., Varga, T. V., Green, T., Beer, N. L., Day-Williams, A. G., Ferreira, T., Fingerlin, T., Horikoshi, M., Hu, C., Huh, I., Ikram, M. K., Kim, B.-J., Kim, Y., Kim, Y. J., Kwon, M.-S., Lee, J., Lee, S., Lin, K.-H., Maxwell, T. J., Nagai, Y., Wang, X., Welch, R. P., Yoon, J., Zhang, W., Barzilai, N., Voight, B. F., Han, B.-G., Jenkinson, C. P., Kuulasmaa, T., Kuusisto, J., Manning, A., Ng, M. C. Y., Palmer, N. D., Balkau, B., Stančáková, A., Abboud, H. E., Boeing, H., Giedraitis, V., Prabhakaran, D., Gottesman, O., Scott, J., Carey, J., Kwan, P., Grant, G., Smith, J. D., Neale, B. M., Purcell, S., Butterworth, A. S., Howson, J. M. M., Lee, H. M., Lu, Y., Kwak, S.-H., Zhao, W., Danesh, J., Lam, V. K. L., Park, K. S., Saleheen, D., So, W. Y., Tam, C. H. T., Afzal, U., Aguilar, D., Arya, R., Aung, T., Chan, E., Navarro, C., Cheng, C.-Y., Palli, D., Correa, A., Curran, J. E., Rybin, D., Farook, V. S., Fowler, S. P., Freedman, B. I., Griswold, M., Hale, D. E., Hicks, P. J., Khor, C.-C., Kumar, S., Lehne, B., Thuillier, D., Lim, W. Y., Liu, J., van der Schouw, Y. T., Loh, M., Musani, S. K., Puppala, S., Scott, W. R., Yengo, L., Tan, S.-T., Jr., H. A. T., Thameem, F., Wilson, G., Wong, T. Y., Njølstad, P. R., Levy, J. C., Mangino, M., Bonnycastle, L. L., Schwarzmayr, T., Fadista, J., Surdulescu, G. L., Herder, C., Groves, C. J., Wieland, T., Bork-Jensen, J., Brandslund, I., Christensen, C., Koistinen, H. A., Doney, A. S. F., Kinnunen, L., Esko, T., Farmer, A. J., Hakaste, L., Hodgkiss, D., Kravic, J., Lyssenko, V., Hollensted, M., Jørgensen, M. E., Jørgensen, T., Ladenvall, C., Justesen, J. M., Käräjämäki, A., Kriebel, J., Rathmann, W., Lannfelt, L., Lauritzen, T., Narisu, N., Linneberg, A., Melander, O., Milani, L., Neville, M., Orho-Melander, M., Qi, L., Qi, Q., Roden, M., Rolandsson, O., Swift, A., Rosengren, A. H., Stirrups, K., Wood, A. R., Mihailov, E., Blancher, C., Carneiro, M. O., Maguire, J., Poplin, R., Shakir, K., Fennell, T., DePristo, M., de Angelis, M. H., Deloukas, P., Gjesing, A. P., Jun, G., Nilsson, P., Murphy, J., Onofrio, R., Thorand, B., Hansen, T., Meisinger, C., Hu, F. B., Isomaa, B., Karpe, F., Liang, L., Peters, A., Huth, C., O'Rahilly, S. P., Palmer, C. N. A., Pedersen, O., Rauramaa, R., Tuomilehto, J., Salomaa, V., Watanabe, R. M., Syvänen, A.-C., Bergman, R. N., Bharadwaj, D., Bottinger, E. P., Cho, Y. S., Chandak, G. R., Chan, J. C. N., Chia, K. S., Daly, M. J., Ebrahim, S. B., Langenberg, C., Elliott, P., Jablonski, K. A., Lehman, D. M., Jia, W., Ma, R. C. W., Pollin, T. I., Sandhu, M., Tandon, N., Froguel, P., Barroso, I., Teo, Y. Y., Zeggini, E., Loos, R. J. F., Small, K. S., Ried, J. S., DeFronzo, R. A., Grallert, H., Glaser, B., Metspalu, A., Wareham, N. J., Walker, M., Banks, E., Gieger, C., Ingelsson, E.,

- Im, H. K., Illig, T., Franks, P. W., Buck, G., Trakalo, J., Buck, D., Prokopenko, I., Mägi, R., Lind, L., Farjoun, Y., Owen, K. R., Gloyn, A. L., Strauch, K., Tuomi, T., Kooner, J. S., Lee, J.-Y., Park, T., Donnelly, P., Morris, A. D., Hattersley, A. T., Bowden, D. W., Collins, F. S., Atzmon, G., Chambers, J. C., Spector, T. D., Laakso, M., Strom, T. M., Bell, G. I., Blangero, J., Duggirala, R., Tai, E. S., McVean, G., Hanis, C. L., Wilson, J. G., Seielstad, M., Frayling, T. M., Meigs, J. B., Cox, N. J., Sladek, R., Lander, E. S., Gabriel, S., Burtt, N. P., Mohlke, K. L., Meitinger, T., Groop, L., Abecasis, G., Florez, J. C., Scott, L. J., Morris, A. P., Kang, H. M., Boehnke, M., Altshuler, D., and McCarthy, M. I. (2016). The genetic architecture of type 2 diabetes. *Nature*, 536:41–47.
- [157] Fugazzola, L., Cerutti, N., Mannavola, D., Vannucchi, G., Fallini, C., Persani, L., and Beck-Peccoz, P. (2003). Monoallelic expression of mutant thyroid peroxidase allele causing total iodide organification defect. *Journal of Clinical Endocrinology and Metabolism*, 88(7):3264–3271.
- [158] Fujimoto, A., Nakagawa, H., Hosono, N., Nakano, K., Abe, T., Boroevich, K. a., Nagasaki, M., Yamaguchi, R., Shibuya, T., Kubo, M., Miyano, S., Nakamura, Y., and Tsunoda, T. (2010). Whole-genome sequencing and comprehensive variant analysis of a Japanese individual using massively parallel sequencing. *Nature Genetics*, 42(11):931–936.
- [159] Funato, N. (2016). 22q11.2 Deletion Syndrome: Unmasking the Role of Tbx1 in Craniofacial Development. *Austin Med Sciences*, 1(1):22–25.
- [160] Futema, M., Plagnol, V., Li, K., Whittall, R. a., Neil, H. A. W., Seed, M., Bertolini, S., Calandra, S., Descamps, O. S., Graham, C. a., Hegele, R. a., Karpe, F., Durst, R., Leitersdorf, E., Lench, N., Nair, D. R., Soran, H., Van Bockxmeer, F. M., and Humphries, S. E. (2014). Whole exome sequencing of familial hypercholesterolemia patients negative for LDLR/APOB/PCSK9 mutations. *Journal of Medical Genetics*, 51(8):537–44.
- [161] Gajecka, M. (2016). Unrevealed mosaicism in the next-generation sequencing era. *Molecular Genetics and Genomics*, 291(2):513–530.
- [162] Gálvez, J. (2014). Role of Th17 Cells in the Pathogenesis of Human IBD. *ISRN inflammation*, 2014:928461.
- [163] García-Carpizo, V., Ruiz-Llorente, L., Fraga, M., and Aranda, A. (2011). The growing role of gene methylation on endocrine function. *Journal of Molecular Endocrinology*, 47(2).
- [164] Gazouli, M., Pachoula, I., Panayotou, I., Mantzaris, G., Chrousos, G., Anagnou, N. P., and Roma-giannikou, E. (2010). NOD2/CARD15, ATG16L1 and IL23R gene polymorphisms and childhood-onset of Crohn’s Disease. *World journal of gastroenterology: WJG*, 16(14):1753–1758.
- [165] Genetic Analysis of Psoriasis Consortium & the Wellcome Trust Case Control Consortium 2, Strange, A., Capon, F., Spencer, C. C., Knight, J., Weale, M. E., Allen, M. H., Barton, A., Band, G., Bellenguez, C., Bergboer, J. G. M., Blackwell, J. M., Bramon, E., Bumpstead, S. J., Casas, J. P., Cork, M. J., Corvin, A., Deloukas,

- P., Dilthey, A., Duncanson, A., Edkins, S., Estivill, X., Fitzgerald, O., Freeman, C., Giardina, E., Gray, E., Hofer, A., Hüffmeier, U., Hunt, S. E., Irvine, A. D., Jankowski, J., Kirby, B., Langford, C., Lascorz, J., Leman, J., Leslie, S., Mallbris, L., Markus, H. S., Mathew, C. G., McLean, W. H. I., McManus, R., Mössner, R., Moutsianas, L., Naluai, A. T., Nestle, F. O., Novelli, G., Onoufriadiis, A., Palmer, C. N. A., Perricone, C., Pirinen, M., Plomin, R., Potter, S. C., Pujol, R. M., Rautanen, A., Riveira-Munoz, E., Ryan, A. W., Salmhofer, W., Samuelsson, L., Sawcer, S. J., Schalkwijk, J., Smith, C. H., Stähle, M., Su, Z., Tazi-Ahnini, R., Traupe, H., Viswanathan, A. C., Warren, R. B., Weger, W., Wolk, K., Wood, N., Worthington, J., Young, H. S., Zeeuwen, P. L. J. M., Hayday, A., Burden, A. D., Griffiths, C. E. M., Kere, J., Reis, A., McVean, G., Evans, D. M., Brown, M. A., Barker, J. N., Peltonen, L., Donnelly, P., and Trembath, R. C. (2010). A genome-wide association study identifies new psoriasis susceptibility loci and an interaction between HLA-C and ERAP1. *Nature Genetics*, 42(11):985–90.
- [166] Génin, E., Feingold, J., and Clerget-Darpoux, F. (2008). Identifying modifier genes of monogenic disease: Strategies and difficulties. *Human Genetics*, 124(4):357–368.
- [167] Genomics England (2015). Genomes Project Protocol. *White paper Genomics England*, (February).
- [168] Gibbs, W. W. (2014). Medicine gets up close and personal. *Nature*, 506(7487):144–5.
- [169] Gilissen, C., Hoischen, A., Brunner, H. G., and Veltman, J. A. (2012). Disease gene identification strategies for exome sequencing. *European Journal of Human Genetics: EJHG*, 20(5):490–7.
- [170] Gilissen C, Hehir-Kwa JY, Thung DT, van de Vorst M, van Bon BWM, Willemse MH, Kwint M, Janssen IM, Hoischen A, Schenck A, Leach R, Klein R, Tearle R, Bo T, Pfundt R, Yntema HG, de Vries BBA, Kleefstra T, Brunner HG, Vissers LELM, Veltman JA (2014). Genome sequencing identifies major causes of severe intellectual disability. *Nature*, 511(7509):344–347.
- [171] Gillam, M. P. and Kopp, P. (2001). Genetic defects in thyroid hormone synthesis. *Current opinion in Pediatrics*, 13:364–372.
- [172] Girard, S. L., Gauthier, J., Noreau, A., Xiong, L., Zhou, S., Jouan, L., Dionne-Laporte, A., Spiegelman, D., Henrion, E., Diallo, O., Thibodeau, P., Bachand, I., Bao, J. Y. J., Tong, A. H. Y., Lin, C.-H., Millet, B., Jaafari, N., Joober, R., Dion, P. A., Lok, S., Krebs, M.-O., and Rouleau, G. A. (2011). Increased exonic de novo mutation rate in individuals with schizophrenia. *Nature Genetics*, 43(9):860–3.
- [173] Glickman, J. (2005). Pathology of inflammatory bowel disease in children. *Current Diagnostic Pathology*, 11(2):117–124.
- [174] Glockner, E.-O., Kotlarz, D., Boztug, K., Gertz, E. M., Schäffer, A. a., Noyan, F., Perro, M., Diestelhorst, J., Allroth, A., Murugan, D., Hätscher, N., Pfeifer, D., Sykora, K.-W., Sauer, M., Kreipe, H., Lacher, M., Nustede, R., Woellner, C., Baumann, U., Salzer, U., Koletzko, S., Shah, N., Segal, A. W., Sauerbrey, A.,

- Buderus, S., Snapper, S. B., Grimbacher, B., and Klein, C. (2009). Inflammatory bowel disease and mutations affecting the interleukin-10 receptor. *The New England Journal of Medicine*, 361(21):2033–45.
- [175] Gong, W., Gottlieb, S., Collins, J., Blescia, a., Dietz, H., Goldmuntz, E., McDonald-McGinn, D. M., Zackai, E. H., Emanuel, B. S., Driscoll, D. a., and Budarf, M. L. (2001). Mutation analysis of TBX1 in non-deleted patients with features of DGS/VCFS or isolated cardiovascular defects. *Journal of Medical Genetics*, 38:E45.
- [176] Gonzaga-Jauregui, C. (2012). Human genome sequencing in health and disease. *Annual review of Medicine*, 63:35–61.
- [177] Goodwin, S., McPherson, J. D., and McCombie, W. R. (2016). Coming of age: ten years of next-generation sequencing technologies. *Nature Reviews Genetics*, 17(6):333–351.
- [178] Grasberger, H. (2010). Defects of thyroidal hydrogen peroxide generation in congenital hypothyroidism. *Molecular and cellular endocrinology*, 322(1-2):99–106.
- [179] Grasberger, H. and Rofetoff, S. (2012). Genetic causes of congenital hypothyroidism due to dyshormonogenesis. *Current opinion in Pediatrics*, 23(4):421–428.
- [180] Greene, D., Richardson, S., and Turro, E. (2016). Phenotype Similarity Regression for Identifying the Genetic Determinants of Rare Diseases. *American Journal of Human Genetics*, 98(3):490–499.
- [181] Griffiths, A. M. (2004). Specificities of inflammatory bowel disease in childhood. *Best practice & research. Clinical gastroenterology*, 18(3):509–23.
- [182] Groza, T., Kohler, S., Moldenhauer, D., Vasilevsky, N., Baynam, G., Zemojtel, T., Schriml, L. M., Kibbe, W. A., Schofield, P. N., Beck, T., Vasant, D., Brookes, A. J., Zankl, A., Washington, N. L., Mungall, C. J., Lewis, S. E., Haendel, M. A., Parkinson, H., and Robinson, P. N. (2015). The Human Phenotype Ontology: Semantic Unification of Common and Rare Disease. *American Journal of Human Genetics*, 97(1):111–124.
- [183] Grozeva, D., Carss, K., Spasic-Boskovic, O., Parker, M. J., Archer, H., Firth, H. V., Park, S.-M., Canham, N., Holder, S. E., Wilson, M., Hackett, A., Field, M., Floyd, J. a. B., Hurles, M., and Raymond, F. L. (2014). De novo loss-of-function mutations in SETD5, encoding a methyltransferase in a 3p25 microdeletion syndrome critical region, cause intellectual disability. *American Journal of Human Genetics*, 94(4):618–24.
- [184] Grozeva, D., Carss, K., Spasic-Boskovic, O., Tejada, M.-I., Gecz, J., Shaw, M., Corbett, M., Haan, E., Thompson, E., Friend, K., Hussain, Z., Hackett, A., Field, M., Renieri, A., Stevenson, R., Schwartz, C., Floyd, J. A. B., Bentham, J., Cosgrove, C., Keavney, B., Bhattacharya, S., Hurles, M., and Raymond, F. L. (2015). Targeted Next-Generation Sequencing Analysis of 1,000 Individuals with Intellectual Disability. *Human mutation*, 36(12):1197–204.

- [185] Guipponi, M., Santoni, F. A., Setola, V., Gehrig, C., Rotharmel, M., Cuénca, M., Guillen, O., Dikeos, D., Georgantopoulos, G., Papadimitriou, G., Curtis, L., Méary, A., Schürhoff, F., Jamain, S., Avramopoulos, D., Leboyer, M., Rujescu, D., Pulver, A., Campion, D., Siderovski, D. P., and Antonarakis, S. E. (2014). Exome sequencing in 53 sporadic cases of schizophrenia identifies 18 putative candidate genes. *PLoS ONE*, 9(11):1–12.
- [186] Gulsuner, S., Walsh, T., Watts, A. C., Lee, M. K., Thornton, A. M., Casadei, S., Rippey, C., Shahin, H., Nimgaonkar, V. L., Go, R. C. P., Savage, R. M., Swerdlow, N. R., Gur, R. E., Braff, D. L., King, M. C., and McClellan, J. M. (2013). Spatial and temporal mapping of de novo mutations in schizophrenia to a fetal prefrontal cortical network. *Cell*, 154(3):518–529.
- [187] Guo, Y., Ye, F., Sheng, Q., and Samuels, D. C. (2013). Three-stage quality control strategies for DNA re-sequencing data. *Briefings in Bioinformatics*, page 1–11.
- [188] Gurdasani, D., Carstensen, T., Tekola-Ayele, F., Pagani, L., Tachmazidou, I., Hatzikotoulas, K., Karthikeyan, S., Iles, L., Pollard, M. O., Choudhury, A., Ritchie, G. R. S., Xue, Y., Asimit, J., Nsubuga, R. N., Young, E. H., Pomilla, C., Kivinen, K., Rockett, K., Kamali, A., Doumatey, A. P., Asiki, G., Seeley, J., Sisay-Joof, F., Jallow, M., Tollman, S., Mekonnen, E., Ekong, R., Oljira, T., Bradman, N., Bojang, K., Ramsay, M., Adeyemo, A., Bekele, E., Motala, A., Norris, S. A., Pirie, F., Kaleebu, P., Kwiatkowski, D., Tyler-Smith, C., Rotimi, C., Zeggini, E., and Sandhu, M. S. (2015). The African Genome Variation Project shapes medical genetics in Africa. *Nature*, 517(7534):327–332.
- [189] Gusella, J. (1983). A polymorphic DNA marker genetically linked to Huntington's disease. *Nature*, 53(9):1689–1699.
- [190] Halme, L., Paavola-sakki, P., Turunen, U., Lappalainen, M., Färkkilä, M., and Kontula, K. (2006). Family and twin studies in inflammatory bowel disease. *World journal of gastroenterology: WJG*, 12(23):3668–3672.
- [191] Hamosh, A., Scott, A. F., Amberger, J., Bocchini, C., Valle, D., and McKusick, V. a. (2002). Online Mendelian Inheritance in Man (OMIM), a knowledgebase of human genes and genetic disorders. *Nucleic Acids Research*, 30(1):52–5.
- [192] Hampe, J., Franke, A., Rosenstiel, P., Till, A., Teuber, M., Huse, K., Albrecht, M., Mayr, G., De La Vega, F. M., Briggs, J., Günther, S., Prescott, N. J., Onnie, C. M., Häslar, R., Sipos, B., Fölsch, U. R., Lengauer, T., Platzer, M., Mathew, C. G., Krawczak, M., and Schreiber, S. (2007). A genome-wide association scan of nonsynonymous SNPs identifies a susceptibility variant for Crohn disease in ATG16L1. *Nature Genetics*, 39(2):207–211.
- [193] Harbour, S. N., Maynard, C. L., Zindl, C. L., Schoeb, T. R., and Weaver, C. T. (2015). Th17 cells give rise to Th1 cells that are required for the pathogenesis of colitis. *Proceedings of the National Academy of Sciences*, 112(22):201415675.

- [194] Harris, K. B. and Pass, K. A. (2007). Increase in congenital hypothyroidism in New York State and in the United States. *Molecular Genetics and Metabolism*, 91(3):268–277.
- [195] Harrow, J., Frankish, A., Gonzalez, J. M., Tapanari, E., Diekhans, M., Kokocinski, F., Aken, B. L., Barrell, D., Zadissa, A., Searle, S., Barnes, I., Bignell, A., Boychenko, V., Hunt, T., Kay, M., Mukherjee, G., Rajan, J., Despacio-Reyes, G., Saunders, G., Steward, C., Harte, R., Lin, M., Howald, C., Tanzer, A., Derrien, T., Chrast, J., Walters, N., Balasubramanian, S., Pei, B., Tress, M., Rodriguez, J. M., Ezkurdia, I., Van Baren, J., Brent, M., Haussler, D., Kellis, M., Valencia, A., Reymond, A., Gerstein, M., Guigo, R., and Hubbard, T. J. (2012). GENCODE: The reference human genome annotation for the ENCODE project. *Genome Research*, 22(9):1760–1774.
- [196] Hayden, M. S., Ghosh, S., Hayden, M. S., and Ghosh, S. (2012). NF- κ B, the first quarter-century: remarkable progress and outstanding questions. *Genes & Development*, pages 203–234.
- [197] Heinrich, J., Proepper, C., Schmidt, T., Linta, L., Liebau, S., and Boeckers, T. M. (2012a). The postsynaptic density protein Abelson interactor protein 1 interacts with the motor protein Kinesin family member 26B in hippocampal neurons. *Neuroscience*, 221:86–95.
- [198] Heinrich, V., Stange, J., Dickhaus, T., Imkeller, P., Krüger, U., Bauer, S., Mundlos, S., Robinson, P. N., Hecht, J., and Krawitz, P. M. (2012b). The allele distribution in next-generation sequencing data sets is accurately described as the result of a stochastic branching process. *Nucleic Acids Research*, 40(6):2426–31.
- [199] Heinzen, E. L., Depondt, C., Cavalleri, G. L., Ruzzo, E. K., Walley, N. M., Need, A. C., Ge, D., He, M., Cirulli, E. T., Zhao, Q., Cronin, K. D., Gumbs, C. E., Campbell, C. R., Hong, L. K., Maia, J. M., Shianna, K. V., McCormack, M., Radtke, R. A., O’Conner, G. D., Mikati, M. A., Gallentine, W. B., Husain, A. M., Sinha, S. R., Chinthapalli, K., Puranam, R. S., McNamara, J. O., Ottman, R., Sisodiya, S. M., Delanty, N., and Goldstein, D. B. (2012). Exome sequencing followed by large-scale genotyping fails to identify single rare variants of large effect in idiopathic generalized epilepsy. *American Journal of Human Genetics*, 91(2):293–302.
- [200] Helmsmoortel, C., Vulto-van Silfhout, A. T., Coe, B. P., Vandeweyer, G., Rooms, L., van den Ende, J., Schuurs-Hoeijmakers, J. H. M., Marcelis, C. L., Willemse, M. H., Vissers, L. E. L. M., Yntema, H. G., Bakshi, M., Wilson, M., Witherspoon, K. T., Malmgren, H., Nordgren, A., Annerén, G., Fichera, M., Bosco, P., Romano, C., de Vries, B. B. A., Kleefstra, T., Kooy, R. F., Eichler, E. E., and Van der Aa, N. (2014). A SWI/SNF-related autism syndrome caused by de novo mutations in ADNP. *Nature Genetics*, 46(4):380–4.
- [201] Hermanns, P., Grasberger, H., Refetoff, S., and Pohlenz, J. (2011). Mutations in the NKX2.5 gene and the PAX8 promoter in a girl with thyroid dysgenesis. *The Journal of Clinical Endocrinology and Metabolism*, 96(6):E977–81.

- [202] Heyman, M. B., Kirschner, B. S., Goldstein, B. A., and Ferry, G. D. (2005). Children with early-onset inflammatory bowel disease (IBD): analysis of a pediatric ibd consortium registry. *The Journal of pediatrics*, 146:35–40.
- [203] Heyworth, P. G., Cross, A. R., and Curnutte, J. T. (2003). Chronic granulomatous disease. *Current Opinion in Immunology*, 15(5):578–584.
- [204] Hieter, P. and Boycott, K. M. (2014). Understanding rare disease pathogenesis: A grand challenge for model organisms. *Genetics*, 198(2):443–445.
- [205] Higgins, J. P. T., Thompson, S. G., Deeks, J. J., and Altman, D. G. (2003). Measuring inconsistency in meta-analyses. *BMJ: British Medical Journal*, 327(7414):557–560.
- [206] Hilton, I. B., D’Ippolito, A. M., Vockley, C. M., Thakore, P. I., Crawford, G. E., Reddy, T. E., and Gersbach, C. A. (2015). Epigenome editing by a CRISPR-Cas9-based acetyltransferase activates genes from promoters and enhancers. *Nature Biotechnology*, 33(5):510–7.
- [207] Hinds, D. a., Stuve, L. L., Nilsen, G. B., Halperin, E., Eskin, E., Ballinger, D. G., Frazer, K. a., and Cox, D. R. (2005). Whole-genome patterns of common DNA variation in three human populations. *Science*, 307(5712):1072–1079.
- [208] Hirschhorn, J. N. and Daly, M. J. (2005). Genome-wide association studies for common diseases and complex traits. *Nature Reviews Genetics*, 6(2):95–108.
- [209] Hishinuma, A., Onigata, K., Kurabayashi, T., and Ieiri, T. (1998). Sequence Analysis of Thyroid Transcription Reveals Absence of Mutations in Patients Dysgenesis but Presence of Polymorphisms Flanking Region and Intron Factor-1 Gene with Thyroid in the 5’. *Endocrinology*, 45(4):563–567.
- [210] Hoischen, A., Krumm, N., and Eichler, E. E. (2014). Prioritization of neurodevelopmental disease genes by discovery of new mutations. *Nature neuroscience*, 17(6):764–72.
- [211] Holm, H., Gudbjartsson, D. F., Sulem, P., Masson, G., Helgadottir, H. T., Zanon, C., Magnusson, O. T., Helgason, A., Saemundsdottir, J., Gylfason, A., Stefansdottir, H., Gretarsdottir, S., Matthiasson, S. E., Thorgeirsson, G. M., Jonasdottir, A., Sigurdsson, A., Stefansson, H., Werge, T., Rafnar, T., Kiemeney, L. A., Parvez, B., Muhammad, R., Roden, D. M., Darbar, D., Thorleifsson, G., Walters, G. B., Kong, A., Thorsteinsdottir, U., Arnar, D. O., and Stefansson, K. (2011). A rare variant in MYH6 is associated with high risk of sick sinus syndrome. *Nature Genetics*, 43(4):316–320.
- [212] Hood, L. and Price, N. D. (2014). Promoting Wellness & Demystifying Disease: The 100K Project. *Clinical Omics*, (3).
- [213] Houdayer, C., Caux-Moncoutier, V., Krieger, S., Barrois, M., Bonnet, F., Bourdon, V., Bronner, M., Buisson, M., Coulet, F., Gaildrat, P., Lefol, C., Leone, M., Mazoyer, S., Muller, D., Remenieras, A., Revillion, F., Rouleau, E., Sokolowska, J., Vert, J. P., Lidereau, R., Soubrier, F., Sobol, H., Sevenet, N., Bressac-de Paillerets,

- B., Hardouin, A., Tosi, M., Sinilnikova, O. M., and Stoppa-Lyonnet, D. (2012). Guidelines for splicing analysis in molecular diagnosis derived from a set of 327 combined in silico/in vitro studies on BRCA1 and BRCA2 variants. *Human Mutation*, 33(8):1228–1238.
- [214] Howie, B. N., Donnelly, P., and Marchini, J. (2009). A flexible and accurate genotype imputation method for the next generation of genome-wide association studies. *PLoS Genetics*, 5(6).
- [215] Howrigan, D. P., Simonson, M. a., and Keller, M. C. (2011). Detecting autozygosity through runs of homozygosity: a comparison of three autozygosity detection algorithms. *BMC genomics*, 12(1):460.
- [216] Huang, D. W., Sherman, B. T., and Lempicki, R. a. (2009). Systematic and integrative analysis of large gene lists using DAVID bioinformatics resources. *Nature Protocols*, 4(1):44–57.
- [217] Huang, H., Fang, M., Jostins, L., Anderson, C. A., Andersen, V., Cleynen, I., Cortes, A., Amato, M. D., Dimitrieva, J., Elansary, M., Farh, K. K.-h., Franke, A., Gori, S., Goyette, P., Halfvarson, J., Haritunians, T., Knight, J., Lawrence, I. C., Lees, C. W., Louis, E., Mariman, R., Mni, M., Momozawa, Y., Parkes, M., Trynka, G., Satsangi, J., Sommeren, S. V., Vermeire, S., Xavier, R. J., Weersma, R. K., Duerr, R. H., Mathew, C. G., Rioux, J. D., Cho, J. H., Georges, M., and Daly, M. J. (2015). Association mapping of inflammatory Bowel Disease loci to single variant resolution. *BioRxiv*.
- [218] Hugot, J. P., Chamaillard, M., Zouali, H., Lesage, S., Cézard, J. P., Belaiche, J., Almer, S., Tysk, C., O'Morain, C. a., Gassull, M., Binder, V., Finkel, Y., Cortot, a., Modigliani, R., Laurent-Puig, P., Gower-Rousseau, C., Macry, J., Colombel, J. F., Sahbatou, M., and Thomas, G. (2001). Association of NOD2 leucine-rich repeat variants with susceptibility to Crohn's disease. *Nature*, 411(6837):599–603.
- [219] Hugot, J. P., Laurent-Puig, P., Gower-Rousseau, C., Olson, J. M., Lee, J. C., Beaugerie, L., Naom, I., Dupas, J. L., Van Gossum, a., Orholm, M., Bonaiti-Pellie, C., Weissenbach, J., Mathew, C. G., Lennard-Jones, J. E., Cortot, a., Colombel, J. F., and Thomas, G. (1996). Mapping of a susceptibility locus for Crohn's disease on chromosome 16.
- [220] Hulur, I., Hermanns, P., Nestoris, C., Heger, S., Refetoff, S., Pohlenz, J., and Grasberger, H. (2011). A single copy of the recently identified dual oxidase maturation factor (DUOXA) 1 gene produces only mild transient hypothyroidism in a patient with a novel biallelic DUOXA2 mutation and monoallelic DUOXA1 deletion. *The Journal of Clinical Endocrinology and Metabolism*, 96(5):E841–5.
- [221] Hutchison, C. A. (2007). DNA sequencing: Bench to bedside and beyond. *Nucleic Acids Research*, 35(18):6227–6237.
- [222] Imielinski, M., Baldassano, R. N., Griffiths, A. M., Russell, R. K., Annese, V., Dubinsky, M., Kugathasan, S., Bradfield, J. P., Walters, T. D., Sleiman, P., Kim, C. E., Muise, A., Wang, K., Glessner, J. T., Saeed, S., Zhang, H., Frackelton, E. C., Hou, C., Flory, J. H., Otieno, G., Chiavacci, R. M., Grundmeier, R., Castro, M.,

- Latiano, A., Dallapiccola, B., Stempak, J., Abrams, D. J., Taylor, K. D., McGovern, D., Silber, G., Wrobel, I., Quiros, A., Barrett, J. C., Hansoul, S., Nicolae, D. L., Cho, J. H., Duerr, R. H., Rioux, J. D., Brant, S. R., Silverberg, M. S., Taylor, K. D., Barmuda, M. M., Bitton, A., Dassopoulos, T., Datta, L. W., Green, T., Griffiths, A. M., Kistner, E. O., Murtha, M. T., Regueiro, M. D., Rotter, J. I., Schumm, L. P., Steinhart, A. H., Targan, S. R., Xavier, R. J., Libioulle, C., Sandor, C., Lathrop, M., Belaiche, J., Dewit, O., Gut, I., Heath, S., Laukens, D., Mni, M., Rutgeerts, P., Van Gossum, A., Zelenika, D., Franchimont, D., Hugot, J. P., de Vos, M., Vermeire, S., Louis, E., Cardon, L. R., Anderson, C. A., Drummond, H., Nimmo, E., Ahmad, T., Prescott, N. J., Onnie, C. M., Fisher, S. a., Marchini, J., Ghori, J., Bumpstead, S., Gwillam, R., Tremelling, M., Delukas, P., Mansfield, J., Jewell, D., Satsangi, J., Mathew, C. G., Parkes, M., Georges, M., Daly, M. J., Heyman, M. B., Ferry, G. D., Kirschner, B., Lee, J., Essers, J., Grand, R., Stephens, M., Levine, A., Piccoli, D., Van Limbergen, J., Cucchiara, S., Monos, D. S., Guthery, S. L., Denson, L., Wilson, D. C., Grant, S. F. a., Daly, M. J., and Hakonarson, H. (2009). Common variants at five new loci associated with early-onset inflammatory bowel disease. *Nature Genetics*, 41(12):1335–1340.
- [223] Iossifov, I., Ronemus, M., Levy, D., Wang, Z., Hakker, I., Rosenbaum, J., Yamrom, B., Lee, Y.-H., Narzisi, G., Leotta, A., Kendall, J., Grabowska, E., Ma, B., Marks, S., Rodgers, L., Stepansky, A., Troge, J., Andrews, P., Bekritsky, M., Pradhan, K., Ghiban, E., Kramer, M., Parla, J., Demeter, R., Fulton, L. L., Fulton, R. S., Magrini, V. J., Ye, K., Darnell, J. C., Darnell, R. B., Mardis, E. R., Wilson, R. K., Schatz, M. C., McCombie, W. R., and Wigler, M. (2012). De novo gene disruptions in children on the autistic spectrum. *Neuron*, 74(2):285–99.
- [224] Ishiguro, Y., Yamagata, K., Sakuraba, H., Munakata, A., Nakane, A., Morita, T., and Nishihira, J. (2004). Macrophage migration inhibitory factor and activator protein-1 in ulcerative colitis. *Annals of the New York Academy of Sciences*, 1029:348–349.
- [225] Itan, Y. and Casanova, J.-L. (2015). Novel primary immunodeficiency candidate genes predicted by the human gene connectome. *Frontiers in immunology*, 6(April):142.
- [226] Iwatani, N., Mabe, H., Devriendt, K., Kodama, M., and Miike, T. (2000). Deletion of NKX2.1 gene encoding thyroid transcription factor-1 in two siblings with hypothyroidism and respiratory failure. *The Journal of pediatrics*, 137(2):272–6.
- [227] J. Gustav Smith and Christopher Newton-Cheh (2009). *Genome-wide association study in humans*, volume 573. Humana Press.
- [228] Jian, X., Boerwinkle, E., and Liu, X. (2014). In silico prediction of splice-altering single nucleotide variants in the human genome. *Nucleic Acids Research*, 42(22):13534–44.
- [229] Jin, H. Y., Heo, S.-H., Kim, Y.-M., Kim, G.-H., Choi, J.-H., Lee, B.-H., and Yoo, H.-W. (2014). High frequency of DUOX2 mutations in transient or permanent congenital hypothyroidism with eutopic thyroid glands. *Hormone research in paediatrics*, 82(4):252–60.

- [230] Johnston, J. J., Rubinstein, W. S., Facio, F. M., Ng, D., Singh, L. N., Teer, J. K., Mullikin, J. C., and Biesecker, L. G. (2012). Secondary variants in individuals undergoing exome sequencing: screening of 572 individuals identifies high-penetrance mutations in cancer-susceptibility genes. *American Journal of Human Genetics*, 91(1):97–108.
- [231] Jostins, L. and Barrett, J. C. (2011). Genetic risk prediction in complex disease. *Human Molecular Genetics*, 20(R2):R182–8.
- [232] Jostins, L., Ripke, S., Weersma, R. K., Duerr, R. H., McGovern, D. P., Hui, K. Y., Lee, J. C., Philip Schumm, L., Sharma, Y., Anderson, C. a., Essers, J., Mitrovic, M., Ning, K., Cleynen, I., Theatre, E., Spain, S. L., Raychaudhuri, S., Goyette, P., Wei, Z., Abraham, C., Achkar, J.-P., Ahmad, T., Amininejad, L., Ananthakrishnan, A. N., Andersen, V., Andrews, J. M., Baidoo, L., Balschun, T., Bampton, P. a., Bitton, A., Boucher, G., Brand, S., Büning, C., Cohain, A., Cichon, S., D'Amato, M., De Jong, D., Devaney, K. L., Dubinsky, M., Edwards, C., Ellinghaus, D., Ferguson, L. R., Franchimont, D., Fransen, K., Gearry, R., Georges, M., Gieger, C., Glas, J., Haritunians, T., Hart, A., Hawkey, C., Hedl, M., Hu, X., Karlsen, T. H., Kupcinskas, L., Kugathasan, S., Latiano, A., Laukens, D., Lawrence, I. C., Lees, C. W., Louis, E., Mahy, G., Mansfield, J., Morgan, A. R., Mowat, C., Newman, W., Palmieri, O., Ponsioen, C. Y., Potocnik, U., Prescott, N. J., Regueiro, M., Rotter, J. I., Russell, R. K., Sanderson, J. D., Sans, M., Satsangi, J., Schreiber, S., Simms, L. a., Sventoraityte, J., Targan, S. R., Taylor, K. D., Tremelling, M., Verspaget, H. W., De Vos, M., Wijmenga, C., Wilson, D. C., Winkelmann, J., Xavier, R. J., Zeissig, S., Zhang, B., Zhang, C. K., Zhao, H., Silverberg, M. S., Annese, V., Hakonarson, H., Brant, S. R., Radford-Smith, G., Mathew, C. G., Rioux, J. D., Schadt, E. E., Daly, M. J., Franke, A., Parkes, M., Vermeire, S., Barrett, J. C., and Cho, J. H. (2012). Host–microbe interactions have shaped the genetic architecture of inflammatory bowel disease. *Nature*, 491(7422):119–124.
- [233] Jun, G., Flickinger, M., Hetrick, K. N., Romm, J. M., Doheny, K. F., Abecasis, G. R., Boehnke, M., and Kang, H. M. (2012). Detecting and estimating contamination of human DNA samples in sequencing and array-based genotype data. *American Journal of Human Genetics*, 91(5):839–48.
- [234] K Lichti-Kaiser, ZeRuth, G., and Anton, J. (2014). Transcription factor Gli-similar 3 (GLIS3): Implications for the development of congenital hypothyroidism. *Journal of Endocrinology and Diabetes and Obesity*, 2(2).
- [235] Kamboh, M. I., Barmada, M. M., Demirci, F. Y., Minster, R. L., Carrasquillo, M. M., Pankratz, V. S., Younkin, S. G., Saykin, A. J., Sweet, R. A., Feingold, E., DeKosky, S. T., and Lopez, O. L. (2012). Genome-wide association analysis of age-at-onset in Alzheimer's disease. *Molecular Psychiatry*, 17(12):1340–1346.
- [236] Kammermeier, J., Drury, S., James, C. T., Dziubak, R., Ocaka, L., Elawad, M., Beales, P., Lench, N., Uhlig, H. H., Bacchelli, C., and Shah, N. (2014). Targeted gene panel sequencing in children with very early onset inflammatory bowel disease—evaluation and prospective analysis. *Journal of Medical Genetics*, 51(11):748–55.

- [237] Kang, H. S., Kim, Y.-S., ZeRuth, G., Beak, J. Y., Gerrish, K., Kilic, G., Sosa-Pineda, B., Jensen, J., Pierreux, C. E., Lemaigre, F. P., Foley, J., and Jetten, A. M. (2009). Transcription factor Glis3, a novel critical player in the regulation of pancreatic beta-cell development and insulin gene expression. *Molecular and cellular biology*, 29(24):6366–79.
- [238] Kasahara, H. and Benson, D. W. (2004). Biochemical analyses of eight NKX2.5 homeodomain missense mutations causing atrioventricular block and cardiac anomalies. *Cardiovascular Research*, 64(1):40–51.
- [239] Kathiresan, S., Melander, O., Anevski, D., and C, G. (2008). Polymorphisms Associated with Cholesterol and Risk of Cardiovascular Events. *The New England Journal of Medicine*, 358(12):1240–1249.
- [240] Katsanis, S. H. and Katsanis, N. (2013). Molecular genetic testing and the future of clinical genomics. *Nature Reviews Genetics*, 14(6):415–26.
- [241] Kelly, L., Mezulis, S., Yates, C., Wass, M., and Sternberg, M. (2015). The Phyre2 web portal for protein modelling, prediction, and analysis. *Nature Protocols*, 10(6):845–858.
- [242] Kelly, T. N., Takeuchi, F., Tabara, Y., Edwards, T. L., Kim, Y. J., Chen, P., Li, H., Wu, Y., Yang, C. F., Zhang, Y., Gu, D., Katsuya, T., Ohkubo, T., Gao, Y. T., Go, M. J., Teo, Y. Y., Lu, L., Lee, N. R., Chang, L. C., Peng, H., Zhao, Q., Nakashima, E., Kita, Y., Shu, X. O., Kim, N. H., Tai, E. S., Wang, Y., Adair, L. S., Chen, C. H., Zhang, S., Li, C., Nabika, T., Umemura, S., Cai, Q., Cho, Y. S., Wong, T. Y., Zhu, J., Wu, J. Y., Gao, X., Hixson, J. E., Cai, H., Lee, J., Cheng, C. Y., Rao, D. C., Xiang, Y. B., Cho, M. C., Han, B. G., Wang, A., Tsai, F. J., Mohlke, K., Lin, X., Ikram, M. K., Lee, J. Y., Zheng, W., Tetsuro, M., Kato, N., and He, J. (2013). Genome-wide association study meta-analysis reveals transtheortic replication of mean arterial and pulse pressure loci. *Hypertension*, 62(5):853–859.
- [243] Kelsen, J. R., Baldassano, R. N., Artis, D., and Sonnenberg, G. F. (2015a). Maintaining Intestinal Health: The Genetics and Immunology of Very Early Onset Inflammatory Bowel Disease. *CMGH Cellular and Molecular Gastroenterology and Hepatology*, 1(5):462–476.
- [244] Kelsen, J. R., Dawany, N., Moran, C. J., Petersen, B.-S., Sarmady, M., Sasson, A., Pauly-Hubbard, H., Martinez, A., Maurer, K., Soong, J., Rappaport, E., Franke, A., Keller, A., Winter, H. S., Mamula, P., Piccoli, D., Artis, D., Sonnenberg, G. F., Daly, M., Sullivan, K. E., Baldassano, R. N., and Devoto, M. (2015b). Exome Sequencing Analysis Reveals Variants in Primary Immunodeficiency Genes in Patients With Very Early Onset Inflammatory Bowel Disease. *Gastroenterology*, 149(6):1415–1424.
- [245] Kiezun, A., Garimella, K., Do, R., Stitziel, N. O., Neale, B. M., McLaren, P. J., Gupta, N., Sklar, P., Sullivan, P. F., Moran, J. L., Hultman, C. M., Lichtenstein, P., Magnusson, P., Lehner, T., Shugart, Y. Y., Price, A. L., de Bakker, P. I. W., Purcell, S. M., and Sunyaev, S. R. (2012). Exome sequencing and the genetic basis of complex traits. *Nature Genetics*, 44(6):623–30.

- [246] Kim, K., Seong, M.-w., Chung, W.-h., Park, S. S., Leem, S., Park, W., Kim, J., Lee, K., Park, R. W., and Kim, N. (2015). Effect of Next-Generation Exome Sequencing Depth for Discovery of Diagnostic Variants. *Genomics and Informatics*, 13(2):31–39.
- [247] Kim, K. X., Sanneman, J. D., Kim, H.-M., Harbidge, D. G., Xu, J., Soleimani, M., Wangemann, P., and Marcus, D. C. (2014). Slc26a7 chloride channel activity and localization in mouse Reissner's membrane epithelium. *PloS one*, 9(5):e97191.
- [248] Kimura, S., Ward, J. M., and Minoo, P. (1999). Thyroid-specific enhancer-binding protein/thyroid transcription factor 1 is not required for the initial specification of the thyroid and lung primordia. *Biochimie*, 81(4):321–327.
- [249] King, D. A., Fitzgerald, T. W., Miller, R., Canham, N., Clayton-Smith, J., Johnson, D., Mansour, S., Stewart, F., Vasudevan, P., and Hurles, M. E. (2014). A novel method for detecting uniparental disomy from trio genotypes identifies a significant excess in children with developmental disorders. *Genome Research*, 24(4):673–687.
- [250] Kinkorová, J. (2015). Biobanks in the era of personalized medicine: objectives, challenges, and innovation: Overview. *The EPMA journal*, 7:4.
- [251] Kircher, M., Witten, D. M., Jain, P., O'Roak, B. J., Cooper, G. M., and Shendure, J. (2014). A general framework for estimating the relative pathogenicity of human genetic variants. *Nature Genetics*, 46(3):310–315.
- [252] Klein Rj Fau - Zeiss, C., Zeiss C Fau - Chew, E. Y., Chew Ey Fau - Tsai, J.-Y., Tsai Jy Fau - Sackler, R. S., Sackler Rs Fau - Haynes, C., Haynes C Fau - Henning, A. K., Henning Ak Fau - SanGiovanni, J. P., SanGiovanni Jp Fau - Mane, S. M., Mane Sm Fau - Mayne, S. T., Mayne St Fau - Bracken, M. B., Bracken Mb Fau - Ferris, F. L., Ferris Fl Fau - Ott, J., Ott J Fau - Barnstable, C., Barnstable C Fau - Hoh, J., and Hoh, J. (2005). Complement factor H polymorphism in age-related macular degeneration. *Science*, 308(5720):385–389.
- [253] Kohler, S., Doelken, S. C., Mungall, C. J., Bauer, S., Firth, H. V., Bailleul-Forestier, I., Black, G. C. M., Brown, D. L., Brudno, M., Campbell, J., Fitzpatrick, D. R., Eppig, J. T., Jackson, A. P., Freson, K., Girdea, M., Helbig, I., Hurst, J. A., John, J., Jackson, L. G., Kelly, A. M., Ledbetter, D. H., Mansour, S., Martin, C. L., Moss, C., Mumford, A., Ouwehand, W. H., Park, S. M., Riggs, E. R., Scott, R. H., Sisodiya, S., Vooren, S. V., Wapner, R. J., Wilkie, A. O. M., Wright, C. F., Vulto-Van Silfhout, A. T., Leeuw, N. D., De Vries, B. B. A., Washington, N. L., Smith, C. L., Westerfield, M., Schofield, P., Ruef, B. J., Gkoutos, G. V., Haendel, M., Smedley, D., Lewis, S. E., and Robinson, P. N. (2014). The Human Phenotype Ontology project: Linking molecular biology and disease through phenotype data. *Nucleic Acids Research*, 42(D1):966–974.
- [254] Kondo, T., Ezzat, S., and Asa, S. L. (2006). Pathogenetic mechanisms in thyroid follicular-cell neoplasia. *Nature Reviews. Cancer*, 6(4):292–306.
- [255] Kotlarz, D., Beier, R., Murugan, D., Diestelhorst, J., Jensen, O., Boztug, K., Pfeifer, D., Kreipe, H., Pfister, E.-D., Baumann, U., Puchalka, J., Bohne, J., Egritis,

- O., Dalgic, B., Kolho, K.-L., Sauerbrey, A., Buderus, S., Güngör, T., Enninger, A., Koda, Y. K. L., Guariso, G., Weiss, B., Corbacioglu, S., Socha, P., Uslu, N., Metin, A., Wahbeh, G. T., Husain, K., Ramadan, D., Al-Herz, W., Grimbacher, B., Sauer, M., Sykora, K.-W., Koletzko, S., and Klein, C. (2012). Loss of interleukin-10 signaling and infantile inflammatory bowel disease: implications for diagnosis and therapy. *Gastroenterology*, 143(2):347–55.
- [256] Krieg, A., Correa, R. G., Garrison, J. B., Le Negrate, G., Welsh, K., Huang, Z., Knoefel, W. T., and Reed, J. C. (2009). XIAP mediates NOD signaling via interaction with RIP2. *Proceedings of the National Academy of Sciences of the United States of America*, 106(34):14524–14529.
- [257] Krude, H., Schütz, B., Biebermann, H., von Moers, A., Schnabel, D., Neitzel, H., Tönnies, H., Weise, D., Lafferty, A., Schwarz, S., DeFelice, M., von Deimling, A., van Landeghem, F., DiLauro, R., and Grüters, A. (2002). Choroathetosis, hypothyroidism, and pulmonary alterations due to human NKX2-1 haploinsufficiency. *Journal of Clinical Investigation*, 109(4):475–480.
- [258] Krumm, N., Turner, T. N., Baker, C., Vives, L., Mohajeri, K., Witherspoon, K., Raja, A., Coe, B. P., Stessman, H. a., He, Z.-X., Leal, S. M., Bernier, R., and Eichler, E. E. (2015). Excess of rare, inherited truncating mutations in autism. *Nature Genetics*, 47(6):582–588.
- [259] Kryukov, G. V., Pennacchio, L. a., and Sunyaev, S. R. (2007). Most rare missense alleles are deleterious in humans: implications for complex disease and association studies. *American Journal of Human Genetics*, 80(4):727–39.
- [260] Ku, C.-s., Cooper, D. N., Polychronakos, C., Naidoo, N., Wu, M., and Soong, R. (2012). Exome Sequencing: Dual Role as a Discovery and Diagnostic Tool. *Annals of Neurology*, 71(1):5–14.
- [261] Kugathasan, S., Baldassano, R. N., Bradfield, J. P., Sleiman, P. M. A., Imielinski, M., Guthery, S. L., Cucchiara, S., Kim, C. E., Frackelton, E. C., Annaiah, K., Glessner, J. T., Santa, E., Willson, T., Eckert, A. W., Bonkowski, E., Shaner, J. L., Smith, R. M., Otieno, F. G., Peterson, N., Abrams, D. J., Chiavacci, R. M., Grundmeier, R., Mamula, P., Tomer, G., Piccoli, D. A., Monos, D. S., Annese, V., Denson, L. A., Grant, S. F. A., and Hakonarson, H. (2008). Loci on 20q13 and 21q22 are associated with pediatric-onset inflammatory bowel disease. *Nat Genet*, 40(10):1211–1215.
- [262] Kühn, R., Löhler, J., Rennick, D., Rajewsky, K., and Müller, W. (1993). Interleukin-10-deficient mice develop chronic enterocolitis. *Cell*, 75(2):263–274.
- [263] Kühnen, P., Turan, S., Fröhler, S., Güran, T., Abali, S., Biebermann, H., Bereket, A., Grüters, A., Chen, W., and Krude, H. (2014). Identification of PEN-DRIN (SLC26A4) mutations in patients with congenital hypothyroidism and "apparent" thyroid dysgenesis. *The Journal of Clinical Endocrinology and Metabolism*, 99(1):E169–76.

- [264] Kvikstad, E. M., Tyekucheva, S., Chiaromonte, F., and Makova, K. D. (2007). A macaque's-eye view of human insertions and deletions: differences in mechanisms. *PLoS computational biology*, 3(9):1772–82.
- [265] Kyogoku, C., Langefeld, C. D., Ortmann, W. A., Lee, A., Selby, S., Carlton, V. E. H., Chang, M., Ramos, P., Baechler, E. C., Batliwalla, F. M., Novitzke, J., Williams, A. H., Gillett, C., Rodine, P., Graham, R. R., Ardlie, K. G., Gaffney, P. M., Moser, K. L., Petri, M., Begovich, A. B., Gregersen, P. K., and Behrens, T. W. (2004). Genetic association of the R620W polymorphism of protein tyrosine phosphatase PTPN22 with human SLE. *American Journal of Human Genetics*, 75(3):504–7.
- [266] LA. Everett, B. Glasser, J. B. (1997). Pendred syndrome is caused by mutations in a putative sulphate transporter gene (PDS). *Nature Genetics*, 17:411–422.
- [267] Ladinsky, H. T., Perez, E. E., and Dorsey, M. J. (2013). Chronic granulomatous disease associated colitis leading to profound zinc deficiency. *The journal of allergy and clinical immunology. In practice*, 2(2):217–9.
- [268] Lalande, M. (2001). Imprints of disease at GNAS1. *Journal of Clinical Investigation*, 107(7):793–794.
- [269] Lange, L. A., Hu, Y., Zhang, H., Xue, C., Schmidt, E. M., Tang, Z. Z., Bizon, C., Lange, E. M., Smith, J. D., Turner, E. H., Jun, G., Kang, H. M., Peloso, G., Auer, P., Li, K. P., Flannick, J., Zhang, J., Fuchsberger, C., Gaulton, K., Lindgren, C., Locke, A., Manning, A., Sim, X., Rivas, M. A., Holmen, O. L., Gottesman, O., Lu, Y., Ruderfer, D., Stahl, E. A., Duan, Q., Li, Y., Durda, P., Jiao, S., Isaacs, A., Hofman, A., Bis, J. C., Correa, A., Griswold, M. E., Jakobsdottir, J., Smith, A. V., Schreiner, P. J., Feitosa, M. F., Zhang, Q., Huffman, J. E., Crosby, J., Wassel, C. L., Do, R., Franceschini, N., Martin, L. W., Robinson, J. G., Assimes, T. L., Crosslin, D. R., Rosenthal, E. A., Tsai, M., Rieder, M. J., Farlow, D. N., Folsom, A. R., Lumley, T., Fox, E. R., Carlson, C. S., Peters, U., Jackson, R. D., Van Duijn, C. M., Uitterlinden, A. G., Levy, D., Rotter, J. I., Taylor, H. A., Gudnason, V., Siscovick, D. S., Fornage, M., Borecki, I. B., Hayward, C., Rudan, I., Chen, Y. E., Bottinger, E. P., Loos, R. J. F., Sætrom, P., Hveem, K., Boehnke, M., Groop, L., McCarthy, M., Meitinger, T., Ballantyne, C. M., Gabriel, S. B., O'Donnell, C. J., Post, W. S., North, K. E., Reiner, A. P., Boerwinkle, E., Psaty, B. M., Altshuler, D., Kathiresan, S., Lin, D. Y., Jarvik, G. P., Cupples, L. A., Kooperberg, C., Wilson, J. G., Nickerson, D. A., Abecasis, G. R., Rich, S. S., Tracy, R. P., and Willer, C. J. (2014). Whole-exome sequencing identifies rare and low-frequency coding variants associated with LDL cholesterol. *American Journal of Human Genetics*, 94(2):233–245.
- [270] Lania, G., Zhang, Z., Huynh, T., Caprio, C., Moon, A. M., Vitelli, F., and Baldini, A. (2009). Early thyroid development requires a Tbx1-Fgf8 pathway. *Developmental biology*, 328(1):109–117.
- [271] Lappalainen, I., Thusberg, J., Shen, B., and Vihtinen, M. (2008). Genome wide analysis of pathogenic SH2 domain mutations. *Proteins: Structure, Function and Genetics*, 72(2):779–792.

- [272] Lee, H., Graham, J. M., Rimoin, D. L., Lachman, R. S., Krejci, P., Tompson, S. W., Nelson, S. F., Krakow, D., and Cohn, D. H. (2012). Exome sequencing identifies PDE4D mutations in acrodysostosis. *American Journal of Human Genetics*, 90(4):746–51.
- [273] Lee, J., Jeso, B. D., and Arvan, P. (2008). The cholinesterase-like domain of thyroglobulin functions as an intramolecular chaperone. *The Journal of clinical investigation*, 118(8).
- [274] Lee, J., Jeso, B. D., and Arvan, P. (2011). Maturation of Thyroglobulin Protein Region I *. *The Journal of biological chemistry*, 286(38):33045–33052.
- [275] Lee, J. C., Espéli, M., Anderson, C. A., Linterman, M. A., Pocock, J. M., Williams, N. J., Roberts, R., Viatte, S., Fu, B., Peshu, N., Hien, T. T., Phu, N. H., Wesley, E., Edwards, C., Ahmad, T., Mansfield, J. C., Gearry, R., Dunstan, S., Williams, T. N., Barton, A., Vinuesa, C. G., Parkes, M., Lyons, P. A., and Smith, K. G. C. (2013). Human SNP links differential outcomes in inflammatory and infectious disease to a FOXO3-regulated pathway. *Cell*, 155(1):57–69.
- [276] Lee, S., Abecasis, G. R., Boehnke, M., and Lin, X. (2014). Rare-variant association analysis: Study designs and statistical tests. *American Journal of Human Genetics*, 95(1):5–23.
- [277] Léger, J., Olivier, A., Donaldson, M., Torresani, T., Krude, H., van Vliet, G., Polak, M., and Butler, G. (2014). European Society for Paediatric Endocrinology consensus guidelines on screening, diagnosis, and management of congenital hypothyroidism. *Hormone research in paediatrics*, 81(2):80–103.
- [278] Lelieveld, S. H., Veltman, J. A., and Gilissen, C. (2016). Novel bioinformatic developments for exome sequencing. *Human Genetics*, 135(6):1–12.
- [279] Levy, S., Sutton, G., Ng, P. C., Feuk, L., Halpern, A. L., Walenz, B. P., Axelrod, N., Huang, J., Kirkness, E. F., Denisov, G., Lin, Y., MacDonald, J. R., Pang, A. W. C., Shago, M., Stockwell, T. B., Tsiamouri, A., Bafna, V., Bansal, V., Kravitz, S. A., Busam, D. A., Beeson, K. Y., McIntosh, T. C., Remington, K. A., Abril, J. F., Gill, J., Borman, J., Rogers, Y. H., Frazier, M. E., Scherer, S. W., Strausberg, R. L., and Venter, J. C. (2007). The diploid genome sequence of an individual human. *PLoS Biology*, 5(10):2113–2144.
- [280] Li, H. and Durbin, R. (2009). Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics (Oxford, England)*, 25(14):1754–60.
- [281] Li, H., Handsaker, B., Wysoker, A., Fennell, T., Ruan, J., Homer, N., Marth, G., Abecasis, G., and Durbin, R. (2009). The Sequence Alignment/Map format and SAMtools. *Bioinformatics (Oxford, England)*, 25(16):2078–9.
- [282] Li, L.-h., Ho, S.-f., Chen, C.-h., Wei, C.-y., Wong, W.-c., Li, L.-y., Hung, S.-i., Chung, W.-h., Pan, W.-h., Lee, M.-t. M., Tsai, F.-j., Chang, C.-f., Wu, J.-y., and Chen, Y.-t. (2006). Long Contiguous Stretches of Homozygosity in the Human Genome. *Human mutation*, 27(11):1115–1121.

- [283] Li, Y., Sidore, C., Kang, H. M., Boehnke, M., and Abecasis, G. R. (2011). Low-coverage sequencing: implications for design of complex trait association studies. *Genome* . . . , 21:940–951.
- [284] Li, Y. J., Scott, W. K., Hedges, D. J., Zhang, F., Gaskell, P. C., Nance, M. A., Watts, R. L., Hubble, J. P., Koller, W. C., Pahwa, R., Stern, M. B., Hiner, B. C., Jankovic, J., Allen, F. A., Goetz, C. G., Mastaglia, F., Stajich, J. M., Gibson, R. A., Middleton, L. T., Saunders, A. M., Scott, B. L., Small, G. W., Nicodemus, K. K., Reed, A. D., Schmeichel, D. E., Welsh-Bohmer, K. A., Conneally, P. M., Roses, A. D., Gilbert, J. R., Vance, J. M., Haines, J. L., and Pericak-Vance, M. A. (2002). Age at onset in two common neurodegenerative diseases is genetically controlled. *American Journal of Human Genetics*, 70(4):985–993.
- [285] Liebert, M. A., Yeo, G., and Burge, C. B. (2004). Maximum Entropy Modeling of Short Sequence Motifs with Applications to RNA Splicing Signals. *Journal of Computational Biology*, 11:377–394.
- [286] Lindgren, C. M., Heid, I. M., Randall, J. C., Lamina, C., Steinhorsdottir, V., Qi, L., Speliotes, E. K., Thorleifsson, G., Willer, C. J., Herrera, B. M., Jackson, A. U., Lim, N., Scheet, P., Soranzo, N., Amin, N., Aulchenko, Y. S., Chambers, J. C., Drong, A., an Luan, J. N., Lyon, H. N., Rivadeneira, F., Sanna, S., Timpson, N. J., Zillikens, M. C., Jing, H. Z., Almgren, P., Bandinelli, S., Bennett, A. J., Bergman, R. N., Bonnycastle, L. L., Bumpstead, S. J., Chanock, S. J., Cherkas, L., Chines, P., Coin, L., Cooper, C., Crawford, G., Doering, A., Dominiczak, A., Doney, A. S. F., Ebrahim, S., Elliott, P., Erdos, M. R., Estrada, K., Ferrucci, L., Fischer, G., Forouhi, N. G., Gieger, C., Grallert, H., Groves, C. J., Grundy, S., Guiducci, C., Hadley, D., Hamsten, A., Havulinna, A. S., Hofman, A., Holle, R., Holloway, J. W., Illig, T., Isomaa, B., Jacobs, L. C., Jameson, K., Jousilahti, P., Karpe, F., Kuusisto, J., Laitinen, J., Lathrop, G. M., Lawlor, D. A., Mangino, M., McArdle, W. L., Meitinger, T., Morken, M. A., Morris, A. P., Munroe, P., Narisu, N., Nordstrom, A., Nordstrom, P., Oostra, B. A., Palmer, C. N. A., Payne, F., Peden, J. F., Prokopenko, I., Renström, F., Ruokonen, A., Salomaa, V., Sandhu, M. S., Scott, L. J., Scuteri, A., Silander, K., Song, K., Yuan, X., Stringham, H. M., Swift, A. J., Tuomi, T., Uda, M., Vollenweider, P., Waeber, G., Wallace, C., Walters, G. B., Weedon, M. N., Witteman, J. C. M., Zhang, C., Zhang, W., Caulfield, M. J., Collins, F. S., Smith, G. D., Day, I. N. M., Franks, P. W., Hattersley, A. T., Hu, F. B., Jarvelin, M. R., Kong, A., Kooper, J. S., Laakso, M., Lakatta, E., Mooser, V., Morris, A. D., Peltonen, L., Samani, N. J., Spector, T. D., Strachan, D. P., Tanaka, T., Tuomilehto, J., Uitterlinden, A. G., Van Duijn, C. M., Wareham, N. J., Watkins, H., Waterworth, D. M., Boehnke, M., Deloukas, P., Groop, L., Hunter, D. J., Thorsteinsdottir, U., Schlessinger, D., Wichmann, H. E., Frayling, T. M., Abecasis, G. R., Hirschhorn, J. N., Loos, R. J. F., Stefansson, K., Mohlke, K. L., Barroso, I., and McCarthy, M. I. (2009). Genome-wide association scan meta-analysis identifies three loci influencing adiposity and fat distribution. *PLoS Genetics*, 5(6).
- [287] Liu, C.-t., Raghavan, S., Maruthur, N., Kabagambe, E. K., Hong, J., Ng, M. C. Y., Hivert, M.-f., Lu, Y., An, P., Bentley, A. R., Drolet, A. M., Gaulton, K. J., Guo, X., Armstrong, L. L., Irvin, M. R., Li, M., Lipovich, L., Rybin, D. V., Taylor, K. D., Agyemang, C., Palmer, N. D., Cade, B. E., Chen, W.-m., Dauriz, M., Delaney,

- J. A. C., Edwards, T. L., Evans, D. S., Evans, M. K., Lange, L. A., Leong, A., Liu, J., Liu, Y., Nayak, U., Patel, S. R., Porneala, B. C., Rasmussen-torvik, L. J., Snijder, M. B., Stallings, S. C., Tanaka, T., Yanek, L. R., Zhao, W., Becker, D. M., Bielak, L. F., Biggs, M. L., Bottinger, E. P., Bowden, D. W., Chen, G., Correa, A., Couper, D. J., Crawford, D. C., Cushman, M., Eicher, J. D., Fornage, M., Franceschini, N., Fu, Y.-p., Goodarzi, M. O., Gottesman, O., Hara, K., Harris, T. B., Jensen, R. A., Johnson, A. D., Jhun, M. A., Karter, A. J., Keller, M. F., Kho, A. N., Kizer, J. R., Krauss, R. M., Langefeld, C. D., and Li, X. (2016). Trans-ethnic Meta-Analysis and Functional Annotation Illuminates the Genetic Architecture of Fasting Glucose and Insulin. *American Journal of Human Genetics*, 99:1–20.
- [288] Liu, J. Z. and Anderson, C. A. (2014). Genetic studies of Crohn's disease: Past, present and future. *Best Practice and Research: Clinical Gastroenterology*, 28(3):373–386.
- [289] Liu, J. Z., Hov, J. R., Folseraas, T., Ellinghaus, E., Rushbrook, S. M., Doncheva, N. T., Andreassen, O. a., Weersma, R. K., Weismüller, T. J., Eksteen, B., Invernizzi, P., Hirschfield, G. M., Gotthardt, D. N., Pares, A., Ellinghaus, D., Shah, T., Juran, B. D., Milkiewicz, P., Rust, C., Schramm, C., Müller, T., Srivastava, B., Dalekos, G., Nöthen, M. M., Herms, S., Winkelmann, J., Mitrovic, M., Braun, F., Ponsioen, C. Y., Croucher, P. J. P., Sterneck, M., Teufel, A., Mason, A. L., Saarela, J., Leppa, V., Dorfman, R., Alvaro, D., Floreani, A., Onengut-Gumuscu, S., Rich, S. S., Thompson, W. K., Schork, A. J., Næss, S., Thomsen, I., Mayr, G., König, I. R., Hveem, K., Cleynen, I., Gutierrez-Achury, J., Ricaño-Ponce, I., van Heel, D., Björnsson, E., Sandford, R. N., Durie, P. R., Melum, E., Vatn, M. H., Silverberg, M. S., Duerr, R. H., Padyukov, L., Brand, S., Sans, M., Annese, V., Achkar, J.-P., Boberg, K. M., Marschall, H.-U., Chazouillères, O., Bowlus, C. L., Wijmenga, C., Schrumpf, E., Vermeire, S., Albrecht, M., Rioux, J. D., Alexander, G., Bergquist, A., Cho, J., Schreiber, S., Manns, M. P., Färkkilä, M., Dale, A. M., Chapman, R. W., Lazaridis, K. N., Franke, A., Anderson, C. a., and Karlsen, T. H. (2013). Dense genotyping of immune-related disease regions identifies nine new risk loci for primary sclerosing cholangitis. *Nature Genetics*, 45(6):670–5.
- [290] Liu, J. Z., van Sommeren, S., Huang, H., Ng, S. C., Alberts, R., Takahashi, A., Ripke, S., Lee, J. C., Jostins, L., Shah, T., Abedian, S., Cheon, J. H., Cho, J., Daryani, N. E., Franke, L., Fuyuno, Y., Hart, A., Juyal, R. C., Juyal, G., Kim, W. H., Morris, A. P., Poustchi, H., Newman, W. G., Midha, V., Orchard, T. R., Vahedi, H., Sood, A., Sung, J. J. Y., Malekzadeh, R., Westra, H.-J., Yamazaki, K., Yang, S.-K., Barrett, J. C., Franke, A., Alizadeh, B. Z., Parkes, M., B K, T., Daly, M. J., Kubo, M., Anderson, C. A., and Weersma, R. K. (2015). Association analyses identify 38 susceptibility loci for inflammatory bowel disease and highlight shared genetic risk across populations. *Nature Genetics*, advance on(9).
- [291] Lloyd-Jones, D. M., Leip, E. P., Larson, M. G., D'Agostino, R. B., Beiser, A., Wilson, P. W. F., Wolf, P. A., and Levy, D. (2006). Prediction of lifetime risk for cardiovascular disease by risk factor burden at 50 years of age. *Circulation*, 113(6):791–798.
- [292] Lobo, I. (2008). Same Genetic Mutation, Different Genetic Disease Phenotype. *Nature Education*, 1(1):64.

- [293] Locke, A., Kahali, B., Berndt, S., Justice, A., and Pers, T. (2015). Genetic studies of body mass index yield new insights for obesity biology. *Nature*, 518(7538):197–206.
- [294] Loomis, E. W., Eid, J. S., Peluso, P., Yin, J., Hickey, L., Rank, D., Mccalmon, S., Hagerman, R. J., Tassone, F., and Hagerman, P. J. (2013). Sequencing the unsequenceable: Expanded CGG-repeat alleles of the fragile X gene Sequencing the unsequenceable: Expanded CGG-repeat alleles of the fragile X gene. (530):121–128.
- [295] Luo, Y., de Lange, K. M., Jostins, L., Moutsianas, L., Randall, J., Kennedy, N. A., Lamb, C. A., McCarthy, S., Ahmad, T., Edwards, C., Serra, E. G., Hart, A., Hawkey, C., Mansfield, J. C., Mowat, C., Newman, W. G., Nichols, S., Pollard, M., Satsangi, J., Simmons, A., Tremelling, M., Uhlig, H., Wilson, D. W., Lee, J. C., Prescott, N. J., Lees, C. W., Mathew, C. G., Parkes, M., Barrett, J. C., and Anderson, C. A. (2016). Exploring the genetic architecture of inflammatory bowel disease by whole genome sequencing identifies association at ADCY7. *BioRxiv*, pages 1–24.
- [296] Lupski, J. R., Reid, J. G., Gonzaga-Jauregui, C., Rio Deiros, D., Chen, D. C. Y., Nazareth, L., Bainbridge, M., Dinh, H., Jing, C., Wheeler, D. a., McGuire, A. L., Zhang, F., Stankiewicz, P., Halperin, J. J., Yang, C., Gehman, C., Guo, D., Irikat, R. K., Tom, W., Fantin, N. J., Muzny, D. M., and Gibbs, R. a. (2010). Whole-genome sequencing in a patient with Charcot-Marie-Tooth neuropathy. *The New England Journal of Medicine*, 362(13):1181–1191.
- [297] Lynch, M. (2010). Rate, molecular spectrum, and consequences of human mutation. *Proceedings of the National Academy of Sciences of the United States of America*, 107(3):961–8.
- [298] Lyons, I., Parsons, L. M., Hartley, L., Li, R., Andrews, J. E., Robb, L., and Harvey, R. P. (1995). Myogenic and morphogenetic defects in the heart tubes of murine embryos lacking the homeo box gene Nkx2-5. *Genes and Development*, 9(13):1654–1666.
- [299] MacArthur, D. G., Balasubramanian, S., Frankish, A., Huang, N., Morris, J., Walter, K., Jostins, L., Habegger, L., Pickrell, J. K., Montgomery, S. B., Albers, C. A., Zhang, Z. D., Conrad, D. F., Lunter, G., Zheng, H., Ayub, Q., DePristo, M. A., Banks, E., Hu, M., Handsaker, R. E., Rosenfeld, J. A., Fromer, M., Jin, M., Mu, X. J., Khurana, E., Ye, K., Kay, M., Saunders, G. I., Suner, M.-M., Hunt, T., Barnes, I. H. A., Amid, C., Carvalho-Silva, D. R., Bignell, A. H., Snow, C., Yngvadottir, B., Bumpstead, S., Cooper, D. N., Xue, Y., Romero, I. G., Wang, J., Li, Y., Gibbs, R. A., McCarroll, S. A., Dermitzakis, E. T., Pritchard, J. K., Barrett, J. C., Harrow, J., Hurles, M. E., Gerstein, M. B., and Tyler-Smith, C. (2012). A systematic survey of loss-of-function variants in human protein-coding genes. *Science (New York, N.Y.)*, 335(6070):823–8.
- [300] Macarthur, D. G., Manolio, T. A., Dimmock, D. P., Rehm, H. L., Shendure, J., Abecasis, G. R., Adams, D. R., and Altman, R. B. (2014). Guidelines for investigating causality of sequence variants in human disease. *Nature*, 508(7497):469–476.
- [301] Macchia, P. E., Krude, H., and Pirro, M. T. (1998). PAX8 mutations associated with congenital hypothyroidism caused by thyroid dysgenesis. *Nat Genet*, 19:83–86.

- [302] Madsen, B. E. and Browning, S. R. (2009). A groupwise association test for rare mutations using a weighted sum statistic. *PLoS Genetics*, 5(2).
- [303] Mahajan, A., Go, M. J., Zhang, W., Below, J. E., Gaulton, K. J., Ferreira, T., Horikoshi, M., Johnson, A. D., Ng, M. C. Y., Prokopenko, I., Saleheen, D., Wang, X., Zeggini, E., Abecasis, G. R., Adair, L. S., Almgren, P., Atalay, M., Aung, T., Baldassarre, D., Balkau, B., Bao, Y., Barnett, A. H., Barroso, I., Basit, A., Been, L. F., Beilby, J., Bell, G. I., Benediktsson, R., Bergman, R. N., Boehm, B. O., Boerwinkle, E., Bonnycastle, L. L., Burtt, N., Cai, Q., Campbell, H., Carey, J., Cauchi, S., Caulfield, M., Chan, J. C. N., Chang, L.-C., Chang, T.-J., Chang, Y.-C., Charpentier, G., Chen, C.-H., Chen, H., Chen, Y.-T., Chia, K.-S., Chidambaram, M., Chines, P. S., Cho, N. H., Cho, Y. M., Chuang, L.-M., Collins, F. S., Cornelis, M. C., Couper, D. J., Crenshaw, A. T., van Dam, R. M., Danesh, J., Das, D., de Faire, U., Dedoussis, G., Deloukas, P., Dimas, A. S., Dina, C., Doney, A. S., Donnelly, P. J., Dorkhan, M., van Duijn, C., Dupuis, J., Edkins, S., Elliott, P., Emilsson, V., Erbel, R., Eriksson, J. G., Escobedo, J., Esko, T., Eury, E., Florez, J. C., Fontanillas, P., Forouhi, N. G., Forsen, T., Fox, C., Fraser, R. M., Frayling, T. M., Froguel, P., Frossard, P., Gao, Y., Gertow, K., Gieger, C., Gigante, B., Grallert, H., Grant, G. B., Grrop, L. C., Groves, C. J., Grundberg, E., Guiducci, C., Hamsten, A., Han, B.-G., Hara, K., Hassanali, N., Hattersley, A. T., Hayward, C., Hedman, A. K., Herder, C., Hofman, A., Holmen, O. L., Hovingh, K., Hreidarsson, A. B., Hu, C., Hu, F. B., Hui, J., Humphries, S. E., Hunt, S. E., Hunter, D. J., Hveem, K., Hydrie, Z. I., Ikegami, H., Illig, T., Ingelsson, E., Islam, M., Isomaa, B., Jackson, A. U., Jafar, T., James, A., Jia, W., Jöckel, K.-H., Jonsson, A., Jowett, J. B. M., Kadowaki, T., Kang, H. M., Kanoni, S., Kao, W. H. L., Kathiresan, S., Kato, N., Katulanda, P., Keinanen-Kiukaanniemi, K. M., Kelly, A. M., Khan, H., Khaw, K.-T., Khor, C.-C., Kim, H.-L., Kim, S., Kim, Y. J., Kinnunen, L., Klopp, N., Kong, A., Korpi-Hyövälti, E., Kowlessur, S., Kraft, P., Kravick, J., Kristensen, M. M., Krithika, S., Kumar, A., Kumate, J., Kuusisto, J., Kwak, S. H., Laakso, M., Lagou, V., Lakka, T. A., Langenberg, C., Langford, C., Lawrence, R., Leander, K., Lee, J.-M., Lee, N. R., Li, M., Li, X., Li, Y., Liang, J., Liju, S., Lim, W.-Y., Lind, L., Lindgren, C. M., Lindholm, E., Liu, C.-T., Liu, J. J., Lobbens, S., Long, J., Loos, R. J. F., Lu, W., Luan, J., Lyssenko, V., Ma, R. C. W., Maeda, S., Mägi, R., Männisto, S., Matthews, D. R., Meigs, J. B., Melander, O., Metspalu, A., Meyer, J., Mirza, G., Mihailov, E., Moebus, S., Mohan, V., Mohlke, K. L., Morris, A. D., Mühlleisen, T. W., Müller-Nurasyid, M., Musk, B., Nakamura, J., Nakashima, E., Navarro, P., Ng, P.-K., Nica, A. C., Nilsson, P. M., Njølstad, I., Nöthen, M. M., Ohnaka, K., Ong, T. H., Owen, K. R., Palmer, C. N. A., Pankow, J. S., Park, K. S., Parkin, M., Pechlivanis, S., Pedersen, N. L., Peltonen, L., Perry, J. R. B., Peters, A., Pinidiyapathirage, J. M., Platou, C. G., Potter, S., Price, J. F., Qi, L., Radha, V., Rallidis, L., Rasheed, A., Rathman, W., Rauramaa, R., Raychaudhuri, S., Rayner, N. W., Rees, S. D., Rehnberg, E., Ripatti, S., Robertson, N., Roden, M., Rossin, E. J., Rudan, I., Rybin, D., Saaristo, T. E., Salomaa, V., Saltevo, J., Samuel, M., Sanghera, D. K., Saramies, J., Scott, J., Scott, L. J., Scott, R. A., Segrè, A. V., Sehmi, J., Sennblad, B., Shah, N., Shah, S., Shera, A. S., Shu, X. O., Shuldiner, A. R., Sigurdsson, G., Sijbrands, E., Silveira, A., Sim, X., Sivapalaratnam, S., Small, K. S., So, W. Y., Stančáková, A., Stefansson, K., Steinbach, G., Steinhorsdottir, V., Stirrups, K., Strawbridge, R. J., Stringham, H. M., Sun, Q., Suo, C., Syvänen, A.-C., Takayanagi, R., Takeuchi, F., Tay, W. T., Teslovich, T. M., Thorand, B.,

- Thorleifsson, G., Thorsteinsdottir, U., Tikkannen, E., Trakalo, J., Tremoli, E., Trip, M. D., Tsai, F. J., Tuomi, T., Tuomilehto, J., Uitterlinden, A. G., Valladares-Salgado, A., Vedantam, S., Veglia, F., Voight, B. F., Wang, C., Wareham, N. J., Wennauer, R., Wickremasinghe, A. R., Wilsgaard, T., Wilson, J. F., Wiltshire, S., Winckler, W., Wong, T. Y., Wood, A. R., Wu, J.-Y., Wu, Y., Yamamoto, K., Yamauchi, T., Yang, M., Yengo, L., Yokota, M., Young, R., Zabaneh, D., Zhang, F., Zhang, R., Zheng, W., Zimmet, P. Z., Altshuler, D., Bowden, D. W., Cho, Y. S., Cox, N. J., Cruz, M., Hanis, C. L., Kooner, J., Lee, J.-Y., Seielstad, M., Teo, Y. Y., Boehnke, M., Parra, E. J., Chambers, J. C., Tai, E. S., McCarthy, M. I., and Morris, A. P. (2014). Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. *Nature Genetics*, 46(3):234–44.
- [304] Manase, D., Alessandro, L. C. A. D., Manickaraj, A. K., Turki, S. A., and Hurles, M. E. (2014). High throughput exome coverage of clinically relevant cardiac genes. *BMC medical genomics*, 7:1–10.
- [305] Manley, N. R. and Capecchi, M. R. (1995). The role of Hoxa-3 in mouse thymus and thyroid development. *Development (Cambridge, England)*, 121(7):1989–2003.
- [306] Manley, N. R. and Capecchi, M. R. (1998). Hox group 3 paralogs regulate the development and migration of the thymus, thyroid, and parathyroid glands. *Developmental biology*, 195(1):1–15.
- [307] Manolio, T. A., Collins, F. S., Cox, N. J., Goldstein, D. B., Hindorff, L. A., Hunter, D. J., McCarthy, M. I., Ramos, E. M., Cardon, L. R., Chakravarti, A., Cho, J. H., Guttmacher, A. E., Kong, A., Kruglyak, L., Mardis, E., Rotimi, C. N., Slatkin, M., Valle, D., Whittemore, A. S., Boehnke, M., Clark, A. G., Eichler, E. E., Gibson, G., Haines, J. L., Mackay, T. F. C., McCarroll, S. A., and Visscher, P. M. (2009). Finding the missing heritability of complex diseases. *Nature*, 461(7265):747–53.
- [308] Manrai, A. K., Funke, B. H., Rehm, H. L., Olesen, M. S., Maron, B. A., Szolovits, P., Margulies, D. M., Loscalzo, J., and Kohane, I. S. (2016). Genetic Misdiagnoses and the Potential for Health Disparities. *New England Journal of Medicine*, 375(7):655–665.
- [309] Marchini, J. and Howie, B. (2010). Genotype imputation for genome-wide association studies. *Nature Reviews Genetics*, 11(7):499–511.
- [310] Marco, G. D., Agretti, P., Montanelli, L., Cosmo, C. D., Bagattini, B., Servi, M. D., Ferrarini, E., Dimida, A., Claudia, A., Ferreira, F., Molinaro, A., Ceccarelli, C., Brozzi, F., Pinchera, A., Vitti, P., and Tonacchera, M. (2011). Identification and Functional Analysis of Novel Dual Oxidase 2 (DUOX2) Mutations in Children with Congenital or Subclinical Hypothyroidism. *Journal of Clinical Endocrinology and Metabolism*, 96(8):1335–1339.
- [311] Marinovic, D., Garel, C., Bonai, C., Polak, M., Czernichow, P., Unit, P. E., and Inserm, U. J. L. (2002). Thyroid Developmental Anomalies in First Degree Relatives of Children with Congenital Hypothyroidism. *The Journal of Clinical Endocrinology and Metabolism*, 87(August):575–580.

- [312] Maruo, Y., Takahashi, H., Soeda, I., Nishikura, N., Matsui, K., Ota, Y., Mimura, Y., Mori, A., Sato, H., and Takeuchi, Y. (2008). Transient congenital hypothyroidism caused by biallelic mutations of the dual oxidase 2 gene in Japanese patients detected by a neonatal screening program. *The Journal of Clinical Endocrinology and Metabolism*, 93(11):4261–7.
- [313] Mathew, C. G. and Lewis, C. M. (2004). Genetics of inflammatory bowel disease: progress and prospects. *Human Molecular Genetics*, 13 Spec No(1):R161—R168.
- [314] Mathieson, I. and McVean, G. (2012). Differential confounding of rare and common variants in spatially structured populations. *Nature Genetics*, 44(3):243–6.
- [315] Matthews, A. G., Finkelstein, D. M., and Betensky, R. A. (2008). Analysis of familial aggregation studies with complex ascertainment schemes. *Statistics in Medicine*, 27(24):5076–5092.
- [316] Matute, J. D., Arias, A. A., Wright, N. A. M., Wrobel, I., Waterhouse, C. C. M., Li, X. J., Marchal, C. C., Stull, N. D., Lewis, D. B., Steele, M., Kellner, J. D., Yu, W., Meroueh, S. O., Nauseef, W. M., and Dinauer, M. C. (2009). A new genetic subgroup of chronic granulomatous disease with autosomal recessive mutations in p40 phox and selective defects in neutrophil NADPH oxidase activity. *Blood*, 114(15):3309–3315.
- [317] Maurano, M. T., Humbert, R., Rynes, E., Thurman, R. E., Haugen, E., Wang, H., Reynolds, A. P., Sandstrom, R., Qu, H., Brody, J., Shafer, A., Neri, F., Lee, K., Kutyavin, T., Stehling-Sun, S., Johnson, A. K., Canfield, T. K., Giste, E., Diegel, M., Bates, D., Hansen, R. S., Neph, S., Sabo, P. J., Heimfeld, S., Raubitschek, A., Ziegler, S., Cotsapas, C., Sotoodehnia, N., Glass, I., Sunyaev, S. R., Kaul, R., and Stamatoyannopoulos, J. A. (2012). Systematic Localization of Common Disease-Associated Variation in Regulatory DNA. *Science*, 337(6099):1190–1195.
- [318] Max, V. (2015). The DNA of a Nation. *Nature*, 524:503–505.
- [319] McCarthy, S., Das, S., Kretzschmar, W., Durbin, R., Abecasis, G., and Marchini, J. (2015). A reference panel of 64,976 haplotypes for genotype imputation. *bioRxiv*.
- [320] McCarthy, S. E., Gillis, J., Kramer, M., Lihm, J., Yoon, S., Berstein, Y., Mistry, M., Pavlidis, P., Solomon, R., Ghiban, E., Antoniou, E., Kelleher, E., O'Brien, C., Donohoe, G., Gill, M., Morris, D. W., McCombie, W. R., and Corvin, A. (2014). De novo mutations in schizophrenia implicate chromatin remodeling and support a genetic overlap with autism and intellectual disability. *Molecular psychiatry*, 19(6):652–8.
- [321] McKernan, K. J., Peckham, H. E., Costa, G., McLaughlin, S., Tsung, E., Fu, Y., Clouser, C., Dunkan, C., Ichikawa, J., Lee, C., Zhang, Z., Sheridan, A., Fu, H., Ranade, S., Dimilanta, E., Sokolsky, T., Zhang, L., Hendrickson, C., Bin Li1, L. K., Stuart, J., Malek, J., Manning, J., Antipova, A., Perez, D., Moore, M., Hayashibara, K., Lyons, M., Beaudoin, R., Coleman, B., Laptevich, M., Sanicandro, A., Rhodes, M., Vega, F. D. L., Gottimukkala, R. K., Hyland, F., Reese, M., Yang, S., Bafna, V., Bashir, A., MacBride, A., Akland, C., Kidd, J. M., Eichler, E. E., and Blanchard,

- A. P. (2009). Sequence and Structural Variation in a Human Genome Uncovered by Short-Read , Massively Parallel Ligation. *Genome Research*, 19:1527–1541.
- [322] McLaren, W., Pritchard, B., Rios, D., Chen, Y., Flicek, P., and Cunningham, F. (2010). Deriving the consequences of genomic variants with the Ensembl API and SNP Effect Predictor. *Bioinformatics (Oxford, England)*, 26(16):2069–70.
- [323] McMillan, H. J., Worthylake, T., Schwartzentruber, J., Gottlieb, C. C., Lawrence, S. E., Mackenzie, A., Beaulieu, C. L., Mooyer, P. a. W., FORGE Canada Consortium, Wanders, R. J. a., Majewski, J., Bulman, D. E., Geraghty, M. T., Ferdinandusse, S., and Boycott, K. M. (2012). Specific combination of compound heterozygous mutations in 17 β -hydroxysteroid dehydrogenase type 4 (HSD17B4) defines a new subtype of D-bifunctional protein deficiency. *Orphanet Journal of Rare Diseases*, 7(1):90.
- [324] McRae, J. F., Clayton, S., Fitzgerald, T. W., Kaplanis, J., Prigmore, E., Rajan, D., Sifrim, A., Aitken, S., Akawi, N., Alvi, M., Ambridge, K., Barrett, D. M., Bayzetenova, T., Jones, P., Jones, W. D., King, D., Krishnappa, N., Mason, L. E., Singh, T., Tivey, A. R., Ahmed, M., Anjum, U., Archer, H., Armstrong, R., Awada, J., Balasubramanian, M., Banka, S., Baralle, D., Barnicoat, A., Batstone, P., Baty, D., Bennett, C., Berg, J., Bernhard, B., Bevan, A. P., Bitner-Glindzicz, M., Blair, E., Blyth, M., Bohanna, D., Bourdon, L., Bourn, D., Bradley, L., Brady, A., Brent, S., Brewer, C., Brunstrom, K., Bunyan, D. J., Burn, J., Canham, N., Castle, B., Chandler, K., Chatzimichali, E., Cilliers, D., Clarke, A., Clasper, S., Clayton-Smith, J., Clowes, V., Coates, A., Cole, T., Colgiu, I., Collins, A., Collinson, M. N., Connell, F., Cooper, N., Cox, H., Cresswell, L., Cross, G., Crow, Y., D\textquoterightAlessandro, M., Dabir, T., Davidson, R., Davies, S., de Vries, D., Dean, J., Deshpande, C., Devlin, G., Dixit, A., Dobbie, A., Donaldson, A., Donnai, D., Donnelly, D., Donnelly, C., Douglas, A., Douzgou, S., Duncan, A., Eason, J., Ellard, S., Ellis, I., Elmslie, F., Evans, K., Everest, S., Fendick, T., Fisher, R., Flinter, F., Foulds, N., Fry, A., Fryer, A., Gardiner, C., Gaunt, L., Ghali, N., Gibbons, R., Gill, H., Goodship, J., Goudie, D., Gray, E., Green, A., Greene, P., Greenhalgh, L., Gribble, S., Harrison, R., Harrison, L., Harrison, V., Hawkins, R., He, L., Hellens, S., Henderson, A., Hewitt, S., Hildyard, L., Hobson, E., Holden, S., Holder, M., Holder, S., Hollingsworth, G., Homfray, T., Humphreys, M., Hurst, J., Hutton, B., Ingram, S., Irving, M., Islam, L., Jackson, A., Jarvis, J., Jenkins, L., Johnson, D., Jones, E., Josifova, D., Joss, S., Kaemba, B., Kazembe, S., Kelsell, R., Kerr, B., Kingston, H., Kini, U., Kinning, E., Kirby, G., Kirk, C., Kivuva, E., Kraus, A., Kumar, D., Kumar, V. K. A., Lachlan, K., Lam, W., Lampe, A., Langman, C., Lees, M., Lim, D., Longman, C., Lowther, G., Lynch, S. A., Magee, A., Maher, E., Male, A., Mansour, S., Marks, K., Martin, K., Maye, U., McCann, E., McConnell, V., McEntagart, M., McGowan, R., McKay, K., McKee, S., McMullan, D. J., McNerlan, S., McWilliam, C., Mehta, S., Metcalfe, K., Middleton, A., Miedzybrodzka, Z., Miles, E., Mohammed, S., Montgomery, T., Moore, D., Morgan, S., Morton, J., Mugalaasi, H., Murday, V., Murphy, H., Naik, S., Nemeth, A., Nevitt, L., Newbury-Ecob, R., Norman, A., O\textquoterightShea, R., Ogilvie, C., Ong, K.-R., Park, S.-M., Parker, M. J., Patel, C., Paterson, J., Payne, S., Perrett, D., Phipps, J., Pilz, D. T., Pollard, M., Pottinger, C., Poulton, J., Pratt, N., Prescott, K., Price, S., Pridham, A., Procter, A., Purnell, H., Quarrell, O., Ragge, N., Rahbari, R., Randall, J.,

- Rankin, J., Raymond, L., Rice, D., Robert, L., Roberts, E., Roberts, J., Roberts, P., Roberts, G., Ross, A., Rosser, E., Saggar, A., Samant, S., Sampson, J., Sandford, R., Sarkar, A., Schweiger, S., Scott, R., Scurr, I., Selby, A., Seller, A., Sequeira, C., Shannon, N., Sharif, S., Shaw-Smith, C., Shearing, E., Shears, D., Sheridan, E., Simonic, I., Singzon, R., Skitt, Z., Smith, A., Smith, K., Smithson, S., Sneddon, L., Splitt, M., Squires, M., Stewart, F., Stewart, H., Straub, V., Suri, M., Sutton, V., Swaminathan, G. J., Sweeney, E., Tatton-Brown, K., Taylor, C., Taylor, R., Tein, M., Temple, I. K., Thomson, J., Tischkowitz, M., Tomkins, S., Torokwa, A., Treacy, B., Turner, C., Turnpenny, P., Tysoe, C., Vandersteen, A., Varghese, V., Vasudevan, P., Vijayarangakannan, P., Vogt, J., Wakeling, E., Wallwork, S., Waters, J., Weber, A., Wellesley, D., Whiteford, M., Widaa, S., Wilcox, S., Wilkinson, E., Williams, D., Williams, N., Wilson, L., Woods, G., Wragg, C., Wright, M., Yates, L., Yau, M., Nellaker, C., Parker, M. J., Firth, H. V., Wright, C. F., FitzPatrick, D. R., Barrett, J. C., and Hurles, M. E. (2016). Prevalence, phenotype and architecture of developmental disorders caused by de novo mutation. *bioRxiv*.
- [325] McVean, G. A. (2004). The Fine-Scale Structure of Recombination Rate Variation in the Human Genome. *Science*, 304(5670):581–584.
- [326] Mesut Erzurumluoglu, A., Rodriguez, S., Shihab, H. A., Baird, D., Richardson, T. G., Day, I. N. M., and Gaunt, T. R. (2015). Identifying highly penetrant disease causal mutations using next generation sequencing: Guide to whole process. *BioMed Research International*, 2015:1–16.
- [327] Meunier, D., Aubin, J., and Jeannotte, L. (2003). Perturbed thyroid morphology and transient hypothyroidism symptoms in Hoxa5 mutant mice. *Developmental Dynamics*, 227(3):367–378.
- [328] Minoo, P., Su, G., Drum, H., Bringas, P., and Kimura, S. (1999). Defects in tracheoesophageal and lung morphogenesis in Nkx2.1(-/-) mouse embryos. *Developmental biology*, 209(1):60–71.
- [329] Mitchell, K. J. (2012). What is complex about complex disorders? *Genome biology*, 13(1):237.
- [330] Mizoguchi, A. and Mizoguchi, E. (2010). Animal models of IBD: Linkage to human disease. *Current Opinion in Pharmacology*, 10(5):578–587.
- [331] Molodecky, N. A., Soon, I. S., Rabi, D. M., Ghali, W. A., Ferris, M., Chernoff, G., Benchimol, E. I., Panaccione, R., Ghosh, S., Barkema, H. W., and Kaplan, G. G. (2012). Increasing Incidence and Prevalence of the Inflammatory Bowel Diseases With Time, Based on Systematic Review. *Gastroenterology*, 142(1):46–54.e42.
- [332] Monteleone, I., Pallone, F., and Monteleone, G. (2011). Th17-related cytokines: new players in the control of chronic intestinal inflammation. *BMC Medicine*, 9(1):122.
- [333] Moore, K. W., Malefyt, R. D. W., Robert, L., and Garra, A. O. (2001). Interleukin -10 and the Interleukin -10 receptor. *Molecular and Cellular Biology*, 1(1):683–765.

- [334] Moreno JC, Bikker H, Kempers MJ, van Trotsenburg AS, Baas F, de Vijlder JJ, Vulsmma T, R.-S. C. (2002). Inactivating mutations in the gene for thyroid oxidase 2 (THOX2) and Congenital Hypothyroidism. *New England Journal of Medicine*, 347(2):95–102.
- [335] Morgenthaler, S. and Thilly, W. G. (2007). A strategy to discover genes that carry multi-allelic or mono-allelic risk for common diseases: A cohort allelic sums test (CAST). *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, 615(1-2):28–56.
- [336] Moriyama, I., Ishihara, S., Rumi, M. A., Aziz, M. D., Mishima, Y., Oshima, N., Kadota, C., Kadowaki, Y., Amano, Y., and Kinoshita, Y. (2008). Decoy oligodeoxynucleotide targeting activator protein-1 (AP-1) attenuates intestinal inflammation in murine experimental colitis. *Laboratory investigation; a journal of technical methods and pathology*, 88(6):652–663.
- [337] Morris, J. A., Randall, J. C., Maller, J. B., and Barrett, J. C. (2010). Evoker: A visualization tool for genotype intensity data. *Bioinformatics*, 26(14):1786–1787.
- [338] Morrison, A. C., Bare, L. A., Chambless, L. E., Ellis, S. G., Malloy, M., Kane, J. P., Pankow, J. S., Devlin, J. J., Willerson, J. T., and Boerwinkle, E. (2007). Prediction of Coronary Heart Disease Risk using a Genetic Risk Score: The Atherosclerosis Risk in Communities Study. *American Journal of Epidemiology*, 166(1):28–35.
- [339] Mullur, R., Liu, Y.-Y., and Brent, G. a. (2014). Thyroid hormone regulation of metabolism. *Physiological reviews*, 94(2):355–82.
- [340] Murray, P. J. (2006). STAT3-mediated anti-inflammatory signalling. *Biochemical Society transactions*, 34(Pt 6):1028–31.
- [341] Murugan, D., Albert, M. H., Langemeier, J., Bohne, J., Puchalka, J., Järvinen, P. M., Hauck, F., Klenk, A. K., Prell, C., Schatz, S., Diestelhorst, J., Sciskala, B., Kohistani, N., Belohradsky, B. H., Müller, S., Kirchner, T., Walter, M. R., Bufler, P., Muise, A. M., Snapper, S. B., Koletzko, S., Klein, C., and Kotlarz, D. (2014). Very early onset inflammatory bowel disease associated with aberrant trafficking of IL-10R1 and cure by T cell replete haploidentical bone marrow transplantation. *Journal of clinical immunology*, 34(3):331–9.
- [342] Muzza, M., Rabbiosi, S., Vigone, M. C., Zamproni, I., Cirello, V., Maffini, M. a., Maruca, K., Schoenmakers, N., Beccaria, L., Gallo, F., Park, S.-M., Beck-Peccoz, P., Persani, L., Weber, G., and Fugazzola, L. (2014). The clinical and molecular characterization of patients with dyshormonogenic congenital hypothyroidism reveals specific diagnostic clues for DUOX2 defects. *The Journal of Clinical Endocrinology and Metabolism*, 99(3):E544–53.
- [343] Nakamura, K., Oshima, T., Morimoto, T., Ikeda, S., Yoshikawa, H., Shiwa, Y., Ishikawa, S., Linak, M. C., Hirai, A., Takahashi, H., Altaf-Ul-Amin, M., Ogasawara, N., and Kanaya, S. (2011). Sequence-specific error profile of Illumina sequencers. *Nucleic Acids Research*, 39(13).

- [344] Narasimhan, V., Danecek, P., Scally, A., Xue, Y., Tyler-smith, C., and Durbin, R. (2016). BCFtools / RoH: a hidden Markov model approach for detecting autozygosity from next-generation sequencing data. *Bioinformatics (Oxford, England)*, (January):2–3.
- [345] Narumi, S., Muroya, K., Asakura, Y., Aachi, M., and Hasegawa, T. (2011). Molecular Basis of Thyroid Dyshormonogenesis: Genetic Screening in Population-Based Japanese. *Journal of Clinical Endocrinology and Metabolism*, 96:1838–1842.
- [346] Narumi, S., Muroya, K., Asakura, Y., Adachi, M., and Hasegawa, T. (2010). Transcription factor mutations and congenital hypothyroidism: Systematic genetic screening of a population-based cohort of Japanese patients. *Journal of Clinical Endocrinology and Metabolism*, 95(4):1981–1985.
- [347] Neale, B. M., Kou, Y., Liu, L., Ma'ayan, A., Samocha, K. E., Sabo, A., Lin, C.-F., Stevens, C., Wang, L.-S., Makarov, V., Polak, P., Yoon, S., Maguire, J., Crawford, E. L., Campbell, N. G., Geller, E. T., Valladares, O., Schafer, C., Liu, H., Zhao, T., Cai, G., Lihm, J., Dannenfelser, R., Jabado, O., Peralta, Z., Nagaswamy, U., Muzny, D., Reid, J. G., Newsham, I., Wu, Y., Lewis, L., Han, Y., Voight, B. F., Lim, E., Rossin, E., Kirby, A., Flannick, J., Fromer, M., Shakir, K., Fennell, T., Garimella, K., Banks, E., Poplin, R., Gabriel, S., DePristo, M., Wimbish, J. R., Boone, B. E., Levy, S. E., Betancur, C., Sunyaev, S., Boerwinkle, E., Buxbaum, J. D., Cook, E. H., Devlin, B., Gibbs, R. a., Roeder, K., Schellenberg, G. D., Sutcliffe, J. S., and Daly, M. J. (2012). Patterns and rates of exonic de novo mutations in autism spectrum disorders. *Nature*, 485(7397):242–5.
- [348] Neurath, M. F. (2014). Cytokines in inflammatory bowel disease. *Nature Reviews Immunology*, 14(5):329–342.
- [349] Ng, P. C. (2003). SIFT: predicting amino acid changes that affect protein function. *Nucleic Acids Research*, 31(13):3812–3814.
- [350] Ng, P. C., Levy, S., Huang, J., Stockwell, T. B., Walenz, B. P., Li, K., Axelrod, N., Busam, D. A., Strausberg, R. L., and Venter, J. C. (2008). Genetic variation in an individual human exome. *PLoS Genetics*, 4(8).
- [351] Ng, S. B., Buckingham, K. J., Lee, C., Bigham, A. W., Tabor, H. K., Dent, K. M., Huff, C. D., Shannon, P. T., Jabs, E. W., Nickerson, D. a., Shendure, J., and Bamshad, M. J. (2010a). Exome sequencing identifies the cause of a mendelian disorder. *Nature Genetics*, 42(1):30–35.
- [352] Ng, S. B., Nickerson, D. a., Bamshad, M. J., and Shendure, J. (2010b). Massively parallel sequencing and rare disease. *Human Molecular Genetics*, 19(R2):R119–24.
- [353] Ng, S. C., Tang, W., Ching, J. Y., Wong, M., Chow, C. M., Hui, A. J., Wong, T. C., Leung, V. K., Tsang, S. W., Yu, H. H., Li, M. F., Ng, K. K., Kamm, M. A., Studd, C., Bell, S., Leong, R., de Silva, H. J., Kasturiratne, A., Mufeena, M. N. F., Ling, K. L., Ooi, C. J., Tan, P. S., Ong, D., Goh, K. L., Hilmi, I., Pisespong, P., Manatsathit, S., Rerknimitr, R., Aniwan, S., Wang, Y. F., Ouyang, Q., Zeng, Z., Zhu, Z., Chen, M. H., Hu, P. J., Wu, K., Wang, X., Simadibrata, M., Abdullah, M., Wu, J. C., Sung, J. J. Y., and Chan, F. K. L. (2013). Incidence and Phenotype of

- Inflammatory Bowel Disease Based on Results From the Asia-Pacific Crohn's and Colitis Epidemiology Study. *Gastroenterology*, 145(1):158—165.e2.
- [354] Nichols, K. E., Harkin, D. P., Levitz, S., Krainer, M., Kolquist, K. a., Genovese, C., Bernard, a., Ferguson, M., Zuo, L., Snyder, E., Buckler, a. J., Wise, C., Ashley, J., Lovett, M., Valentine, M. B., Look, a. T., Gerald, W., Housman, D. E., and Haber, D. a. (1998). Inactivating mutations in an SH2 domain-encoding gene in X-linked lymphoproliferative syndrome. *Proceedings of the National Academy of Sciences of the United States of America*, 95(23):13765–70.
- [355] Nielsen, R., Paul, J. S., Albrechtsen, A., and Song, Y. S. (2011). Genotype and SNP calling from next-generation sequencing data. *Nature Reviews Genetics*, 12(6):443–51.
- [356] Nieuwenhuis, E. E. S. and Escher, J. C. (2008). Early onset IBD: what's the difference? *Digestive and liver disease: official journal of the Italian Society of Gastroenterology and the Italian Association for the Study of the Liver*, 40(1):12–5.
- [357] Nisticò, L., Buzzetti, R., Pritchard, L. E., Van der Auwera, B., Giovannini, C., Bosi, E., Larrad, M. T., Rios, M. S., Chow, C. C., Cockram, C. S., Jacobs, K., Mijovic, C., Bain, S. C., Barnett, a. H., Vandewalle, C. L., Schuit, F., Goris, F. K., Tosi, R., Pozzilli, P., and Todd, J. a. (1996). The CTLA-4 gene region of chromosome 2q33 is linked to, and associated with, type 1 diabetes. Belgian Diabetes Registry. *Human Molecular Genetics*, 5(7):1075–1080.
- [358] O'Connell, J., Gurdasani, D., Delaneau, O., Pirastu, N., Ulivi, S., Cocca, M., Traglia, M., Huang, J., Huffman, J. E., Rudan, I., McQuillan, R., Fraser, R. M., Campbell, H., Polasek, O., Asiki, G., Ekoru, K., Hayward, C., Wright, A. F., Vitart, V., Navarro, P., Zagury, J. F., Wilson, J. F., Toniolo, D., Gasparini, P., Soranzo, N., Sandhu, M. S., and Marchini, J. (2014). A General Approach for Haplotype Phasing across the Full Spectrum of Relatedness. *PLoS Genetics*, 10(4).
- [359] Ogura, Y., Bonen, D. K., Inohara, N., Nicolae, D. L., Chen, F. F., Ramos, R., Britton, H., Moran, T., Karaliuskas, R., Duerr, R. H., Achkar, J. P., Brant, S. R., Bayless, T. M., Kirschner, B. S., Hanauer, S. B., Nuñez, G., and Cho, J. H. (2001). A frameshift mutation in NOD2 associated with susceptibility to Crohn's disease. *Nature*, 411(6837):603–606.
- [360] Okou, D. T., Mondal, K., Faubion, W. A., Kobrynski, L. J., Denson, L. A., Mulle, J. G., Ramachandran, D., Xiong, Y., Svingen, P., Patel, V., Bose, P., Waters, J. P., Prahalad, S., Cutler, D. J., Zwick, M. E., and Kugathasan, S. (2014). Exome Sequencing Identifies a Novel FOXP3 Mutation in a 2-Generation Family With Inflammatory Bowel Disease. *Journal of Pediatric Gastroenterology and Nutrition*, 58(5):561–568.
- [361] Oliver, G. R., Hart, S. N., and Klee, E. W. (2015). Bioinformatics for clinical next generation sequencing. *Clinical Chemistry*, 61(1):124–135.
- [362] Olivieri, A., Stazi, M. A., Mastroiacovo, P., Fazzini, C., Medda, E., Spagnolo, A., De Angelis, S., Grandolfo, M. E., Taruscio, D., Cordeddu, V., and Soricini, M. (2002). A population-based study on the frequency of additional congenital malformations in

- infants with congenital hypothyroidism: Data from the Italian registry for congenital hypothyroidism (1991-1998). *Journal of Clinical Endocrinology and Metabolism*, 87(2):557–562.
- [363] Opitz, R., Hitz, M.-P., Vandernoot, I., Trubiroha, A., Abu-Khudir, R., Samuels, M., Désilets, V., Costagliola, S., Andelfinger, G., and Deladoëy, J. (2015). Functional zebrafish studies based on human genotyping point to netrin-1 as a link between aberrant cardiovascular development and thyroid dysgenesis. *Endocrinology*, 156(1):377–88.
- [364] O’Rawe, J., Jiang, T., Sun, G., Wu, Y., Wang, W., Hu, J., Bodily, P., Tian, L., Hakonarson, H., Johnson, W. E., Wei, Z., Wang, K., and Lyon, G. J. (2013). Low concordance of multiple variant-calling pipelines: practical implications for exome and genome sequencing. *Genome medicine*, 5(3):28.
- [365] O’Roak, B. J., Deriziotis, P., Lee, C., Vives, L., Schwartz, J. J., Girirajan, S., Karakoc, E., Mackenzie, A. P., Ng, S. B., Baker, C., Rieder, M. J., Nickerson, D. a., Bernier, R., Fisher, S. E., Shendure, J., and Eichler, E. E. (2011). Exome sequencing in sporadic autism spectrum disorders identifies severe de novo mutations. *Nature Genetics*, 43(6):585–9.
- [366] O’Roak, B. J., Vives, L., Girirajan, S., Karakoc, E., Krumm, N., Coe, B. P., Levy, R., Ko, A., Lee, C., Smith, J. D., Turner, E. H., Stanaway, I. B., Vernot, B., Malig, M., Baker, C., Reilly, B., Akey, J. M., Borenstein, E., Rieder, M. J., Nickerson, D. a., Bernier, R., Shendure, J., and Eichler, E. E. (2012). Sporadic autism exomes reveal a highly interconnected protein network of de novo mutations. *Nature*, 485(7397):246–50.
- [367] Ou, Z., Berg, J. S., Yonath, H., Enciso, V. B., Miller, D. T., Picker, J., Lenzi, T., Keegan, C. E., Sutton, V. R., Belmont, J., Chinault, a. C., Lupski, J. R., Cheung, S. W., Roeder, E., and Patel, A. (2008). Microduplications of 22q11.2 are frequently inherited and are associated with variable phenotypes. *Genetics in medicine: official journal of the American College of Medical Genetics*, 10(4):267–77.
- [368] Owaga, E., Hsieh, R.-H., Mugendi, B., Masuku, S., Shih, C.-K., and Chang, J.-S. (2015). Th17 Cells as Potential Probiotic Therapeutic Targets in Inflammatory Bowel Diseases. *International journal of molecular sciences*, 16(9):20841–58.
- [369] Pabinger, S., Dander, A., Fischer, M., Snajder, R., Sperk, M., Efremova, M., Krabichler, B., Speicher, M. R., Zschocke, J., and Trajanoski, Z. (2014). A survey of tools for variant analysis of next-generation genome sequencing data. *Briefings in Bioinformatics*, 15(2):256–278.
- [370] Panagiotou, O. A., Ioannidis, J. P. A., Hirschhorn, J. N., Abecasis, G. R., Frayling, T. M., McCarthy, M. I., Lindgren, C. M., Beaty, T. H., Eriksson, N., Polychronakos, C., Kathiresan, S., Plenge, R. M., Spritz, R., Payami, H., Martin, E. R., Vance, J., Su, W. H., Chang, Y. S., Bei, J. X., Zeng, Y. X., Paré, G., Faraone, S. V., Neale, B., Anney, R. J., Traynor, B. J., Scherag, A., Hebebrand, J., Hinney, A., Froguel, P., Meyre, D., Chanock, S. J., and Kesheng, W. (2012). What should the genome-wide significance threshold be? Empirical replication of borderline genetic associations. *International Journal of Epidemiology*, 41(1):273–286.

- [371] Panoutsopoulou, K., Tachmazidou, I., and Zeggini, E. (2013). In search of low-frequency and rare variants affecting complex traits. *Human Molecular Genetics*, 22(R1):16–21.
- [372] Park, K.-j., Park, H.-k. H.-d., Kim, Y.-j., Lee, K.-r., Park, J.-h. J.-h., Park, J.-h., Park, H.-k. H.-d., Lee, S.-y., and Kim, J.-w. (2016). DUOX2 Mutations Are Frequently Associated With Congenital Hypothyroidism in the Korean Population. *Annals of laboratory medicine*, 36:145–153.
- [373] Park, S. M. and Chatterjee, V. K. K. (2005). Genetics of congenital hypothyroidism. *Journal of Medical Genetics*, 42(5):379–89.
- [374] Parkes, M., Barrett, J. C., Prescott, N. J., Tremelling, M., Anderson, C. A., Fisher, S. A., Roberts, R. G., Nimmo, E. R., Cummings, F. R., Soars, D., Drummond, H., Lees, C. W., Khawaja, S. A., Bagnall, R., Burke, D. A., Todhunter, C. E., Ahmad, T., Onnie, C. M., McArdle, W., Strachan, D., Bethel, G., Bryan, C., Lewis, C. M., Deloukas, P., Forbes, A., Sanderson, J., Jewell, D. P., Satsangi, J., Mansfield, J. C., Cardon, L., and Mathew, C. G. (2007). Sequence variants in the autophagy gene IRGM and multiple other replicating loci contribute to Crohn's disease susceptibility. *Nature Genetics*, 39(7):830–2.
- [375] Parkes, M., Cortes, A., van Heel, D. A., and Brown, M. A. (2013). Genetic insights into common pathways and complex relationships among immune-mediated diseases. *Nature Reviews Genetics*, 14(9):661–673.
- [376] Parks, J. S., Lin, M., Grosse, S. D., Hinton, C. F., Drummond-Borg, M., Borgfeld, L., and Sullivan, K. M. (2010). The impact of transient hypothyroidism on the increasing rate of congenital hypothyroidism in the United States. *Pediatrics*, 125 Suppl:S54–63.
- [377] Parlato, R., Rosica, A., Rodriguez-Mallon, A., Affuso, A., Postiglione, M. P., Arra, C., Mansouri, A., Kimura, S., Di Lauro, R., and De Felice, M. (2004). An integrated regulatory network controlling survival and migration in thyroid organogenesis. *Developmental Biology*, 276(2):464–475.
- [378] Passeri, E., Frigerio, M., De Filippis, T., Valaperta, R., Capelli, P., Costa, E., Fugazzola, L., Marelli, F., Porazzi, P., Arcidiacono, C., Carminati, M., Ambrosi, B., Persani, L., and Corbetta, S. (2011). Increased risk for non-autoimmune hypothyroidism in young patients with congenital heart defects. *Journal of Clinical Endocrinology and Metabolism*, 96(7):1115–1119.
- [379] Paul, D. S., Soranzo, N., and Beck, S. (2014). Functional interpretation of non-coding sequence variation: Concepts and challenges. *BioEssays*, 36(2):191–199.
- [380] Peeters, M., Nevens, H., Baert, F., Hiele, M., Vlietinck, R., Rutgeerts, P., and Collection, D. (1996). Adjusted Risk and Concordance in Clinical Characteristics. *Gastroenterology*, 111:597–603.
- [381] Pelak, K., Shianna, K. V., Ge, D., Maia, J. M., Zhu, M., Smith, J. P., Cirulli, E. T., Fellay, J., Dickson, S. P., Gumbus, C. E., Heinzen, E. L., Need, A. C., Ruzzo, E. K., Singh, A., Campbell, C. R., Hong, L. K., Lornsen, K. A., McKenzie, A. M.,

- Sobreira, N. L. M., Hoover-Fong, J. E., Milner, J. D., Ottman, R., Haynes, B. F., Goedert, J. J., and Goldstein, D. B. (2010). The characterization of twenty sequenced human genomes. *PLoS Genetics*, 6(9).
- [382] Peltonen, L. and McKusick, V. a. (2001). Dissecting Human Disease in the Postgenomic Era. *Science*, 291(February):1224–1229.
- [383] Perez-Pinera, P., Kocak, D. D., Vockley, C. M., Adler, A. F., Kabadi, A. M., Polstein, L. R., Thakore, P. I., Glass, K. A., Ousterout, D. G., Leong, K. W., Guilak, F., Crawford, G. E., Reddy, T. E., and Gersbach, C. A. (2013). RNA-guided gene activation by CRISPR-Cas9-based transcription factors. *Nature Methods*, 10(10):973–6.
- [384] Perry, R., Heinrichs, C., Bourdoux, P., Khoury, K., Dussault, J. H., Vassart, G., Vliet, G. U. Y. V. A. N., and Szo, O. I. S. (2002). Discordance of Monozygotic Twins for Thyroid Dysgenesis: Implications for Screening and for Molecular Pathophysiology. *The Journal of Clinical Endocrinology and Metabolism*, 87(August):4072–4077.
- [385] Persani, L. (2012). Congenital Hypothyroidism with Gland in situ is More Frequent than Previously Thought. *Frontiers in endocrinology*, 3(February):18.
- [386] Persani, L., Calebiro, D., Cordella, D., Weber, G., Gelmini, G., Libri, D., de Filippis, T., and Bonomi, M. (2010). Genetics and phenomics of hypothyroidism due to TSH resistance. *Molecular and cellular endocrinology*, 322(1-2):72–82.
- [387] Peterson, N., Guthery, S., Denson, L., Lee, J., Saeed, S., Prahalad, S., Biank, V., Ehlert, R., Tomer, G., Grand, R., Rudolph, C., and Kugathasan, S. (2008). Genetic variants in the autophagy pathway contribute to paediatric Crohn's disease. *Gut*, 57(9):1336–7; author reply 1337.
- [388] Petrovic, S., Ju, X., Barone, S., Seidler, U., Alper, S. L., Lohi, H., Kere, J., and Soleimani, M. (2003). Identification of a basolateral Cl⁻ / HCO₃⁻ exchanger specific to gastric parietal cells. *American journal of Physiology and Gastrointestinal Liver Physiology*, 0585:1093–1103.
- [389] Pfarr, N., Korsch, E., Kaspers, S., Herbst, A., Stach, A., Zimmer, C., and Pohlenz, J. (2006). Congenital hypothyroidism caused by new mutations in the thyroid oxidase 2 (THOX2) gene. *Clinical Endocrinology*, 65(6):810–5.
- [390] Pfeiffer, R. M., Gail, M. H., and Pee, D. (2009). On Combining Data From Genome-Wide Association Studies to Discover Disease-Associated SNPs. *Statistical Science*, 24(4):547–560.
- [391] Philippakis, A. A., Azzariti, D. R., Beltran, S., Brookes, A. J., Brownstein, C. A., Brudno, M., Brunner, H. G., Buske, O. J., Carey, K., Doll, C., Dumitriu, S., Dyke, S. O. M., den Dunnen, J. T., Firth, H. V., Gibbs, R. A., Girdea, M., Gonzalez, M., Haendel, M. A., Hamosh, A., Holm, I. A., Huang, L., Hurles, M. E., Hutton, B., Krier, J. B., Misysura, A., Mungall, C. J., Paschall, J., Paten, B., Robinson, P. N., Schiettecatte, F., Sobreira, N. L., Swaminathan, G. J., Taschner, P. E., Terry, S. F., Washington, N. L., Züchner, S., Boycott, K. M., and Rehm, H. L. (2015). The Matchmaker Exchange: A Platform for Rare Disease Gene Discovery. *Human Mutation*, 36(10):915–921.

- [392] Pidasheva, S., Trifari, S., Phillips, A., Hackney, J. A., Ma, Y., Smith, A., Sohn, S. J., Spits, H., Little, R. D., Behrens, T. W., Honigberg, L., Ghilardi, N., and Clark, H. F. (2011). Functional studies on the IBD susceptibility gene IL23R implicate reduced receptor function in the protective genetic variant R381Q. *PLoS one*, 6(10):e25038.
- [393] Pirinen, M., Donnelly, P., and Spencer, C. C. A. (2012). Including known covariates can reduce power to detect genetic effects in case-control studies. *Nature Genetics*, 44(8):848–51.
- [394] Pitceathly, R. D. S., Rahman, S., Wedatilake, Y., Polke, J. M., Cirak, S., Foley, a. R., Sailer, A., Hurles, M. E., Stalker, J., Hargreaves, I., Woodward, C. E., Sweeney, M. G., Muntoni, F., Houlden, H., Taanman, J.-W., and Hanna, M. G. (2013). NDUFA4 mutations underlie dysfunction of a cytochrome c oxidase subunit linked to human neurological disease. *Cell reports*, 3(6):1795–805.
- [395] Plenge, R. M., Padyukov, L., Remmers, E. F., Purcell, S., Lee, A. T., Karlson, E. W., Wolfe, F., Kastner, D. L., Alfredsson, L., Altshuler, D., Gregersen, P. K., Klareskog, L., and Rioux, J. D. (2005). Replication of putative candidate-gene associations with rheumatoid arthritis in >4,000 samples from North America and Sweden: association of susceptibility with PTPN22, CTLA4, and PADI4. *American Journal of Human Genetics*, 77(6):1044–1060.
- [396] Pn, R., Krawitz, P., Strategies, M. S., Robinson, P. N., Krawitz, P., and Mundlos, S. (2011). Strategies for exome and genome sequence data analysis in disease-gene discovery projects. *Clinical Genetics*, 80(2):127–32.
- [397] Polak, M., Sura-Trueba, S., Chauty, A., Szinnai, G., Carré, A., and Castanet, M. (2004). Molecular mechanisms of thyroid dysgenesis. *Hormone research*, 62 Suppl 3(suppl 3):14–21.
- [398] Porcu, E., Medici, M., Pistis, G., Volpato, C. B., Wilson, S. G., Cappola, A. R., Bos, S. D., Deelen, J., den Heijer, M., Freathy, R. M., Lahti, J., Liu, C., Lopez, L. M., Nolte, I. M., O'Connell, J. R., Tanaka, T., Trompet, S., Arnold, A., Bandinelli, S., Beekman, M., Böhringer, S., Brown, S. J., Buckley, B. M., Camaschella, C., de Craen, A. J. M., Davies, G., de Visser, M. C. H., Ford, I., Forsen, T., Frayling, T. M., Fugazzola, L., Gögele, M., Hattersley, A. T., Hermus, A. R., Hofman, A., Houwing-Duistermaat, J. J., Jensen, R. a., Kajantie, E., Kloppenburg, M., Lim, E. M., Masciullo, C., Mariotti, S., Minelli, C., Mitchell, B. D., Nagaraja, R., Netea-Maier, R. T., Palotie, A., Persani, L., Piras, M. G., Psaty, B. M., Räikkönen, K., Richards, J. B., Rivadeneira, F., Sala, C., Sabra, M. M., Sattar, N., Shields, B. M., Soranzo, N., Starr, J. M., Stott, D. J., Sweep, F. C. G. J., Usala, G., van der Klauw, M. M., van Heemst, D., van Mullem, A., Vermeulen, S., Visser, W. E., Walsh, J. P., Westendorp, R. G. J., Widen, E., Zhai, G., Cucca, F., Deary, I. J., Eriksson, J. G., Ferrucci, L., Fox, C. S., Jukema, J. W., Kiemeney, L. a., Pramstaller, P. P., Schlessinger, D., Shuldiner, A. R., Slagboom, E. P., Uitterlinden, A. G., Vaidya, B., Visser, T. J., Wolffenbuttel, B. H. R., Meulenbelt, I., Rotter, J. I., Spector, T. D., Hicks, A. a., Toniolo, D., Sanna, S., Peeters, R. P., and Naitza, S. (2013). A meta-analysis of thyroid-related traits reveals novel Loci and gender-specific differences in the regulation of thyroid function. *PLoS genetics*, 9(2):e1003266.

- [399] Prenzel, F. and Uhlig, H. H. (2009). Frequency of indeterminate colitis in children and adults with IBD - a metaanalysis. *Journal of Crohn's & colitis*, 3(4):277–81.
- [400] Price, A. L., Patterson, N. J., Plenge, R. M., Weinblatt, M. E., Shadick, N. a., and Reich, D. (2006). Principal components analysis corrects for stratification in genome-wide association studies. *Nature Genetics*, 38(8):904–9.
- [401] Pritchard, J. K. (2001). Are rare variants responsible for susceptibility to complex diseases? *American Journal of Human Genetics*, 69(1):124–137.
- [402] Project, G., Asia, E., Africa, S., Figs, S., and Tables, S. (2012). An integrated map of genetic variation from 1,092 human genomes. *Nature*, 135(V):0–9.
- [403] Project, T. T., of the Exome Sequencing, H. W. G., National Heart, Lung, and Institute, B. (2014). Loss-of-Function Mutations in APOC3, Triglycerides, and Coronary Disease. *The New England Journal of Medicine*, 371:1–10.
- [404] Pruim, R. J., Welch, R. P., Sanna, S., Teslovich, T. M., Chines, P. S., Gliedt, T. P., Boehnke, M., Abecasis, G. R., Willer, C. J., and Frishman, D. (2011). LocusZoom: Regional visualization of genome-wide association scan results. *Bioinformatics*, 27(13):2336–2337.
- [405] Pugh, T. J., Delaney, a. D., Farnoud, N., Flibotte, S., Griffith, M., Li, H. I., Qian, H., Farinha, P., Gascoyne, R. D., and Marra, M. a. (2008). Impact of whole genome amplification on analysis of copy number variants. *Nucleic Acids Research*, 36(13):e80.
- [406] Purcell, S., Neale, B., Todd-Brown, K., Thomas, L., Ferreira, M. a. R., Bender, D., Maller, J., Sklar, P., de Bakker, P. I. W., Daly, M. J., and Sham, P. C. (2007). PLINK: a tool set for whole-genome association and population-based linkage analyses. *American Journal of Human Genetics*, 81(3):559–75.
- [407] Purcell, S. M., Moran, J. L., Fromer, M., Ruderfer, D., Solovieff, N., Roussos, P., O'Dushlaine, C., Chambert, K., Bergen, S. E., Kähler, A., Duncan, L., Stahl, E., Genovese, G., Fernández, E., Collins, M. O., Komiyama, N. H., Choudhary, J. S., Magnusson, P. K. E., Banks, E., Shakir, K., Garimella, K., Fennell, T., DePristo, M., Grant, S. G. N., Haggarty, S. J., Gabriel, S., Scolnick, E. M., Lander, E. S., Hultman, C. M., Sullivan, P. F., McCarroll, S. A., and Sklar, P. (2014). A polygenic burden of rare disruptive mutations in schizophrenia. *Nature*, 506(7487):185–90.
- [408] Rabbani, B., Tekin, M., and Mahdieh, N. (2014). The promise of whole-exome sequencing in medical genetics. *Journal of human genetics*, 59(1):5–15.
- [409] Rabbiosi, S., Vigone, M. C., Cortinovis, F., Zamproni, I., Fugazzola, L., Persani, L., Corbetta, C., Chiumello, G., and Weber, G. (2013). Congenital hypothyroidism with eutopic thyroid gland: analysis of clinical and biochemical features at diagnosis and after re-evaluation. *The Journal of Clinical Endocrinology and Metabolism*, 98(4):1395–402.
- [410] Rae, J., Noack, D., Heyworth, P. G., Ellis, B. A., Curnutte, J. T., and Cross, A. R. (2000). Molecular analysis of 9 new families with chronic granulomatous disease caused by mutations in CYBA, the gene encoding p22(phox). *Blood*, 96(3):1106–12.

- [411] Ramasundara, M., Leach, S. T., Lemberg, D. A., and Day, A. S. (2009). Defensins and inflammation: The role of defensins in inflammatory bowel disease. *Journal of Gastroenterology and Hepatology (Australia)*, 24(2):202–208.
- [412] Ramos, H. E., Carre, A., Chevrier, L., Szinnai, G., Tron, E., Cerqueira, T. L. O., Leger, J., Cabrol, S., Puel, O., Queinnec, C., De Roux, N., Guillot, L., Castanet, M., and Polak, M. (2014). Extreme phenotypic variability of thyroid dysgenesis in six new cases of congenital hypothyroidism due to PAX8 gene loss-of-function mutations. *European Journal of Endocrinology*, 171(4):499–507.
- [413] Ramu, A., Noordam, M. J., Schwartz, R. S., Wuster, A., Hurles, M. E., Cartwright, R. A., and Conrad, D. F. (2013). Indel and point mutation discovery and phasing. *Nature Methods*, 10(10):3–7.
- [414] Rastogi, M. V. and LaFranchi, S. H. (2010). Congenital hypothyroidism. *Orphanet Journal of Rare Diseases*, 5:17.
- [415] Rauch, A., Wieczorek, D., Graf, E., Wieland, T., Ende, S., Schwarzmayr, T., Albrecht, B., Bartholdi, D., Beygo, J., Di Donato, N., Dufke, A., Cremer, K., Hempel, M., Horn, D., Hoyer, J., Joset, P., Röpke, A., Moog, U., Riess, A., Thiel, C. T., Tzschach, A., Wiesener, A., Wohlleber, E., Zweier, C., Ekici, A. B., Zink, A. M., Rump, A., Meisinger, C., Grallert, H., Sticht, H., Schenck, A., Engels, H., Rappold, G., Schröck, E., Wieacker, P., Riess, O., Meitinger, T., Reis, A., and Strom, T. M. (2012). Range of genetic mutations associated with severe non-syndromic sporadic intellectual disability: an exome sequencing study. *Lancet*, 380(9854):1674–82.
- [416] Reamon-Buettner, S. M. and Borlak, J. (2010). NKK2-5: An update on this hypermutable homeodomain protein and its role in human congenital heart disease (CHD). *Human Mutation*, 31(11):1185–1194.
- [417] Retterer, K., Juusola, J., Cho, M. T., Vitazka, P., Millan, F., Gibellini, F., Vertino-Bell, A., Smaoui, N., Neidich, J., Monaghan, K. G., McKnight, D., Bai, R., Suchy, S., Friedman, B., Tahiliani, J., Pineda-Alvarez, D., Richard, G., Brandt, T., Haverfield, E., Chung, W. K., and Bale, S. (2015). Clinical application of whole-exome sequencing across clinical indications. *Genetics in medicine: official journal of the American College of Medical Genetics*, 18(March):1–9.
- [418] Reuter, J. A., Spacek, D. V., and Snyder, M. P. (2015). High-Throughput Sequencing Technologies. *Molecular Cell*, 58(4):586–597.
- [419] Richards, S., Aziz, N., Bale, S., Bick, D., Das, S., Gastier-Foster, J., Grody, W. W., Hegde, M., Lyon, E., Spector, E., Voelkerding, K., and Rehm, H. L. (2015). Standards and guidelines for the interpretation of sequence variants: a joint consensus recommendation of the American College of Medical Genetics and Genomics and the Association for Molecular Pathology. *Genetics in Medicine*, 17(5):405–424.
- [420] Rigoli, L. and Caruso, R. A. (2014). Inflammatory bowel disease in pediatric and adolescent patients: A biomolecular and histopathological review. *World journal of gastroenterology: WJG*, 20(30):10262–10278.

- [421] Riise, R., Andréasson, S., Borgaström, M. K., Wright, A. F., Tommerup, N., Rosenberg, T., and Tornqvist, K. (1997). Intrafamilial variation of the phenotype in Bardet-Biedl syndrome. *The British journal of ophthalmology*, 81(5):378–85.
- [422] Ripatti, S., Tikkanen, E., Orho-Melander, M., Havulinna, A. S., Silander, K., Sharma, A., Guiducci, C., Perola, M., Jula, A., Sinisalo, J., Lokki, M.-L., Nieminen, M. S., Melander, O., Salomaa, V., Peltonen, L., and Kathiresan, S. (2010). A multilocus genetic risk score for coronary heart disease: case-control and prospective cohort analyses. *The Lancet*, 376(9750):1393–1400.
- [423] Ris-Stalpers, C. and Bikker, H. (2010). Genetics and phenomics of hypothyroidism and goiter due to TPO mutations. *Molecular and cellular endocrinology*, 322(1-2):38–43.
- [424] Ritchie, G. R. S., Dunham, I., Zeggini, E., and Flückeck, P. (2014). Functional annotation of noncoding sequence variants. *Nature Methods*, 11(3):294–6.
- [425] Roadmap Epigenomics Consortium (2015). Integrative analysis of 111 reference human epigenomes. *Nature*, 518(7539):317–330.
- [426] Roak, B. J. O., Vives, L., Fu, W., Egertson, J. D., Stanaway, I. B., Phelps, I. G., Carvill, G., Kumar, A., Lee, C., Ankenman, K., Munson, J., Hiatt, J. B., Turner, E. H., Levy, R., Day, D. R. O., Krumm, N., Coe, B. P., Martin, B. K., Borenstein, E., Nickerson, D. A., Mefford, H. C., Doherty, D., Akey, J. M., Bernier, R., Eichler, E. E., and Shendure, J. (2012). Multiplex Targeted Sequencing Identifies Recurrently Mutated Genes in Autism Spectrum Disorders. *Science*, 23(December).
- [427] Robinson, A. N. N. (2016). Genomics – the future of healthcare and medicine. *Prescriber*, 2003(April 2003):51–55.
- [428] Roos, D. and de Boer, M. (2014). Molecular diagnosis of chronic granulomatous disease. *Clinical and Experimental Immunology*, 175(2):139–149.
- [429] Rosenberg, N. A., Pritchard, J. K., Weber, J. L., Cann, H. M., Kidd, K. K., Zhivotovsky, L. A., and Feldman, M. W. (2002). Genetic Structure of Human Populations. *Science*, 298(December):2381–2385.
- [430] Sabbagh, A., Pasman, E., Laurendeau, I., Parfait, B., Barbarot, S., Guillot, B., Combemale, P., Ferkal, S., Vidaud, M., Aubourg, P., Vidaud, D., and Wolkenstein, P. (2009). Unravelling the genetic basis of variable clinical expression in neurofibromatosis 1. *Human Molecular Genetics*, 18(15):2768–2778.
- [431] Samocha, K. E., Robinson, E. B., Sanders, S. J., Stevens, C., Sabo, A., McGrath, L. M., Kosmicki, J. A., Rehnström, K., Mallick, S., Kirby, A., Wall, D. P., MacArthur, D. G., Gabriel, S. B., DePristo, M., Purcell, S. M., Palotie, A., Boerwinkle, E., Buxbaum, J. D., Cook, E. H., Gibbs, R. A., Schellenberg, G. D., Sutcliffe, J. S., Devlin, B., Roeder, K., Neale, B. M., and Daly, M. J. (2014). A framework for the interpretation of de novo mutation in human disease. *Nature Genetics*, 46(9):944–50.

- [432] Sanders, S. J., Murtha, M. T., Gupta, A. R., Murdoch, J. D., Raubeson, M. J., Willsey, a. J., Ercan-Sencicek, a. G., DiLullo, N. M., Parikhshak, N. N., Stein, J. L., Walker, M. F., Ober, G. T., Teran, N. a., Song, Y., El-Fishawy, P., Murtha, R. C., Choi, M., Overton, J. D., Bjornson, R. D., Carriero, N. J., Meyer, K. a., Bilguvar, K., Mane, S. M., Sestan, N., Lifton, R. P., Günel, M., Roeder, K., Geschwind, D. H., Devlin, B., and State, M. W. (2012). De novo mutations revealed by whole-exome sequencing are strongly associated with autism. *Nature*, 485(7397):237–41.
- [433] Sawczenko, A. and Sandhu, B. K. (2006). Presenting features of inflammatory bowel disease in Great Britain and Ireland. *Arch Dis Child*, 88:124–148.
- [434] Schäffer, A. a. (2013). Digenic inheritance in medical genetics. *Journal of Medical Genetics*, 50(10):641–52.
- [435] Schäppi, M. G., Smith, V. V., Goldblatt, D., Lindley, K. J., and Milla, P. J. (2001). Colitis in chronic granulomatous disease. *Arch Dis Child*, 84:147–151.
- [436] Schloss, J. a. (2008). How to get genomes at one ten-thousandth the cost. *Nat. Biotechnol.*, 26(10):1113–1115.
- [437] Schork, N. J. (2015). Personalized medicine: Time for one-person trials. *Nature*, 520(7549):609–611.
- [438] Schott, J., Benson, D. W., Basson, C. T., Pease, W., Silberbach, G. M., Moak, J. P., Maron, B. J., Seidman, C. E., and Seidman, J. G. (1998). Congenital Heart Disease Caused by Mutations in the Transcription Factor NKX2-5. *Science*, 281(5373):108–111.
- [439] Scinicariello, F., Murray, H. E., Smith, L., Wilbur, S., and Fowler, B. A. (2005). Genetic factors that might lead to different responses in individuals exposed to perchlorate. *Environmental Health Perspectives*, 113(11):1479–1484.
- [440] Seah, Y. F. S., El Farran, C. A., Warrier, T., Xu, J., and Loh, Y. H. (2015). Induced pluripotency and gene editing in disease modelling: Perspectives and challenges. *International Journal of Molecular Sciences*, 16(12):28614–28634.
- [441] Senée, V., Chelala, C., Duchatelet, S., Feng, D., Blanc, H., Cossec, J.-C., Charon, C., Nicolino, M., Boileau, P., Cavener, D. R., Bougnères, P., Taha, D., and Julier, C. (2006). Mutations in GLIS3 are responsible for a rare syndrome with neonatal diabetes mellitus and congenital hypothyroidism. *Nature Genetics*, 38(6):682–687.
- [442] Shaikh, T. H., Gai, X., Perin, J. C., Glessner, J. T., Xie, H., Murphy, K., O'Hara, R., Casalunovo, T., Conlin, L. K., D'Arcy, M., Frackelton, E. C., Geiger, E. a., Haldeman-Englert, C., Imielinski, M., Kim, C. E., Medne, L., Annaiah, K., Bradfield, J. P., Dabaghyan, E., Eckert, A., Onyiah, C. C., Ostapenko, S., Otieno, F. G., Santa, E., Shaner, J. L., Skraban, R., Smith, R. M., Elia, J., Goldmuntz, E., Spinner, N. B., Zackai, E. H., Chiavacci, R. M., Grundmeier, R., Rappaport, E. F., Grant, S. F. a., White, P. S., and Hakonarson, H. (2009). High-resolution mapping and analysis of copy number variations in the human genome: a data resource for clinical and research applications. *Genome research*, 19(9):1682–90.

- [443] Sham, P. C. and Purcell, S. M. (2014). Statistical power and significance testing in large-scale genetic studies. *Nature Reviews Genetics*, 15(5):335–346.
- [444] Shaulian, E. and Karin, M. (2002). AP-1 as a regulator of cell life and death. *Nat Cell Biol*, 4(5):E131–6.
- [445] Shawky, R. M. (2014). Reduced penetrance in human inherited disease. *Egyptian Journal of Medical Human Genetics*, 15(2):103–111.
- [446] Sherry, S. T., Ward, M., and Sirotnik, K. (1999). dbSNP-database for single nucleotide polymorphisms and other classes of minor genetic variation. *Genome Research*, 9(8):677–679.
- [447] Shim, J. O. and Seo, J. K. (2014). Very early-onset inflammatory bowel disease (IBD) in infancy is a different disease entity from adult-onset IBD; one form of interleukin-10 receptor mutations. *Journal of human genetics*, 59(6):337–41.
- [448] Shyr, C., Tarailo-Graovac, M., Gottlieb, M., Lee, J. J. Y., van Karnebeek, C., and Wasserman, W. W. (2014). FLAGs, frequently mutated genes in public exomes. *BMC medical genomics*, 7:64.
- [449] Singh, T., Kurki, M. I., Curtis, D., Purcell, S. M., Crooks, L., McRae, J., Suvisaari, J., Chheda, H., Blackwood, D., Breen, G., Pietilainen, O., Gerety, S. S., Ayub, M., Blyth, M., Cole, T., Collier, D., Coomber, E. L., Craddock, N., Daly, M. J., Danesh, J., DiForti, M., Foster, A., Freimer, N. B., Geschwind, D., Johnstone, M., Joss, S., Kirov, G., Korkko, J., Kuismin, O., Holmans, P., Hultman, C. M., Iyegbe, C., Lonnqvist, J., Mannikko, M., McCarroll, S. A., McGuffin, P., McIntosh, A. M., McQuillin, A., Moilanen, J. S., Moore, C., Murray, R. M., Newbury-Ecob, R., Ouwehand, W., Paunio, T., Prigmore, E., Rees, E., Roberts, D., Sambrook, J., Sklar, P., St. Clair, D., Veijola, J., Walters, J. T. R., Williams, H., Sullivan, P. F., Hurles, M. E., O'Donovan, M. C., Palotie, A., Owen, M. J., and Barrett, J. C. (2016). Rare loss-of-function variants in KMT2F are associated with schizophrenia and developmental disorders. *bioRxiv*, 19(4).
- [450] Singleton, A. B. (2011). Exome sequencing: a transformative technology. *Lancet neurology*, 10(10):942–6.
- [451] Siva, N. (2015). UK gears up to decode 100 000 genomes from NHS patients. *The Lancet*, 385(9963):103–104.
- [452] Smith, G. D., Ebrahim, S., Lewis, S., Hansell, A. L., Palmer, L. J., and Burton, P. R. (2005). Genetic epidemiology and public health: Hope, hype, and future prospects. *Lancet*, 366(9495):1484–1498.
- [453] Smoller, J. W. (2013). Identification of risk loci with shared effects on five major psychiatric disorders: A genome-wide analysis. *The Lancet*, 381(9875):1371–1379.
- [454] Sobreira, N., Schiettecatte, F., Boehm, C., Valle, D., and Hamosh, A. (2015). New tools for mendelian disease gene identification: PhenoDB variant analysis module; and genematcher, a web-based tool for linking investigators with an interest in the same gene. *Human Mutation*, 36(4):425–431.

- [455] Solovieff, N., Cotsapas, C., Lee, P. H., Purcell, S. M., and Smoller, J. W. (2013). Pleiotropy in complex traits: challenges and strategies. *Nature Reviews Genetics*, 14(7):483–95.
- [456] Spain, S. L. and Barrett, J. C. (2015). Strategies for fine-mapping complex traits. *Human Molecular Genetics*, 24(R1):R111–R119.
- [457] Speckmann, C., Lehmberg, K., Albert, M. H., Damgaard, R. B., Fritsch, M., Gyrd-Hansen, M., Rensing-Ehl, A., Vraetz, T., Grimbacher, B., Salzer, U., Fuchs, I., Ufheil, H., Belohradsky, B. H., Hassan, A., Cale, C. M., Elawad, M., Strahm, B., Schibli, S., Lauten, M., Kohl, M., Meerpohl, J. J., Rodeck, B., Kolb, R., Eberl, W., Soerensen, J., von Bernuth, H., Lorenz, M., Schwarz, K., zur Stadt, U., and Ehl, S. (2013). X-linked inhibitor of apoptosis (XIAP) deficiency: The spectrum of presenting manifestations beyond hemophagocytic lymphohistiocytosis. *Clinical Immunology*, 149(1):133–141.
- [458] Spielman, R. S., McGinnis, R. E., and Ewens, W. J. (1993). Transmission Test for Linkage Disequilibrium: The Insulin Gene Region and Insulin-dependent Diabetes Mellitus (IDDM). *American Journal of Human Genetics*, 52:506–516.
- [459] Spitzweg, C. and Morris, J. C. (2010). Genetics and phenomics of hypothyroidism and goiter due to NIS mutations. *Molecular and cellular endocrinology*, 322(1-2):56–63.
- [460] Sriphrapradang, C., Tenenbaum-Rakover, Y., Weiss, M., Barkoff, M. S., Admoni, O., Kawthar, D., Caltabiano, G., Pardo, L., Dumitrescu, A. M., and Refetoff, S. (2011). The coexistence of a novel inactivating mutant thyrotropin receptor allele with two thyroid peroxidase mutations: a genotype-phenotype correlation. *The Journal of Clinical Endocrinology and Metabolism*, 96(6):E1001–6.
- [461] St George-Hyslop, P., Tanzi, R., Polinsky, R., Haines, J., Nee, L., Watkins, P., Myers, R., Feldman, R., Pollen, D., Drachman, D., and Al, E. (1987). The genetic defect causing familial Alzheimer's disease maps on chromosome 21. *Science*, 235(4791):885–890.
- [462] Steinhorsdottir, V., Thorleifsson, G., Sulem, P., Helgason, H., Grarup, N., Sigurdsson, a., Helgadottir, H. T., Johannsdottir, H., Magnusson, O. T., Gudjonsson, S. a., Justesen, J. M., Harder, M. N., Jorgensen, M. E., Christensen, C., Brandslund, I., Sandbaek, a., Lauritzen, T., Vestergaard, H., Linneberg, a., Jorgensen, T., Hansen, T., Daneshpour, M. S., Fallah, M. S., Hreidarsson, a. B., Sigurdsson, G., Azizi, F., Benediktsson, R., Masson, G., Helgason, a., Kong, a., Gudbjartsson, D. F., Pedersen, O., Thorsteinsdottir, U., and Stefansson, K. (2014). Identification of low-frequency and rare sequence variants associated with elevated or reduced risk of type 2 diabetes. *Nat Genet*, 46(3):294–298.
- [463] Sterneckert, J. L., Reinhardt, P., and Schöler, H. R. (2014). Investigating human disease using stem cell models. *Nature Reviews Genetics*, 15(9):625–639.
- [464] Stitzel, N. O., Kiezun, A., and Sunyaev, S. (2011). Computational and statistical approaches to analyzing variants identified by exome sequencing. *Genome biology*, 12(9):227.

- [465] Sudlow, C., Gallacher, J., Allen, N., Beral, V., Burton, P., Danesh, J., Downey, P., Elliott, P., Green, J., Landray, M., Liu, B., Matthews, P., Ong, G., Pell, J., Silman, A., Young, A., Sprosen, T., Peakman, T., and Collins, R. (2015). UK Biobank: An Open Access Resource for Identifying the Causes of a Wide Range of Complex Diseases of Middle and Old Age. *PLoS Medicine*, 12(3):1–10.
- [466] Sumegi, J., Huang, D., Lanyi, a., Davis, J. D., Seemayer, T. a., Maeda, a., Klein, G., Seri, M., Wakiguchi, H., Purtilo, D. T., and Gross, T. G. (2000). Correlation of mutations of the SH2D1A gene and epstein-barr virus infection with clinical phenotype and outcome in X-linked lymphoproliferative disease. *Blood*, 96(9):3118–3125.
- [467] Surakka, I., Horikoshi, M., Magi, R., Sarin, A. P., Mahajan, A., Lagou, V., Marullo, L., Ferreira, T., Miraglio, B., Timonen, S., Kettunen, J., Pirinen, M., Karjalainen, J., Thorleifsson, G., Hagg, S., Hottenga, J. J., Isaacs, A., Ladenavall, C., Beekman, M., Esko, T., Ried, J. S., Nelson, C. P., Willenborg, C., Gustafsson, S., Westra, H. J., Blades, M., de Craen, A. J., de Geus, E. J., Deelen, J., Grallert, H., Hamsten, A., Havulinna, A. S., Hengstenberg, C., Houwing-Duistermaat, J. J., Hypponen, E., KarsSEN, L. C., Lehtimaki, T., Lyssenko, V., Magnusson, P. K., Mihailov, E., Muller-Nurasyid, M., Mpindi, J. P., Pedersen, N. L., Penninx, B. W., Perola, M., Pers, T. H., Peters, A., Rung, J., Smit, J. H., Steinthorsdottir, V., Tobin, M. D., Tsernikova, N., van Leeuwen, E. M., Viikari, J. S., Willems, S. M., Willemse, G., Schunkert, H., Erdmann, J., Samani, N. J., Kaprio, J., Lind, L., Gieger, C., Metspalu, A., Slagboom, P. E., Groop, L., van Duijn, C. M., Eriksson, J. G., Jula, A., Salomaa, V., Boomsma, D. I., Power, C., Raitakari, O. T., Ingelsson, E., Jarvelin, M. R., Thorsteinsdottir, U., Franke, L., Ikonen, E., Kallionиеми, О., Pietiläinen, V., Lindgren, C. M., Stefansson, K., Palotie, A., McCarthy, M. I., Morris, A. P., Prokopenko, I., and Ripatti, S. f. t. E. C. (2015). The impact of low-frequency and rare variants on lipid levels. *Nat Genet*, 47(6):589–597.
- [468] Syvanen, A.-C. (2005). Toward genome-wide SNP genotyping. *Nature Genetics*, 37(June):S5–S10.
- [469] Takata, A., Xu, B., Ionita-Laza, I., Roos, J. L., Gogos, J. A., and Karayiorgou, M. (2014). Loss-of-Function Variants in Schizophrenia Risk and SETD1A as a Candidate Susceptibility Gene. *Neuron*, 82(4):773–780.
- [470] Talmud, P. J., Shah, S., Whittall, R., Futema, M., Howard, P., Cooper, J. a., Harrison, S. C., Li, K., Drenos, F., Karpe, F., Neil, H. A. W., Descamps, O. S., Langenberg, C., Lench, N., Kivimaki, M., Whittaker, J., Hingorani, A. D., Kumari, M., and Humphries, S. E. (2013). Use of low-density lipoprotein cholesterol gene score to distinguish patients with polygenic and monogenic familial hypercholesterolemia: a case-control study. *Lancet*, 381(9874):1293–301.
- [471] Targovnik, H. M., Citterio, C. E., and Rivolta, C. M. (2011). Thyroglobulin Gene Mutations in Congenital Hypothyroidism. *Hormone Research in Paediatrics*, 75:311–321.
- [472] Targovnik, H. M., Esperante, S. a., and Rivolta, C. M. (2010). Genetics and phenomics of hypothyroidism and goiter due to thyroglobulin mutations. *Molecular and cellular endocrinology*, 322(1-2):44–55.

- [473] Tattini, L., D'Aurizio, R., and Magi, A. (2015). Detection of Genomic Structural Variants from Next-Generation Sequencing Data. *Frontiers in bioengineering and biotechnology*, 3(June):92.
- [474] Taylor, P. N., Porcu, E., Chew, S., Campbell, P. J., Traglia, M., Brown, S. J., Mullin, B. H., Shihab, H. a., Min, J., Walter, K., Memari, Y., Huang, J., Barnes, M. R., Beilby, J. P., Charoen, P., Danecek, P., Dudbridge, F., Forgetta, V., Greenwood, C., Grundberg, E., Johnson, A. D., Hui, J., Lim, E. M., McCarthy, S., Muddymann, D., Panicker, V., Perry, J. R. B., Bell, J. T., Yuan, W., Relton, C., Gaunt, T., Schlessinger, D., Abecasis, G., Cucca, F., Surdulescu, G. L., Woltersdorf, W., Zeggini, E., Zheng, H.-F., Toniolo, D., Dayan, C. M., Naitza, S., Walsh, J. P., Spector, T., Davey Smith, G., Durbin, R., Richards, J. B., Sanna, S., Soranzo, N., Timpson, N. J., and Wilson, S. G. (2015). Whole-genome sequence-based analysis of thyroid function. *Nature communications*, 6(May):5681.
- [475] Tenenbaum-Rakover, Y., Grasberger, H., Mamanasiri, S., Ringkananont, U., Montanelli, L., Barkoff, M. S., Dahood, A. M. H., and Refetoff, S. (2009). Loss-of-function mutations in the thyrotropin receptor gene as a major determinant of hyperthyrotropinemia in a consanguineous community. *Journal of Clinical Endocrinology and Metabolism*, 94(5):1706–1712.
- [476] Tennessen, J. a., Bigham, A. W., O'Connor, T. D., Fu, W., Kenny, E. E., Gravel, S., McGee, S., Do, R., Liu, X., Jun, G., Kang, H. M., Jordan, D., Leal, S. M., Gabriel, S., Rieder, M. J., Abecasis, G., Altshuler, D., Nickerson, D. a., Boerwinkle, E., Sunyaev, S., Bustamante, C. D., Bamshad, M. J., and Akey, J. M. (2012). Evolution and functional impact of rare coding variation from deep sequencing of human exomes. *Science (New York, N.Y.)*, 337(6090):64–9.
- [477] Teo, S. M., Pawitan, Y., Ku, C. S., Chia, K. S., and Salim, A. (2012). Statistical challenges associated with detecting copy number variations with next-generation sequencing. *Bioinformatics*, 28(21):2711–2718.
- [478] The Encode Project Consortium (2012). An integrated encyclopedia of DNA elements in the human genome. *Nature*, 489(7414):57–74.
- [479] The International HapMap Consortium (2005). A haplotype map of the human genome. *Nature*, 437(October):1299–1320.
- [480] The International Schizophrenia Consortium (2009). Common polygenic variation contributes to risk of schizophrenia and bipolar disorder. *Nature*, 460(9):748–752.
- [481] The International SNP Map Working Group (2001). A map of human genome sequence variation containing 1.42 million single nucleotide polymorphisms. *Nature*, 409(6822):928–933.
- [482] Thompson, E. A. (2013). Identity by descent: Variation in meiosis, across genomes, and in populations. *Genetics*, 194(2):301–326.
- [483] Thornhill, P., Bassett, D., Lochmüller, H., Bushby, K., and Straub, V. (2008). Developmental defects in a zebrafish model for muscular dystrophies associated with the loss of fukutin-related protein (FKRP). *Brain*, 131(6):1551–1561.

- [484] Thorvaldsdóttir, H., Robinson, J. T., and Mesirov, J. P. (2013). Integrative Genomics Viewer (IGV): high-performance genomics data visualization and exploration. *Briefings in bioinformatics*, 14(2):178–92.
- [485] Thorwarth, a., Mueller, I., Biebermann, H., Ropers, H. H., Grueters, a., Krude, H., and Ullmann, R. (2010). Screening chromosomal aberrations by array comparative genomic hybridization in 80 patients with congenital hypothyroidism and thyroid dysgenesis. *The Journal of Clinical Endocrinology and Metabolism*, 95(7):3446–52.
- [486] Thorwarth, A., Schnitttert-Hübener, S., Schrumpf, P., Müller, I., Jyrch, S., Dame, C., Biebermann, H., Kleinau, G., Katchanov, J., Schuelke, M., Ebert, G., Steininger, A., Bönnemann, C., Brockmann, K., Christen, H.-J., Crock, P., DeZegher, F., Grieser, M., Hewitt, J., Ivarsson, S., Hübner, C., Kapelari, K., Plecko, B., Rating, D., Stoeva, I., Ropers, H.-H., Grütters, A., Ullmann, R., and Krude, H. (2014). Comprehensive genotyping and clinical characterisation reveal 27 novel NKX2-1 mutations and expand the phenotypic spectrum. *Journal of Medical Genetics*, 51(6):375–87.
- [487] Tipney, H., Painter, J. L., Shen, J., Nicoletti, P., Shen, Y., Floratos, A., Sham, P. C., Li, M. J., Wang, J., Cardon, L. R., Whittaker, J. C., Sanseau, P., and Nelson, M. R. (2015). The support of human genetic evidence for approved drug indications. *Nature Genetics*, 47(8):1–7.
- [488] Todd, J. a., Walker, N. M., Cooper, J. D., Smyth, D. J., Downes, K., Plagnol, V., Bailey, R., Nejentsev, S., Field, S. F., Payne, F., Lowe, C. E., Szczeklik, J. S., Hafler, J. P., Zeitels, L., Yang, J. H. M., Vella, A., Nutland, S., Stevens, H. E., Schuilenburg, H., Coleman, G., Maisuria, M., Meadows, W., Smink, L. J., Healy, B., Burren, O. S., Lam, A. a. C., Ovington, N. R., Allen, J., Adlem, E., Leung, H.-T., Wallace, C., Howson, J. M. M., Guja, C., Ionescu-Tîrgoviște, C., Simmonds, M. J., Heward, J. M., Gough, S. C. L., Dunger, D. B., Wicker, L. S., and Clayton, D. G. (2007). Robust associations of four new chromosome regions from genome-wide analyses of type 1 diabetes. *Nature Genetics*, 39(7):857–64.
- [489] Torres-ruiz, R. and Rodriguez-perales, S. (2016). CRISPR-Cas9 technology: applications and human disease modelling. *Briefings in Functional Genomics*, pages 1–9.
- [490] Trojanowicz, B., Brodauf, L., Sekulla, C., Lorenz, K., Finke, R., Dralle, H., and Hoang-vu, C. (2009). The role of AUF1 in thyroid carcinoma progression. *Endocrine-related Cancer*, 16:857–871.
- [491] Trojanowicz, B., Dralle, H., and Hoang-vu, C. (2011). AUF1 and HuR: possible implications of mRNA stability in thyroid function and disorders. *Thyroid Research*, 4(Suppl 1):S5.
- [492] Tsui, L., Buchwald, M., Barker, D., Braman, J., Knowlton, R., Schumm, H., Eiberg, J., Mohr, D., Kennedy, N., and Plavsic (1985). Cystic fibrosis locus defined by a genetically linked polymorphic DNA marker. *Science*, 230:1054—1057.
- [493] Tsuma, Y., Imamura, T., Ichise, E., Sakamoto, K., Ouchi, K., Osone, S., Ishida, H., Wada, T., and Hosoi, H. (2015). Successful treatment of idiopathic colitis related

- to XIAP deficiency with allo-HSCT using reduced-intensity conditioning. *Pediatric Transplantation*, 19(1):E25–E28.
- [494] Uccellatore, F., Sava, L., Giuffrida, D., Fazio, T., Calaciura, F., Regalbuto, C., Vigneri, R., Costituzionale, P., Catania, U., and Garibaldi, O. (1990). Cytogenetic analysis in congenital hypothyroidism. *Journal of Clinical Investigation*, 13:605–607.
- [495] Uhlig, H. H. (2013). Monogenic diseases associated with intestinal inflammation: implications for the understanding of inflammatory bowel disease. *Gut*, 62:1795–1805.
- [496] Uhlig, H. H., Schwerd, T., Koletzko, S., Shah, N., Kammermeier, J., Elkadri, A., Ouahed, J., Wilson, D. C., Travis, S. P., Turner, D., Klein, C., Snapper, S. B., and Muise, A. M. (2014). The Diagnostic Approach to Monogenic Very Early Onset Inflammatory Bowel Disease. *Gastroenterology*, 147(5):990–1007.e3.
- [497] Uzel, G., Orange, J. S., Poliak, N., Marciano, B. E., Heller, T., and Holland, S. M. (2010). Complications of tumor necrosis factor- α blockade in chronic granulomatous disease-related colitis. *Clinical infectious diseases: an official publication of the Infectious Diseases Society of America*, 51(12):1429–34.
- [498] van Dongen, J., Slagboom, P. E., Draisma, H. H. M., Martin, N. G., and Boomsma, D. I. (2012). The continuing value of twin studies in the omics era. *Nature Publishing Group*, 13(9):640–653.
- [499] van Engelen, K., Mommersteeg, M. T. M., Baars, M. J. H., Lam, J., Ilgun, A., van Trotsenburg, a. S. P., Smets, A. M. J. B., Christoffels, V. M., Mulder, B. J. M., and Postma, A. V. (2012). The ambiguous role of NKX2-5 mutations in thyroid dysgenesis. *PloS one*, 7(12):e52685.
- [500] Van Limbergen, J., Russell, R. K., Drummond, H. E., Aldhous, M. C., Round, N. K., Nimmo, E. R., Smith, L., Gillett, P. M., McGrogan, P., Weaver, L. T., Bisset, W. M., Mahdi, G., Arnott, I. D., Satsangi, J., and Wilson, D. C. (2008). Definition of Phenotypic Characteristics of Childhood-Onset Inflammatory Bowel Disease. *Gastroenterology*, 135(4):1114–1122.
- [501] Vansteelandt, S., Goetgeluk, S., Lutz, S., Waldman, I., Lyon, H., Schadt, E. E., Weiss, S. T., and Lange, C. (2009). On the adjustment for covariates in genetic association analysis: A novel, simple principle to infer direct causal effects. *Genetic Epidemiology*, 33(5):394–405.
- [502] Vigone, M. C., Fugazzola, L., Zamproni, I., Passoni, A., Di Candia, S., Chiumello, G., Persani, L., and Weber, G. (2005). Persistent mild hypothyroidism associated with novel sequence variants of the DUOX2 gene in two siblings. *Human mutation*, 26(4):395.
- [503] Vissers, L. E. L. M., de Ligt, J., Gilissen, C., Janssen, I., Steehouwer, M., de Vries, P., van Lier, B., Arts, P., Wieskamp, N., del Rosario, M., van Bon, B. W. M., Hoischen, A., de Vries, B. B. a., Brunner, H. G., and Veltman, J. a. (2010). A de novo paradigm for mental retardation. *Nature Genetics*, 42(12):1109–1112.
- [504] Vitelli, F., Huynh, T., and Baldini, A. (2009). Gain of function of Tbx1 affects pharyngeal and heart development in the mouse. *Genesis*, 47(3):188–195.

- [505] Vojta, A., Dobrinić, P., Tadić, V., Bočkor, L., Korać, P., Julg, B., Klasić, M., and Zoldoš, V. (2016). Repurposing the CRISPR-Cas9 system for targeted DNA methylation. *Nucleic Acids Research*, (24):1–14.
- [506] Wada, T., Kanegane, H., Ohta, K., Katoh, F., Imamura, T., Nakazawa, Y., Miyashita, R., Hara, J., Hamamoto, K., Yang, X., Filipovich, A. H., Marsh, R. A., and Yachie, A. (2014). Sustained elevation of serum interleukin-18 and its association with hemophagocytic lymphohistiocytosis in XIAP deficiency. *Cytokine*, 65(1):74–78.
- [507] Walter, K., Min, J. L., Huang, J., Crooks, L., Memari, Y., McCarthy, S., Perry, J. R. B., Xu, C., Futema, M., Lawson, D., Iotchkova, V., Schiffels, S., Hendricks, A. E., Danecek, P., Li, R., Floyd, J., Wain, L. V., Barroso, I., Humphries, S. E., Hurles, M. E., Zeggini, E., Barrett, J. C., Plagnol, V., Brent Richards, J., Greenwood, C. M. T., Timpson, N. J., Durbin, R., Soranzo, N., Bala, S., Clapham, P., Coates, G., Cox, T., Daly, A., Danecek, P., Du, Y., Durbin, R., Edkins, S., Ellis, P., Flücke, P., Guo, X., Guo, X., Huang, L., Jackson, D. K., Joyce, C., Keane, T., Kolb-Kokocinski, A., Langford, C., Li, Y., Liang, J., Lin, H., Liu, R., Maslen, J., McCarthy, S., Muddyman, D., Quail, M. A., Stalker, J., Sun, J., Tian, J., Wang, G., Wang, J., Wang, Y., Wong, K., Zhang, P., Barroso, I., Birney, E., Bousted, C., Chen, L., Clement, G., Cocca, M., Danecek, P., Davey Smith, G., Day, I. N. M., Day-Williams, A., Down, T., Dunham, I., Durbin, R., Evans, D. M., Gaunt, T. R., Geihs, M., Greenwood, C. M. T., Hart, D., Hendricks, A. E., Howie, B., Huang, J., Hubbard, T., Hysi, P., Iotchkova, V., Jamshidi, Y., Karczewski, K. J., Kemp, J. P., Lachance, G., Lawson, D., Lek, M., Lopes, M., MacArthur, D. G., Marchini, J., Mangino, M., Mathieson, I., McCarthy, S., Memari, Y., Metrustry, S., Min, J. L., Moayyeri, A., Muddyman, D., Northstone, K., Panoutsopoulou, K., Paternoster, L., Perry, J. R. B., Quaye, L., Brent Richards, J., Ring, S., Ritchie, G. R. S., Schiffels, S., Shihab, H. A., Shin, S.-Y., Small, K. S., Soler Artigas, M., Soranzo, N., Southam, L., Spector, T. D., St Pourcain, B., Surdulescu, G., Tachmazidou, I., Timpson, N. J., Tobin, M. D., Valdes, A. M., Visscher, P. M., Wain, L. V., Walter, K., Ward, K., Wilson, S. G., Wong, K., Yang, J., Zeggini, E., Zhang, F., Zheng, H.-F., Anney, R., Ayub, M., Barrett, J. C., Blackwood, D., Bolton, P. F., Breen, G., Collier, D. A., Craddock, N., Crooks, L., Curran, S., Curtis, D., Durbin, R., Gallagher, L., Geschwind, D., Gurling, H., Holmans, P., Lee, I., Lönnqvist, J., McCarthy, S., McGuffin, P., McIntosh, A. M., McKechnie, A. G., McQuillin, A., Morris, J., Muddyman, D., O'Donovan, M. C., Owen, M. J., Palotie, A., Parr, J. R., Paunio, T., Pietiläinen, O., Rehnström, K., Sharp, S. I., Skuse, D., St Clair, D., Suvisaari, J., Walters, J. T. R., Williams, H. J., Barroso, I., Bochukova, E., Bounds, R., Dominiczak, A., Durbin, R., Farooqi, I. S., Hendricks, A. E., Keogh, J., Marenne, G., McCarthy, S., Morris, A., Muddyman, D., O'Rahilly, S., Porteous, D. J., Smith, B. H., Tachmazidou, I., Wheeler, E., Zeggini, E., Al Turki, S., Anderson, C. A., Antony, D., Barroso, I., Beales, P., Bentham, J., Bhattacharya, S., Calissano, M., Carss, K., Chatterjee, K., Cirak, S., Cosgrove, C., Durbin, R., Fitzpatrick, D. R., Floyd, J., Reghan Foley, A., Franklin, C. S., Futema, M., Grozeva, D., Humphries, S. E., Hurles, M. E., McCarthy, S., Mitchison, H. M., Muddyman, D., Muntoni, F., O'Rahilly, S., Onoufriadiis, A., Parker, V., Payne, F., Plagnol, V., Lucy Raymond, F., Roberts, N., Savage, D. B., Scambler, P., Schmidts, M., Schoenmakers, N., Semple, R. K., Serra, E., Spasic-Boskovic, O., Stevens, E., van Kogelenberg, M., Vijayarangakannan, P., Walter, K., Williamson, K. A., Wilson, C., Whyte, T., Ciampi, A., Greenwood, C. M. T., Hendricks, A. E.,

- Li, R., Metrustry, S., Oualkacha, K., Tachmazidou, I., Xu, C., Zeggini, E., Bobrow, M., Bolton, P. F., Durbin, R., Fitzpatrick, D. R., Griffin, H., Hurles, M. E., Kaye, J., Kennedy, K., Kent, A., Muddyman, D., Muntoni, F., Lucy Raymond, F., Semple, R. K., Smee, C., Spector, T. D., Timpson, N. J., Charlton, R., Ekong, R., Futema, M., Humphries, S. E., Khawaja, F., Lopes, L. R., Migone, N., Payne, S. J., Plagnol, V., Pollitt, R. C., Povey, S., Ridout, C. K., Robinson, R. L., Scott, R. H., Shaw, A., Syrris, P., Taylor, R., Vandersteen, A. M., Barrett, J. C., Barroso, I., Davey Smith, G., Durbin, R., Farooqi, I. S., Fitzpatrick, D. R., Hurles, M. E., Kaye, J., Kennedy, K., Langford, C., McCarthy, S., Muddyman, D., Owen, M. J., Palotie, A., Brent Richards, J., Soranzo, N., Spector, T. D., Stalker, J., Timpson, N. J., Zeggini, E., Amuzu, A., Pablo Casas, J., Chambers, J. C., Cocca, M., Dedoussis, G., Gambaro, G., Gasparini, P., Gaunt, T. R., Huang, J., Iotchkova, V., Isaacs, A., Johnson, J., Kleber, M. E., Kooner, J. S., Langenberg, C., Luan, J., Mallerba, G., März, W., Matchan, A., Min, J. L., Morris, R., Nordestgaard, B. G., Benn, M., Ring, S., Scott, R. A., Soranzo, N., Southam, L., Timpson, N. J., Toniolo, D., Traglia, M., Tybjaerg-Hansen, A., van Duijn, C. M., van Leeuwen, E. M., Varbo, A., Whincup, P., Zaza, G., Zeggini, E., and Zhang, W. (2015). The UK10K project identifies rare variants in health and disease. *Nature*, 526(7571):82–90.
- [508] Wang, F., Lu, K., Yang, Z., Zhang, S., Lu, W., Zhang, L., and Liu, S. (2014). Genotypes and phenotypes of congenital goitre and hypothyroidism caused by mutations in dual oxidase 2 genes. *Clinical Endocrinology*, 81:452–457.
- [509] Wang, L., Jia, P., Wolfinger, R. D., Chen, X., and Zhao, Z. (2011). Gene set analysis of genome-wide association studies: Methodological issues and perspectives. *Genomics*, 98(1):1–8.
- [510] Wang, X., Chua, H.-x., Chen, P., Ong, R. T.-h., Sim, X., Zhang, W., Takeuchi, F., Liu, X., Khor, C.-c., Tay, W.-t., Cheng, C.-y., Suo, C., Liu, J., Aung, T., Chia, K.-s., Kato, N., and Teo, Y.-y. (2013). Comparing methods for performing trans-ethnic meta-analysis of genome-wide association studies. *Human Molecular Genetics*, 22(11):2303–2311.
- [511] Watanabe, N., Hiramatsu, K., Miyamoto, R., Yasuda, K., Suzuki, N., Oshima, N., Kiyonari, H., Shiba, D., Nishio, S., Mochizuki, T., Yokoyama, T., Maruyama, S., Matsuo, S., Wakamatsu, Y., and Hashimoto, H. (2009). A murine model of neonatal diabetes mellitus in Glis3-deficient mice. *FEBS letters*, 583(12):2108–13.
- [512] Weber, J. L. and May, P. E. (1989). Abundant class of human DNA polymorphisms which can be typed using the polymerase chain reaction. *American Journal of Human Genetics*, 44:388–396.
- [513] Weinzimer, S. a. (2001). Endocrine aspects of the 22q11.2 deletion syndrome. *Genetics in medicine: official journal of the American College of Medical Genetics*, 3(1):19–22.
- [514] Welter, D., MacArthur, J., Morales, J., Burdett, T., Hall, P., Junkins, H., Klemm, A., Flieck, P., Manolio, T., Hindorff, L., and Parkinson, H. (2014). The NHGRI GWAS Catalog, a curated resource of SNP-trait associations. *Nucleic Acids Research*, 42(D1):1001–1006.

- [515] Wentzel, C., Fernström, M., Öhrner, Y., Annerén, G., and Thuresson, A. C. (2008). Clinical variability of the 22q11.2 duplication syndrome. *European Journal of Medical Genetics*, 51(6):501–510.
- [516] Wessels, M. W. and Willems, P. J. (2010). Genetic factors in non-syndromic congenital heart malformations. *Clinical Genetics*, 78(2):103–123.
- [517] Westbury, S. K., Turro, E., Greene, D., Lentaigne, C., Kelly, A. M., Bariana, T. K., Simeoni, I., Pillois, X., Attwood, A., Austin, S., Jansen, S. B. G., Bakchoul, T., Crisp-Hihn, A., Erber, W. N., Favier, R., Foad, N., Gattens, M., Jolley, J. D., Liesner, R., Meacham, S., Millar, C. M., Nurden, A. T., Peerlinck, K., Perry, D. J., Poudel, P., Schulman, S., Schulze, H., Stephens, J. C., Furie, B., Van Geet, C., Rendon, A., Gomez, K., Laffan, M. A., Lambert, M. P., Nurden, P., Ouwehand, W. H., Richardson, S., Mumford, A. D., and Robinson, P. N. (2015). Human phenotype ontology annotation and cluster analysis to unravel genetic defects in 707 cases with unexplained bleeding and platelet disorders. *Genome Medicine*, 7:36.
- [518] Westerlund, J., Andersson, L., Carlsson, T., Zoppoli, P., Fagman, H., and Nilsson, M. (2008). Expression of islet1 in thyroid development related to budding, migration, and fusion of primordia. *Developmental Dynamics*, 237(12):3820–3829.
- [519] Wheeler, D. a., Srinivasan, M., Egholm, M., Shen, Y., Chen, L., McGuire, A., He, W., Chen, Y.-J., Makhijani, V., Roth, G. T., Gomes, X., Tartaro, K., Niazi, F., Turcotte, C. L., Irzyk, G. P., Lupski, J. R., Chinault, C., Song, X.-z., Liu, Y., Yuan, Y., Nazareth, L., Qin, X., Muzny, D. M., Margulies, M., Weinstock, G. M., Gibbs, R. a., and Rothberg, J. M. (2008). The complete genome of an individual by massively parallel DNA sequencing. *Nature*, 452(7189):872–6.
- [520] Willer, C. J., Li, Y., and Abecasis, G. R. (2010). METAL: Fast and efficient meta-analysis of genomewide association scans. *Bioinformatics*, 26(17):2190–2191.
- [521] Willer, C. J. and Mohlke, K. L. (2012). Finding genes and variants for lipid levels after genome-wide association analysis. *Current opinion in lipidology*, 23(2):98–103.
- [522] Williamson, K. a., Rainger, J., Floyd, J. a. B., Ansari, M., Meynert, A., Aldridge, K. V., Rainger, J. K., Anderson, C. a., Moore, A. T., Hurles, M. E., Clarke, A., van Heyningen, V., Verloes, A., Taylor, M. S., Wilkie, A. O. M., and Fitzpatrick, D. R. (2014). Heterozygous loss-of-function mutations in YAP1 cause both isolated and syndromic optic fissure closure defects. *American Journal of Human Genetics*, 94(2):295–302.
- [523] Wood, A. R., Esko, T., Yang, J., Vedantam, S., Pers, T. H., Gustafsson, S., Chu, A. Y., Estrada, K., Luan, J., Kutalik, Z., Amin, N., Buchkovich, M. L., Croteau-Chonka, D. C., Day, F. R., Duan, Y., Fall, T., Fehrmann, R., Ferreira, T., Jackson, A. U., Karjalainen, J., Lo, K. S., Locke, A. E., Mägi, R., Mihailov, E., Porcu, E., Randall, J. C., Scherag, A., Vinkhuyzen, A. A. E., Westra, H.-J., Winkler, T. W., Workalemahu, T., Zhao, J. H., Absher, D., Albrecht, E., Anderson, D., Baron, J., Beekman, M., Demirkhan, A., Ehret, G. B., Feenstra, B., Feitosa, M. F., Fischer, K., Fraser, R. M., Goel, A., Gong, J., Justice, A. E., Kanoni, S., Kleber, M. E., Kristiansson, K., Lim, U., Lotay, V., Lui, J. C., Mangino, M., Leach,

- I. M., Medina-Gomez, C., Nalls, M. A., Nyholt, D. R., Palmer, C. D., Pasko, D., Pechlivanis, S., Prokopenko, I., Ried, J. S., Ripke, S., Shungin, D., Stancáková, A., Strawbridge, R. J., Sung, Y. J., Tanaka, T., Teumer, A., Trompet, S., van der Laan, S. W., van Setten, J., Van Vliet-Ostaptchouk, J. V., Wang, Z., Yengo, L., Zhang, W., Afzal, U., Arnlöv, J., Arscott, G. M., Bandinelli, S., Barrett, A., Bellis, C., Bennett, A. J., Berne, C., Blüher, M., Bolton, J. L., Böttcher, Y., Boyd, H. A., Bruinenberg, M., Buckley, B. M., Buyske, S., Caspersen, I. H., Chines, P. S., Clarke, R., Claudi-Boehm, S., Cooper, M., Daw, E. W., De Jong, P. A., Deelen, J., Delgado, G., Denny, J. C., Dhonukshe-Rutten, R., Dimitriou, M., Doney, A. S. F., Dörr, M., Eklund, N., Eury, E., Folkersen, L., Garcia, M. E., Geller, F., Giedraitis, V., Go, A. S., Grallert, H., Grammer, T. B., Gräßler, J., Grönberg, H., de Groot, L. C. P. G. M., Groves, C. J., Haessler, J., Hall, P., Haller, T., Hallmans, G., Hannemann, A., Hartman, C. A., Hassinen, M., Hayward, C., Heard-Costa, N. L., Helmer, Q., Hemani, G., Henders, A. K., Hillege, H. L., Hlatky, M. A., Hoffmann, W., Hoffmann, P., Holmen, O., Houwing-Duistermaat, J. J., Illig, T., Isaacs, A., James, A. L., Jeff, J., Johansen, B., Johansson, A., Jolley, J., Juliusdottir, T., Junntila, J., Kho, A. N., Kinnunen, L., Klopp, N., Kocher, T., Kratzer, W., Lichtner, P., Lind, L., Lindström, J., Lobbens, S., Lorentzon, M., Lu, Y., Lyssenko, V., Magnusson, P. K. E., Mahajan, A., Maillard, M., McArdle, W. L., McKenzie, C. A., McLachlan, S., McLaren, P. J., Menni, C., Merger, S., Milani, L., Moayyeri, A., Monda, K. L., Morken, M. A., Müller, G., Müller-Nurasyid, M., Musk, A. W., Narisu, N., Nauck, M., Nolte, I. M., Nöthen, M. M., Oozageer, L., Pilz, S., Rayner, N. W., Renstrom, F., Robertson, N. R., Rose, L. M., Roussel, R., Sanna, S., Scharnagl, H., Scholtens, S., Schumacher, F. R., Schunkert, H., Scott, R. A., Sehmi, J., Seufferlein, T., Shi, J., Silventoinen, K., Smit, J. H., Smith, A. V., Smolonska, J., Stanton, A. V., Stirrups, K., Stott, D. J., Stringham, H. M., Sundström, J., Swertz, M. A., Syvänen, A.-C., Tayo, B. O., Thorleifsson, G., Tyrer, J. P., van Dijk, S., van Schoor, N. M., van der Velde, N., van Heemst, D., van Oort, F. V. A., Vermeulen, S. H., Verweij, N., Vonk, J. M., Waite, L. L., Waldenberger, M., Wennauer, R., Wilkens, L. R., Willenborg, C., Wilsgaard, T., Wojczynski, M. K., Wong, A., Wright, A. F., Zhang, Q., Arveiler, D., Bakker, S. J. L., Beilby, J., Bergman, R. N., Bergmann, S., Biffar, R., Blangero, J., Boomsma, D. I., Bornstein, S. R., Bovet, P., Brambilla, P., Brown, M. J., Campbell, H., Caulfield, M. J., Chakravarti, A., Collins, R., Collins, F. S., Crawford, D. C., Cupples, L. A., Danesh, J., de Faire, U., den Ruijter, H. M., Erbel, R., Erdmann, J., Eriksson, J. G., Farrall, M., Ferrannini, E., Ferrières, J., Ford, I., Forouhi, N. G., Forrester, T., Gansevoort, R. T., Gejman, P. V., Gieger, C., Golay, A., Gottesman, O., Gudnason, V., Gyllensten, U., Haas, D. W., Hall, A. S., Harris, T. B., Hattersley, A. T., Heath, A. C., Hengstenberg, C., Hicks, A. A., Hindorff, L. A., Hingorani, A. D., Hofman, A., Hovingh, G. K., Humphries, S. E., Hunt, S. C., Hypponen, E., Jacobs, K. B., Jarvelin, M.-R., Jousilahti, P., Jula, A. M., Kaprio, J., Kastelein, J. J. P., Kayser, M., Kee, F., Keinanen-Kiukaanniemi, S. M., Kiemeney, L. A., Kooperberg, J. S., Kooperberg, C., Koskinen, S., Kovacs, P., Kraja, A. T., Kumari, M., Kuusisto, J., Lakka, T. A., Langenberg, C., Le Marchand, L., Lehtimäki, T., Lupoli, S., Madden, P. A. F., Männistö, S., Manunta, P., Marette, A., Matise, T. C., McKnight, B., Meitinger, T., Moll, F. L., Montgomery, G. W., Morris, A. D., Morris, A. P., Murray, J. C., Nelis, M., Ohlsson, C., Oldehinkel, A. J., Ong, K. K., Ouwehand, W. H., Pasterkamp, G., Peters, A., Pramstaller, P. P., Price, J. F., Qi, L., Raitakari, O. T., Rankinen, T., Rao, D. C., Rice, T. K., Ritchie, M., Rudan, I., Salomaa,

- V., Samani, N. J., Saramies, J., Sarzynski, M. A., Schwarz, P. E. H., Sebert, S., Sever, P., Shuldiner, A. R., Sinisalo, J., Steinthorsdottir, V., Stolk, R. P., Tardif, J.-C., Tönjes, A., Tremblay, A., Tremoli, E., Virtamo, J., Vohl, M.-C., Amouyel, P., Asselbergs, F. W., Assimes, T. L., Bochud, M., Boehm, B. O., Boerwinkle, E., Bottinger, E. P., Bouchard, C., Cauchi, S., Chambers, J. C., Chanock, S. J., Cooper, R. S., de Bakker, P. I. W., Dedoussis, G., Ferrucci, L., Franks, P. W., Froguel, P., Groop, L. C., Haiman, C. A., Hamsten, A., Hayes, M. G., Hui, J., Hunter, D. J., Hveem, K., Jukema, J. W., Kaplan, R. C., Kivimaki, M., Kuh, D., Laakso, M., Liu, Y., Martin, N. G., März, W., Melbye, M., Moebus, S., Munroe, P. B., Njølstad, I., Oostra, B. A., Palmer, C. N. A., Pedersen, N. L., Perola, M., Pérusse, L., Peters, U., Powell, J. E., Power, C., Quertermous, T., Rauramaa, R., Reinmaa, E., Ridker, P. M., Rivadeneira, F., Rotter, J. I., Saaristo, T. E., Saleheen, D., Schlessinger, D., Slagboom, P. E., Snieder, H., Spector, T. D., Strauch, K., Stumvoll, M., Tuomilehto, J., Uusitupa, M., van der Harst, P., Völzke, H., Walker, M., Wareham, N. J., Watkins, H., Wichmann, H.-E., Wilson, J. F., Zanen, P., Deloukas, P., Heid, I. M., Lindgren, C. M., Mohlke, K. L., Speliotes, E. K., Thorsteinsdottir, U., Barroso, I., Fox, C. S., North, K. E., Strachan, D. P., Beckmann, J. S., Berndt, S. I., Boehnke, M., Borecki, I. B., McCarthy, M. I., Metspalu, A., Stefansson, K., Uitterlinden, A. G., van Duijn, C. M., Franke, L., Willer, C. J., Price, A. L., Lettre, G., Loos, R. J. F., Weedon, M. N., Ingelsson, E., O'Connell, J. R., Abecasis, G. R., Chasman, D. I., Goddard, M. E., Visscher, P. M., Hirschhorn, J. N., and Frayling, T. M. (2014). Defining the role of common variation in the genomic and biological architecture of adult human height. *Nature Genetics*, 46(11):1173–86.
- [524] Wooster, R., Bignell, G., Lancaster, J., Swift, S., Seal, S., Mangion, J., Collins, N., Gregory, S., Gumbs, C., and Micklem, G. (1995). Identification of the breast cancer susceptibility gene BRCA2. *Nature*, 378(6559):789–92.
- [525] Worthey, E. a., Mayer, A. N., Syverson, G. D., Helbling, D., Bonacci, B. B., Decker, B., Serpe, J. M., Dasu, T., Tschanne, M. R., Veith, R. L., Basehore, M. J., Broeckel, U., Tomita-Mitchell, A., Arca, M. J., Casper, J. T., Margolis, D. a., Bick, D. P., Hessner, M. J., Routes, J. M., Verbsky, J. W., Jacob, H. J., and Dimmock, D. P. (2011). Making a definitive diagnosis: successful clinical application of whole exome sequencing in a child with intractable inflammatory bowel disease. *Genetics in medicine: official journal of the American College of Medical Genetics*, 13(3):255–62.
- [526] Wray, N., Goddard, M., and Visscher, P. (2007). Prediction of individual genetic risk to disease from genome-wide association studies. *Genome Research*, 17:1520–1528.
- [527] Wright, C. F., Fitzgerald, T. W., Jones, W. D., Clayton, S., McRae, J. F., Van Kogelenberg, M., King, D. A., Ambridge, K., Barrett, D. M., Bayzettinova, T., Bevan, A. P., Bragin, E., Chatzimichali, E. A., Gribble, S., Jones, P., Krishnappa, N., Mason, L. E., Miller, R., Morley, K. I., Parthiban, V., Prigmore, E., Rajan, D., Sifrim, A., Swaminathan, G. J., Tivey, A. R., Middleton, A., Parker, M., Carter, N. P., Barrett, J. C., Hurles, M. E., Fitzpatrick, D. R., and Firth, H. V. (2015). Genetic diagnosis of developmental disorders in the DDD study: A scalable analysis of genome-wide research data. *The Lancet*, 385(9975):1305–1314.

- [528] WTCCC (2007). Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. *Nature*, 447(7145):661–78.
- [529] Wu, M. C., Lee, S., Cai, T., Li, Y., Boehnke, M., and Lin, X. (2011). Rare-variant association testing for sequencing data with the sequence kernel association test. *American Journal of Human Genetics*, 89(1):82–93.
- [530] Xu, B., Ionita-Laza, I., Roos, J. L., Boone, B., Woodrick, S., Sun, Y., Levy, S., Gogos, J. A., and Karayiorgou, M. (2012). De novo gene mutations highlight patterns of genetic and neural complexity in schizophrenia. *Nature Genetics*, 44(12):1365–9.
- [531] Xue, Y., Chen, Y., Ayub, Q., Huang, N., Ball, E. V., Mort, M., Phillips, A. D., Shaw, K., Stenson, P. D., Cooper, D. N., and Tyler-Smith, C. (2012). Deleterious-and disease-allele prevalence in healthy individuals: insights from current predictions, mutation databases, and population-scale resequencing. *American Journal of Human Genetics*, 91(6):1022–32.
- [532] Yagi, H., Furutani, Y., Hamada, H., Sasaki, T., Asakawa, S., Minoshima, S., Ichida, F., Joo, K., Kimura, M., ichiro Imamura, S., Kamatani, N., Momma, K., Takao, A., Nakazawa, M., Shimizu, N., and Matsuoka, R. (2003). Role of TBX1 in human del22q11.2 syndrome. *Lancet*, 362(9393):1366–1373.
- [533] Yamagata, K., Oda, N., Kaisaki, P. J., Menzel, S., Furuta, H., Vaxillaire, M., Southam, L., Cox, R. D., Lathrop, G. M., Boriraj, V. V., Chen, X., Cox, N. J., Oda, Y., Yano, H., Le Beau, M. M., Yamada, S., Nishigori, H., Takeda, J., Fajans, S. S., Hattersley, a. T., Iwasaki, N., Hansen, T., Pedersen, O., Polonsky, K. S., and Bell, G. I. (1996). Mutations in the hepatocyte nuclear factor-1alpha gene in maturity-onset diabetes of the young (MODY3). *Nature*, 384(6608):455–458.
- [534] Yang, X., Kanegane, H., Nishida, N., Imamura, T., Hamamoto, K., Miyashita, R., Imai, K., Nonoyama, S., Sanayama, K., Yamaide, A., Kato, F., Nagai, K., Ishii, E., van Zelm, M. C., Latour, S., Zhao, X.-D., and Miyawaki, T. (2012). Clinical and genetic characteristics of XIAP deficiency in Japan. *Journal of clinical immunology*, 32(3):411–20.
- [535] Yang, Y., Muzny, D. M., Reid, J. G., Bainbridge, M. N., Willis, A., Ward, P. a., Braxton, A., Beuten, J., Xia, F., Niu, Z., Hardison, M., Person, R., Bekheirnia, M. R., Leduc, M. S., Kirby, A., Pham, P., Scull, J., Wang, M., Ding, Y., Plon, S. E., Lupski, J. R., Beaudet, A. L., Gibbs, R. a., and Eng, C. M. (2013). Clinical whole-exome sequencing for the diagnosis of mendelian disorders. *The New England Journal of Medicine*, 369(16):1502–11.
- [536] Yang, Y., Muzny, D. M., Xia, F., Niu, Z., Person, R., Ding, Y., Ward, P., Braxton, A., Wang, M., Buhay, C., Veeraraghavan, N., Hawes, A., Chiang, T., Leduc, M., Beuten, J., Zhang, J., He, W., Scull, J., Willis, A., Landsverk, M., Craigen, W. J., Bekheirnia, M. R., Stray-Pedersen, A., Liu, P., Wen, S., Alcaraz, W., Cui, H., Walkiewicz, M., Reid, J., Bainbridge, M., Patel, A., Boerwinkle, E., Beaudet, A. L., Lupski, J. R., Plon, S. E., Gibbs, R. a., and Eng, C. M. (2014). Molecular Findings Among Patients Referred for Clinical Whole-Exome Sequencing. *Jama*, 312(18):1870.

- [537] Zamproni, I., Grasberger, H., Cortinovis, F., Vigone, M. C., Chiumello, G., Mora, S., Onigata, K., Fugazzola, L., Refetoff, S., Persani, L., and Weber, G. (2008). Biallelic inactivation of the dual oxidase maturation factor 2 (DUOXA2) gene as a novel cause of congenital hypothyroidism. *The Journal of Clinical Endocrinology and Metabolism*, 93(2):605–610.
- [538] Zeggini, E., Panoutsopoulou, K., Southam, L., Rayner, N. W., Day-Williams, A. G., Lopes, M. C., Boraska, V., Esko, T., Evangelou, E., Hofman, A., Houwing-Duistermaat, J. J., Ingvarsson, T., Jonsdottir, I., Jonsson, H., Kerckhof, H. J. M., Kloppenburg, M., Bos, S. D., Mangino, M., Metrustry, S., Slagboom, P. E., Thorleifsson, G., Raine, E. V. A., Ratnayake, M., Ricketts, M., Beazley, C., Blackburn, H., Bumpstead, S., Elliott, K. S., Hunt, S. E., Potter, S. C., Shin, S. Y., Yadav, V. K., Zhai, G., Sherburn, K., Dixon, K., Arden, E., Aslam, N., Battley, P. K., Carluke, I., Doherty, S., Gordon, A., Joseph, J., Keen, R., Koller, N. C., Mitchell, S., O'Neill, F., Paling, E., Reed, M. R., Rivadeneira, F., Swift, D., Walker, K., Watkins, B., Wheeler, M., Birrell, F., Ioannidis, J. P. A., Meulenbelt, I., Metspalu, A., Rai, A., Salter, D., Stefansson, K., Styrkarsdottir, U., Uitterlinden, A. G., Van Meurs, J. B. J., Chapman, K., Deloukas, P., Ollier, W. E. R., Wallis, G. A., Arden, N., Carr, A., Doherty, M., McCaskie, A., Wilkinson, J. M., Ralston, S. H., Valdes, A. M., Spector, T. D., and Loughlin, J. (2012). Identification of new susceptibility loci for osteoarthritis (arcOGEN): A genome-wide association study. *The Lancet*, 380(9844):815–823.
- [539] Zeggini, E., Scott, L. J., Saxena, R., Voight, B. F., Marchini, J. L., Hu, T., de Bakker, P. I. W., Abecasis, G. R., Almgren, P., Andersen, G., Ardlie, K., Boström, K. B., Bergman, R. N., Bonnycastle, L. L., Borch-Johnsen, K., Burtt, N. P., Chen, H., Chines, P. S., Daly, M. J., Deodhar, P., Ding, C.-J., Doney, A. S. F., Duren, W. L., Elliott, K. S., Erdos, M. R., Frayling, T. M., Freathy, R. M., Gianniny, L., Grallert, H., Grarup, N., Groves, C. J., Guiducci, C., Hansen, T., Herder, C., Hitman, G. A., Hughes, T. E., Isomaa, B., Jackson, A. U., Jørgensen, T., Kong, A., Kubalanza, K., Kuruvilla, F. G., Kuusisto, J., Langenberg, C., Lango, H., Lauritzen, T., Li, Y., Lindgren, C. M., Lyssenko, V., Maruelle, A. F., Meisinger, C., Midtjell, K., Mohlke, K. L., Morken, M. A., Morris, A. D., Narisu, N., Nilsson, P., Owen, K. R., Palmer, C. N. A., Payne, F., Perry, J. R. B., Pettersen, E., Platou, C., Prokopenko, I., Qi, L., Qin, L., Rayner, N. W., Rees, M., Roix, J. J., Sandbaek, A., Shields, B., Sjögren, M., Steinthorsdottir, V., Stringham, H. M., Swift, A. J., Thorleifsson, G., Thorsteinsdottir, U., Timpson, N. J., Tuomi, T., Tuomilehto, J., Walker, M., Watanabe, R. M., Weedon, M. N., Willer, C. J., Illig, T., Hveem, K., Hu, F. B., Laakso, M., Stefansson, K., Pedersen, O., Wareham, N. J., Barroso, I., Hattersley, A. T., Collins, F. S., Groop, L., McCarthy, M. I., Boehnke, M., and Altshuler, D. (2008). Meta-analysis of genome-wide association data and large-scale replication identifies additional susceptibility loci for type 2 diabetes. *Nature Genetics*, 40(5):638–45.
- [540] Zeggini, E., Weedon, M. N., Lindgren, C. M., Frayling, T. M., Elliott, K. S., Lango, H., Timpson, N. J., Perry, J. R. B., Rayner, N. W., Freathy, R. M., Barrett, J. C., Shields, B., Morris, A. P., Ellard, S., Groves, C. J., Harries, L. W., Marchini, J. L., Owen, K. R., Knight, B., Cardon, L. R., Walker, M., Hitman, G. A., Morris, A. D., Doney, A. S. F., McCarthy, M. I., and Hattersley, A. T. (2007). Replication of

- genome-wide association signals in UK samples reveals risk loci for type 2 diabetes. *Science (New York, N.Y.)*, 316(5829):1336–41.
- [541] Zhang, F., Gu, W., Hurles, M. E., and Lupski, J. R. (2009). Copy number variation in human health, disease, and evolution. *Annual review of genomics and human genetics*, 10:451–81.
- [542] Zheng, H. F., Rong, J. J., Liu, M., Han, F., Zhang, X. W., Richards, J. B., and Wang, L. (2015). Performance of genotype imputation for low frequency and rare variants from the 1000 genomes. *PLoS ONE*, 10(1):1–10.
- [543] Zhu, W., Shiojima, I., Hiroi, Y., Zou, Y., Akazawa, H., Mizukami, M., Toko, H., Yazaki, Y., Nagai, R., and Komuro, I. (2000). Functional analyses of three Csx/Nkx-2.5 mutations that cause human congenital heart disease. *Journal of Biological Chemistry*, 275(45):35291–35296.
- [544] Zhu, X., Petrovski, S., Xie, P., Ruzzo, E. K., Lu, Y.-F., McSweeney, K. M., Ben-Zeev, B., Nissenkorn, A., Anikster, Y., Oz-Levi, D., Dhindsa, R. S., Hitomi, Y., Schoch, K., Spillmann, R. C., Heimer, G., Marek-Yagel, D., Tzadok, M., Han, Y., Worley, G., Goldstein, J., Jiang, Y.-H., Lancet, D., Pras, E., Shashi, V., McHale, D., Need, A. C., and Goldstein, D. B. (2015). Whole-exome sequencing in undiagnosed genetic diseases: interpreting 119 trios. *Genetics in medicine: official journal of the American College of Medical Genetics*, 17(10):774–81.
- [545] Zuk, O., Hechter, E., Sunyaev, S. R., and Lander, E. S. (2012). The mystery of missing heritability: Genetic interactions create phantom heritability. *Proceedings of the National Academy of Sciences of the United States of America*, 109(4):1193–8.
- [546] Zuk, O., Schaffner, S. F., Samocha, K., Do, R., Hechter, E., Kathiresan, S., Daly, M. J., Neale, B. M., Sunyaev, S. R., and Lander, E. S. (2014). Searching for missing heritability: designing rare variant association studies. *Proceedings of the National Academy of Sciences of the United States of America*, 111(4):E455–64.
- [547] Zweier, C., Sticht, H., Aydin-Yaylagül, I., Campbell, C. E., and Rauch, A. (2007). Human TBX1 missense mutations cause gain of function resulting in the same phenotype as 22q11.2 deletions. *American Journal of Human Genetics*, 80(3):510–7.