

References

- Adams, M. D., Celniker, S. E., Holt, R. A., Evans, C. A., Gocayne, J. D., Amanatides, P. G., et al. (2000). The Genome Sequence of *Drosophila melanogaster*. *Science*, 287, 2185–2196.
- Adams, M. D., Dubnick, M., Kerlavage, A. R., Moreno, R., Kelley, J. M., Utterback, T. R., et al. (1992). Sequence identification of 2375 human brain genes. *Nature*, 355, 632–634.
- Adams, M. D., Kelley, J. M., Gocayne, J. D., Dubnick, M., Polymeropoulos, M. H., Xiao, H., et al. (1991). Complementary Sequencing : Expressed Sequence Tags and Human Genome Project, 49(1990), 1651–1656.
- Adams, M. D., Kerlavage, A. R., Fields, C., & Venter, J. C. (1993). 3400 new expressed sequence tags identify diversity of transcripts in human brain. *Nature Genetics*, 4, 256–267.
- Ahmad, G., Zhang, W., Torben, W., Ahrorov, A., Damian, R. T., Wolf, R. F., et al. (2011). Preclinical prophylactic efficacy testing of Sm-p80-based vaccine in a nonhuman primate model of *schistosoma mansoni* infection and immunoglobulin G and e responses to Sm-p80 in human serum samples from an area where schistosomiasis is endemic. *Journal of Infectious Diseases*, 204(9), 1437–1449. <http://doi.org/10.1093/infdis/jir545>
- Ahmad, G., Zhang, W., Torben, W., Noor, Z., & Siddiqui, A. (2010). Protective effects of Sm-p80 in the presence of resiquimod as an adjuvant against challenge infection with *Schistosoma mansoni* in mice. *International Journal of Infectious Diseases*, 14(9), e781–e787. <http://doi.org/10.1016/j.ijid.2010.02.2266>
- Aird, D., Ross, M. G., Chen, W.-S., Danielsson, M., Fennell, T., Russ, C., et al. (2011). Analyzing and minimizing PCR amplification bias in Illumina sequencing libraries. *Genome Biology*, 12(2), R18. <http://doi.org/10.1186/gb-2011-12-2-r18>
- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K., & Walter, P. (2007). *Molecular Biology of the Cell*. Garland Science.
- Alexa, A., Rahnenführer, J., & Lengauer, T. (2006). Improved scoring of functional groups from gene expression data by decorrelating GO graph structure. *Bioinformatics*, 22(13), 1600–1607. <http://doi.org/10.1093/bioinformatics/btl140>
- Anders, S., Pyl, P. T., & Huber, W. (2015). Genome analysis HTSeq — a Python framework to work with high-throughput sequencing data. *Bioinformatics*, 31(2), 166–169. <http://doi.org/10.1093/bioinformatics/btu638>
- Andrade, L. F. De, Mourão, M. D. M., Geraldo, J. A., Coelho, F. S., Silva, L. L., Neves, R. H., et al. (2014). Regulation of *Schistosoma mansoni* Development and Reproduction by the Mitogen-Activated Protein Kinase Signaling Pathway. *PLoS Neglected Tropical Diseases*, 8(6), e2949. <http://doi.org/10.1371/journal.pntd.0002949>
- Andrade, L. F., Nahum, L. a., Avelar, L. G. a., Silva, L. L., Zerlotini, A., Ruiz, J. C., & Oliveira, G. (2011). Eukaryotic protein kinases (ePKs) of the helminth parasite *Schistosoma mansoni*. *BMC Genomics*, 12(1), 215. <http://doi.org/10.1186/1471-2164-12-215>
- Armstrong, J. C. (1965). Mating Behavior and Development of Schistosomes in the Mouse. *The Journal of Parasitology*, 51(4), 605–616.

- Avelar, L. G. a, Nahum, L. a, Andrade, L. F., & Oliveira, G. (2011). Functional Diversity of the *Schistosoma mansoni* Tyrosine Kinases. *Journal of Signal Transduction*, 2011, 603290. <http://doi.org/10.1155/2011/603290>
- Baou, M., Jewell, A., & Murphy, J. J. (2009). TIS11 family proteins and their roles in posttranscriptional gene regulation. *Journal of Biomedicine and Biotechnology*, 2009. <http://doi.org/10.1155/2009/634520>
- Barr, F. a, Silljé, H. H. W., & Nigg, E. a. (2004). Polo-like kinases and the orchestration of cell division. *Nature Reviews. Molecular Cell Biology*, 5(6), 429–440. <http://doi.org/10.1038/nrm1401>
- Barron, L., & Wynn, T. A. (2011). Macrophage activation governs schistosomiasis-induced inflammation and fibrosis. *European Journal of Immunology*, 41(9), 2509–2514. <http://doi.org/10.1002/eji.201141869>
- Basch, P. (1991). *Schistosomes*. New York, Oxford: Oxford University Press.
- Basch, P. (1988). Schistosoma mansoni: nucleic acid synthesis in immature females from single-sex infections, paired in vitro with intact males and male segments. *Comparative Biochemistry and Physiology. B, Comparative Biochemistry*, 90(2), 389–392.
- Basch, P., & Humbert, R. (1981). Cultivation of Schistosoma mansoni In vitro. III. Implantation of Cultured Worms into Mouse Mesenteric Veins. *The Journal of Parasitology*, 67(2), 191. <http://doi.org/10.2307/3280634>
- Bashaw, G. J., & Klein, R. (2010). Signaling from axon guidance receptors. *Cold Spring Harbor Perspectives in Biology*, 2(5), a001941. <http://doi.org/10.1101/cshperspect.a001941>
- Basu, S., Campbell, H. M., Dittel, B. N., & Ray, A. (2010). Purification of Specific Cell Population by Fluorescence Activated Cell Sorting (FACS). *Journal of Visualized Experiments*, (41), 3–6. <http://doi.org/10.3791/1546>
- Beckmann, S., Buro, C., Dissous, C., Hirzmann, J., & Grevelding, C. G. (2010). The Syk Kinase SmTK4 of Schistosoma mansoni Is Involved in the Regulation of Spermatogenesis and Oogenesis. *PLoS Pathogens*, 6(2), e1000769. <http://doi.org/10.1371/journal.ppat.1000769>
- Beckmann, S., Hahnel, S., Cailliau, K., Vanderstraete, M., Browaeys, E., Dissous, C., & Grevelding, C. G. (2011). Characterization of the Src/Abl hybrid kinase SmTK6 of Schistosoma mansoni. *Journal of Biological Chemistry*, 286(49), 42325–42336. <http://doi.org/10.1074/jbc.M110.210336>
- Beckmann, S., Quack, T., Burmeister, C., Buro, C., Long, T., Dissous, C., & Grevelding, C. G. (2010). Schistosoma mansoni: signal transduction processes during the development of the reproductive organs. *Parasitology*, 137(3), 497–520. <http://doi.org/10.1017/S0031182010000053>
- Beckmann, S., Quack, T., Dissous, C., Cailliau, K., Lang, G., & Grevelding, C. G. (2012). Discovery of platyhelminth-specific α/β -integrin families and evidence for their role in reproduction in Schistosoma mansoni. *PloS One*, 7(12), e52519. <http://doi.org/10.1371/journal.pone.0052519>
- Bedia, C., Camacho, L., Abad, J. L., Fabriàs, G., & Levade, T. (2010). A simple fluorogenic method for determination of acid ceramidase activity and diagnosis of Farber disease. *Journal of Lipid Research*, 51(12), 3542–3547. <http://doi.org/10.1194/jlr.D010033>
- Belkina, N. V., Liu, Y., Hao, J.-J., Karasuyama, H., & Shaw, S. (2009). LOK is a major ERM kinase in resting lymphocytes and regulates cytoskeletal rearrangement through ERM phosphorylation.

Proceedings of the National Academy of Sciences of the United States of America, 106(12), 4707–4712. <http://doi.org/10.1073/pnas.0805963106>

Benjamini, Y., & Hochberg, Y. (1995). Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. *Journal of the Royal Statistics Society*, 57(1), 289–300.

Berditchevski, F., & Odintsova, E. (2007). Tetraspanins as regulators of protein trafficking. *Traffic*, 8(2), 89–96. <http://doi.org/10.1111/j.1600-0854.2006.00515.x>

Berriman, M., Haas, B. J., LoVerde, P. T., Wilson, R. A., Dillon, G. P., Cerqueira, G. C., et al. (2009). The genome of the blood fluke *Schistosoma mansoni*. *Nature*, 460, 352–8. <http://doi.org/10.1038/nature08160>

Berry, A., Mone, H., Iriart, X., Mouahid, G., Aboo, O., Boissier, J., et al. (2014). Schistosomiasis Haematobium , Corsica , France. *Emerging Infectious Diseases*, 20(9), 1–3.

Bhardwaj, R., Krautz-Peterson, G., & Skelly, P. J. (2011). Therapeutic Oligonucleotides - Methods and Protocols, 223–239. <http://doi.org/10.1007/978-1-61779-188-8>

Bhat, K. M. (1999). The posterior determinant gene nanos is required for the maintenance of the adult germline stem cells during drosophila oogenesis. *Genetics*, 151(4), 1479–1492.

Bickle, Q. D. (2009). Radiation-attenuated schistosome vaccination--a brief historical perspective. *Parasitology*, 136(12), 1621–1632. <http://doi.org/10.1017/S0031182009005848>

Bickle, Q. D., Taylor, M. G., Doenhoff, M. J., & Nelson, G. S. (1979). Immunization of mice with gamma-irradiated intramuscularly injected schistosomula of *Schistosoma mansoni*. *Parasitology*, 79(2), 209–222. <http://doi.org/10.1017/S0031182000053294>

Bieberich, E. (2014). Synthesis, Processing, and Function of N-glycans in N-glycoproteins. In R. K. Yu & C.-L. Schengrund (Eds.), (Vol. 9, pp. 47–70). New York, NY: Springer New York. http://doi.org/10.1007/978-1-4939-1154-7_3

Biolchini, C. D. L., Neves, R. H., Hulstijn, M., Gomes, D. C., & Machado-Silva, J. R. (2006). Development of *Schistosoma mansoni* worms in mice analyzed by bright field and confocal microscopy. *Memorias Do Instituto Oswaldo Cruz*, 101(SUPPL. 1), 261–265. <http://doi.org/10.1590/S0074-02762006000900040>

Applied Biosystems (2010). Applied Biosystems StepOneTM and StepOnePlusTM. ThermoFisher. Retrieved from https://tools.thermofisher.com/content/sfs/manuals/cms_046736.pdf

KAPA Biosystems (2016). KAPA SYBR® FAST qPCR Kits. Retrieved from <http://www.kapabiosystems.co.uk/product-applications/products/qpcr-2/sybr-fast-one-step/>

Bolliger, M. F., Zurlinden, a., Luscher, D., Butikofer, L., Shakhova, O., Francolini, M., et al. (2010). Specific proteolytic cleavage of agrin regulates maturation of the neuromuscular junction. *Journal of Cell Science*, 123(22), 3944–3955. <http://doi.org/10.1242/jcs.072090>

Boppana, N. B., Kodiha, M., Stochaj, U., Lin, H., Haimovitz-Friedman, A., Bielawska, A., et al. (2014). Ceramide synthase inhibitor fumonisin B1 inhibits apoptotic cell death in SCC17B human head and neck squamous carcinoma cells after Pc4 photosensitization. *Photochemistry & Photobiological Sciences*, 13(11), 1621–1627. <http://doi.org/10.1039/C4PP00292J>

Bornstein, C., Brosh, R., Molchadsky, a., Madar, S., Kogan-Sakin, I., Goldstein, I., et al. (2011). SPATA18, a Spermatogenesis-Associated Gene, Is a Novel Transcriptional Target of p53 and p63. *Molecular and Cellular Biology*, 31(8), 1679–1689. <http://doi.org/10.1128/MCB.01072-10>

- Bose, R., Verheij, M., Haimovitz-Friedman, a., Scotto, K., Fuks, Z., & Kolesnick, R. (1995). Ceramide synthase mediates daunorubicin-induced apoptosis: an alternative mechanism for generating death signals. *Cell*, 82(3), 405–414. [http://doi.org/10.1016/0092-8674\(95\)90429-8](http://doi.org/10.1016/0092-8674(95)90429-8)
- Bottieau, E., Clerinx, J., Rosario, M., Vega, D., Enden, E. Van Den, Colebunders, R., & Esbroeck, M. Van. (2006). Imported Katayama fever : Clinical and biological features at presentation and during treatment. *Journal of Infection*, 52, 339–345. <http://doi.org/10.1016/j.jinf.2005.07.022>
- Boureux, A., Vignal, E., Faure, S., & Fort, P. (2007). Evolution of the Rho family of Ras-like GTPases in eukaryotes. *Molecular Biology and Evolution*, 24(1), 203–216. <http://doi.org/10.1093/molbev/msl1145>
- Bourke, C. D., Nausch, N., Rujeni, N., Appleby, L. J., Trottein, F., Midzi, N., et al. (2014). Cytokine Responses to the Anti-schistosome Vaccine Candidate Antigen Glutathione-S-transferase Vary with Host Age and Are Boosted by Praziquantel Treatment. *PLoS Neglected Tropical Diseases*, 8(5). <http://doi.org/10.1371/journal.pntd.0002846>
- Bruno, R. M., Sudano, I., Ghiadoni, L., Masi, L., & Taddei, S. (2011). Interactions between sympathetic nervous system and endogenous endothelin in patients with essential hypertension. *Hypertension*, 57(1), 79–84. <http://doi.org/10.1161/HYPERTENSIONAHA.110.163584>
- C. elegans-Sequencing Consortium (1998). Genome Sequence of the Nematode *C. elegans* : A Platform for Investigating Biology. *Science*, 282, 2012–2018.
- Cai, P., Liu, S., Piao, X., Hou, N., Gobert, G. N., McManus, D. P., & Chen, Q. (2016). Comprehensive Transcriptome Analysis of Sex-Biased Expressed Genes Reveals Discrete Biological and Physiological Features of Male and Female Schistosoma japonicum. *PLoS Neglected Tropical Diseases*, 10(4), 1–24. <http://doi.org/10.1371/journal.pntd.0004684>
- Cardoso, R. M. F., Daniels, D. S., Bruns, C. M., & Tainer, J. a. (2003). Characterization of the electrophile binding site and substrate binding mode of the 26-kDa glutathione S-transferase from Schistosoma japonicum. *Proteins*, 51(1), 137–46. <http://doi.org/10.1002/prot.10345>
- Cass, C. L., Johnson, J. R., Califf, L. L., Xu, T., Hernandez, H. J., Stadecker, M. J., et al. (2007). Proteomic analysis of Schistosoma mansoni egg secretions. *Molecular and Biochemical Parasitology*, 155(2), 84–93. <http://doi.org/10.1016/j.molbiopara.2007.06.002>
- Castro-Borges, W., Simpson, D. M., Dowle, A., Curwen, R. S., Thomas-Oates, J., Beynon, R. J., & Wilson, R. A. (2011). Abundance of tegument surface proteins in the human blood fluke Schistosoma mansoni determined by QconCAT proteomics. *Journal of Proteomics*, 74(9), 1519–33. <http://doi.org/10.1016/j.jprot.2011.06.011>
- Cavigelli, M., Dolfini, F., Claret, F. X., & Karin, M. (1995). Induction of c-fos expression through JNK-mediated TCF/Elk-1 phosphorylation. *The EMBO Journal*, 14(23), 5957–5964. <http://doi.org/8846788>
- Center for Disease Control and Prevention. (2012). Schistosomiasis - Biology. Retrieved from: <https://www.cdc.gov/parasites/schistosomiasis/biology.html>
- Charrin, S., Jouannet, S., Boucheix, C., & Rubinstein, E. (2014). Tetraspanins at a glance. *Journal of Cell Science*, 127(17), 3641–8. <http://doi.org/10.1242/jcs.154906>
- Chase, D., Serafinas, C., Ashcroft, N., Kosinski, M., Longo, D., Ferris, D. K., & Golden, A. (2000). The Polo-like kinase PLK-1 is required for nuclear envelope breakdown and the completion of meiosis in *Caenorhabditis elegans*. *Genesis*, 26(1), 26–41. [http://doi.org/10.1002/\(SICI\)1526-968X\(200001\)26:1<26::AID-GENE6>3.0.CO;2-0](http://doi.org/10.1002/(SICI)1526-968X(200001)26:1<26::AID-GENE6>3.0.CO;2-0)

- Chen, L. L., Rekosh, D. M., & LoVerde, P. T. (1992). Schistosoma mansoni p48 eggshell protein gene: characterization, developmentally regulated expression and comparison to the p14 eggshell protein gene. *Molecular and Biochemical Parasitology*, 52(1), 39–52. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/1625706>
- Christensen, B. M., Li, J., Chen, C., & Nappi, A. J. (2005). Melanization immune responses in mosquito vectors. *Trends in Parasitology*, 21(4), 192–199. <http://doi.org/10.1016/j.pt.2005.02.007>
- Chu, G. W. T. C., & Cutress, C. E. (1954). *Austrobilharzia variglandis* (Miller and Northup, 1926) Penner, 1953, (Trematoda: Schistosomatidae) in Hawaii with Notes on Its Biology. *Journal of Parasitology*, 40(5), 515–524.
- Cogswell, A. a., Kommer, V. P., & Williams, D. L. (2012). Transcriptional analysis of a unique set of genes involved in Schistosoma mansoni female reproductive biology. *PLoS Neglected Tropical Diseases*, 6(11), e1907. <http://doi.org/10.1371/journal.pntd.0001907>
- Colley, D. G., & Secor, W. E. (2014). Immunology of human schistosomiasis. *Parasite Immunology*, 36(8), 347–357. <http://doi.org/10.1111/pim.12087>
- Collins, J. J., Hou, X., Romanova, E. V., Lambrus, B. G., Miller, C. M., Saberi, A., et al. (2010). Genome-Wide Analyses Reveal a Role for Peptide Hormones in Planarian Germline Development. *PLoS Biology*, 8(10), e1000509. <http://doi.org/10.1371/journal.pbio.1000509>
- Collins, J. J., & Newmark, P. a. (2013). It's no fluke: the planarian as a model for understanding schistosomes. *PLoS Pathogens*, 9(7), e1003396. <http://doi.org/10.1371/journal.ppat.1003396>
- Collins, J. J., Wang, B., Lambrus, B. G., Tharp, M. E., Iyer, H., & Newmark, P. a. (2013). Adult somatic stem cells in the human parasite Schistosoma mansoni. *Nature*, 494(7438), 476–9. <http://doi.org/10.1038/nature11924>
- Collu, G. M., Hidalgo-Sastre, A., & Brennan, K. (2014). Wnt–Notch signalling crosstalk in development and disease. *Cellular and Molecular Life Sciences*, 71(18), 3553–3567. <http://doi.org/10.1007/s0018-014-1644-x>
- Gene Ontology Consortium. (2004). The Gene Ontology (GO) database and informatics resource. *Nucleic Acid Research*, 32, 258–261. <http://doi.org/10.1093/nar/gkh036>
- Conus, S., Perozzo, R., Reinheckel, T., Peters, C., Scapozza, L., Yousefi, S., & Simon, H.-U. (2008). Caspase-8 is activated by cathepsin D initiating neutrophil apoptosis during the resolution of inflammation. *The Journal of Experimental Medicine*, 205(3), 685–698. <http://doi.org/10.1084/jem.20072152>
- Cornford, E. M., & Huot, M. E. (1981). Glucose Transfer from Male to Female Schistosomes Glucose Transfer from Male to Female Schistosomes. *Science*, 213(4513), 1269–1271.
- Cort, W. (1921). the development of the japanese blook-fluke, Schistosoma japonicum katsurada, in its final host. *American Journal of Hygiene*, 1, 1–38.
- Cosseau, C., Azzi, A., Smith, K., Freitag, M., Mitta, G., & Grunau, C. (2009). Native chromatin immunoprecipitation (N-ChIP) and ChIP-Seq of Schistosoma mansoni: Critical experimental parameters. *Molecular and Biochemical Parasitology*, 166(1), 70–6. <http://doi.org/10.1016/j.molbiopara.2009.02.015>
- Crellin, T., Walker, M., Lamberton, P. H. L., Kabatereine, N. B., Tukahebwa, E. M., Cotton, J. a., & Webster, J. P. (2016). Reduced Efficacy of Praziquantel Against Schistosoma mansoni Is

Associated with Multiple Rounds of Mass Drug Administration. *Clinical Infectious Diseases*, 63(9), 1151–1159. <http://doi.org/10.1093/cid/ciw506>

Dabo, A., Badawi, H. M., Bary, B., & Doumbo, O. K. (2011). Urinary schistosomiasis among preschool-aged children in Sahelian rural communities in Mali. *Parasites & Vectors*, 4(1), 21. <http://doi.org/10.1186/1756-3305-4-21>

Davies, S. J., Grogan, J. L., Blank, R. B., Lim, K. C., Locksley, R. M., & McKerrow, J. H. (2001). Modulation of blood fluke development in the liver by hepatic CD4+ lymphocytes. *Science (New York, N.Y.)*, 294(5545), 1358–1361. <http://doi.org/10.1126/science.1064462>

Davis, A. H., Ronald, B., & Klich, P. (1985). Stage and sex specific differences in actin gene expression in schistosoma mansoni. *Molecular and Biochemical Parasitology*, 17, 289–298.

Dean, C., Scholl, F. G., Choih, J., DeMaria, S., Berger, J., Isacoff, E., & Scheiffele, P. (2003). Neurexin mediates the assembly of presynaptic terminals. *Nature Neuroscience*, 6(7), 708–716. <http://doi.org/10.1038/nn1074>

Deng, C. X. (2006). BRCA1: Cell cycle checkpoint, genetic instability, DNA damage response and cancer evolution. *Nucleic Acids Research*, 34(5), 1416–1426. <http://doi.org/10.1093/nar/gkl010>

Dewalick, S., Bexkens, M. L., van Balkom, B. W. M., Wu, Y.-P., Smit, C. H., Hokke, C. H., et al. (2011). The proteome of the insoluble Schistosoma mansoni eggshell skeleton. *International Journal for Parasitology*, 41(5), 523–32. <http://doi.org/10.1016/j.ijpara.2010.12.005>

Ding, L., Paszkowski-Rogacz, M., Nitzsche, A., Slabicki, M. M., Heninger, A. K., Vries, I. De, et al. (2009). A Genome-Scale RNAi Screen for Oct4 Modulators Defines a Role of the Paf1 Complex for Embryonic Stem Cell Identity. *Cell Stem Cell*, 4(5), 403–415. <http://doi.org/10.1016/j.stem.2009.03.009>

Downward, J. (1997). Cell cycle: routine role for Ras. *Current Biology*, 7(4), R258–R260. [http://doi.org/10.1016/S0960-9822\(06\)00116-3](http://doi.org/10.1016/S0960-9822(06)00116-3)

Eddy, E. (1999). Role of heat shock protein HSP70-2 in spermatogenesis. *Reviews of Reproduction*, 4(1), 23–30. <http://doi.org/10.1530/ror.0.0040023>

Eijkelenboom, A., & Burgering, B. M. T. (2013). FOXOs: signalling integrators for homeostasis maintenance. *Nature Reviews. Molecular Cell Biology*, 14(2), 83–97. <http://doi.org/10.1038/nrm3507>

Eklu-Natey, D. T., Wuest, J., Swiderski, Z., Striebel, H. P., & Huggel, H. (1985). Comparative scanning electron microscope (SEM) study of miracidia of four human schistosomes species. *International Journal for Parasitology*, 15(1), 33–42.

El Ridi, R., & Tallima, H. (2015). Why the radiation-attenuated cercarial immunization studies failed to guide the road for an effective schistosomiasis vaccine: A review. *Journal of Advanced Research*, 6(3), 255–267. <http://doi.org/10.1016/j.jare.2014.10.002>

Erasmus, D. a. (1975). *Schistosoma mansoni*: Development of the vitelline cell, its role in drug sequestration, and changes induced by Astiban. *Experimental Parasitology*, 38(2), 240–256. [http://doi.org/10.1016/0014-4894\(75\)90027-2](http://doi.org/10.1016/0014-4894(75)90027-2)

Eswarakumar, V. P., Lax, I., & Schlessinger, J. (2005). Cellular signaling by fibroblast growth factor receptors. *Cytokine & Growth Factor Reviews*, 16(2), 139–149. <http://doi.org/http://dx.doi.org/10.1016/j.cytofr.2005.01.001>

- Everts, B., Perona-Wright, G., Smits, H. H., Hokke, C. H., Ham, A. J. Van Der, Fitzsimmons, C. M., et al. (2009). Omega-1 , a glycoprotein secreted by *Schistosoma mansoni* eggs , drives Th2 responses. *Journal of Experimental Medicine*, 206(8), 1673–1680. <http://doi.org/10.1084/jem.20082460>
- Faix, J., & Grosse, R. (2006). Staying in Shape with Formins. *Developmental Cell*, 10(6), 693–706. <http://doi.org/10.1016/j.devcel.2006.05.001>
- Filmus, J., Capurro, M., & Rast, J. (2008). Glycans. *Genome Biology*, 9(5), 224. <http://doi.org/10.1186/gb-2008-9-5-224>
- Fingerut, J. T., Zimmer, C. A. N. N., & Zimmer, R. K. (2003). Patterns and Processes of Larval Emergence in an Estuarine Parasite System. *Biological Bulletin*, 205, 110–120.
- Fitzpatrick, J. M., Hirai, Y., Hirai, H., & Hoffmann, K. F. (2007). Schistosome egg production is dependent upon the activities of two developmentally regulated tyrosinases. *FASEB Journal : Official Publication of the Federation of American Societies for Experimental Biology*, 21(3), 823–35. <http://doi.org/10.1096/fj.06-7314com>
- Fitzpatrick, J. M., & Hoffmann, K. F. (2006). Dioecious *Schistosoma mansoni* express divergent gene repertoires regulated by pairing. *International Journal for Parasitology*, 36(10-11), 1081–9. <http://doi.org/10.1016/j.ijpara.2006.06.007>
- Fitzpatrick, J. M., Johansen, M. V., Johnston, D. a., Dunne, D. W., & Hoffmann, K. F. (2004). Gender-associated gene expression in two related strains of *Schistosoma japonicum*. *Molecular and Biochemical Parasitology*, 136(2), 191–209. <http://doi.org/10.1016/j.molbiopara.2004.03.014>
- Fitzpatrick, J. M., Johnston, D. a., Williams, G. W., Williams, D. J., Freeman, T. C., Dunne, D. W., & Hoffmann, K. F. (2005). An oligonucleotide microarray for transcriptome analysis of *Schistosoma mansoni* and its application/use to investigate gender-associated gene expression. *Molecular and Biochemical Parasitology*, 141(1), 1–13. <http://doi.org/10.1016/j.molbiopara.2005.01.007>
- Fitzpatrick, J. M., Peak, E., Perally, S., Chalmers, I. W., Barrett, J., Yoshino, T. P., et al. (2009). Anti-schistosomal intervention targets identified by lifecycle transcriptomic analyses. *PLoS Neglected Tropical Diseases*, 3(11). <http://doi.org/10.1371/journal.pntd.0000543>
- Franco, G. R., Adams, M. D., Soares, M. B., Simpson, A. J. G., Venter, J. C., & Pena, S. D. J. (1995). Identification of new *Schistosoma mansoni* genes by the EST strategy using a directional cDNA library. *International Journal for Parasitology*, 152, 141–147.
- Freshney, R. (1987). *Culture of Animal Cells: A Manual of Basic Technique*. (A. R. Liss, Ed.). New York.
- Friedenson, B. (2007). The BRCA1/2 pathway prevents hematologic cancers in addition to breast and ovarian cancers. *BMC Cancer*, 7, 152. <http://doi.org/10.1186/1471-2407-7-152>
- Futerman, A. H., & Hannun, Y. a. (2004). The complex life of simple sphingolipids. *EMBO Reports*, 5(8), 777–782. <http://doi.org/10.1038/sj.embo.7400208>
- Galanti, S. E., Huang, S. C.-C., & Pearce, E. J. (2012). Cell death and reproductive regression in female *Schistosoma mansoni*. *PLoS Neglected Tropical Diseases*, 6(2), e1509. <http://doi.org/10.1371/journal.pntd.0001509>
- Gartel, A. L., & Tyner, A. L. (2002). The role of the cyclin-dependent kinase inhibitor p21 in apoptosis. *Molecular Cancer Therapeutics*, 1(8), 639–649.

- Gobert, G. N., McManus, D. P., Nawaratna, S., Moertel, L., Mulvenna, J., & Jones, M. K. (2009). Tissue specific profiling of females of *Schistosoma japonicum* by integrated laser microdissection microscopy and microarray analysis. *PLoS Neglected Tropical Diseases*, 3(6), e469. <http://doi.org/10.1371/journal.pntd.0000469>
- Goddard, M. J., & Jordan, P. (1980). On the longevity of *Schistosoma* in man on St Lucia, West Indies. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 79, 185–191.
- Gray, G. E., Mann, R. S., Mitsiadis, E., Henrique, D., Carcangiu, M. L., Banks, a, et al. (1999). Human ligands of the Notch receptor. *The American Journal of Pathology*, 154(3), 785–94. [http://doi.org/10.1016/S0002-9440\(10\)65325-4](http://doi.org/10.1016/S0002-9440(10)65325-4)
- Greenbaum, M. P., Iwamori, N., Agno, J. E., & Matzuk, M. M. (2009). Mouse TEX14 is required for embryonic germ cell intercellular bridges but not female fertility. *Biology of Reproduction*, 80(3), 449–457. <http://doi.org/10.1095/biolreprod.108.070649>
- Grevelding, C. G., Sommer, G., & Kunz, W. (1997). Female-specific gene expression in *Schistosoma mansoni* is regulated by pairing. *Parasitology*, 115, 635–640.
- Grove, J. (2014). Super-resolution microscopy: A virus' eye view of the cell. *Viruses*, 6(3), 1365–1378. <http://doi.org/10.3390/v6031365>
- Gryseels, B. (2012). Schistosomiasis. *Infectious Disease Clinics of North America*, 26(2), 383–397. <http://doi.org/10.1016/j.idc.2012.03.004>
- Gryseels, B., Polman, K., Clerinx, J., & Kestens, L. (2006). Human schistosomiasis. *Lancet*, 368(9541), 1106–18. [http://doi.org/10.1016/S0140-6736\(06\)69440-3](http://doi.org/10.1016/S0140-6736(06)69440-3)
- Guan, J. L. (1997). Role of focal adhesion kinase in integrin signaling. *The International Journal of Biochemistry & Cell Biology*, 29(8-9), 1085–1096. [http://doi.org/10.1016/S1357-2725\(97\)00051-4](http://doi.org/10.1016/S1357-2725(97)00051-4)
- Gurley, K. a., Elliott, S. a., Simakov, O., Schmidt, H. a., Holstein, T. W., & Alvarado, A. S. (2010). Expression of secreted Wnt pathway components reveals unexpected complexity of the planarian amputation response. *Developmental Biology*, 347(1), 24–39. <http://doi.org/10.1016/j.ydbio.2010.08.007>
- Guzzo, G., Sciacovelli, M., Bernardi, P., & Rasola, A. (2014). Inhibition of succinate dehydrogenase by the mitochondrial chaperone TRAP1 has anti-oxidant and anti-apoptotic effects on tumor cells. *Oncotarget*, 5(23), 11897–908. <http://doi.org/10.18632/oncotarget.2472>
- Hagan, P., & Sharaf, O. (2003). Schistosomiasis vaccines. *Expert Opinion on Biological Therapy*, 3(8), 1271–1278. <http://doi.org/10.4161/hv.7.11.17017>
- Hahnel, S., Lu, Z., Wilson, R. A., Grevelding, C. G., & Quack, T. (2013). Whole-organ isolation approach as a basis for tissue-specific analyses in *Schistosoma mansoni*. *PLoS Neglected Tropical Diseases*, 7(7), e2336. <http://doi.org/10.1371/journal.pntd.0002336>
- Hahnel, S., Quack, T., Parker-Manuel, S. J., Lu, Z., Vanderstraete, M., Morel, M., et al. (2014). Gonad RNA-specific qRT-PCR analyses identify genes with potential functions in schistosome reproduction such as SmFz1 and SmFGFRs. *Frontiers in Genetics*, 5, 170. <http://doi.org/10.3389/fgene.2014.00170>
- Handford, P. a. (2000). Fibrillin-1, a calcium binding protein of extracellular matrix. *Biochim Biophys Acta*, 1498(2-3), 84–90. [http://doi.org/S0167-4889\(00\)00085-9 \[pii\]](http://doi.org/S0167-4889(00)00085-9 [pii])

- Hargrave, M., Karunaratne, a, Cox, L., Wood, S., Koopman, P., & Yamada, T. (2000). The HMG box transcription factor gene Sox14 marks a novel subset of ventral interneurons and is regulated by sonic hedgehog. *Developmental Biology*, 219(1), 142–153.
<http://doi.org/10.1006/dbio.1999.9581>
- Harris, A. R. C., Russell, R. J., & Charters, A. D. (1984). A review of schistosomiasis in immigrants in Western Australia, demonstrating the unusual longevity of *Schistosoma mansoni*. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 78(3), 385–388.
[http://doi.org/10.1016/0035-9203\(84\)90129-9](http://doi.org/10.1016/0035-9203(84)90129-9)
- Heinrich, M., Wickel, M., Schneider-Brachert, W., Sandberg, C., Gahr, J., Schwandner, R., et al. (1999). Cathepsin D targeted by acid sphingomyelinase- derived ceramide. *The EMBO Journal*, 18(19), 5252–5263.
- Herbst, R. S. (2004). Review of epidermal growth factor receptor biology. *Radiation Oncology*, 59(2), S21–S26. <http://dx.doi.org/10.1016/j.ijrobp.2003.11.041>
- Hewitson, J. P., Hamblin, P. a., & Mountford, a. P. (2005). Immunity induced by the radiation-attenuated schistosome vaccine. *Parasite Immunology*, 27(7-8), 271–280.
<http://doi.org/10.1111/j.1365-3024.2005.00764.x>
- Hoffmann, K., Johnston, D. A., & Dunne, D. W. (2002). Identification of *Schistosoma mansoni* gender-associated gene transcripts by cDNA microarray profiling. *Genome Biology*, 1–12.
- Hoog, C. (1991). Isolation of a large number of novel mammalian genes by a differential cDNA library screening strategy, 19(22), 6123–6127.
- Hsu, D. R., & Meyer, B. J. (1994). The Dpy-30 Gene Encodes an Essential Component of the *Caenorhabditis-elegans* Dosage Compensation Machinery. *Genetics*, 137(4), 999–1018. Retrieved from <Go to ISI>://WOS:A1994NX91200011
- Hsü, S. Y. L., Hsü, H. F., & Chu, K. Y. (1962). Interbreeding of geographic strains of *Schistosoma japonicum*. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 56(5), 383–385.
- Huang, S. C.-C., Freitas, T. C., Amiel, E., Everts, B., Pearce, E. L., Lok, J. B., & Pearce, E. J. (2012). Fatty acid oxidation is essential for egg production by the parasitic flatworm *Schistosoma mansoni*. *PLoS Pathogens*, 8(10), e1002996. <http://doi.org/10.1371/journal.ppat.1002996>
- Hwangbo, C., Tae, N., Lee, S., Kim, O., Park, O. K., Kim, J., et al. (2016). Syntenin regulates TGF- β 1-induced Smad activation and the epithelial-to-mesenchymal transition by inhibiting caveolin-mediated TGF- β type I receptor internalization. *Oncogene*, 35(3), 389–401.
<http://doi.org/10.1038/onc.2015.100>
- Ingham, P. W., Nakano, Y., & Seger, C. (2011). Mechanisms and functions of Hedgehog signalling across the metazoa. *Nature Reviews. Genetics*, 12(6), 393–406. <http://doi.org/10.1038/nrg2984>
- Jenkins, S. J., Hewitson, J. P., Jenkins, G. R., & Mountford, A. P. (2007). Modulation of the host's immune response by schistosome larvae. *Parasite Immunology*, 27(10-11), 385–393.
<http://doi.org/10.1111/j.1365-3024.2005.00789.x>. Modulation
- Jensen, S. a, Calvert, A. E., Volpert, G., Kouri, F. M., Hurley, L. a, Luciano, J. P., et al. (2014). Bcl2L13 is a ceramide synthase inhibitor in glioblastoma. *Proceedings of the National Academy of Sciences of the United States of America*, 111(15), 5682–7.
<http://doi.org/10.1073/pnas.1316700111>

- Jiang, H., Shukla, A., Wang, X., Chen, W., Bernstein, B. E., & Roeder, R. G. (2011). Role for Dpy-30 in ES Cell-Fate Specification by Regulation of H3K4 Methylation within Bivalent Domains. *Cell*, 144(4), 513–525. <http://doi.org/10.1016/j.cell.2011.01.020>
- Jiang, J., Zhang, N., Shiba, H., Li, L., & Wang, Z. (2013). Spermatogenesis Associated 4 Promotes Sertoli Cell Proliferation Modulated Negatively by Regulatory Factor X1. *PLoS ONE*, 8(10), 1–10. <http://doi.org/10.1371/journal.pone.0075933>
- Jimenez, G., Shvartsman, S. Y., & Paroush, Z. (2012). The Capicua repressor - a general sensor of RTK signaling in development and disease. *Journal of Cell Science*, 125(6), 1383–1391. <http://doi.org/10.1242/jcs.092965>
- Jin, T., & Liu, L. (2008). The Wnt signaling pathway effector TCF7L2 and type 2 diabetes mellitus. *Molecular Endocrinology (Baltimore, Md.)*, 22(11), 2383–2392. <http://doi.org/10.1210/me.2008-0135>
- Johansson, A.-C., Steen, H., Ollinger, K., & Roberg, K. (2003). Cathepsin D mediates cytochrome c release and caspase activation in human fibroblast apoptosis induced by staurosporine. *Cell Death and Differentiation*, 10(11), 1253–1259. <http://doi.org/10.1038/sj.cdd.4401290>
- Joza, N., Susin, S. a., Daugas, E., Stanford, W. L., Cho, S. K., Li, C. Y., et al. (2001). Essential role of the mitochondrial apoptosis-inducing factor in programmed cell death. *Nature*, 410(6828), 549–554. <http://doi.org/10.1038/35069004>
- Jung, K.-K., Liu, X.-W., Chirco, R., Fridman, R., & Kim, H.-R. C. (2006). Identification of CD63 as a tissue inhibitor of metalloproteinase-1 interacting cell surface protein. *The EMBO Journal*, 25(17), 3934–3942. <http://doi.org/10.1038/sj.emboj.7601281>
- Kanehisa Laboratories. (2012). KEGG: Apoptosis - Reference pathway. Retrieved from: <https://www.genome.jp/kegg/pathway/hsa/hsa04210.html>
- Kapp, K., Knobloch, J., Schüssler, P., Sroka, S., Lammers, R., Kunz, W., & Grevelding, C. G. (2004). The *Schistosoma mansoni* Src kinase TK3 is expressed in the gonads and likely involved in cytoskeletal organization. *Molecular and Biochemical Parasitology*, 138(2), 171–82. <http://doi.org/10.1016/j.molbiopara.2004.07.010>
- Kierszenbaum, A. L. (2002). Sperm axoneme: A tale of tubulin posttranslational diversity. *Molecular Reproduction and Development*, 62(1), 1–3. <http://doi.org/10.1002/mrd.10139>
- Kim, H. J., Qiao, Q., Toop, H. D., Morris, J. C., & Don, A. S. (2012). A fluorescent assay for ceramide synthase activity. *Journal of Lipid Research*, 53(8), 1701–1707. <http://doi.org/10.1194/jlr.D025627>
- King, C. H., Dickman, K., & Tisch, D. J. (2005). Reassessment of the cost of chronic helminthic infection: A meta-analysis of disability-related outcomes in endemic schistosomiasis. *Lancet*, 365(9470), 1561–1569. [http://doi.org/10.1016/S0140-6736\(05\)66457-4](http://doi.org/10.1016/S0140-6736(05)66457-4)
- Knobloch, J., Beckmann, S., Burmeister, C., Quack, T., & Grevelding, C. G. (2007). Tyrosine kinase and cooperative TGFbeta signaling in the reproductive organs of *Schistosoma mansoni*. *Experimental Parasitology*, 117(3), 318–36. <http://doi.org/10.1016/j.exppara.2007.04.006>
- Knobloch, J., Kunz, W., & Grevelding, C. G. (2006). Herbimycin A suppresses mitotic activity and egg production of female *Schistosoma mansoni*. *International Journal for Parasitology*, 36(12), 1261–72. <http://doi.org/10.1016/j.ijpara.2006.06.004>

- Knobloch, J., Winnen, R., Quack, M., Kunz, W., & Grevelding, C. G. (2002). A novel Syk-family tyrosine kinase from *Schistosoma mansoni* which is preferentially transcribed in reproductive organs. *Gene*, 294(1-2), 87–97. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/12234670>
- Koelsch, K. a., Webb, R., Jeffries, M., Dozmorov, M. G., Frank, M. B., Guthridge, J. M., et al. (2013). Functional characterization of the MECP2/IRAK1 lupus risk haplotype in human T cells and a human MECP2 transgenic mouse. *Journal of Autoimmunity*, 41, 168–174. <http://doi.org/10.1016/j.jaut.2012.12.012>
- Köster, B., Dargatz, H., Schröder, J., Hirzmann, J., Haarmann, C., Symmons, P., & Kunz, W. (1988). Identification and localisation of the products of a putative eggshell precursor gene in the vitellarium of *Schistosoma mansoni*. *Molecular and Biochemical Parasitology*, 31(2), 183–98. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/2847044>
- Koussounadis, A., Langdon, S. P., Um, I. H., Harrison, D. J., & Smith, V. A. (2015). Relationship between differentially expressed mRNA and mRNA-protein correlations in a xenograft model system. *Scientific Reports*, 5(May), 10775. <http://doi.org/10.1038/srep10775>
- Kuales, G., De Mulder, K., Glashauser, J., Salvenmoser, W., Takashima, S., Hartenstein, V., et al. (2011). Boule-like genes regulate male and female gametogenesis in the flatworm *Macrostomum lignano*. *Developmental Biology*, 357(1), 117–132. <http://doi.org/10.1016/j.ydbio.2011.06.030>
- Kubista, M., Andrade, J. M., Bengtsson, M., Forootan, A., Jonák, J., Lind, K., et al. (2006). The real-time polymerase chain reaction. *Molecular Aspects of Medicine*, 27(2-3), 95–125. <http://doi.org/10.1016/j.mam.2005.12.007>
- Kuckwa, J., Fritzen, K., Buttgereit, D., Rothenbusch-Fender, S., & Renkawitz-Pohl, R. (2016). A new level of plasticity: *Drosophila* smooth-like testes muscles compensate failure of myoblast fusion. *Development*, 143(2), 329–338.
- Kunz, W. (2001). Schistosome male-female interaction: induction of germ-cell differentiation. *Trends in Parasitology*, 17(5), 227–31. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/11323306>
- Kyrylkova, K., Kyryachenko, S., Leid, M., & Kioussi, C. (2012). Detection of Apoptosis by TUNEL Assay. *Methods in Molecular Biology*, 887, 41–47. http://doi.org/10.1007/978-1-61779-860-3_5
- Langmead, B., Trapnell, C., Pop, M., & Salzberg, S. L. (2009). Ultrafast and memory-efficient alignment of short DNA sequences to the human genome. *Software*, 10(3). <http://doi.org/10.1186/gb-2009-10-3-r25>
- Lee, E. F., Clarke, O. B., Evangelista, M., Feng, Z., Speed, T. P., Tchoubrieva, E. B., et al. (2011). Discovery and molecular characterization of a Bcl-2-regulated cell death pathway in schistosomes. *Proceedings of the National Academy of Sciences of the United States of America*, 108(17), 6999–7003. <http://doi.org/10.1073/pnas.1100652108>
- Lee, E. F., Young, N. D., Lim, N. T. Y., Gasser, R. B., & Fairlie, W. D. (2014). Apoptosis in schistosomes: toward novel targets for the treatment of schistosomiasis. *Trends in Parasitology*, 30(2), 75–84. <http://doi.org/10.1016/j.pt.2013.12.005>
- Lepesant, J. M. J., Cosseau, C., Boissier, J., Freitag, M., Portela, J., Climent, D., et al. (2012). Chromatin structural changes around satellite repeats on the female sex chromosome in *Schistosoma mansoni* and their possible role in sex chromosome emergence. *Genome Biology*, 13(2), R14. <http://doi.org/10.1186/gb-2012-13-2-r14>
- Leutner, S., Oliveira, K. C., Rotter, B., Beckmann, S., Buro, C., Hahnel, S., et al. (2013). Combinatory microarray and SuperSAGE analyses identify pairing-dependently transcribed genes in

- Schistosoma mansoni* males, including follistatin. *PLoS Neglected Tropical Diseases*, 7(11), e2532. <http://doi.org/10.1371/journal.pntd.0002532>
- Levy, M., & Futerman, A. H. (2010). Mammalian Ceramide Synthases. *IUBMB Life*, 62(5), 347–356. <http://doi.org/10.1002/iub.319>.Mammalian
- Levy, S., & Shoham, T. (2005). The tetraspanin web modulates immune-signalling complexes. *Nature Reviews Immunology*, 5(2), 136–148. <http://doi.org/10.1038/nri1548>
- Li, H., Handsaker, B., Wysoker, A., Fennell, T., Ruan, J., Homer, N., et al. (2009). The Sequence Alignment/Map format and SAMtools. *Bioinformatics (Oxford, England)*, 25(16), 2078–9. <http://doi.org/10.1093/bioinformatics/btp352>
- Li, J. J., Bickel, P. J., & Biggin, M. D. (2014). System wide analyses have underestimated protein abundances and the importance of transcription in mammals. *PeerJ*, 2, e270. <http://doi.org/10.7717/peerj.270>
- Li, X. Q., Björkman, A., Andersson, T. B., Gustafsson, L. L., & Masimirembwa, C. M. (2003). Identification of human cytochrome P450s that metabolise anti-parasitic drugs and predictions of in vivo drug hepatic clearance from in vitro data. *European Journal of Clinical Pharmacology*, 59(5-6), 429–442. <http://doi.org/10.1007/s00228-003-0636-9>
- Lin, W., Zhou, X., Zhang, M., Li, Y., Miao, S., Wang, L., et al. (2001). Expression and function of the HSD-3.8 gene encoding a testis-specific protein. *Molecular Human Reproduction*, 7(9), 811–818.
- Liu, S., Cai, P., Hou, N., Piao, X., Wang, H., Hung, T., & Chen, Q. (2012). Genome-wide identification and characterization of a panel of house-keeping genes in *Schistosoma japonicum*. *Molecular and Biochemical Parasitology*, 182(1-2), 75–82. <http://doi.org/10.1016/j.molbiopara.2011.12.007>
- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and. *Methods*, 25, 402–408. <http://doi.org/10.1006/meth.2001.1262>
- Llamazares, S., Moreira, a., Tavares, a., Girdham, C., Spruce, B. a., Gonzalez, C., et al. (1991). Polo encodes a protein kinase homolog required for mitosis in *Drosophila*. *Genes and Development*, 5(12 A), 2153–2165. <http://doi.org/10.1101/gad.5.12a.2153>
- Logan-Klumpler, F. J., De Silva, N., Boehme, U., Rogers, M. B., Velarde, G., McQuillan, J. a., et al. (2012). GeneDB-an annotation database for pathogens. *Nucleic Acids Research*, 40(D1), 98–108. <http://doi.org/10.1093/nar/gkr1032>
- Loker, E. S., & Brant, S. V. (2006). Diversification, dioecy and dimorphism in schistosomes. *Trends in Parasitology*, 22(11), 521–8. <http://doi.org/10.1016/j.pt.2006.09.001>
- Long, T., Cailliau, K., Beckmann, S., Browaeys, E., Trolet, J., Grevelding, C. G., & Dissous, C. (2010). Schistosoma mansoni Polo-like kinase 1: A mitotic kinase with key functions in parasite reproduction. *International Journal for Parasitology*, 40(9), 1075–86. <http://doi.org/10.1016/j.ijpara.2010.03.002>
- Loukas, A., Gaze, S., Mulvenna, J. P., Gasser, R. B., Brindley, P. J., Doolan, D. L., et al. (2011). Vaccinomics for the major blood feeding helminths of humans. *Oomics : A Journal of Integrative Biology*, 15(9), 567–77. <http://doi.org/10.1089/omi.2010.0150>
- Louvi, A., & Artavanis-Tsakonas, S. (2006). Notch signalling in vertebrate neural development. *Nature Reviews Neuroscience*, 7(2), 93–102. <http://doi.org/10.1038/nrn1847>

- Love, M. I., Huber, W., & Anders, S. (2014). Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2. *Genome Biology*, 15(12), 550. <http://doi.org/10.1186/s13059-014-0550-8>
- LoVerde, P. T., Andrade, L. F., & Oliveira, G. (2009). Signal transduction regulates schistosome reproductive biology. *Current Opinion in Microbiology*, 12(4), 422–8. <http://doi.org/10.1016/j.mib.2009.06.005>
- Loverde, P. T., & Chen, L. (1991). Schistosome Female Reproductive Development. *Parasitology today*. 7(11), 303–8.
- LoVerde, P. T., Niles, E. G., Osman, A., & Wu, W. (2005). *World Class Parasites: Volume 10 - Schistosomiasis*. (S. J. Black, J. R. Seed, W. E. Secor, & D. G. Colley, Eds.). Springer.
- Loverde, P. T., Osman, A., & Hinck, A. (2007, November). *Schistosoma mansoni*: TGF-beta signaling pathways. *Experimental Parasitology*. <http://doi.org/10.1016/j.exppara.2007.06.002>
- Lowe, R., Shirley, N., Bleackley, M., Dolan, S., & Shafee, T. (2017). Transcriptomics technologies. *PLoS Computational Biology*, 13(5), 1–23. <http://doi.org/10.1371/journal.pcbi.1005457>
- Lu, Z., Sessler, F., Holroyd, N., Hahnel, S., Quack, T., Berriman, M., & Grevelding, C. G. (2016). Schistosome sex matters: a deep view into gonad-specific and pairing-dependent transcriptomes reveals a complex gender interplay. *Scientific Reports*, 6(1), 31150. <http://doi.org/10.1038/srep31150>
- Lu, Z., Sessler, F., Holroyd, N., Hahnel, S., Quack, T., Berriman, M., & Grevelding, C. G. (2017). A gene expression atlas of adult *Schistosoma mansoni* and their gonads. *Scientific Data*, 4, 170118. <http://doi.org/10.1038/sdata.2017.118>
- Luzio, J. P., Pryor, P. R., & Bright, N. a. (2007). Lysosomes: fusion and function. *Nature Reviews Molecular Cell Biology*, 8(8), 622–632. <http://doi.org/10.1038/nrm2217>
- MacDonald, K., Buxton, S., Kimber, M. J., Day, T. a., Robertson, A. P., & Ribeiro, P. (2014). Functional characterization of a novel family of acetylcholine-gated chloride channels in *Schistosoma mansoni*. *PLoS Pathogens*, 10(6), e1004181. <http://doi.org/10.1371/journal.ppat.1004181>
- Machado-Silva, J. R., Lanfredi, R. M., & Gomes, D. C. (1997). Morphological study of adult male worms of *Schistosoma mansoni* Sambon, 1907 by scanning electron microscopy. *Memórias Do Instituto Oswaldo Cruz*, 92(5), 647–53. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/9566233>
- Maier, T., Güell, M., & Serrano, L. (2009). Correlation of mRNA and protein in complex biological samples. *FEBS Letters*, 583(24), 3966–3973. <http://doi.org/10.1016/j.febslet.2009.10.036>
- Malick, L., & Wilson, R. (1975). Modified thiocarbohydrazide procedure for scanning electron microscopy: routine use for normal, pathological, or experimental tissues. *Stain Technology*, 50(4), 265–9.
- Marioni, J. C., Mason, C. E., Mane, S. M., Stephens, M., & Gilad, Y. (2008). RNA-seq: An assessment of technical reproducibility and comparison with gene expression arrays. *Genome Research*, 18(9), 1509–1517. <http://doi.org/10.1101/gr.079558.108>
- Markel, S. F., LoVerde, P. T., & Britt, E. M. (1978). Prolonged latent schistosomiasis. *Journal of the American Medical Association*, 30, 45–54.

- Massagué, J. (2012). TGF β signalling in context. *Nature Reviews Molecular Cell Biology*, 13(10), 616–630. <http://doi.org/10.1038/nrm3434>
- Mcgarvey, S. T. (2000). Schistosomiasis : Impact on Childhood and Adolescent Growth , Malnutrition , and Morbidity. *Seminars in Pediatric Infectious Diseases*, 11(4), 269–274. <http://doi.org/10.1053/spid.2000.9642>
- McIlwain, D. R., Berger, T., & Mak, T. W. (2013). Caspase functions in cell death and disease. *Cold Spring Harbor Perspectives in Biology*, 5(4), 1–28. <http://doi.org/10.1101/cshperspect.a008656>
- McKerrow, J., & Salter, J. (2002). Invasion of skin by *Schistosoma cercariae*. *Trends in Parasitology*, 18(5), 193–195. [http://doi.org/10.1016/S1471-4922\(02\)02309-7](http://doi.org/10.1016/S1471-4922(02)02309-7)
- McManus, D. P., & Loukas, A. (2008). Current status of vaccines for schistosomiasis. *Clinical Microbiology Reviews*, 21(1), 225–242. <http://doi.org/10.1128/CMR.00046-07>
- McTigue, M. a, Williams, D. R., & Tainer, J. a. (1995). Crystal structures of a schistosomal drug and vaccine target: glutathione S-transferase from *Schistosoma japonica* and its complex with the leading antischistosomal drug praziquantel. *Journal of Molecular Biology*, 246(1), 21–7. <http://doi.org/10.1006/jmbi.1994.0061>
- Merrifield, M., Hotez, P. J., Beaumier, C. M., Gillespie, P., Strych, U., Hayward, T., & Bottazzi, M. E. (2016). Advancing a vaccine to prevent human schistosomiasis. *Vaccine*, 34(26), 2988–2991. <http://doi.org/10.1016/j.vaccine.2016.03.079>
- Meyer, F., Meyer, H., & Bueding, E. (1970). Lipid metabolism in the parasitic and free-living flatworms, *Schistosoma mansoni* and *Dugesia dorotocephala*. *Biochimica et Biophysica Acta (BBA) - Lipids and Lipid Metabolism*, 210(2), 257–266. [http://doi.org/10.1016/0005-2760\(70\)90170-0](http://doi.org/10.1016/0005-2760(70)90170-0)
- Miller, M. B., & Tang, Y. W. (2009). Basic concepts of microarrays and potential applications in clinical microbiology. *Clinical Microbiology Reviews*, 22(4), 611–633. <http://doi.org/10.1128/CMR.00019-09>
- Miller, P., & Wilson, R. (1980). Migration of the schistosomula of *Schistosoma mansoni* from the lungs to the hepatic portal system. *Parasitology*, 80, 267–288.
- Mitra, S. K., & Schlaepfer, D. D. (2006). Integrin-regulated FAK-Src signaling in normal and cancer cells. *Current Opinion in Cell Biology*, 18(5), 516–523. <http://doi.org/10.1016/j.ceb.2006.08.011>
- Mócsai, A., Ruland, J., & Tybulewicz, V. L. J. (2010). The SYK tyrosine kinase: a crucial player in diverse biological functions. *Nature Publishing Group*, 10(6), 387–402. <http://doi.org/10.1038/nri2765>
- Moertel, L., McManus, D. P., Piva, T. J., Young, L., McInnes, R. L., & Gobert, G. N. (2006). Oligonucleotide microarray analysis of strain- and gender-associated gene expression in the human blood fluke, *Schistosoma japonicum*. *Molecular and Cellular Probes*, 20(5), 280–9. <http://doi.org/10.1016/j.mcp.2006.02.002>
- Morris, E. J., Michaud, W. a., Ji, J. Y., Moon, N. S., Rocco, J. W., & Dyson, N. J. (2006). Functional identification of Api5 as a suppressor of E2F-dependent apoptosis in vivo. *PLoS Genetics*, 2(11), 1834–1848. <http://doi.org/10.1371/journal.pgen.0020196>
- Mullen, T. D., Hannun, Y. A., & Obeid, L. M. (2012). Ceramide synthases at the centre of sphingolipid metabolism and biology. *Biochemistry Journal*, 441(3), 789–802. <http://doi.org/10.1042/BJ20111626.Ceramide>

- Mullen, T. D., & Obeid, L. M. (2012). Ceramide and Apoptosis: Exploring the Enigmatic Connections between Sphingolipid Metabolism and Programmed Cell Death. *Anti-Cancer Agents in Medicinal Chemistry*, 12(4), 340–363.
- Mulligan, K. a., & Cheyette, B. N. R. (2012). Wnt Signaling in Vertebrate Neural Development and Function. *Journal of Neuroimmune Pharmacology*, 7(4), 774–787.
<http://doi.org/10.1007/s11481-012-9404-x>
- Muniyappa, K., Kshirsagar, R., & Ghodke, I. (2014). The HORMA domain: An evolutionarily conserved domain discovered in chromatin-associated proteins, has unanticipated diverse functions. *Gene*, 545(2), 194–197. <http://doi.org/10.1016/j.gene.2014.05.020>
- Murray, C. J. L., & Lopez, a. D. (1997). Global mortality, disability and the contributions of risk factors: Global Burden of Disease Study. *The Lancet*, 349, 1436–1442.
- Murray, C. J. L., Vos, T., Lozano, R., Naghavi, M., Flaxman, A. D., Michaud, C., et al. (2012). Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990–2010: a systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380(9859), 2197–2223. [http://doi.org/10.1016/S0140-6736\(12\)61689-4](http://doi.org/10.1016/S0140-6736(12)61689-4)
- Nagata, S. (1997). Apoptosis by death factor. *Cell*, 88(3), 355–365. [http://doi.org/10.1016/S0092-8674\(00\)81874-7](http://doi.org/10.1016/S0092-8674(00)81874-7)
- Nagata, S. (1999). Fas Ligand-Induced Apoptosis. *Annual Reviews Genetics*, 33, 29–55.
- Naghavi, M., Wang, H., Lozano, R., Davis, A., Liang, X., Zhou, M., et al. (2015). Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: A systematic analysis for the Global Burden of Disease Study 2013. *The Lancet*, 385(9963), 117–171. [http://doi.org/10.1016/S0140-6736\(14\)61682-2](http://doi.org/10.1016/S0140-6736(14)61682-2)
- Nambu, J. R., Lewis, J. O., Wharton, K. A., & Crews, S. T. (1991). The *Drosophila* single-minded gene encodes a helix-loop-helix protein that acts as a master regulator of CNS midline development. *Cell*, 67(6), 1157–1167.
- Nawaratna, S. S. K., McManus, D. P., Moertel, L., Gobert, G. N., & Jones, M. K. (2011). Gene Atlasing of digestive and reproductive tissues in *Schistosoma mansoni*. *PLoS Neglected Tropical Diseases*, 5(4), e1043. <http://doi.org/10.1371/journal.pntd.0001043>
- Nesi, G., Nobili, S., Cai, T., Caini, S., & Santi, R. (2015). Chronic inflammation in urothelial bladder cancer. *Virchows Archiv*, 467(6), 623–633. <http://doi.org/10.1007/s00428-015-1820-x>
- Neves, R. H., de Lamare Biolchini, C., Machado-Silva, J. R., Carvalho, J. J., Branquinho, T. B., Lenzi, H. L., et al. (2005). A new description of the reproductive system of *Schistosoma mansoni* (Trematoda: Schistosomatidae) analyzed by confocal laser scanning microscopy. *Parasitology Research*, 95(1), 43–9. <http://doi.org/10.1007/s00436-004-1241-2>
- Nogi, T., Zhang, D., Chan, J. D., & Marchant, J. S. (2009). A Novel Biological Activity of Praziquantel Requiring Voltage-Operated Ca²⁺ Channel β Subunits: Subversion of Flatworm Regenerative Polarity. *PLoS Neglected Tropical Diseases*, 3(6), e464.
<http://doi.org/10.1371/journal.pntd.0000464>
- Nusse, R. (2012). Wnt Signaling. *Cold Spring Harbor Perspectives in Biology*, 4(5), a011163.
<http://doi.org/10.1101/cshperspect.a011163>
- Nusse, R., & Varmus, H. (2012). Three decades of Wnts: a personal perspective on how a scientific field developed. *The EMBO Journal*, 31(12), 2670–2684. <http://doi.org/10.1038/emboj.2012.146>

- Nusse, R., & Varmus, H. E. (1992). Wnt genes. *Cell*, 69(7), 1073–1087. [http://doi.org/10.1016/0092-8674\(92\)90630-U](http://doi.org/10.1016/0092-8674(92)90630-U)
- Oliveira, K. C., Carvalho, M. L. P., Verjovski-Almeida, S., & LoVerde, P. T. (2012). Effect of human TGF- β on the gene expression profile of *Schistosoma mansoni* adult worms. *Molecular and Biochemical Parasitology*. <http://doi.org/10.1016/j.molbiopara.2012.02.008>
- Olson, M. F. (2003). GTPase signalling: New functions for Diaphanous-related formins. *Current Biology*, 13(9), 360–362. [http://doi.org/10.1016/S0960-9822\(03\)00277-X](http://doi.org/10.1016/S0960-9822(03)00277-X)
- Ong, C. C., Jubb, A. M., Haverty, P. M., Zhou, W., Tran, V., Truong, T., et al. (2011). Targeting p21-activated kinase 1 (PAK1) to induce apoptosis of tumor cells. *Proceedings of the National Academy of Sciences of the United States of America*, 108(17), 7177–7182. <http://doi.org/10.1073/pnas.1103350108>
- Oshlack, A., & Wakefield, M. J. (2009). Transcript length bias in RNA-seq data confounds systems biology. *Biology Direct*, 4(1), 14. <http://doi.org/10.1186/1745-6150-4-14>
- Osman, A., Niles, E. G., Verjovski-Almeida, S., & LoVerde, P. T. (2006). *Schistosoma mansoni* TGF-beta receptor II: role in host ligand-induced regulation of a schistosome target gene. *PLoS Pathogens*, 2(6), e54. <http://doi.org/10.1371/journal.ppat.0020054>
- Pagán, A. J., & Ramakrishnan, L. (2018). The Formation and Function of Granulomas. *Annual Review of Immunology*, 36(1), annurev-immunol-032712-100022. <http://doi.org/10.1146/annurev-immunol-032712-100022>
- Paris, L., & Caumes, E. (2010). Acute schistosomiasis , a diagnostic and therapeutic challenge. *European Society of Clinical Microbiology and Infectious Disease*, 16, 225–231. <http://doi.org/10.1111/j.1469-0691.2009.03131.x>
- Pawlowski, J., & Kraft, a. S. (2000). Bax-induced apoptotic cell death. *Proceedings of the National Academy of Sciences of the United States of America*, 97(2), 529–531. <http://doi.org/10.1073/pnas.97.2.529>
- Pearce, E. J., & Huang, S. C. C. (2015). The metabolic control of schistosome egg production. *Cellular Microbiology*, 17(6), 796–801. <http://doi.org/10.1111/cmi.12444>
- Peng, J., Yang, Y., Feng, X., Cheng, G., & Lin, J. (2010). Molecular characterizations of an inhibitor of apoptosis from *Schistosoma japonicum*. *Parasitology Research*, 106(4), 967–976. <http://doi.org/10.1007/s00436-010-1752-y>
- Piao, X., Cai, P., Liu, S., Hou, N., Hao, L., Yang, F., et al. (2011). Global Expression Analysis Revealed Novel Gender-Specific Gene Expression Features in the Blood Fluke Parasite *Schistosoma japonicum*. *PLoS ONE*, 6(4), e18267. <http://doi.org/10.1371/journal.pone.0018267>
- Picard, M. a L., Boissier, J., Roquis, D., Grunau, C., Allienne, J.-F., Duval, D., et al. (2016). Sex-Biased Transcriptome of *Schistosoma mansoni*: Host-Parasite Interaction, Genetic Determinants and Epigenetic Regulators Are Associated with Sexual Differentiation. *PLoS Neglected Tropical Diseases*, 10(9), e0004930. <http://doi.org/10.1371/journal.pntd.0004930>
- Poole, H., Terlouw, D. J., Naunje, A., Mzembe, K., Stanton, M., Betson, M., et al. (2014). Schistosomiasis in pre-school-age children and their mothers in Chikhwawa district, Malawi with notes on characterization of schistosomes and snails. *Parasites & Vectors*, 7(1), 153. <http://doi.org/10.1186/1756-3305-7-153>
- Popiel, I. (1986). Male-stimulated female maturation in *Schistosoma*: a Review. *Journal of Chemical Ecology*, 12(8).

- Popiel, I., & Basch, P. F. (1984). Reproductive development of female *Schistosoma mansoni* (Digenea: Schistosomatidae) following bisexual pairing of worms and worm segments. *The Journal of Experimental Zoology*, 232(1), 141–50. <http://doi.org/10.1002/jez.1402320117>
- Popiel, I., & Basch, P. F. (1986). *Schistosoma mansoni*: cholesterol uptake by paired and unpaired worms. *Experimental Parasitology*, 61(3), 343–347.
- Portela, J., Grunau, C., Cosseau, C., Beltran, S., Dantec, C., Parrinello, H., & Boissier, J. (2010). Whole-genome in-silico subtractive hybridization (WISH) - using massive sequencing for the identification of unique and repetitive sex-specific sequences: the example of *Schistosoma mansoni*. *BMC Genomics*, 11(1), 387. <http://doi.org/10.1186/1471-2164-11-387>
- Post, S. M., Tomkinson, A. E., & Lee, E. Y. H. P. (2003). The human checkpoint Rad protein Rad17 is chromatin-associated throughout the cell cycle, localizes to DNA replication sites, and interacts with DNA polymerase E. *Nucleic Acids Research*, 31(19), 5568–5575. <http://doi.org/10.1093/nar/gkg765>
- Protasio, A. (2011). Transcriptome characterisation of cercariae and skin-stage schistosomula in the parasitic helminth *Schistosoma mansoni*. University of Cambridge. Retrieved from: <ftp://ftp.sanger.ac.uk/pub/resources/theses/ap6/thesis.pdf>
- Protasio, A. V., Tsai, I. J., Babbage, A., Nichol, S., Hunt, M., Aslett, M. a, et al. (2012). A systematically improved high quality genome and transcriptome of the human blood fluke *Schistosoma mansoni*. *PLoS Neglected Tropical Diseases*, 6(1), e1455. <http://doi.org/10.1371/journal.pntd.0001455>
- Puri, P., Acker-Palmer, A., Stahler, R., Chen, Y., Kline, D., & Vijayaraghavan, S. (2011). Identification of testis 14-3-3 binding proteins by tandem affinity purification. *Spermatogenesis*, 1(4), 354–365. <http://doi.org/10.4161/spmg.1.4.18902>
- Qi, M. (2005). MAP kinase pathways. *Journal of Cell Science*, 118(16), 3569–3572. <http://doi.org/10.1242/jcs.02470>
- Qin, H., Srinivasula, S. M., Wu, G., Fernandes-Alnemri, T., Alnemri, E. S., & Shi, Y. (1999). Structural basis of procaspase-9 recruitment by the apoptotic protease-activating factor 1. *Nature*, 399(6736), 549–557. <http://doi.org/10.1038/21124>
- R Core Team. (2015). R: A language and environment for statistical computing. Vienna, Austria: R Foundation for Statistical Computing. Retrieved from <https://www.r-project.org/>
- Ravindranath, A., & Cadigan, K. M. (2014). Structure-Function Analysis of the C-clamp of TCF/Pangolin in Wnt/β-catenin Signaling. *PLoS ONE*, 9(1), e86180. <http://doi.org/10.1371/journal.pone.0086180>
- Realini, N., Solorzano, C., Pagliuca, C., Pizzirani, D., Armirotti, A., Luciani, R., et al. (2013). Discovery of highly potent acid ceramidase inhibitors with in vitro tumor chemosensitizing activity. *Scientific Reports*, 3(Table 1). <http://doi.org/10.1038/srep01035>
- Ribeiro, P., & Patocka, N. (2013). Neurotransmitter transporters in schistosomes: Structure, function and prospects for drug discovery. *Parasitology International*, 62(6), 629–638. <http://doi.org/10.1016/j.parint.2013.06.003>
- Robinson, K. S., Clements, a, Williams, a C., Berger, C. N., & Frankel, G. (2011). Bax inhibitor 1 in apoptosis and disease. *Oncogene*, 30(21), 2391–2400. <http://doi.org/10.1038/onc.2010.636>

- Robinson, M. D., McCarthy, D. J., & Smyth, G. K. (2009). edgeR: A Bioconductor package for differential expression analysis of digital gene expression data. *Bioinformatics*, 26(1), 139–140. <http://doi.org/10.1093/bioinformatics/btp616>
- Rodríguez, A., & D'Andrea, A. (2017). Fanconi anemia pathway. *Current Biology*, 27(18), R986–R988. <http://doi.org/10.1016/j.cub.2017.07.043>
- Rojo, J. U., Melkus, M. W., Kottapalli, K. R., Okiya, O. E., Sudduth, J., Zhang, W., et al. (2017). Sm-p80-based Schistosomiasis vaccine mediated epistatic interactions identified potential immune signatures for vaccine efficacy in mice and baboons. *PLoS ONE*, 12(2), 1–28. <http://doi.org/10.1371/journal.pone.0171677>
- Rosenquist, M. (2003). 14-3-3 Proteins in Apoptosis. *Brazilian Journal of Medical and Biological Research*, 36(4), 403–408. <http://doi.org/10.1590/S0100-879X2003000400001>
- Roshak, A. K., Capper, E. a., Imburgia, C., Fornwald, J., Scott, G., & Marshall, L. a. (2000). The human polo-like kinase, PLK, regulates cdc2/cyclin B through phosphorylation and activation of the cdc25C phosphatase. *Cellular Signalling*, 12(6), 405–411. [http://doi.org/10.1016/S0898-6568\(00\)00080-2](http://doi.org/10.1016/S0898-6568(00)00080-2)
- Ross, A. G., Vickers, D., Olds, G. R., Shah, S. M., & Mcmanus, D. P. (2007). Katayama syndrome. *Lancet Infectious Diseases* 7, 218–24.
- Sabah, A. A., Fletcher, C., Webbe, G., & Doenhoff, M. J. (1986). *Schistosoma mansoni*: Chemotherapy of infections of different ages. *Experimental Parasitology*, 61(3), 294–303.
- Salomon, J. a., Haagsma, J. a., Davis, A., de Noordhout, C. M., Polinder, S., Havelaar, A. H., et al. (2015). Disability weights for the Global Burden of Disease 2013 study. *The Lancet Global Health*, 3(11), e712–e723. [http://doi.org/10.1016/S2214-109X\(15\)00069-8](http://doi.org/10.1016/S2214-109X(15)00069-8)
- Salter, J. P., Lim, K. C., Hansell, E., Hsieh, I., & McKerrow, J. H. (2000). Schistosome invasion of human skin and degradation of dermal elastin are mediated by a single serine protease. *Journal of Biological Chemistry*, 275(49), 38667–38673. <http://doi.org/10.1074/jbc.M006997200>
- Samuels-Lev, Y., O'Connor, D. J., Bergamaschi, D., Trigiante, G., Hsieh, J. K., Zhong, S., et al. (2001). ASPP proteins specifically stimulate the apoptotic function of p53. *Molecular Cell*, 8(4), 781–794. [http://doi.org/10.1016/S1097-2765\(01\)00367-7](http://doi.org/10.1016/S1097-2765(01)00367-7)
- Santini-Oliveira, M., Coler, R. N., Parra, J., Veloso, V., Jayashankar, L., Pinto, P. M., et al. (2016). Schistosomiasis vaccine candidate Sm14/GLA-SE: Phase 1 safety and immunogenicity clinical trial in healthy, male adults. *Vaccine*, 34(4), 586–594. <http://doi.org/10.1016/j.vaccine.2015.10.027>
- Santos, T. M., Machado, C. R., Franco, G. R., & Pena, S. D. J. (2002). Characterization and comparative functional analysis in yeast of a *Schistosoma mansoni* Rho1 GTPase gene. *Molecular and Biochemical Parasitology*, 125(1-2), 103–112. [http://doi.org/10.1016/S0166-6851\(02\)00218-9](http://doi.org/10.1016/S0166-6851(02)00218-9)
- Savage, C., Das, P., Finelli, a L., Townsend, S. R., Sun, C. Y., Baird, S. E., & Padgett, R. W. (1996). *Caenorhabditis elegans* genes sma-2, sma-3, and sma-4 define a conserved family of transforming growth factor beta pathway components. *Proceedings of the National Academy of Sciences of the United States of America*, 93(2), 790–794. <http://doi.org/10.1073/pnas.93.2.790>
- Schmidt, T., Karsunky, H., Fraß, B., Baum, W., Denzel, A., & Möröy, T. (2000). A novel protein (Fbf-1) that binds to CD95/APO-1/FAS and shows sequence similarity to trichohyalin and plectin. *Biochimica et Biophysica Acta - Gene Structure and Expression*, 1493(1-2), 249–254. [http://doi.org/10.1016/S0167-4781\(00\)00163-9](http://doi.org/10.1016/S0167-4781(00)00163-9)

- Schmit, F., Cremer, S., & Gaubatz, S. (2009). LIN54 is an essential core subunit of the DREAM/LINC complex that binds to the cdc2 promoter in a sequence-specific manner. *FEBS Journal*, 276(19), 5703–5716. <http://doi.org/10.1111/j.1742-4658.2009.07261.x>
- Schröder, H. M., Hoffmann, S. C., Hecker, M., Korff, T., & Ludwig, T. (2013). The tetraspanin network modulates MT1-MMP cell surface trafficking. *International Journal of Biochemistry and Cell Biology*, 45(6), 1133–1144. <http://doi.org/10.1016/j.biocel.2013.02.020>
- Schurch, N. J., Schofield, P., Gierliński, M., Cole, C., Sherstnev, A., Singh, V., et al. (2016). How many biological replicates are needed in an RNA-seq experiment and which differential expression tool should you use? *Rna*, 22(6), 839–851. <http://doi.org/10.1261/rna.053959.115>
- Schwartz, M. (2004). Rho signalling at a glance. *Journal of Cell Science*, 117(Pt 23), 5457–8. <http://doi.org/10.1242/jcs.01582>
- Sclafani, R. A., & Holzen, T. M. (2007). Cell Cycle Regulation of DNA Replication. *Annual Reviews Genetics*, 41, 237–280.
- Sekelsky, J. J., Newfeld, S. J., Raftery, L. a., Chartoff, E. H., & Gelbart, W. M. (1995). Genetic characterization and cloning of mothers against dpp, a gene required for decapentaplegic function in *Drosophila melanogaster*. *Genetics*, 139(3), 1347–1358.
- Separovic, D., Breen, P., Joseph, N., Bielawski, J., Pierce, J. S., Van Buren, E., & Gudz, T. I. (2012). siRNA-mediated down-regulation of ceramide synthase 1 leads to apoptotic resistance in human head and neck squamous carcinoma cells after photodynamic therapy. *Anticancer Research*, 32(7), 2479–2485.
- Shah, C., VanGompel, M. J. W., Naeem, V., Chen, Y., Lee, T., Angeloni, N., et al. (2010). Widespread presence of human BOULE homologs among animals and conservation of their ancient reproductive function. *PLoS Genetics*, 6(7), 1–16. <http://doi.org/10.1371/journal.pgen.1001022>
- Shi, Y., Hata, a, Lo, R. S., Massagué, J., & Pavletich, N. P. (1997). A structural basis for mutational inactivation of the tumour suppressor Smad4. *Nature*, 388(6637), 87–93. <http://doi.org/10.1038/40431>
- Shi, Y., & Massagué, J. (2003). Mechanisms of TGF-beta signaling from cell membrane to the nucleus. *Cell*, 113(6), 685–700. [http://doi.org/10.1016/S0092-8674\(03\)00432-X](http://doi.org/10.1016/S0092-8674(03)00432-X)
- Short, R., & Grossman, A. (1981). Conventional Giemsa and C-Banded Karyotypes of *Schistosoma mansoni* and *S. rodhaini*. *The Journal of Parasitology*, 67(5), 661–671.
- Si, Y., Liu, P., Li, P., & Brutnell, T. P. (2014). Model-based clustering for RNA-seq data. *Bioinformatics*, 30(2), 197–205. <http://doi.org/10.1093/bioinformatics/btt632>
- Smithers, S. R. (1962). Immunizing effect of irradiated cercariae of *Schistosoma mansoni* in rhesus monkeys. *Nature*, 194, 1146–1147.
- Sousa-Figueiredo, J. C., Gamboa, D., Pedro, J. M., Fançony, C., Langa, A. J., Soares Magalhães, R. J., et al. (2012). Epidemiology of Malaria, Schistosomiasis, Geohelminths, Anemia and Malnutrition in the Context of a Demographic Surveillance System in Northern Angola. *PLoS ONE*, 7(4), e33189. <http://doi.org/10.1371/journal.pone.0033189>
- Stothard, J. R., Sousa-Figueiredo, J. C., Betson, M., Bustinduy, A., & Reinhard-Rupp, J. (2013). Schistosomiasis in African infants and preschool children: Let them now be treated! *Trends in Parasitology*, 29(4), 197–205. <http://doi.org/10.1016/j.pt.2013.02.001>

- Sun, J., Li, C., & Wang, S. (2015). The Up-Regulation of Ribosomal Proteins Further Regulates Protein Expression Profile in Female *Schistosoma japonicum* after Pairing. *Plos One*, 10(6), e0129626. <http://doi.org/10.1371/journal.pone.0129626>
- Sun, J., Wang, S.-W., Li, C., Hu, W., Ren, Y.-J., & Wang, J.-Q. (2014). Transcriptome profilings of female *Schistosoma japonicum* reveal significant differential expression of genes after pairing. *Parasitology Research*, 113(3), 881–92. <http://doi.org/10.1007/s00436-013-3719-2>
- Sundaram, M. (2006). RTK/Ras/MAPK signaling. *WormBook*, 1–19. <http://doi.org/10.1895/wormbook.1.80.1>
- Susin, S. a, Lorenzo, H. K., Zamzami, N., Marzo, I., Snow, B. E., Brothers, G. M., et al. (1999). Molecular characterization of mitochondrial apoptosis-inducing factor. *Nature*, 397(6718), 441–446. <http://doi.org/10.1038/17135>
- Swain, M. T., Larkin, D. M., Caffrey, C. R., Davies, S. J., Loukas, A., Skelly, P. J., & Hoffmann, K. F. (2011). *Schistosoma* comparative genomics: integrating genome structure, parasite biology and anthelmintic discovery. *Trends in Parasitology*, 27(12), 555–64. <http://doi.org/10.1016/j.pt.2011.09.003>
- Tada, M., Kohno, M., & Niwano, Y. (2014). Alleviation effect of arbutin on oxidative stress generated through tyrosinase reaction with l-tyrosine and l-DOPA. *BMC Biochemistry*, 15(1), 1–7. <http://doi.org/10.1186/1471-2091-15-23>
- Takino, T., Miyamori, H., Kawaguchi, N., Uekita, T., Seiki, M., & Sato, H. (2003). Tetraspanin CD63 promotes targeting and lysosomal proteolysis of membrane-type 1 matrix metalloproteinase. *Biochemical and Biophysical Research Communications*, 304(1), 160–166. [http://doi.org/10.1016/S0006-291X\(03\)00544-8](http://doi.org/10.1016/S0006-291X(03)00544-8)
- Tang, H., Ming, Z., Liu, R., Xiong, T., Grevelding, C. G., & Dong, H. (2013). Development of Adult Worms and Granulomatous Pathology Are Collectively Regulated by T- and B-Cells in Mice Infected with *Schistosoma japonicum*, 8(1), 1–8. <http://doi.org/10.1371/journal.pone.0054432>
- Tasaki, J., Shibata, N., Nishimura, O., Itomi, K., Tabata, Y., Son, F., & Umesono, Y. (2011). ERK signaling controls blastema cell differentiation during planarian regeneration. *Development (Cambridge, England)*, 138(12), 2417–2427. <http://doi.org/10.1242/dev.060764>
- Tebeje, B. M., Harvie, M., You, H., Loukas, A., & McManus, D. P. (2016). Schistosomiasis vaccines: where do we stand? *Parasites and Vectors*, 9(1), 1–15. <http://doi.org/10.1186/s13071-016-1799-4>
- Termini, C. M., & Gillette, J. M. (2017). Tetraspanins Function as Regulators of Cellular Signaling. *Frontiers in Cell and Developmental Biology*, 5(April), 1–14. <http://doi.org/10.3389/fcell.2017.00034>
- Tirodkar, T. S., & Voelkel-Johnson, C. (2012). Sphingolipids in apoptosis. *Experimental Oncology*, 34(3), 231–242.
- Toczyński, D. P., Galgoczy, D. J., & Hartwell, L. H. (1997). Control adaptation to the yeast DNA damage checkpoint. *Cell*, 90(1), 1097–1106.
- Tran, M. H., Freitas, T. C., Cooper, L., Gaze, S., Gatton, M. L., Jones, M. K., et al. (2010). Suppression of mRNAs encoding tegument tetraspanins from *Schistosoma mansoni* results in impaired tegument turnover. *PLOS Pathogens*, 6(4), e1000840. <http://doi.org/10.1371/journal.ppat.1000840>
- Tucker, M. S., Karunaratne, L. B., Lewis, F. a., Freitas, T. C., & Liang, Y. S. (2013). *Schistosomiasis. Current Protocols in Immunology*. <http://doi.org/10.1002/0471142735.im1901s103>

- Tugues, S., Honjo, S., König, C., Padhan, N., Kroon, J., Gualandi, L., *et al.* (2013). Tetraspanin CD63 promotes vascular endothelial growth factor receptor 2-β1 integrin complex formation, thereby regulating activation and downstream signaling in endothelial cells in Vitro and in Vivo. *Journal of Biological Chemistry*, 288(26), 19060–19071. <http://doi.org/10.1074/jbc.M113.468199>
- Van De Weerd, B. C. M., & Medema, R. H. (2006). Polo-like kinases: A team in control of the division. *Cell Cycle*, 5(8), 853–864. <http://doi.org/10.4161/cc.5.8.2692>
- Vanderhaeghen, P., & Cheng, H.-J. (2010). Guidance Molecules in Axon Pruning and Cell Death. *Cold Spring Harbour Perspectives in Biology*, 2, a001859.
- Vanderstraete, M., Gouignard, N., Cailliau, K., Morel, M., Hahnel, S., Leutner, S., *et al.* (2014). Venus kinase receptors control reproduction in the platyhelminth parasite *Schistosoma mansoni*. *PLoS Pathogens*, 10(5), e1004138. <http://doi.org/10.1371/journal.ppat.1004138>
- Vanhoutteghem, A., Messiaen, S., Hervé, F., Delhomme, B., Moison, D., Petit, J.-M., *et al.* (2014). The zinc-finger protein basonuclin 2 is required for proper mitotic arrest, prevention of premature meiotic initiation and meiotic progression in mouse male germ cells. *Development (Cambridge, England)*, (2014), 4298–4310. <http://doi.org/10.1242/dev.112888>
- Verjovski-Almeida, S., DeMarco, R., Martins, E. a L., Guimarães, P. E. M., Ojopi, E. P. B., Paquola, A. C. M., *et al.* (2003). Transcriptome analysis of the acelomate human parasite *Schistosoma mansoni*. *Nature Genetics*, 35(2), 148–57. <http://doi.org/10.1038/ng1237>
- Verk, M. C. Van, Hickman, R., Pieterse, M. J., & Van Wees, S. C. M. (2013). RNA-Seq : revelation of the messengers. *Trends in Plant Sciences*, 18(4), 175–179. <http://doi.org/10.1016/j.tplants.2013.02.001>
- Vicogne, J., Cailliau, K., Tulasne, D., Browaeys, E., Yan, Y. T., Fafeur, V., *et al.* (2004). Conservation of epidermal growth factor receptor function in the human parasitic helminth *Schistosoma mansoni*. *The Journal of Biological Chemistry*, 279(36), 37407–37414. <http://doi.org/10.1074/jbc.M313738200>
- Vicogne, J., Pin, J. P., Lardans, V., Capron, M., Noël, C., & Dissous, C. (2003). An unusual receptor tyrosine kinase of *Schistosoma mansoni* contains a Venus Flytrap module. *Molecular and Biochemical Parasitology*, 126(1), 51–62. [http://doi.org/10.1016/S0166-6851\(02\)00249-9](http://doi.org/10.1016/S0166-6851(02)00249-9)
- Vimieiro, A. C. S., Araújo, N., Katz, N., Kusel, J. R., & Coelho, P. M. Z. (2013). Schistogram changes after administration of antischistosomal drugs in mice at the early phase of *Schistosoma mansoni* infection. *Memorias Do Instituto Oswaldo Cruz*, 108(7), 881–886. <http://doi.org/10.1590/0074-0276130135>
- Virgili, G., Frank, F., Feoktistova, K., Sawicki, M., Sonenberg, N., Fraser, C. S., & Nagar, B. (2013). Structural analysis of the DAP5 MIF4G domain and its interaction with eIF4A. *Structure*, 21(4), 517–527. <http://doi.org/10.1016/j.str.2013.01.015>
- Vogler, G., & Urban, J. (2008). The transcription factor Zfh1 is involved in the regulation of neuropeptide expression and growth of larval neuromuscular junctions in *Drosophila melanogaster*. *Developmental Biology*, 319(1), 78–85. <http://doi.org/10.1016/j.ydbio.2008.04.008>
- Volfovsky, N., Haas, B. J., & Salzberg, S. L. (2003). Computational discovery of internal micro-exons. *Genome Research*, 13(6 A), 1216–1221. <http://doi.org/10.1101/gr.677503>
- Waisberg, M., Lobo, F. P., Cerqueira, G. C., Passos, L. K. J., Carvalho, O. S., Franco, G. R., & El-Sayed, N. M. (2007). Microarray analysis of gene expression induced by sexual contact in *Schistosoma mansoni*. *BMC Genomics*, 8, 181. <http://doi.org/10.1186/1471-2164-8-181>

- Wallar, B. J., & Alberts, A. S. (2003). The formins: Active scaffolds that remodel the cytoskeleton. *Trends in Cell Biology*, 13(8), 435–446. [http://doi.org/10.1016/S0962-8924\(03\)00153-3](http://doi.org/10.1016/S0962-8924(03)00153-3)
- Wang, J., & Collins, J. J. (2016). Identification of new markers for the *Schistosoma mansoni* vitelline lineage. *International Journal for Parasitology*, 46(7), 405–410. <http://doi.org/10.1016/j.ijpara.2016.03.004>
- Wang, J., Wang, S., Liu, X., Xu, B., Chai, R., Zhou, P., et al. (2015). Intake of Erythrocytes Required for Reproductive Development of Female *Schistosoma japonicum*. *PLOS ONE*, 10(5), e0126822. <http://doi.org/10.1371/journal.pone.0126822>
- Wang, J., Yu, Y., Shen, H., Qing, T., Zheng, Y., Li, Q., et al. (2017). Dynamic transcriptomes identify biogenic amines and insect-like hormonal regulation for mediating reproduction in *Schistosoma japonicum*. *Nature Communications*, 8(May 2016), 14693. <http://doi.org/10.1038/ncomms14693>
- Wang, W., Li, H.-J., Qu, G.-L., Xing, Y.-T., Yang, Z.-K., Dai, J.-R., & Liang, Y.-S. (2014). Is there a reduced sensitivity of dihydroartemisinin against praziquantel-resistant *Schistosoma japonicum*? *Parasitology Research*, 113(1), 223–228. <http://doi.org/10.1007/s00436-013-3647-1>
- Wang, Z., Gerstein, M., & Snyder, M. (2009). RNA-Seq: a revolutionary tool for transcriptomics. *Nature Reviews. Genetics*, 10(1), 57–63. <http://doi.org/10.1038/nrg2484>
- Warren, K. S., Mahmoud, A. A. F., Cummings, P., Murphy, D. J., & Houser, H. B. (1974). *Schistosomiasis mansoni* in Yemeni in California: duration of infection, presence of disease, therapeutic management. *American Journal of Tropical Medicine and Hygiene*, 23, 902–909.
- Watchorn, T. M., Waddell, I., Dowidar, N., & Ross, J. a. (2001). Proteolysis-inducing factor regulates hepatic gene expression via the transcription factors NF-(kappa)B and STAT3. *The FASEB Journal : Official Publication of the Federation of American Societies for Experimental Biology*, 15(3), 562–564. <http://doi.org/10.1096/fj.00>
- Wehrens, R., & Buydens, L. M. C. (2007). Self- and super-organizing maps in R: The kohonen package. *Journal of Statistical Software*, 21(5), 1–19. <http://doi.org/10.18637/jss.v021.i05>
- Westphal, D., Dewson, G., Czabotar, P. E., & Kluck, R. M. (2011). Molecular biology of Bax and Bak activation and action. *Biochimica et Biophysica Acta - Molecular Cell Research*, 1813(4), 521–531. <http://doi.org/10.1016/j.bbamcr.2010.12.019>
- Williamson, S. M., Robertson, A. P., Brown, L., Williams, T., Woods, D. J., Martin, R. J., et al. (2009). The Nicotinic Acetylcholine Receptors of the Parasitic Nematode *Ascaris suum*: Formation of Two Distinct Drug Targets by Varying the Relative Expression Levels of Two Subunits. *PLoS Pathogens*, 5(7), e1000517. <http://doi.org/10.1371/journal.ppat.1000517>
- World Health Organisation. (2015). Schistosomiasis - Strategy. Retrieved from <http://www.who.int/schistosomiasis/strategy/en/>
- World Health Organisation. (2016). Global Health Estimates 2015: Deaths by Cause, Age, Sex, by Country and by Region, 2000-2015. Retrieved from: http://www.who.int/healthinfo/global_burden_disease/GlobalDALY_method_2000_2016.pdf?ua=1
- World Health Organisation. (2018). Schistosomiasis fact sheet. Retrieved May 2, 2017, from <http://www.who.int/mediacentre/factsheets/fs115/en/>
- Wu, J. W., Hu, M., Chai, J., Seoane, J., Huse, M., Li, C., et al. (2001). Crystal structure of a phosphorylated Smad2: Recognition of phosphoserine by the MH2 domain and insights on Smad

function in TGF- β signaling. *Molecular Cell*, 8(6), 1277–1289. [http://doi.org/10.1016/S1097-2765\(01\)00421-X](http://doi.org/10.1016/S1097-2765(01)00421-X)

Wu, X., Fu, Y., Knott, G., Lu, J., Di Cristo, G., & Huang, Z. J. (2012). GABA Signaling Promotes Synapse Elimination and Axon Pruning in Developing Cortical Inhibitory Interneurons. *Journal of Neuroscience*, 32(1), 331–343. <http://doi.org/10.1523/JNEUROSCI.3189-11.2012>

Wynn, T. A. (2015). Type 2 cytokines: mechanisms and therapeutic strategies. *Nature Reviews Immunology*, 15(5), 271–282. <http://doi.org/10.1038/nri3831>

Xia, C., Ma, W., Stafford, L. J., Marcus, S., Xiong, W. C., & Liu, M. (2001). Regulation of the p21-activated kinase (PAK) by a human Gbeta-like WD-repeat protein, hPIP1. *Proceedings of the National Academy of Sciences of the United States of America*, 98(11), 6174–6179. <http://doi.org/10.1073/pnas.101137298>

Xiao, S. H., Catto, B. a., & Webster, L. T. (1985). Effects of praziquantel on different developmental stages of *Schistosoma mansoni* *in vitro* and *in vivo*. *The Journal of Infectious Diseases*, 151(6), 1130–7. Retrieved from <http://jid.oxfordjournals.org/content/151/6/1130.short> <http://www.ncbi.nlm.nih.gov/pubmed/3998507>

Yakovlev, a G., Ota, K., Wang, G., Movsesyan, V., Bao, W. L., Yoshihara, K., & Faden, a I. (2001). Differential expression of apoptotic protease-activating factor-1 and caspase-3 genes and susceptibility to apoptosis during brain development and after traumatic brain injury. *The Journal of Neuroscience : The Official Journal of the Society for Neuroscience*, 21(19), 7439–7446.

Yan, Y., Tulasne, D., Browaeys, E., Cailliau, K., Khayath, N., Pierce, R. J., et al. (2007). Molecular cloning and characterisation of SmSLK, a novel Ste20-like kinase in *Schistosoma mansoni*. *International Journal for Parasitology*, 37(14), 1539–1550. <http://doi.org/10.1016/j.ijpara.2007.06.001>

Yuan, K., & O'Farrell, P. H. (2015). Cyclin B3 Is a Mitotic Cyclin that Promotes the Metaphase-Anaphase Transition. *Current Biology*, 25(6), 811–816. <http://doi.org/10.1016/j.cub.2015.01.053>

Zamanian, M., Kimber, M. J., McVeigh, P., Carlson, S. a., Maule, A. G., & Day, T. a. (2011). The repertoire of G protein-coupled receptors in the human parasite *Schistosoma mansoni* and the model organism *Schmidtea mediterranea*. *BMC Genomics*, 12(1), 596. <http://doi.org/10.1186/1471-2164-12-596>

Zhao, S., Fung-Leung, W. P., Bittner, A., Ngo, K., & Liu, X. (2014). Comparison of RNA-Seq and microarray in transcriptome profiling of activated T cells. *PLoS ONE*, 9(1), e78644. <http://doi.org/10.1371/journal.pone.0078644>

Zhou, Z. D., Kumari, U., Xiao, Z. C., & Tan, E. K. (2010). Notch as a molecular switch in neural stem cells. *IUBMB Life*, 62(8), 618–623. <http://doi.org/10.1002/iub.362>

Zhu, Q., Jin, J.-F., Shan, X.-H., Liu, C.-P., Mao, X.-D., Xu, K.-F., & Liu, C. (2008). Chronic activation of neutral ceramidase protects β -cells against cytokine-induced apoptosis. *Acta Pharmacologica Sinica*, 29(5), 593–599. <http://doi.org/10.1111/j.1745-7254.2008.00781.x>

Zimmerman, S. G., Peters, N. C., Altaras, A. E., & Berg, C. A. (2013). Dot blot to estimate RNA-probe concentration and DIG-labeling efficiency. *Nature Protocols*, 8, 2158–2179.