

References

1. WHO | World malaria report 2018. In: WHO. <http://www.who.int/malaria/publications/world-malaria-report-2018/en/>. Accessed 14 Jan 2019
2. Crompton PD, Moebius J, Portugal S, et al (2014) Malaria Immunity in Man and Mosquito: Insights into Unsolved Mysteries of a Deadly Infectious Disease. *Annu Rev Immunol* 32:157–187. <https://doi.org/10.1146/annurev-immunol-032713-120220>
3. Hillyer JF (2010) Mosquito immunity. *Adv Exp Med Biol* 708:218–238
4. Castillo JC, Robertson AE, Strand MR (2006) Characterization of hemocytes from the mosquitoes *Anopheles gambiae* and *Aedes aegypti*. *Insect Biochem Mol Biol* 36:891–903. <https://doi.org/10.1016/j.ibmb.2006.08.010>
5. WHO | Malaria. In: WHO. <https://www.who.int/ith/diseases/malaria/en/>. Accessed 8 Jul 2019
6. Coetzee M, Hunt RH, Wilkerson R, et al (2013) *Anopheles coluzzii* and *Anopheles amharicus*, new members of the *Anopheles gambiae* complex. *Zootaxa* 3619:246–274. <https://doi.org/10.11646/zootaxa.3619.3.2>
7. Greenwood B, Marsh K, Snow R (1991) Why do some African children develop severe malaria? *Parasitol Today* 7:277–281. [https://doi.org/10.1016/0169-4758\(91\)90096-7](https://doi.org/10.1016/0169-4758(91)90096-7)
8. Langhorne J, Ndungu FM, Sponaas A-M, Marsh K (2008) Immunity to malaria: more questions than answers. *Nat Immunol* 9:725–732. <https://doi.org/10.1038/ni.f.205>
9. Marsh K, Kinyanjui S (2006) Immune effector mechanisms in malaria. *Parasite Immunol* 28:51–60. <https://doi.org/10.1111/j.1365-3024.2006.00808.x>
10. WHO | World Malaria Report 2014. In: WHO. http://www.who.int/malaria/publications/world_malaria_report_2014/report/en/. Accessed 2 Sep 2015
11. S Clinical Trials Partnership R (2015) Efficacy and safety of RTS,S/AS01 malaria vaccine with or without a booster dose in infants and children in Africa: final results of a phase 3, individually randomised, controlled trial. *The Lancet* 386:31–45. [https://doi.org/10.1016/S0140-6736\(15\)60721-8](https://doi.org/10.1016/S0140-6736(15)60721-8)
12. Miller LH, Ackerman HC, Su X, Wellems TE (2013) Malaria biology and disease pathogenesis: insights for new treatments. *Nat Med* 19:156–167. <https://doi.org/10.1038/nm.3073>

13. WHO | Global report on insecticide resistance in malaria vectors: 2010–2016. In: WHO. <http://www.who.int/malaria/publications/atoz/9789241514057/en/>. Accessed 24 Aug 2019
14. Smith DL, McKenzie FE, Snow RW, Hay SI (2007) Revisiting the Basic Reproductive Number for Malaria and Its Implications for Malaria Control. *PLoS Biol* 5:e42. <https://doi.org/10.1371/journal.pbio.0050042>
15. Gonçalves D, Hunziker P (2016) Transmission-blocking strategies: the roadmap from laboratory bench to the community. *Malar J* 15:. <https://doi.org/10.1186/s12936-016-1163-3>
16. Scholte E-J, Knols BGJ, Samson RA, Takken W (2004) Entomopathogenic fungi for mosquito control: A review. *J Insect Sci* 4:
17. Ramirez JL, Garver LS, Brayner FA, et al (2014) The role of hemocytes in *Anopheles gambiae* antiplasmodial immunity. *J Innate Immun* 6:119–128. <https://doi.org/10.1159/000353765>
18. Otto TD, Gilabert A, Crellen T, et al (2018) Genomes of all known members of a *Plasmodium* subgenus reveal paths to virulent human malaria. *Nat Microbiol* 3:687. <https://doi.org/10.1038/s41564-018-0162-2>
19. Kwiatkowski DP (2005) How Malaria Has Affected the Human Genome and What Human Genetics Can Teach Us about Malaria. *Am J Hum Genet* 77:171–192
20. Elmariah H, Garrett ME, De Castro LM, et al (2014) Factors associated with survival in a contemporary adult sickle cell disease cohort. *Am J Hematol* 89:530–535. <https://doi.org/10.1002/ajh.23683>
21. Gardner K, Douiri A, Drasar E, et al (2016) Survival in adults with sickle cell disease in a high-income setting. *Blood* 128:1436–1438. <https://doi.org/10.1182/blood-2016-05-716910>
22. The impact of parasitic diseases and their control, with an emphasis on malaria and Africa | POPLINE.org. <https://www.popline.org/node/418298>. Accessed 8 Jul 2019
23. Molina-Cruz A, Canepa GE, Kamath N, et al (2015) *Plasmodium* evasion of mosquito immunity and global malaria transmission: The lock-and-key theory. *Proc Natl Acad Sci U S A* 112:15178–15183. <https://doi.org/10.1073/pnas.1520426112>
24. Cowman AF, Healer J, Marapana D, Marsh K (2016) Malaria: Biology and Disease. *Cell* 167:610–624. <https://doi.org/10.1016/j.cell.2016.07.055>

25. Tavares J, Formaglio P, Thiberge S, et al (2013) Role of host cell traversal by the malaria sporozoite during liver infection. *J Exp Med* 210:905–915. <https://doi.org/10.1084/jem.20121130>
26. Ishino T, Yano K, Chinzei Y, Yuda M (2004) Cell-passage activity is required for the malarial parasite to cross the liver sinusoidal cell layer. *PLoS Biol* 2:E4. <https://doi.org/10.1371/journal.pbio.0020004>
27. Risco-Castillo V, Topçu S, Marinach C, et al (2015) Malaria Sporozoites Traverse Host Cells within Transient Vacuoles. *Cell Host Microbe* 18:593–603. <https://doi.org/10.1016/j.chom.2015.10.006>
28. Bhanot P, Schauer K, Coppens I, Nussenzweig V (2005) A surface phospholipase is involved in the migration of plasmodium sporozoites through cells. *J Biol Chem* 280:6752–6760. <https://doi.org/10.1074/jbc.M411465200>
29. Coppi A, Tewari R, Bishop JR, et al (2007) Heparan sulfate proteoglycans provide a signal to Plasmodium sporozoites to stop migrating and productively invade host cells. *Cell Host Microbe* 2:316–327. <https://doi.org/10.1016/j.chom.2007.10.002>
30. Rodrigues CD, Hannus M, Prudêncio M, et al (2008) Host scavenger receptor SR-BI plays a dual role in the establishment of malaria parasite liver infection. *Cell Host Microbe* 4:271–282. <https://doi.org/10.1016/j.chom.2008.07.012>
31. Herrera R, Anderson C, Kumar K, et al (2015) Reversible Conformational Change in the Plasmodium falciparum Circumsporozoite Protein Masks Its Adhesion Domains. *Infect Immun* 83:3771–3780. <https://doi.org/10.1128/IAI.02676-14>
32. Sturm A, Amino R, van de Sand C, et al (2006) Manipulation of host hepatocytes by the malaria parasite for delivery into liver sinusoids. *Science* 313:1287–1290. <https://doi.org/10.1126/science.1129720>
33. Weiss GE, Gilson PR, Taechalertpaisarn T, et al (2015) Revealing the sequence and resulting cellular morphology of receptor-ligand interactions during Plasmodium falciparum invasion of erythrocytes. *PLoS Pathog* 11:e1004670. <https://doi.org/10.1371/journal.ppat.1004670>
34. Holder AA (1994) Proteins on the surface of the malaria parasite and cell invasion. *Parasitology* 108 Suppl:S5-18
35. Tham W-H, Healer J, Cowman AF (2012) Erythrocyte and reticulocyte binding-like proteins of Plasmodium falciparum. *Trends Parasitol* 28:23–30. <https://doi.org/10.1016/j.pt.2011.10.002>

36. Chen L, Lopaticki S, Riglar DT, et al (2011) An EGF-like protein forms a complex with PfRh5 and is required for invasion of human erythrocytes by Plasmodium falciparum. PLoS Pathog 7:e1002199. <https://doi.org/10.1371/journal.ppat.1002199>
37. Reddy KS, Amlabu E, Pandey AK, et al (2015) Multiprotein complex between the GPI-anchored CyRPA with PfRH5 and PfRipr is crucial for Plasmodium falciparum erythrocyte invasion. Proc Natl Acad Sci U S A 112:1179–1184. <https://doi.org/10.1073/pnas.1415466112>
38. Crosnier C, Bustamante LY, Bartholdson SJ, et al (2011) Basigin is a receptor essential for erythrocyte invasion by Plasmodium falciparum. Nature 480:534–537. <https://doi.org/10.1038/nature10606>
39. Volz JC, Yap A, Sisquella X, et al (2016) Essential Role of the PfRh5/PfRipr/CyRPA Complex during Plasmodium falciparum Invasion of Erythrocytes. Cell Host Microbe 20:60–71. <https://doi.org/10.1016/j.chom.2016.06.004>
40. Besteiro S, Dubremetz J-F, Lebrun M (2011) The moving junction of apicomplexan parasites: a key structure for invasion. Cell Microbiol 13:797–805. <https://doi.org/10.1111/j.1462-5822.2011.01597.x>
41. Riglar DT, Richard D, Wilson DW, et al (2011) Super-resolution dissection of coordinated events during malaria parasite invasion of the human erythrocyte. Cell Host Microbe 9:9–20. <https://doi.org/10.1016/j.chom.2010.12.003>
42. Kafsack BFC, Rovira-Graells N, Clark TG, et al (2014) A transcriptional switch underlies commitment to sexual development in malaria parasites. Nature 507:248–252. <https://doi.org/10.1038/nature12920>
43. Joice R, Nilsson SK, Montgomery J, et al (2014) Plasmodium falciparum transmission stages accumulate in the human bone marrow. Sci Transl Med 6:244re5-244re5. <https://doi.org/10.1126/scitranslmed.3008882>
44. Aly ASI, Vaughan AM, Kappe SHI (2009) Malaria Parasite Development in the Mosquito and Infection of the Mammalian Host. Annu Rev Microbiol 63:195–221. <https://doi.org/10.1146/annurev.micro.091208.073403>
45. Bennink S, Kiesow MJ, Pradel G (2016) The development of malaria parasites in the mosquito midgut. Cell Microbiol 18:905–918. <https://doi.org/10.1111/cmi.12604>
46. Kawamoto F, Alejo-Blanco R, Fleck SL, Sinden RE (1991) Plasmodium berghei: ionic regulation and the induction of gametogenesis. Exp Parasitol 72:33–42

47. Billker O, Shaw MK, Margos G, Sinden RE (1997) The roles of temperature, pH and mosquito factors as triggers of male and female gametogenesis of *Plasmodium berghei* in vitro. *Parasitology* 115 (Pt 1):1–7
48. Billker O, Lindo V, Panico M, et al (1998) Identification of xanthurenic acid as the putative inducer of malaria development in the mosquito. *Nature* 392:289–292. <https://doi.org/10.1038/32667>
49. Garcia GE, Wirtz RA, Barr JR, et al (1998) Xanthurenic acid induces gametogenesis in *Plasmodium*, the malaria parasite. *J Biol Chem* 273:12003–12005. <https://doi.org/10.1074/jbc.273.20.12003>
50. Sologub L, Kuehn A, Kern S, et al (2011) Malaria proteases mediate inside-out egress of gametocytes from red blood cells following parasite transmission to the mosquito. *Cell Microbiol* 13:897–912. <https://doi.org/10.1111/j.1462-5822.2011.01588.x>
51. Muhia DK, Swales CA, Deng W, et al (2001) The gametocyte-activating factor xanthurenic acid stimulates an increase in membrane-associated guanylyl cyclase activity in the human malaria parasite *Plasmodium falciparum*. *Mol Microbiol* 42:553–560
52. McRobert L, Taylor CJ, Deng W, et al (2008) Gametogenesis in malaria parasites is mediated by the cGMP-dependent protein kinase. *PLoS Biol* 6:e139. <https://doi.org/10.1371/journal.pbio.0060139>
53. Billker O, Dechamps S, Tewari R, et al (2004) Calcium and a calcium-dependent protein kinase regulate gamete formation and mosquito transmission in a malaria parasite. *Cell* 117:503–514. [https://doi.org/10.1016/s0092-8674\(04\)00449-0](https://doi.org/10.1016/s0092-8674(04)00449-0)
54. Martin SK, Jett M, Schneider I (1994) Correlation of phosphoinositide hydrolysis with exflagellation in the malaria microgametocyte. *J Parasitol* 80:371–378
55. Raabe AC, Wengelnik K, Billker O, Vial HJ (2011) Multiple roles for *Plasmodium berghei* phosphoinositide-specific phospholipase C in regulating gametocyte activation and differentiation. *Cell Microbiol* 13:955–966. <https://doi.org/10.1111/j.1462-5822.2011.01591.x>
56. Sebastian S, Brochet M, Collins MO, et al (2012) A *Plasmodium* calcium-dependent protein kinase controls zygote development and transmission by translationally activating repressed mRNAs. *Cell Host Microbe* 12:9–19. <https://doi.org/10.1016/j.chom.2012.05.014>
57. Alano P, Read D, Bruce M, et al (1995) COS cell expression cloning of Pfg377, a *Plasmodium falciparum* gametocyte antigen associated with osmiophilic bodies. *Mol Biochem Parasitol* 74:143–156

58. Ponzi M, Sidén-Kiamos I, Bertuccini L, et al (2009) Egress of *Plasmodium berghei* gametes from their host erythrocyte is mediated by the MDV-1/PEG3 protein. *Cell Microbiol* 11:1272–1288. <https://doi.org/10.1111/j.1462-5822.2009.01331.x>
59. Talman AM, Lacroix C, Marques SR, et al (2011) PbGEST mediates malaria transmission to both mosquito and vertebrate host. *Mol Microbiol* 82:462–474. <https://doi.org/10.1111/j.1365-2958.2011.07823.x>
60. Wirth CC, Glushakova S, Scheuermayer M, et al (2014) Perforin-like protein PPLP2 permeabilizes the red blood cell membrane during egress of *Plasmodium falciparum* gametocytes. *Cell Microbiol* 16:709–733. <https://doi.org/10.1111/cmi.12288>
61. Janse CJ, Ponnudurai T, Lensen AH, et al (1988) DNA synthesis in gametocytes of *Plasmodium falciparum*. *Parasitology* 96 (Pt 1):1–7
62. van Dijk MR, Janse CJ, Thompson J, et al (2001) A central role for P48/45 in malaria parasite male gamete fertility. *Cell* 104:153–164. [https://doi.org/10.1016/s0092-8674\(01\)00199-4](https://doi.org/10.1016/s0092-8674(01)00199-4)
63. van Schaijk BCL, van Dijk MR, van de Vegte-Bolmer M, et al (2006) Pfs47, paralog of the male fertility factor Pfs48/45, is a female specific surface protein in *Plasmodium falciparum*. *Mol Biochem Parasitol* 149:216–222. <https://doi.org/10.1016/j.molbiopara.2006.05.015>
64. Pradel G, Hayton K, Aravind L, et al (2004) A multidomain adhesion protein family expressed in *Plasmodium falciparum* is essential for transmission to the mosquito. *J Exp Med* 199:1533–1544. <https://doi.org/10.1084/jem.20031274>
65. Janse CJ, van der Klooster PF, van der Kaay HJ, et al (1986) DNA synthesis in *Plasmodium berghei* during asexual and sexual development. *Mol Biochem Parasitol* 20:173–182
66. Reininger L, Billker O, Tewari R, et al (2005) A NIMA-related protein kinase is essential for completion of the sexual cycle of malaria parasites. *J Biol Chem* 280:31957–31964. <https://doi.org/10.1074/jbc.M504523200>
67. Reininger L, Tewari R, Fennell C, et al (2009) An essential role for the *Plasmodium* Nek-2 Nima-related protein kinase in the sexual development of malaria parasites. *J Biol Chem* 284:20858–20868. <https://doi.org/10.1074/jbc.M109.017988>
68. Ukegbu CV, Cho J-S, Christophides GK, Vlachou D (2015) Transcriptional silencing and activation of paternal DNA during *Plasmodium berghei* zygotic development and transformation to oocyst. *Cell Microbiol* 17:1230–1240. <https://doi.org/10.1111/cmi.12433>

69. Yuda M, Iwanaga S, Shigenobu S, et al (2009) Identification of a transcription factor in the mosquito-invasive stage of malaria parasites. *Mol Microbiol* 71:1402–1414. <https://doi.org/10.1111/j.1365-2958.2009.06609.x>
70. Kaneko I, Iwanaga S, Kato T, et al (2015) Genome-Wide Identification of the Target Genes of AP2-O, a Plasmodium AP2-Family Transcription Factor. *PLoS Pathog* 11:e1004905. <https://doi.org/10.1371/journal.ppat.1004905>
71. Tomas AM, Margos G, Dimopoulos G, et al (2001) P25 and P28 proteins of the malaria ookinete surface have multiple and partially redundant functions. *EMBO J* 20:3975–3983. <https://doi.org/10.1093/emboj/20.15.3975>
72. Aikawa M, Carter R, Ito Y, Nijhout MM (1984) New observations on gametogenesis, fertilization, and zygote transformation in *Plasmodium gallinaceum*. *J Protozool* 31:403–413
73. Sinden RE, Hartley RH, Winger L (1985) The development of *Plasmodium* ookinetes in vitro: an ultrastructural study including a description of meiotic division. *Parasitology* 91 (Pt 2):227–244
74. Vlachou D, Zimmermann T, Cantera R, et al (2004) Real-time, in vivo analysis of malaria ookinete locomotion and mosquito midgut invasion. *Cell Microbiol* 6:671–685. <https://doi.org/10.1111/j.1462-5822.2004.00394.x>
75. Hirai M, Arai M, Kawai S, Matsuoka H (2006) PbGCbeta is essential for *Plasmodium* ookinete motility to invade midgut cell and for successful completion of parasite life cycle in mosquitoes. *J Biochem (Tokyo)* 140:747–757. <https://doi.org/10.1093/jb/mvj205>
76. Moon RW, Taylor CJ, Bex C, et al (2009) A cyclic GMP signalling module that regulates gliding motility in a malaria parasite. *PLoS Pathog* 5:e1000599. <https://doi.org/10.1371/journal.ppat.1000599>
77. Ishino T, Orito Y, Chinzei Y, Yuda M (2006) A calcium-dependent protein kinase regulates *Plasmodium* ookinete access to the midgut epithelial cell. *Mol Microbiol* 59:1175–1184. <https://doi.org/10.1111/j.1365-2958.2005.05014.x>
78. Siden-Kiamos I, Ecker A, Nybäck S, et al (2006) *Plasmodium berghei* calcium-dependent protein kinase 3 is required for ookinete gliding motility and mosquito midgut invasion. *Mol Microbiol* 60:1355–1363. <https://doi.org/10.1111/j.1365-2958.2006.05189.x>
79. Lehane MJ (1997) Peritrophic matrix structure and function. *Annu Rev Entomol* 42:525–550. <https://doi.org/10.1146/annurev.ento.42.1.525>

80. Vinetz JM, Dave SK, Specht CA, et al (1999) The chitinase PfCht1 from the human malaria parasite *Plasmodium falciparum* lacks proenzyme and chitin-binding domains and displays unique substrate preferences. *Proc Natl Acad Sci U S A* 96:14061–14066. <https://doi.org/10.1073/pnas.96.24.14061>
81. Vinetz JM, Valenzuela JG, Specht CA, et al (2000) Chitinases of the avian malaria parasite *Plasmodium gallinaceum*, a class of enzymes necessary for parasite invasion of the mosquito midgut. *J Biol Chem* 275:10331–10341. <https://doi.org/10.1074/jbc.275.14.10331>
82. Tsai YL, Hayward RE, Langer RC, et al (2001) Disruption of *Plasmodium falciparum* chitinase markedly impairs parasite invasion of mosquito midgut. *Infect Immun* 69:4048–4054. <https://doi.org/10.1128/IAI.69.6.4048-4054.2001>
83. Dessens JT, Beetsma AL, Dimopoulos G, et al (1999) CTRP is essential for mosquito infection by malaria ookinetes. *EMBO J* 18:6221–6227. <https://doi.org/10.1093/emboj/18.22.6221>
84. Yuda M, Sakaida H, Chinzei Y (1999) Targeted disruption of the *Plasmodium berghei* CTRP gene reveals its essential role in malaria infection of the vector mosquito. *J Exp Med* 190:1711–1716. <https://doi.org/10.1084/jem.190.11.1711>
85. Li F, Templeton TJ, Popov V, et al (2004) *Plasmodium* ookinete-secreted proteins secreted through a common micronemal pathway are targets of blocking malaria transmission. *J Biol Chem* 279:26635–26644. <https://doi.org/10.1074/jbc.M401385200>
86. Wirth CC, Bennink S, Scheuermayer M, et al (2015) Perforin-like protein PPLP4 is crucial for mosquito midgut infection by *Plasmodium falciparum*. *Mol Biochem Parasitol* 201:90–99. <https://doi.org/10.1016/j.molbiopara.2015.06.005>
87. Yuda M, Yano K, Tsuboi T, et al (2001) von Willebrand Factor A domain-related protein, a novel microneme protein of the malaria ookinete highly conserved throughout *Plasmodium* parasites. *Mol Biochem Parasitol* 116:65–72
88. Dessens JT, Sidén-Kiamos I, Mendoza J, et al (2003) SOAP, a novel malaria ookinete protein involved in mosquito midgut invasion and oocyst development. *Mol Microbiol* 49:319–329
89. Kadota K, Ishino T, Matsuyama T, et al (2004) Essential role of membrane-attack protein in malarial transmission to mosquito host. *Proc Natl Acad Sci U S A* 101:16310–16315. <https://doi.org/10.1073/pnas.0406187101>
90. Kariu T, Ishino T, Yano K, et al (2006) CelTOS, a novel malarial protein that mediates transmission to mosquito and vertebrate hosts. *Mol Microbiol* 59:1369–1379. <https://doi.org/10.1111/j.1365-2958.2005.05024.x>

91. Ecker A, Bushell ESC, Tewari R, Sinden RE (2008) Reverse genetics screen identifies six proteins important for malaria development in the mosquito. *Mol Microbiol* 70:209–220. <https://doi.org/10.1111/j.1365-2958.2008.06407.x>
92. Adini A, Warburg A (1999) Interaction of *Plasmodium gallinaceum* ookinetes and oocysts with extracellular matrix proteins. *Parasitology* 119:331–336. <https://doi.org/10.1017/S0031182099004874>
93. Mahairaki V, Voyatzi T, Sidén-Kiamos I, Louis C (2005) The *Anopheles gambiae* gamma1 laminin directly binds the *Plasmodium berghei* circumsporozoite- and TRAP-related protein (CTRP). *Mol Biochem Parasitol* 140:119–121. <https://doi.org/10.1016/j.molbiopara.2004.11.012>
94. Limviroj W, Yano K, Yuda M, et al (2002) IMMUNO-ELECTRON MICROSCOPIC OBSERVATION OF PLASMODIUM BERGHEI CTRP LOCALIZATION IN THE MIDGUT OF THE VECTOR MOSQUITO ANOPHELES STEPHENSI. *J Parasitol* 88:664–672. [https://doi.org/10.1645/0022-3395\(2002\)088\[0664:IEMOOP\]2.0.CO;2](https://doi.org/10.1645/0022-3395(2002)088[0664:IEMOOP]2.0.CO;2)
95. Srinivasan P, Fujioka H, Jacobs-Lorena M (2008) PbCap380, a novel oocyst capsule protein, is essential for malaria parasite survival in the mosquito. *Cell Microbiol* 10:1304–1312. <https://doi.org/10.1111/j.1462-5822.2008.01127.x>
96. Sasaki H, Sekiguchi H, Sugiyama M, Ikadai H (2017) *Plasmodium berghei* Cap93, a novel oocyst capsule-associated protein, plays a role in sporozoite development. *Parasit Vectors* 10:399. <https://doi.org/10.1186/s13071-017-2337-8>
97. Moran P, Caras IW (1994) Requirements for glycosylphosphatidylinositol attachment are similar but not identical in mammalian cells and parasitic protozoa. *J Cell Biol* 125:333–343. <https://doi.org/10.1083/jcb.125.2.333>
98. Trueman HE, Raine JD, Florens L, et al (2004) FUNCTIONAL CHARACTERIZATION OF AN LCCL–LECTIN DOMAIN CONTAINING PROTEIN FAMILY IN PLASMODIUM BERGHEI. *J Parasitol* 90:1062–1071. <https://doi.org/10.1645/GE-3368>
99. Sinden RE (1974) Excystment by sporozoites of malaria parasites. *Nature* 252:314. <https://doi.org/10.1038/252314a0>
100. Ménard R, Sultan AA, Cortes C, et al (1997) Circumsporozoite protein is required for development of malaria sporozoites in mosquitoes. *Nature* 385:336. <https://doi.org/10.1038/385336a0>
101. Aly ASI, Matuschewski K (2005) A malarial cysteine protease is necessary for *Plasmodium* sporozoite egress from oocysts. *J Exp Med* 202:225–230. <https://doi.org/10.1084/jem.20050545>

102. Sultan AA, Thathy V, Frevert U, et al (1997) TRAP Is Necessary for Gliding Motility and Infectivity of Plasmodium Sporozoites. *Cell* 90:511–522.
[https://doi.org/10.1016/S0092-8674\(00\)80511-5](https://doi.org/10.1016/S0092-8674(00)80511-5)
103. Wang Q, Fujioka H, Nussenzweig V (2005) Exit of Plasmodium Sporozoites from Oocysts Is an Active Process That Involves the Circumsporozoite Protein. *PLOS Pathog* 1:e9. <https://doi.org/10.1371/journal.ppat.0010009>
104. Lasonder E, Janse CJ, Gemert G-J van, et al (2008) Proteomic Profiling of Plasmodium Sporozoite Maturation Identifies New Proteins Essential for Parasite Development and Infectivity. *PLOS Pathog* 4:e1000195. <https://doi.org/10.1371/journal.ppat.1000195>
105. Sidjanski SP, Vanderberg JP, Sinnis P (1997) Anopheles stephensi salivary glands bear receptors for region I of the circumsporozoite protein of Plasmodium falciparum. *Mol Biochem Parasitol* 90:33–41. [https://doi.org/10.1016/S0166-6851\(97\)00124-2](https://doi.org/10.1016/S0166-6851(97)00124-2)
106. Sinden RE, Matuschewski K (2005) The Sporozoite. *Mol Approaches Malar* 169–190. <https://doi.org/10.1128/9781555817558.ch9>
107. Matuschewski K, Nunes AC, Nussenzweig V, Ménard R (2002) Plasmodium sporozoite invasion into insect and mammalian cells is directed by the same dual binding system. *EMBO J* 21:1597–1606. <https://doi.org/10.1093/emboj/21.7.1597>
108. Ghosh AK, Devenport M, Jethwaney D, et al (2009) Malaria Parasite Invasion of the Mosquito Salivary Gland Requires Interaction between the Plasmodium TRAP and the Anopheles Saglin Proteins. *PLOS Pathog* 5:e1000265.
<https://doi.org/10.1371/journal.ppat.1000265>
109. Okulate MA, Kalume DE, Reddy R, et al (2007) Identification and molecular characterization of a novel protein Saglin as a target of monoclonal antibodies affecting salivary gland infectivity of Plasmodium sporozoites. *Insect Mol Biol* 16:711–722.
<https://doi.org/10.1111/j.1365-2583.2007.00765.x>
110. Thompson J, Fernandez-Reyes D, Sharling L, et al (2007) Plasmodium cysteine repeat modular proteins 1–4: complex proteins with roles throughout the malaria parasite life cycle. *Cell Microbiol* 9:1466–1480. <https://doi.org/10.1111/j.1462-5822.2006.00885.x>
111. Kariu T, Yuda M, Yano K, Chinzei Y (2002) MAEBL Is Essential for Malarial Sporozoite Infection of the Mosquito Salivary Gland. *J Exp Med* 195:1317–1323.
<https://doi.org/10.1084/jem.20011876>
112. Kappe SHI, Buscaglia CA, Bergman LW, et al (2004) Apicomplexan gliding motility and host cell invasion: overhauling the motor model. *Trends Parasitol* 20:13–16.
<https://doi.org/10.1016/j.pt.2003.10.011>

113. Pimenta PF, Touray M, Miller L (1994) The Journey of Malaria Sporozoites in the Mosquito Salivary Gland. *J Eukaryot Microbiol* 41:608–624.
<https://doi.org/10.1111/j.1550-7408.1994.tb01523.x>
114. Mahy BWJ (2004) Vector-borne diseases. In: *Microbe-Vector Interact. Vector-Borne Dis.* /core/books/microbevector-interactions-in-vectorborne-diseases/vectorborne-diseases/91DB7C46CCE13320BBA5CBCC37CDA140. Accessed 11 Jul 2019
115. Pennacchio F, Strand MR (2005) Evolution of developmental strategies in parasitic hymenoptera. *Annu Rev Entomol* 51:233–258.
<https://doi.org/10.1146/annurev.ento.51.110104.151029>
116. Vega FE, Kaya HK (2012) *Insect Pathology*. Academic Press
117. Hillyer JF (2016) Insect immunology and hematopoiesis. *Dev Comp Immunol* 58:102–118. <https://doi.org/10.1016/j.dci.2015.12.006>
118. Hillyer JF, Strand MR (2014) Mosquito hemocyte-mediated immune responses. *Curr Opin Insect Sci* 3:14–21. <https://doi.org/10.1016/j.cois.2014.07.002>
119. Publication : USDA ARS.
<https://www.ars.usda.gov/research/publications/publication/?seqNo115=271050>.
Accessed 11 Jul 2019
120. Pedrini N, Crespo R, Juárez MP (2007) Biochemistry of insect epicuticle degradation by entomopathogenic fungi. *Comp Biochem Physiol Part C Toxicol Pharmacol* 146:124–137. <https://doi.org/10.1016/j.cbpc.2006.08.003>
121. Cirimotich CM, Dong Y, Clayton AM, et al (2011) Natural Microbe-Mediated Refractoriness to Plasmodium Infection in *Anopheles gambiae*. *Science* 332:855–858.
<https://doi.org/10.1126/science.1201618>
122. McGreevy PB, Bryan JH, Oothuman P, Kolstrup N (1978) The lethal effects of the cibarial and pharyngeal armatures of mosquitoes on microfilariae. *Trans R Soc Trop Med Hyg* 72:361–368. [https://doi.org/10.1016/0035-9203\(78\)90128-1](https://doi.org/10.1016/0035-9203(78)90128-1)
123. Siva-Jothy MT, Moret Y, Rolff J (2005) Insect Immunity: An Evolutionary Ecology Perspective. In: Simpson SJ (ed) *Advances in Insect Physiology*. Academic Press, pp 1–48
124. Pinto SB, Kafatos FC, Michel K (2008) The parasite invasion marker SRPN6 reduces sporozoite numbers in salivary glands of *Anopheles gambiae*. *Cell Microbiol* 10:891–898. <https://doi.org/10.1111/j.1462-5822.2007.01091.x>

125. Gupta L, Molina-Cruz A, Kumar S, et al (2009) The STAT Pathway Mediates Late-Phase Immunity against Plasmodium in the Mosquito *Anopheles gambiae*. *Cell Host Microbe* 5:498–507. <https://doi.org/10.1016/j.chom.2009.04.003>
126. Lim J, Gowda DC, Krishnegowda G, Luckhart S (2005) Induction of Nitric Oxide Synthase in *Anopheles stephensi* by *Plasmodium falciparum*: Mechanism of Signaling and the Role of Parasite Glycosylphosphatidylinositols. *Infect Immun* 73:2778–2789. <https://doi.org/10.1128/IAI.73.5.2778-2789.2005>
127. Luckhart S, Vodovotz Y, Cui L, Rosenberg R (1998) The mosquito *Anopheles stephensi* limits malaria parasite development with inducible synthesis of nitric oxide. *Proc Natl Acad Sci* 95:5700–5705
128. Waterhouse RM, Kriventseva EV, Meister S, et al (2007) Evolutionary Dynamics of Immune-Related Genes and Pathways in Disease-Vector Mosquitoes. *Science* 316:1738–1743. <https://doi.org/10.1126/science.1139862>
129. Lowenberger CA, Smartt CT, Bulet P, et al (1999) Insect immunity: molecular cloning, expression, and characterization of cDNAs and genomic DNA encoding three isoforms of insect defensin in *Aedes aegypti*. *Insect Mol Biol* 8:107–118
130. Richman AM, Bulet P, Hetru C, et al (1996) Inducible immune factors of the vector mosquito *Anopheles gambiae*: biochemical purification of a defensin antibacterial peptide and molecular cloning of preprodefensin cDNA. *Insect Mol Biol* 5:203–210
131. Warr E, Aguilar R, Dong Y, et al (2007) Spatial and sex-specific dissection of the *Anopheles gambiae* midgut transcriptome. *BMC Genomics* 8:37. <https://doi.org/10.1186/1471-2164-8-37>
132. Kim W, Koo H, Richman AM, et al (2004) Ectopic expression of a cecropin transgene in the human malaria vector mosquito *Anopheles gambiae* (Diptera: Culicidae): effects on susceptibility to *Plasmodium*. *J Med Entomol* 41:447–455. <https://doi.org/10.1603/0022-2585-41.3.447>
133. Christensen BM, Li J, Chen C-C, Nappi AJ (2005) Melanization immune responses in mosquito vectors. *Trends Parasitol* 21:192–199. <https://doi.org/10.1016/j.pt.2005.02.007>
134. Neafsey DE, Waterhouse RM, Abai MR, et al (2015) Mosquito genomics. Highly evolvable malaria vectors: the genomes of 16 *Anopheles* mosquitoes. *Science* 347:1258522. <https://doi.org/10.1126/science.1258522>
135. Ahmed A, Martín D, Manetti AGO, et al (1999) Genomic structure and ecdysone regulation of the prophenoloxidase 1 gene in the malaria vector *Anopheles gambiae*. *Proc Natl Acad Sci* 96:14795–14800. <https://doi.org/10.1073/pnas.96.26.14795>

136. Müller HM, Dimopoulos G, Blass C, Kafatos FC (1999) A hemocyte-like cell line established from the malaria vector *Anopheles gambiae* expresses six prophenoloxidase genes. *J Biol Chem* 274:11727–11735. <https://doi.org/10.1074/jbc.274.17.11727>
137. Osta MA, Christophides GK, Kafatos FC (2004) Effects of mosquito genes on *Plasmodium* development. *Science* 303:2030–2032. <https://doi.org/10.1126/science.1091789>
138. An C, Budd A, Kanost MR, Michel K (2011) Characterization of a regulatory unit that controls melanization and affects longevity of mosquitoes. *Cell Mol Life Sci CMLS* 68:1929–1939. <https://doi.org/10.1007/s00018-010-0543-z>
139. Baxter RHG, Chang C-I, Chelliah Y, et al (2007) Structural basis for conserved complement factor-like function in the antimalarial protein TEP1. *Proc Natl Acad Sci U S A* 104:11615–11620. <https://doi.org/10.1073/pnas.0704967104>
140. Levashina EA, Moita LF, Blandin S, et al (2001) Conserved Role of a Complement-like Protein in Phagocytosis Revealed by dsRNA Knockout in Cultured Cells of the Mosquito, *Anopheles gambiae*. *Cell* 104:709–718. [https://doi.org/10.1016/S0092-8674\(01\)00267-7](https://doi.org/10.1016/S0092-8674(01)00267-7)
141. Povelones M, Bhagavatula L, Yassine H, et al (2013) The CLIP-Domain Serine Protease Homolog SPCLIP1 Regulates Complement Recruitment to Microbial Surfaces in the Malaria Mosquito *Anopheles gambiae*. *PLOS Pathog* 9:e1003623. <https://doi.org/10.1371/journal.ppat.1003623>
142. Yassine H, Kamareddine L, Chamat S, et al (2014) A serine protease homolog negatively regulates TEP1 consumption in systemic infections of the malaria vector *Anopheles gambiae*. *J Innate Immun* 6:806–818. <https://doi.org/10.1159/000363296>
143. Riehle MM, Xu J, Lazzaro BP, et al (2008) *Anopheles gambiae* APL1 Is a Family of Variable LRR Proteins Required for Rel1-Mediated Protection from the Malaria Parasite, *Plasmodium berghei*. *PLOS ONE* 3:e3672. <https://doi.org/10.1371/journal.pone.0003672>
144. Fraiture M, Baxter RHG, Steinert S, et al (2009) Two Mosquito LRR Proteins Function as Complement Control Factors in the TEP1-Mediated Killing of *Plasmodium*. *Cell Host Microbe* 5:273–284. <https://doi.org/10.1016/j.chom.2009.01.005>
145. Bartholomay LC, Michel K (2018) Mosquito Immunobiology: The Intersection of Vector Health and Vector Competence. *Annu Rev Entomol* 63:145–167. <https://doi.org/10.1146/annurev-ento-010715-023530>

146. King JG, Hillyer JF (2013) Spatial and temporal in vivo analysis of circulating and sessile immune cells in mosquitoes: hemocyte mitosis following infection. *BMC Biol* 11:55. <https://doi.org/10.1186/1741-7007-11-55>
147. Bryant WB, Michel K (2014) Blood feeding induces hemocyte proliferation and activation in the African malaria mosquito, *Anopheles gambiae* Giles. *J Exp Biol* 217:1238–1245. <https://doi.org/10.1242/jeb.094573>
148. Castillo J, Brown MR, Strand MR (2011) Blood Feeding and Insulin-like Peptide 3 Stimulate Proliferation of Hemocytes in the Mosquito *Aedes aegypti*. *PLOS Pathog* 7:e1002274. <https://doi.org/10.1371/journal.ppat.1002274>
149. Bryant WB, Michel K (2016) *Anopheles gambiae* hemocytes exhibit transient states of activation. *Dev Comp Immunol* 55:119–129. <https://doi.org/10.1016/j.dci.2015.10.020>
150. King JG, Hillyer JF (2012) Infection-Induced Interaction between the Mosquito Circulatory and Immune Systems. *PLoS Pathog* 8:e1003058. <https://doi.org/10.1371/journal.ppat.1003058>
151. Michel K, Suwanchaichinda C, Morlais I, et al (2006) Increased melanizing activity in *Anopheles gambiae* does not affect development of *Plasmodium falciparum*. *Proc Natl Acad Sci U S A* 103:16858–16863. <https://doi.org/10.1073/pnas.0608033103>
152. Christensen BM, Forton KF (1986) Hemocyte-mediated melanization of microfilariae in *Aedes aegypti*. *J Parasitol* 72:220–225
153. Yassine H, Kamareddine L, Osta MA (2012) The Mosquito Melanization Response Is Implicated in Defense against the Entomopathogenic Fungus *Beauveria bassiana*. *PLOS Pathog* 8:e1003029. <https://doi.org/10.1371/journal.ppat.1003029>
154. Cheng G, Liu Y, Wang P, Xiao X (2016) Mosquito Defense Strategies against Viral Infection. *Trends Parasitol* 32:177–186. <https://doi.org/10.1016/j.pt.2015.09.009>
155. Parikh GR, Oliver JD, Bartholomay LC (2009) A haemocyte tropism for an arbovirus. *J Gen Virol* 90:292–296. <https://doi.org/10.1099/vir.0.005116-0>
156. Castillo JC, Ferreira ABB, Trisnadi N, Barillas-Mury C (2017) Activation of mosquito complement antiplasmodial response requires cellular immunity. *Sci Immunol* 2:eaa11505. <https://doi.org/10.1126/sciimmunol.aal1505>
157. Vlisidou I, Wood W (2015) *Drosophila* blood cells and their role in immune responses. *FEBS J* 282:1368–1382. <https://doi.org/10.1111/febs.13235>
158. Shen Z, Jacobs-Lorena M (1998) A Type I Peritrophic Matrix Protein from the Malaria Vector *Anopheles gambiae* Binds to Chitin CLONING, EXPRESSION, AND

CHARACTERIZATION. *J Biol Chem* 273:17665–17670.
<https://doi.org/10.1074/jbc.273.28.17665>

159. Kumar S, Molina-Cruz A, Gupta L, et al (2010) A Peroxidase/Dual Oxidase System Modulates Midgut Epithelial Immunity in *Anopheles gambiae*. *Science* 327:1644–1648.
<https://doi.org/10.1126/science.1184008>
160. Shen Z, Dimopoulos G, Kafatos FC, Jacobs-Lorena M (1999) A cell surface mucin specifically expressed in the midgut of the malaria mosquito *Anopheles gambiae*. *Proc Natl Acad Sci* 96:5610–5615. <https://doi.org/10.1073/pnas.96.10.5610>
161. Kumar S, Gupta L, Han YS, Barillas-Mury C (2004) Inducible Peroxidases Mediate Nitration of *Anopheles* Midgut Cells Undergoing Apoptosis in Response to *Plasmodium* Invasion. *J Biol Chem* 279:53475–53482. <https://doi.org/10.1074/jbc.M409905200>
162. Oliveira G de A, Lieberman J, Barillas-Mury C (2012) Epithelial Nitration by a Peroxidase/NOX5 System Mediates Mosquito Antiplasmodial Immunity. *Science* 335:856–859. <https://doi.org/10.1126/science.1209678>
163. Ramphul UN, Garver LS, Molina-Cruz A, et al (2015) *Plasmodium falciparum* evades mosquito immunity by disrupting JNK-mediated apoptosis of invaded midgut cells. *Proc Natl Acad Sci* 112:1273–1280. <https://doi.org/10.1073/pnas.1423586112>
164. Han YS, Barillas-Mury C (2002) Implications of Time Bomb model of ookinete invasion of midgut cells. *Insect Biochem Mol Biol* 32:1311–1316.
[https://doi.org/10.1016/S0965-1748\(02\)00093-0](https://doi.org/10.1016/S0965-1748(02)00093-0)
165. Blandin S, Shiao S-H, Moita LF, et al (2004) Complement-Like Protein TEP1 Is a Determinant of Vectorial Capacity in the Malaria Vector *Anopheles gambiae*. *Cell* 116:661–670. [https://doi.org/10.1016/S0092-8674\(04\)00173-4](https://doi.org/10.1016/S0092-8674(04)00173-4)
166. Blandin SA, Marois E, Levashina EA (2008) Antimalarial Responses in *Anopheles gambiae*: From a Complement-like Protein to a Complement-like Pathway. *Cell Host Microbe* 3:364–374. <https://doi.org/10.1016/j.chom.2008.05.007>
167. Povelones M, Waterhouse RM, Kafatos FC, Christophides GK (2009) Leucine-Rich Repeat Protein Complex Activates Mosquito Complement in Defense Against *Plasmodium* Parasites. *Science* 324:258–261. <https://doi.org/10.1126/science.1171400>
168. Jaramillo-Gutierrez G, Rodrigues J, Ndikuyeze G, et al (2009) Mosquito immune responses and compatibility between *Plasmodium* parasites and anopheline mosquitoes. *BMC Microbiol* 9:154. <https://doi.org/10.1186/1471-2180-9-154>

169. Blandin SA, Wang-Sattler R, Lamacchia M, et al (2009) Dissecting the Genetic Basis of Resistance to Malaria Parasites in *Anopheles gambiae*. *Science* 326:147–150.
<https://doi.org/10.1126/science.1175241>
170. Garver LS, de Almeida Oliveira G, Barillas-Mury C (2013) The JNK Pathway Is a Key Mediator of *Anopheles gambiae* Antiplasmodial Immunity. *PLoS Pathog* 9:e1003622.
<https://doi.org/10.1371/journal.ppat.1003622>
171. Molina-Cruz A, DeJong RJ, Charles B, et al (2008) Reactive Oxygen Species Modulate *Anopheles gambiae* Immunity against Bacteria and Plasmodium. *J Biol Chem* 283:3217–3223. <https://doi.org/10.1074/jbc.M705873200>
172. Kumar S, Christophides GK, Cantera R, et al (2003) The role of reactive oxygen species on Plasmodium melanotic encapsulation in *Anopheles gambiae*. *Proc Natl Acad Sci* 100:14139–14144. <https://doi.org/10.1073/pnas.2036262100>
173. Oliveira JHM, Gonçalves RLS, Oliveira GA, et al (2011) Energy metabolism affects susceptibility of *Anopheles gambiae* mosquitoes to Plasmodium infection. *Insect Biochem Mol Biol* 41:349–355. <https://doi.org/10.1016/j.ibmb.2011.02.001>
174. Mitri C, Jacques J-C, Thiery I, et al (2009) Fine Pathogen Discrimination within the APL1 Gene Family Protects *Anopheles gambiae* against Human and Rodent Malaria Species. *PLoS Pathog* 5:e1000576. <https://doi.org/10.1371/journal.ppat.1000576>
175. Garver LS, Dong Y, Dimopoulos G (2009) Caspar Controls Resistance to Plasmodium falciparum in Diverse Anopheline Species. *PLoS Pathog* 5:e1000335.
<https://doi.org/10.1371/journal.ppat.1000335>
176. Cohuet A, Osta MA, Morlais I, et al (2006) *Anopheles* and Plasmodium: from laboratory models to natural systems in the field. *EMBO Rep* 7:1285–1289.
<https://doi.org/10.1038/sj.embor.7400831>
177. Molina-Cruz A, Garver LS, Alabaster A, et al (2013) The Human Malaria Parasite Pfs47 Gene Mediates Evasion of the Mosquito Immune System. *Science* 340:984–987.
<https://doi.org/10.1126/science.1235264>
178. Molina-Cruz A, DeJong RJ, Ortega C, et al (2012) Some strains of Plasmodium falciparum, a human malaria parasite, evade the complement-like system of *Anopheles gambiae* mosquitoes. *Proc Natl Acad Sci* 109:E1957–E1962.
<https://doi.org/10.1073/pnas.1121183109>
179. Manske M, Miotto O, Campino S, et al (2012) Analysis of Plasmodium falciparum diversity in natural infections by deep sequencing. *Nature* 487:375–379.
<https://doi.org/10.1038/nature11174>

180. Anthony TG, Polley SD, Vogler AP, Conway DJ (2007) Evidence of non-neutral polymorphism in *Plasmodium falciparum* gamete surface protein genes Pfs47 and Pfs48/45. *Mol Biochem Parasitol* 156:117–123.
<https://doi.org/10.1016/j.molbiopara.2007.07.008>
181. Molina-Cruz A, Canepa GE, Barillas-Mury C (2017) *Plasmodium* P47: a key gene for malaria transmission by mosquito vectors. *Curr Opin Microbiol* 40:168–174.
<https://doi.org/10.1016/j.mib.2017.11.029>
182. Dong Y, Dimopoulos G (2009) Anopheles Fibrinogen-related Proteins Provide Expanded Pattern Recognition Capacity against Bacteria and Malaria Parasites. *J Biol Chem* 284:9835–9844. <https://doi.org/10.1074/jbc.M807084200>
183. Ukegbu CV, Giorgalli M, Yassine H, et al (2017) *Plasmodium berghei* P47 is essential for ookinete protection from the *Anopheles gambiae* complement-like response. *Sci Rep* 7:6026. <https://doi.org/10.1038/s41598-017-05917-6>
184. Smith RC, Jacobs-Lorena M (2015) Malaria parasite Pfs47 disrupts JNK signaling to escape mosquito immunity. *Proc Natl Acad Sci* 112:1250–1251.
<https://doi.org/10.1073/pnas.1424227112>
185. Smith RC, Barillas-Mury C, Jacobs-Lorena M (2015) Hemocyte differentiation mediates the mosquito late-phase immune response against *Plasmodium* in *Anopheles gambiae*. *Proc Natl Acad Sci U S A* 112:E3412-3420.
<https://doi.org/10.1073/pnas.1420078112>
186. Smith RC, Eappen AG, Radtke AJ, Jacobs-Lorena M (2012) Regulation of Anti-*Plasmodium* Immunity by a LITAF-like Transcription Factor in the Malaria Vector *Anopheles gambiae*. *PLoS Pathog* 8:e1002965.
<https://doi.org/10.1371/journal.ppat.1002965>
187. Nsango SE, Pompon J, Xie T, et al (2013) AP-1/Fos-TGase2 Axis Mediates Wounding-induced *Plasmodium falciparum* Killing in *Anopheles gambiae*. *J Biol Chem* 288:16145–16154. <https://doi.org/10.1074/jbc.M112.443267>
188. Lemaitre B, Hoffmann J (2007) The Host Defense of *Drosophila melanogaster*. *Annu Rev Immunol* 25:697–743. <https://doi.org/10.1146/annurev.immunol.25.022106.141615>
189. Imler J-L (2014) Overview of *Drosophila* immunity: A historical perspective. *Dev Comp Immunol* 42:3–15. <https://doi.org/10.1016/j.dci.2013.08.018>
190. Lawrence PO (2008) Hemocytes of Insects: Their Morphology and Function. In: Capinera JL (ed) *Encyclopedia of Entomology*. Springer Netherlands, pp 1787–1790

191. Severo MS, Landry JJM, Lindquist RL, et al (2018) Unbiased classification of mosquito blood cells by single-cell genomics and high-content imaging. *Proc Natl Acad Sci* 115:E7568–E7577. <https://doi.org/10.1073/pnas.1803062115>
192. Kwon H, Smith RC (2019) Chemical depletion of phagocytic immune cells in *Anopheles gambiae* reveals dual roles of mosquito hemocytes in anti-*Plasmodium* immunity. *Proc Natl Acad Sci* 116:14119–14128. <https://doi.org/10.1073/pnas.1900147116>
193. Rodrigues J, Brayner FA, Alves LC, et al (2010) Hemocyte Differentiation Mediates Innate Immune Memory in *Anopheles gambiae* Mosquitoes. *Science* 329:1353–1355. <https://doi.org/10.1126/science.1190689>
194. Ramirez JL, de Almeida Oliveira G, Calvo E, et al (2015) A mosquito lipoxin/lipocalin complex mediates innate immune priming in *Anopheles gambiae*. *Nat Commun* 6:. <https://doi.org/10.1038/ncomms8403>
195. Simões ML, Dimopoulos G A mosquito mediator of parasite-induced immune priming. *Trends Parasitol.* <https://doi.org/10.1016/j.pt.2015.07.004>
196. Stanley D (2006) PROSTAGLANDINS AND OTHER EICOSANOIDS IN INSECTS: Biological Significance. *Annu Rev Entomol* 51:25–44. <https://doi.org/10.1146/annurev.ento.51.110104.151021>
197. Hoxmeier JC, Thompson BD, Broeckling CD, et al (2015) Analysis of the metabolome of *Anopheles gambiae* mosquito after exposure to *Mycobacterium ulcerans*. *Sci Rep* 5:9242. <https://doi.org/10.1038/srep09242>
198. Hwang J, Park Y, Kim Y, et al (2013) AN ENTOMOPATHOGENIC BACTERIUM, *Xenorhabdus nematophila*, SUPPRESSES EXPRESSION OF ANTIMICROBIAL PEPTIDES CONTROLLED BY TOLL AND IMD PATHWAYS BY BLOCKING EICOSANOID BIOSYNTHESIS. *Arch Insect Biochem Physiol* 83:151–169. <https://doi.org/10.1002/arch.21103>
199. Moreno-García M, Recio-Tótoro B, Claudio-Piedras F, Lanz-Mendoza H (2014) Injury and immune response: applying the danger theory to mosquitoes. *Plant Biot Interact* 5:451. <https://doi.org/10.3389/fpls.2014.00451>
200. Choi Y-J, Fuchs JF, Mayhew GF, et al (2012) Tissue-enriched expression profiles in *Aedes aegypti* identify hemocyte-specific transcriptome responses to infection. *Insect Biochem Mol Biol* 42:729–738. <https://doi.org/10.1016/j.ibmb.2012.06.005>
201. Mestas J, Hughes CCW (2004) Of Mice and Not Men: Differences between Mouse and Human Immunology. *J Immunol* 172:2731–2738. <https://doi.org/10.4049/jimmunol.172.5.2731>

202. Pinto SB, Lombardo F, Koutsos AC, et al (2009) Discovery of Plasmodium modulators by genome-wide analysis of circulating hemocytes in *Anopheles gambiae*. *Proc Natl Acad Sci* 106:21270–21275. <https://doi.org/10.1073/pnas.0909463106>
203. Baton LA, Robertson A, Warr E, et al (2009) Genome-wide transcriptomic profiling of *Anopheles gambiae* hemocytes reveals pathogen-specific signatures upon bacterial challenge and *Plasmodium berghei* infection. *BMC Genomics* 10:257. <https://doi.org/10.1186/1471-2164-10-257>
204. Thomas T, De TD, Sharma P, et al (2016) Hemocytome: deep sequencing analysis of mosquito blood cells in Indian malarial vector *Anopheles stephensi*. *Gene* 585:177–190. <https://doi.org/10.1016/j.gene.2016.02.031>
205. Lombardo F, Ghani Y, Kafatos FC, Christophides GK (2013) Comprehensive Genetic Dissection of the Hemocyte Immune Response in the Malaria Mosquito *Anopheles gambiae*. *PLoS Pathog* 9:e1003145. <https://doi.org/10.1371/journal.ppat.1003145>
206. Guttman M, Garber M, Levin JZ, et al (2010) Ab initio reconstruction of cell type-specific transcriptomes in mouse reveals the conserved multi-exonic structure of lincRNAs. *Nat Biotechnol* 28:503–510. <https://doi.org/10.1038/nbt.1633>
207. Treutlein B, Brownfield DG, Wu AR, et al (2014) Reconstructing lineage hierarchies of the distal lung epithelium using single-cell RNA-seq. *Nature* 509:371–375. <https://doi.org/10.1038/nature13173>
208. Shalek AK, Satija R, Shuga J, et al (2014) Single-cell RNA-seq reveals dynamic paracrine control of cellular variation. *Nature* 510:363–369. <https://doi.org/10.1038/nature13437>
209. Kolodziejczyk AA, Kim JK, Svensson V, et al (2015) The Technology and Biology of Single-Cell RNA Sequencing. *Mol Cell* 58:610–620. <https://doi.org/10.1016/j.molcel.2015.04.005>
210. Stegle O, Teichmann SA, Marioni JC (2015) Computational and analytical challenges in single-cell transcriptomics. *Nat Rev Genet* 16:133–145. <https://doi.org/10.1038/nrg3833>
211. Trapnell C, Cacchiarelli D, Grimsby J, et al (2014) The dynamics and regulators of cell fate decisions are revealed by pseudotemporal ordering of single cells. *Nat Biotechnol* 32:381–386. <https://doi.org/10.1038/nbt.2859>
212. Bengtsson M, Ståhlberg A, Rorsman P, Kubista M (2005) Gene expression profiling in single cells from the pancreatic islets of Langerhans reveals lognormal distribution of mRNA levels. *Genome Res* 15:1388–1392. <https://doi.org/10.1101/gr.3820805>

213. Chang HH, Hemberg M, Barahona M, et al (2008) Transcriptome-wide noise controls lineage choice in mammalian progenitor cells. *Nature* 453:544–547. <https://doi.org/10.1038/nature06965>
214. Chen X, Teichmann SA, Meyer KB (2018) From Tissues to Cell Types and Back: Single-Cell Gene Expression Analysis of Tissue Architecture. *Annu Rev Biomed Data Sci* 1:29–51. <https://doi.org/10.1146/annurev-biodatasci-080917-013452>
215. Picelli S (2017) Single-cell RNA-sequencing: The future of genome biology is now. *RNA Biol* 14:637–650. <https://doi.org/10.1080/15476286.2016.1201618>
216. Tang F, Barbacioru C, Wang Y, et al (2009) mRNA-Seq whole-transcriptome analysis of a single cell. *Nat Methods* 6:377–382. <https://doi.org/10.1038/nmeth.1315>
217. Svensson V, Vento-Tormo R, Teichmann SA (2018) Exponential scaling of single-cell RNA-seq in the past decade. *Nat Protoc* 13:599–604. <https://doi.org/10.1038/nprot.2017.149>
218. Eberwine J, Kim J (2015) Cellular Deconstruction: Finding Meaning in Individual Cell Variation. *Trends Cell Biol* 25:569–578. <https://doi.org/10.1016/j.tcb.2015.07.004>
219. Islam S, Zeisel A, Joost S, et al (2014) Quantitative single-cell RNA-seq with unique molecular identifiers. *Nat Methods* 11:163–166. <https://doi.org/10.1038/nmeth.2772>
220. Depledge DP, Srinivas KP, Sadaoka T, et al (2019) Direct RNA sequencing on nanopore arrays redefines the transcriptional complexity of a viral pathogen. *Nat Commun* 10:754. <https://doi.org/10.1038/s41467-019-08734-9>
221. Islam S, Kjällquist U, Moliner A, et al (2011) Characterization of the single-cell transcriptional landscape by highly multiplex RNA-seq. *Genome Res* 21:1160–1167. <https://doi.org/10.1101/gr.110882.110>
222. Brennecke P, Anders S, Kim JK, et al (2013) Accounting for technical noise in single-cell RNA-seq experiments. *Nat Methods* 10:1093–1095. <https://doi.org/10.1038/nmeth.2645>
223. Jaitin DA, Kenigsberg E, Keren-Shaul H, et al (2014) Massively Parallel Single-Cell RNA-Seq for Marker-Free Decomposition of Tissues into Cell Types. *Science* 343:776–779. <https://doi.org/10.1126/science.1247651>
224. Klein AM, Mazutis L, Akartuna I, et al (2015) Droplet Barcoding for Single-Cell Transcriptomics Applied to Embryonic Stem Cells. *Cell* 161:1187–1201. <https://doi.org/10.1016/j.cell.2015.04.044>

225. Macosko EZ, Basu A, Satija R, et al (2015) Highly Parallel Genome-wide Expression Profiling of Individual Cells Using Nanoliter Droplets. *Cell* 161:1202–1214. <https://doi.org/10.1016/j.cell.2015.05.002>
226. Bose S, Wan Z, Carr A, et al (2015) Scalable microfluidics for single-cell RNA printing and sequencing. *Genome Biol* 16:120. <https://doi.org/10.1186/s13059-015-0684-3>
227. Cao J, Packer JS, Ramani V, et al (2017) Comprehensive single-cell transcriptional profiling of a multicellular organism. *Science* 357:661–667. <https://doi.org/10.1126/science.aam8940>
228. Rosenberg AB, Roco CM, Muscat RA, et al (2018) Single-cell profiling of the developing mouse brain and spinal cord with split-pool barcoding. *Science* 360:176–182. <https://doi.org/10.1126/science.aam8999>
229. Gross A, Schoendube J, Zimmermann S, et al (2015) Technologies for Single-Cell Isolation. *Int J Mol Sci* 16:16897–16919. <https://doi.org/10.3390/ijms160816897>
230. Hwang B, Lee JH, Bang D (2018) Single-cell RNA sequencing technologies and bioinformatics pipelines. *Exp Mol Med* 50:96. <https://doi.org/10.1038/s12276-018-0071-8>
231. Chen G, Ning B, Shi T (2019) Single-Cell RNA-Seq Technologies and Related Computational Data Analysis. *Front Genet* 10:. <https://doi.org/10.3389/fgene.2019.00317>
232. Nguyen QH, Pervolarakis N, Nee K, Kessenbrock K (2018) Experimental Considerations for Single-Cell RNA Sequencing Approaches. *Front Cell Dev Biol* 6:. <https://doi.org/10.3389/fcell.2018.00108>
233. Tung P-Y, Blischak JD, Hsiao CJ, et al (2017) Batch effects and the effective design of single-cell gene expression studies. *Sci Rep* 7:. <https://doi.org/10.1038/srep39921>
234. van den Brink SC, Sage F, Vértessy Á, et al (2017) Single-cell sequencing reveals dissociation-induced gene expression in tissue subpopulations. *Nat Methods* 14:935–936. <https://doi.org/10.1038/nmeth.4437>
235. Attar M, Sharma E, Li S, et al (2018) A practical solution for preserving single cells for RNA sequencing. *Sci Rep* 8:2151. <https://doi.org/10.1038/s41598-018-20372-7>
236. Chen J, Cheung F, Shi R, et al (2018) PBMC fixation and processing for Chromium single-cell RNA sequencing. *J Transl Med* 16:. <https://doi.org/10.1186/s12967-018-1578-4>

237. Ziegenhain C, Vieth B, Parekh S, et al (2017) Comparative Analysis of Single-Cell RNA Sequencing Methods. *Mol Cell* 65:631-643.e4.
<https://doi.org/10.1016/j.molcel.2017.01.023>
238. Sasagawa Y, Nikaido I, Hayashi T, et al (2013) Quartz-Seq: a highly reproducible and sensitive single-cell RNA sequencing method, reveals non-genetic gene-expression heterogeneity. *Genome Biol* 14:R31. <https://doi.org/10.1186/gb-2013-14-4-r31>
239. Picelli S, Faridani OR, Björklund ÅK, et al (2014) Full-length RNA-seq from single cells using Smart-seq2. *Nat Protoc* 9:171–181. <https://doi.org/10.1038/nprot.2014.006>
240. Picelli S, Björklund ÅK, Faridani OR, et al (2013) Smart-seq2 for sensitive full-length transcriptome profiling in single cells. *Nat Methods* 10:1096–1098.
<https://doi.org/10.1038/nmeth.2639>
241. Hashimshony T, Wagner F, Sher N, Yanai I (2012) CEL-Seq: single-cell RNA-Seq by multiplexed linear amplification. *Cell Rep* 2:666–673.
<https://doi.org/10.1016/j.celrep.2012.08.003>
242. Kivioja T, Vähärautio A, Karlsson K, et al (2012) Counting absolute numbers of molecules using unique molecular identifiers. *Nat Methods* 9:72–74.
<https://doi.org/10.1038/nmeth.1778>
243. Hashimshony T, Senderovich N, Avital G, et al (2016) CEL-Seq2: sensitive highly-multiplexed single-cell RNA-Seq. *Genome Biol* 17:77. <https://doi.org/10.1186/s13059-016-0938-8>
244. Islam S, Kjällquist U, Moliner A, et al (2012) Highly multiplexed and strand-specific single-cell RNA 5' end sequencing. *Nat Protoc* 7:813–828.
<https://doi.org/10.1038/nprot.2012.022>
245. Zhang X, Li T, Liu F, et al (2019) Comparative Analysis of Droplet-Based Ultra-High-Throughput Single-Cell RNA-Seq Systems. *Mol Cell* 73:130-142.e5.
<https://doi.org/10.1016/j.molcel.2018.10.020>
246. Zheng GXY, Terry JM, Belgrader P, et al (2017) Massively parallel digital transcriptional profiling of single cells. *Nat Commun* 8:14049.
<https://doi.org/10.1038/ncomms14049>
247. Single-Cell RNA Sequencing with Drop-Seq | Springer Nature Experiments.
https://experiments.springernature.com/articles/10.1007/978-1-4939-9240-9_6.
Accessed 12 Jul 2019

248. Gierahn TM, Ii MHW, Hughes TK, et al (2017) Seq-Well: portable, low-cost RNA sequencing of single cells at high throughput. *Nat Methods* 14:395–398. <https://doi.org/10.1038/nmeth.4179>
249. Seq-Well: A Sample-Efficient, Portable Picowell Platform for Massively Parallel Single-Cell RNA Sequencing | Springer Nature Experiments. https://experiments.springernature.com/articles/10.1007/978-1-4939-9240-9_8. Accessed 12 Jul 2019
250. Cao J, Spielmann M, Qiu X, et al (2019) The single-cell transcriptional landscape of mammalian organogenesis. *Nature* 566:496–502. <https://doi.org/10.1038/s41586-019-0969-x>
251. Cusanovich DA, Daza R, Adey A, et al (2015) Multiplex single-cell profiling of chromatin accessibility by combinatorial cellular indexing. *Science* 348:910–914. <https://doi.org/10.1126/science.aab1601>
252. Vitak SA, Torkenczy KA, Rosenkrantz JL, et al (2017) Sequencing thousands of single-cell genomes with combinatorial indexing. *Nat Methods* 14:302–308. <https://doi.org/10.1038/nmeth.4154>
253. Ramani V, Deng X, Qiu R, et al (2017) Massively multiplex single-cell Hi-C. *Nat Methods* 14:263–266. <https://doi.org/10.1038/nmeth.4155>
254. Mulqueen RM, Pokholok D, Norberg SJ, et al (2018) Highly scalable generation of DNA methylation profiles in single cells. *Nat Biotechnol* 36:428–431. <https://doi.org/10.1038/nbt.4112>
255. Pollen AA, Nowakowski TJ, Shuga J, et al (2014) Low-coverage single-cell mRNA sequencing reveals cellular heterogeneity and activated signaling pathways in developing cerebral cortex. *Nat Biotechnol* 32:1053–1058. <https://doi.org/10.1038/nbt.2967>
256. Satija R, Farrell JA, Gennert D, et al (2015) Spatial reconstruction of single-cell gene expression data. *Nat Biotechnol* 33:495–502. <https://doi.org/10.1038/nbt.3192>
257. Wolf FA, Angerer P, Theis FJ (2018) SCANPY: large-scale single-cell gene expression data analysis. *Genome Biol* 19:15. <https://doi.org/10.1186/s13059-017-1382-0>
258. McCarthy DJ, Campbell KR, Lun ATL, Wills QF (2017) Scater: pre-processing, quality control, normalization and visualization of single-cell RNA-seq data in R. *Bioinforma Oxf Engl* 33:1179–1186. <https://doi.org/10.1093/bioinformatics/btw777>
259. Bray NL, Pimentel H, Melsted P, Pachter L (2016) Near-optimal probabilistic RNA-seq quantification. *Nat Biotechnol* 34:525–527. <https://doi.org/10.1038/nbt.3519>

260. Patro R, Duggal G, Love MI, et al (2017) Salmon provides fast and bias-aware quantification of transcript expression. *Nat Methods* 14:417–419. <https://doi.org/10.1038/nmeth.4197>
261. Kim D, Pertea G, Trapnell C, et al (2013) TopHat2: accurate alignment of transcriptomes in the presence of insertions, deletions and gene fusions. *Genome Biol* 14:R36. <https://doi.org/10.1186/gb-2013-14-4-r36>
262. Dobin A, Gingeras TR (2015) Mapping RNA-seq Reads with STAR. *Curr Protoc Bioinforma* 51:11.14.1-19. <https://doi.org/10.1002/0471250953.bi1114s1>
263. Kim D, Langmead B, Salzberg SL (2015) HISAT: a fast spliced aligner with low memory requirements. *Nat Methods* 12:357–360. <https://doi.org/10.1038/nmeth.3317>
264. Engström PG, Steijger T, Sipos B, et al (2013) Systematic evaluation of spliced alignment programs for RNA-seq data. *Nat Methods* 10:1185–1191. <https://doi.org/10.1038/nmeth.2722>
265. Everaert C, Luypaert M, Maag JLV, et al (2017) Benchmarking of RNA-sequencing analysis workflows using whole-transcriptome RT-qPCR expression data. *Sci Rep* 7:1559. <https://doi.org/10.1038/s41598-017-01617-3>
266. Teng M, Love MI, Davis CA, et al (2016) A benchmark for RNA-seq quantification pipelines. *Genome Biol* 17:74. <https://doi.org/10.1186/s13059-016-0940-1>
267. Huang M, Wang J, Torre E, et al (2018) SAVER: gene expression recovery for single-cell RNA sequencing. *Nat Methods* 15:539. <https://doi.org/10.1038/s41592-018-0033-z>
268. Jiang L, Schlesinger F, Davis CA, et al (2011) Synthetic spike-in standards for RNA-seq experiments. *Genome Res* 21:1543–1551. <https://doi.org/10.1101/gr.121095.111>
269. Ilicic T, Kim JK, Kolodziejczyk AA, et al (2016) Classification of low quality cells from single-cell RNA-seq data. *Genome Biol* 17:. <https://doi.org/10.1186/s13059-016-0888-1>
270. Vallejos CA, Risso D, Scialdone A, et al (2017) Normalizing single-cell RNA sequencing data: challenges and opportunities. *Nat Methods* 14:565–571. <https://doi.org/10.1038/nmeth.4292>
271. Bacher R, Kendzioriski C (2016) Design and computational analysis of single-cell RNA-sequencing experiments. *Genome Biol* 17:63. <https://doi.org/10.1186/s13059-016-0927-y>

272. Katayama S, Töhönen V, Linnarsson S, Kere J (2013) SAMstr: statistical test for differential expression in single-cell transcriptome with spike-in normalization. *Bioinforma Oxf Engl* 29:2943–2945. <https://doi.org/10.1093/bioinformatics/btt511>
273. Buettner F, Natarajan KN, Casale FP, et al (2015) Computational analysis of cell-to-cell heterogeneity in single-cell RNA-sequencing data reveals hidden subpopulations of cells. *Nat Biotechnol* 33:155–160. <https://doi.org/10.1038/nbt.3102>
274. Bacher R, Chu L-F, Leng N, et al (2017) SCnorm: robust normalization of single-cell RNA-seq data. *Nat Methods* 14:584–586. <https://doi.org/10.1038/nmeth.4263>
275. Hafemeister C, Satija R (2019) Normalization and variance stabilization of single-cell RNA-seq data using regularized negative binomial regression. *bioRxiv* 576827. <https://doi.org/10.1101/576827>
276. Johnson WE, Li C, Rabinovic A (2007) Adjusting batch effects in microarray expression data using empirical Bayes methods. *Biostatistics* 8:118–127. <https://doi.org/10.1093/biostatistics/kxj037>
277. Butler A, Hoffman P, Smibert P, et al (2018) Integrating single-cell transcriptomic data across different conditions, technologies, and species. *Nat Biotechnol* 36:411–420. <https://doi.org/10.1038/nbt.4096>
278. Haghverdi L, Lun ATL, Morgan MD, Marioni JC (2018) Batch effects in single-cell RNA-sequencing data are corrected by matching mutual nearest neighbors. *Nat Biotechnol* 36:421–427. <https://doi.org/10.1038/nbt.4091>
279. Finak G, McDavid A, Yajima M, et al (2015) MAST: a flexible statistical framework for assessing transcriptional changes and characterizing heterogeneity in single-cell RNA sequencing data. *Genome Biol* 16:278. <https://doi.org/10.1186/s13059-015-0844-5>
280. Love MI, Huber W, Anders S (2014) Moderated estimation of fold change and dispersion for RNA-seq data with DESeq2. *Genome Biol* 15:550. <https://doi.org/10.1186/s13059-014-0550-8>
281. Ritchie ME, Phipson B, Wu D, et al (2015) limma powers differential expression analyses for RNA-sequencing and microarray studies. *Nucleic Acids Res* 43:e47–e47. <https://doi.org/10.1093/nar/gkv007>
282. Büttner M, Miao Z, Wolf FA, et al (2019) A test metric for assessing single-cell RNA-seq batch correction. *Nat Methods* 16:43. <https://doi.org/10.1038/s41592-018-0254-1>
283. Maaten L van der, Hinton G (2008) Visualizing Data using t-SNE. *J Mach Learn Res* 9:2579–2605

284. Becht E, McInnes L, Healy J, et al (2018) Dimensionality reduction for visualizing single-cell data using UMAP. *Nat Biotechnol.* <https://doi.org/10.1038/nbt.4314>
285. Ding J, Condon A, Shah SP (2018) Interpretable dimensionality reduction of single cell transcriptome data with deep generative models. *Nat Commun* 9:2002. <https://doi.org/10.1038/s41467-018-04368-5>
286. Andrews TS, Hemberg M (2018) M3Drop: Dropout-based feature selection for scRNASeq. *Bioinforma Oxf Engl.* <https://doi.org/10.1093/bioinformatics/bty1044>
287. Andrews TS, Hemberg M (2018) Identifying cell populations with scRNASeq. *Mol Aspects Med* 59:114–122. <https://doi.org/10.1016/j.mam.2017.07.002>
288. Sonesson C, Robinson MD (2018) Bias, robustness and scalability in single-cell differential expression analysis. *Nat Methods* 15:255–261. <https://doi.org/10.1038/nmeth.4612>
289. Kiselev VY, Kirschner K, Schaub MT, et al (2016) SC3 - consensus clustering of single-cell RNA-Seq data. *bioRxiv* 036558. <https://doi.org/10.1101/036558>
290. Seyednasrollah F, Rantanen K, Jaakkola P, Elo LL (2016) ROTS: reproducible RNA-seq biomarker detector-prognostic markers for clear cell renal cell cancer. *Nucleic Acids Res* 44:e1. <https://doi.org/10.1093/nar/gkv806>
291. Angerer P, Haghverdi L, Büttner M, et al (2016) destiny: diffusion maps for large-scale single-cell data in R. *Bioinforma Oxf Engl* 32:1241–1243. <https://doi.org/10.1093/bioinformatics/btv715>
292. Chen L, Zheng S (2018) BCseq: accurate single cell RNA-seq quantification with bias correction. *Nucleic Acids Res* 46:e82. <https://doi.org/10.1093/nar/gky308>
293. Xu C, Su Z (2015) Identification of cell types from single-cell transcriptomes using a novel clustering method. *Bioinforma Oxf Engl* 31:1974–1980. <https://doi.org/10.1093/bioinformatics/btv088>
294. Kharchenko PV, Silberstein L, Scadden DT (2014) Bayesian approach to single-cell differential expression analysis. *Nat Methods* 11:740–742. <https://doi.org/10.1038/nmeth.2967>
295. Grün D, Lyubimova A, Kester L, et al (2015) Single-cell messenger RNA sequencing reveals rare intestinal cell types. *Nature* 525:251–255. <https://doi.org/10.1038/nature14966>

296. Miao Z, Deng K, Wang X, Zhang X (2018) DEsingle for detecting three types of differential expression in single-cell RNA-seq data. *Bioinforma Oxf Engl* 34:3223–3224. <https://doi.org/10.1093/bioinformatics/bty332>
297. Marco E, Karp RL, Guo G, et al (2014) Bifurcation analysis of single-cell gene expression data reveals epigenetic landscape. *Proc Natl Acad Sci U S A* 111:E5643–5650. <https://doi.org/10.1073/pnas.1408993111>
298. Qiu X, Hill A, Packer J, et al (2017) Single-cell mRNA quantification and differential analysis with Census. *Nat Methods* 14:309–315. <https://doi.org/10.1038/nmeth.4150>
299. Zeisel A, Muñoz-Manchado AB, Codeluppi S, et al (2015) Brain structure. Cell types in the mouse cortex and hippocampus revealed by single-cell RNA-seq. *Science* 347:1138–1142. <https://doi.org/10.1126/science.aaa1934>
300. Delmans M, Hemberg M (2016) Discrete distributional differential expression (D3E)--a tool for gene expression analysis of single-cell RNA-seq data. *BMC Bioinformatics* 17:110. <https://doi.org/10.1186/s12859-016-0944-6>
301. Fan J, Salathia N, Liu R, et al (2016) Characterizing transcriptional heterogeneity through pathway and gene set overdispersion analysis. *Nat Methods* 13:241–244. <https://doi.org/10.1038/nmeth.3734>
302. Vu TN, Wills QF, Kalari KR, et al (2016) Beta-Poisson model for single-cell RNA-seq data analyses. *Bioinforma Oxf Engl* 32:2128–2135. <https://doi.org/10.1093/bioinformatics/btw202>
303. Lin P, Troup M, Ho JWK (2017) CIDR: Ultrafast and accurate clustering through imputation for single-cell RNA-seq data. *Genome Biol* 18:59. <https://doi.org/10.1186/s13059-017-1188-0>
304. Žurauskienė J, Yau C (2016) pcaReduce: hierarchical clustering of single cell transcriptional profiles. *BMC Bioinformatics* 17:140. <https://doi.org/10.1186/s12859-016-0984-y>
305. Robinson MD, McCarthy DJ, Smyth GK (2010) edgeR: a Bioconductor package for differential expression analysis of digital gene expression data. *Bioinforma Oxf Engl* 26:139–140. <https://doi.org/10.1093/bioinformatics/btp616>
306. Ji Z, Ji H (2016) TSCAN: Pseudo-time reconstruction and evaluation in single-cell RNA-seq analysis. *Nucleic Acids Res* 44:e117. <https://doi.org/10.1093/nar/gkw430>
307. Pierson E, Yau C (2015) ZIFA: Dimensionality reduction for zero-inflated single-cell gene expression analysis. *Genome Biol* 16:241. <https://doi.org/10.1186/s13059-015-0805-z>

308. Frazee AC, Pertea G, Jaffe AE, et al (2015) Ballgown bridges the gap between transcriptome assembly and expression analysis. *Nat Biotechnol* 33:243–246. <https://doi.org/10.1038/nbt.3172>
309. Street K, Risso D, Fletcher RB, et al (2018) Slingshot: cell lineage and pseudotime inference for single-cell transcriptomics. *BMC Genomics* 19:477. <https://doi.org/10.1186/s12864-018-4772-0>
310. Lummertz da Rocha E, Rowe RG, Lundin V, et al (2018) Reconstruction of complex single-cell trajectories using CellRouter. *Nat Commun* 9:892. <https://doi.org/10.1038/s41467-018-03214-y>
311. Saelens W, Cannoodt R, Todorov H, Saeys Y (2019) A comparison of single-cell trajectory inference methods. *Nat Biotechnol* 37:547–554. <https://doi.org/10.1038/s41587-019-0071-9>
312. Aibar S, González-Blas CB, Moerman T, et al (2017) SCENIC: single-cell regulatory network inference and clustering. *Nat Methods* 14:1083–1086. <https://doi.org/10.1038/nmeth.4463>
313. Chan TE, Stumpf MPH, Babbie AC (2017) Gene Regulatory Network Inference from Single-Cell Data Using Multivariate Information Measures. *Cell Syst* 5:251-267.e3. <https://doi.org/10.1016/j.cels.2017.08.014>
314. Wang ET, Sandberg R, Luo S, et al (2008) Alternative isoform regulation in human tissue transcriptomes. *Nature* 456:470–476. <https://doi.org/10.1038/nature07509>
315. Welch JD, Hu Y, Prins JF (2016) Robust detection of alternative splicing in a population of single cells. *Nucleic Acids Res* 44:e73. <https://doi.org/10.1093/nar/gkv1525>
316. Huang Y, Sanguinetti G (2017) BRIE: transcriptome-wide splicing quantification in single cells. *Genome Biol* 18:123. <https://doi.org/10.1186/s13059-017-1248-5>
317. Song Y, Botvinnik OB, Lovci MT, et al (2017) Single-Cell Alternative Splicing Analysis with Expedition Reveals Splicing Dynamics during Neuron Differentiation. *Mol Cell* 67:148-161.e5. <https://doi.org/10.1016/j.molcel.2017.06.003>
318. See P, Lum J, Chen J, Ginhoux F (2018) A Single-Cell Sequencing Guide for Immunologists. *Front Immunol* 9:. <https://doi.org/10.3389/fimmu.2018.02425>
319. Franke-Fayard B, Trueman H, Ramesar J, et al (2004) A *Plasmodium berghei* reference line that constitutively expresses GFP at a high level throughout the complete life cycle. *Mol Biochem Parasitol* 137:23–33. <https://doi.org/10.1016/j.molbiopara.2004.04.007>

320. McCarthy D, Wills Q, Campbell K scater: Single-cell analysis toolkit for gene expression data in R. In: R Package Version 1.13.3. <https://github.com/davismcc/scater>. Accessed 8 Sep 2016
321. Hartigan JA, Wong MA (1979) Algorithm AS 136: A K-Means Clustering Algorithm. *J R Stat Soc Ser C Appl Stat* 28:100–108. <https://doi.org/10.2307/2346830>
322. Volohonsky G, Terenzi O, Soichot J, et al (2015) Tools for *Anopheles gambiae* Transgenesis. *G3 GenesGenomesGenetics* 5:1151–1163. <https://doi.org/10.1534/g3.115.016808>
323. Sandiford SL, Dong Y, Pike A, et al (2015) Cytoplasmic Actin Is an Extracellular Insect Immune Factor which Is Secreted upon Immune Challenge and Mediates Phagocytosis and Direct Killing of Bacteria, and Is a Plasmodium Antagonist. *PLOS Pathog* 11:e1004631. <https://doi.org/10.1371/journal.ppat.1004631>
324. Lombardo F, Christophides GK (2016) Novel factors of *Anopheles gambiae* haemocyte immune response to *Plasmodium berghei* infection. *Parasit Vectors* 9:. <https://doi.org/10.1186/s13071-016-1359-y>
325. Robert Hooke (1665) *Micrographia, or some physiological descriptions of minute bodies made by magnifying glasses, with observations and inquiries thereupon*. By R. Hooke. Printed by JoMartyn, and JaAllestry, printers to the Royal Society, London
326. Hyman AH, Simons K (2011) The new cell biology: Beyond HeLa cells. *Nature* 480:34. <https://doi.org/10.1038/480034a>
327. Reynolds A (2008) Amoebae as Exemplary Cells: The Protean Nature of an Elementary Organism. *J Hist Biol* 41:307–337. <https://doi.org/10.1007/s10739-007-9142-8>
328. Fontana F (1781) *Traité sur le vnin de la vipre, sur les poisons amricaines*
329. Schleiden: *Arch Anat Physiol* - Google Scholar. https://scholar.google.com/scholar_lookup?title=&journal=Arch.%20Anat.%20Physiol.%20Wiss.%20Med.&volume=13&pages=137-176&publication_year=1838&author=Schleiden%2CMJ. Accessed 24 Jul 2019
330. Harris H (2000) *The Birth of the Cell*. Yale University Press
331. Brown R (1833) XXXV. On the Organs and Mode of Fecundation in Orchide and Asclepiade. *Trans Linn Soc Lond* 16:685–738. <https://doi.org/10.1111/j.1095-8339.1829.tb00158.x>
332. Russell RJ (1984) The growth of biological thought: Diversity, evolution, and inheritance. *Ethol Sociobiol* 5:63–64. [https://doi.org/10.1016/0162-3095\(84\)90038-4](https://doi.org/10.1016/0162-3095(84)90038-4)

333. Mazzaello P (1999) A unifying concept: the history of cell theory. *Nat Cell Biol* 1:E13. <https://doi.org/10.1038/8964>
334. GOLGI C (1898) Intorno all struttura delle cellule nervose. *Arch Ital Biol* 30:60–71
335. Ramón y Cajal S (1909) *Histologie du système nerveux de l’homme & des vertébrés*. Paris : Maloine
336. Mazzaello P (1996) *La struttura nascosta: La vita di Camillo Golgi*. Cisalpino, Bologna
337. Trapnell C (2015) Defining cell types and states with single-cell genomics. *Genome Res* 25:1491–1498. <https://doi.org/10.1101/gr.190595.115>
338. Giraldo-Calderón GI, Emrich SJ, MacCallum RM, et al (2015) VectorBase: an updated bioinformatics resource for invertebrate vectors and other organisms related with human diseases. *Nucleic Acids Res* 43:D707-713. <https://doi.org/10.1093/nar/gku1117>
339. Stuart T, Butler A, Hoffman P, et al (2019) Comprehensive Integration of Single-Cell Data. *Cell* 177:1888-1902.e21. <https://doi.org/10.1016/j.cell.2019.05.031>
340. Haghverdi L, Büttner M, Wolf FA, et al (2016) Diffusion pseudotime robustly reconstructs lineage branching. *Nat Methods* 13:845–848. <https://doi.org/10.1038/nmeth.3971>
341. Qiu X, Mao Q, Tang Y, et al (2017) Reversed graph embedding resolves complex single-cell trajectories. *Nat Methods* 14:979–982. <https://doi.org/10.1038/nmeth.4402>
342. Manno GL, Soldatov R, Zeisel A, et al (2018) RNA velocity of single cells. *Nature* 560:494. <https://doi.org/10.1038/s41586-018-0414-6>
343. (2019) Stochastic Single Cell RNA Velocity. Contribute to theislab/scvelo development by creating an account on GitHub. Theis Lab
344. Wolf FA, Hamey FK, Plass M, et al (2019) PAGA: graph abstraction reconciles clustering with trajectory inference through a topology preserving map of single cells. *Genome Biol* 20:59. <https://doi.org/10.1186/s13059-019-1663-x>
345. trajectory-based differential expression analysis for sequencing data. <https://statomics.github.io/tradeSeq/index.html>. Accessed 7 Sep 2019
346. Raudvere U, Kolberg L, Kuzmin I, et al (2019) g:Profiler: a web server for functional enrichment analysis and conversions of gene lists (2019 update). *Nucleic Acids Res* 47:W191–W198. <https://doi.org/10.1093/nar/gkz369>

347. Ribeiro JMC, Topalis P, Louis C (2004) AnoXcel: an *Anopheles gambiae* protein database. *Insect Mol Biol* 13:449–457. <https://doi.org/10.1111/j.0962-1075.2004.00503.x>
348. Smith RC, King JG, Tao D, et al (2016) Molecular Profiling of Phagocytic Immune Cells in *Anopheles gambiae* Reveals Integral Roles for Hemocytes in Mosquito Innate Immunity. *Mol Cell Proteomics MCP* 15:3373–3387. <https://doi.org/10.1074/mcp.M116.060723>
349. Zhao YO, Kurscheid S, Zhang Y, et al (2012) Enhanced survival of *Plasmodium*-infected mosquitoes during starvation. *PloS One* 7:e40556. <https://doi.org/10.1371/journal.pone.0040556>
350. Kramerova IA, Kramerov AA (1999) Mucinoprotein is a universal constituent of stable intercellular bridges in *Drosophila melanogaster* germ line and somatic cells. *Dev Dyn Off Publ Am Assoc Anat* 216:349–360. [https://doi.org/10.1002/\(SICI\)1097-0177\(199912\)216:4/5<349::AID-DVDY4>3.0.CO;2-X](https://doi.org/10.1002/(SICI)1097-0177(199912)216:4/5<349::AID-DVDY4>3.0.CO;2-X)
351. Smiley ST, King JA, Hancock WW (2001) Fibrinogen stimulates macrophage chemokine secretion through toll-like receptor 4. *J Immunol Baltim Md* 1950 167:2887–2894. <https://doi.org/10.4049/jimmunol.167.5.2887>
352. Dong Y, Manfredini F, Dimopoulos G (2009) Implication of the Mosquito Midgut Microbiota in the Defense against Malaria Parasites. *PLOS Pathog* 5:e1000423. <https://doi.org/10.1371/journal.ppat.1000423>
353. Volz J, Müller H-M, Zdanowicz A, et al (2006) A genetic module regulates the melanization response of *Anopheles* to *Plasmodium*. *Cell Microbiol* 8:1392–1405. <https://doi.org/10.1111/j.1462-5822.2006.00718.x>
354. Dong Y, Aguilar R, Xi Z, et al (2006) *Anopheles gambiae* Immune Responses to Human and Rodent *Plasmodium* Parasite Species. *PLOS Pathog* 2:e52. <https://doi.org/10.1371/journal.ppat.0020052>
355. Kajla MK, Shi L, Li B, et al (2011) A New Role for an Old Antimicrobial: Lysozyme c-1 Can Function to Protect Malaria Parasites in *Anopheles* Mosquitoes. *PLoS ONE* 6:. <https://doi.org/10.1371/journal.pone.0019649>
356. Nakhleh J, Christophides GK, Osta MA (2017) The serine protease homolog CLIPA14 modulates the intensity of the immune response in the mosquito *Anopheles gambiae*. *J Biol Chem* 292:18217–18226. <https://doi.org/10.1074/jbc.M117.797787>
357. Michel K, Budd A, Pinto S, et al (2005) *Anopheles gambiae* SRPN2 facilitates midgut invasion by the malaria parasite *Plasmodium berghei*. *EMBO Rep* 6:891–897. <https://doi.org/10.1038/sj.embor.7400478>

358. Ramirez JL, Garver LS, Dimopoulos G (2009) Challenges and approaches for mosquito targeted malaria control. *Curr Mol Med* 9:116–130
359. Zieler H, Keister DB, Dvorak JA, Ribeiro JM (2001) A snake venom phospholipase A(2) blocks malaria parasite development in the mosquito midgut by inhibiting ookinete association with the midgut surface. *J Exp Biol* 204:4157–4167
360. Ito J, Ghosh A, Moreira LA, et al (2002) Transgenic anopheline mosquitoes impaired in transmission of a malaria parasite. *Nature* 417:452–455. <https://doi.org/10.1038/417452a>
361. Hammond A, Galizi R, Kyrou K, et al (2016) A CRISPR-Cas9 Gene Drive System Targeting Female Reproduction in the Malaria Mosquito vector *Anopheles gambiae*. *Nat Biotechnol* 34:78–83. <https://doi.org/10.1038/nbt.3439>
362. Yoshida S, Ioka D, Matsuoka H, et al (2001) Bacteria expressing single-chain immunotoxin inhibit malaria parasite development in mosquitoes. *Mol Biochem Parasitol* 113:89–96
363. Gomes FM, Barillas-Mury C (2018) Infection of anopheline mosquitoes with *Wolbachia*: Implications for malaria control. *PLoS Pathog* 14:. <https://doi.org/10.1371/journal.ppat.1007333>
364. Luckhart S, Vodovotz Y, Cui L, Rosenberg R (1998) The mosquito *Anopheles stephensi* limits malaria parasite development with inducible synthesis of nitric oxide. *Proc Natl Acad Sci U S A* 95:5700–5705. <https://doi.org/10.1073/pnas.95.10.5700>
365. Blandin S, Shiao S-H, Moita LF, et al (2004) Complement-like protein TEP1 is a determinant of vectorial capacity in the malaria vector *Anopheles gambiae*. *Cell* 116:661–670. [https://doi.org/10.1016/s0092-8674\(04\)00173-4](https://doi.org/10.1016/s0092-8674(04)00173-4)
366. Ramirez JL, Garver LS, Brayner FA, et al (2014) The role of hemocytes in *Anopheles gambiae* antiplasmodial immunity. *J Innate Immun* 6:119–128. <https://doi.org/10.1159/000353765>
367. Castillo JC, Ferreira ABB, Trisnadi N, Barillas-Mury C (2017) Activation of mosquito complement antiplasmodial response requires cellular immunity. *Sci Immunol* 2:. <https://doi.org/10.1126/sciimmunol.aal1505>
368. Kumar S, Gupta L, Han YS, Barillas-Mury C (2004) Inducible peroxidases mediate nitration of anopheles midgut cells undergoing apoptosis in response to *Plasmodium* invasion. *J Biol Chem* 279:53475–53482. <https://doi.org/10.1074/jbc.M409905200>

369. Oliveira G de A, Lieberman J, Barillas-Mury C (2012) Epithelial nitration by a peroxidase/NOX5 system mediates mosquito antiplasmodial immunity. *Science* 335:856–859. <https://doi.org/10.1126/science.1209678>
370. Rodrigues J, Brayner FA, Alves LC, et al (2010) Hemocyte differentiation mediates innate immune memory in *Anopheles gambiae* mosquitoes. *Science* 329:1353–1355. <https://doi.org/10.1126/science.1190689>
371. Ramirez JL, de Almeida Oliveira G, Calvo E, et al (2015) A mosquito lipoxin/lipocalin complex mediates innate immune priming in *Anopheles gambiae*. *Nat Commun* 6:7403. <https://doi.org/10.1038/ncomms8403>
372. Smith RC, Barillas-Mury C, Jacobs-Lorena M (2015) Hemocyte differentiation mediates the mosquito late-phase immune response against *Plasmodium* in *Anopheles gambiae*. *Proc Natl Acad Sci U S A* 112:E3412–3420. <https://doi.org/10.1073/pnas.1420078112>
373. Blighe K (2019) Publication-ready volcano plots with enhanced colouring and labeling: kevinblighe/EnhancedVolcano
374. Gendrin M, Turlure F, Rodgers FH, et al (2017) The Peptidoglycan Recognition Proteins PGRPLA and PGRPLB Regulate *Anopheles* Immunity to Bacteria and Affect Infection by *Plasmodium*. *J Innate Immun* 9:333–342. <https://doi.org/10.1159/000452797>
375. Zhang X, An C, Sprigg K, Michel K (2016) CLIPB8 is part of the prophenoloxidase activation system in *Anopheles gambiae* mosquitoes. *Insect Biochem Mol Biol* 71:106–115. <https://doi.org/10.1016/j.ibmb.2016.02.008>
376. Wang F, Hu C, Hua X, et al (2013) Translationally Controlled Tumor Protein, a Dual Functional Protein Involved in the Immune Response of the Silkworm, *Bombyx mori*. *PLoS ONE* 8:. <https://doi.org/10.1371/journal.pone.0069284>
377. Sung EJ, Ryuda M, Matsumoto H, et al (2017) Cytokine signaling through *Drosophila* Mthl10 ties lifespan to environmental stress. *Proc Natl Acad Sci U S A* 114:13786–13791. <https://doi.org/10.1073/pnas.1712453115>
378. Gharthey-Kwansah G, Li Z, Feng R, et al (2018) Comparative analysis of FKBP family protein: evaluation, structure, and function in mammals and *Drosophila melanogaster*. *BMC Dev Biol* 18:7. <https://doi.org/10.1186/s12861-018-0167-3>
379. Rodríguez M del C, Martínez-Barnette J, Alvarado-Delgado A, et al (2007) The surface protein Pvs25 of *Plasmodium vivax* ookinetes interacts with calreticulin on the midgut apical surface of the malaria vector *Anopheles albimanus*. *Mol Biochem Parasitol* 153:167–177. <https://doi.org/10.1016/j.molbiopara.2007.03.002>

380. Zhang G, Schmidt O, Asgari S (2006) A calreticulin-like protein from endoparasitoid venom fluid is involved in host hemocyte inactivation. *Dev Comp Immunol* 30:756–764. <https://doi.org/10.1016/j.dci.2005.11.001>
381. Markesich DC, Gajewski KM, Nazimiec ME, Beckingham K (2000) bicaudal encodes the *Drosophila* beta NAC homolog, a component of the ribosomal translational machinery*. *Dev Camb Engl* 127:559–572
382. Duvic B, Hoffmann JA, Meister M, Royet J (2002) Notch Signaling Controls Lineage Specification during *Drosophila* Larval Hematopoiesis. *Curr Biol* 12:1923–1927. [https://doi.org/10.1016/S0960-9822\(02\)01297-6](https://doi.org/10.1016/S0960-9822(02)01297-6)
383. Zakovic S, Levashina EA (2017) NF- κ B-Like Signaling Pathway REL2 in Immune Defenses of the Malaria Vector *Anopheles gambiae*. *Front Cell Infect Microbiol* 7:. <https://doi.org/10.3389/fcimb.2017.00258>
384. Hardbower DM, Asim M, Luis PB, et al (2017) Ornithine decarboxylase regulates M1 macrophage activation and mucosal inflammation via histone modifications. *Proc Natl Acad Sci U S A* 114:E751–E760. <https://doi.org/10.1073/pnas.1614958114>
385. Walsh MC, Lee J, Choi Y (2015) Tumor necrosis factor receptor associated factor 6 (TRAF6) regulation of development, function, and homeostasis of the immune system. *Immunol Rev* 266:72–92. <https://doi.org/10.1111/imr.12302>
386. Perišić Nanut M, Sabotič J, Jewett A, Kos J (2014) Cysteine Cathepsins as Regulators of the Cytotoxicity of NK and T Cells. *Front Immunol* 5:. <https://doi.org/10.3389/fimmu.2014.00616>
387. Beers C, Honey K, Fink S, et al (2003) Differential Regulation of Cathepsin S and Cathepsin L in Interferon γ -treated Macrophages. *J Exp Med* 197:169–179. <https://doi.org/10.1084/jem.20020978>
388. WHO World malaria report 2019
389. Castillo JC, Robertson AE, Strand MR (2006) Characterization of hemocytes from the mosquitoes *Anopheles gambiae* and *Aedes aegypti*. *Insect Biochem Mol Biol* 36:891–903. <https://doi.org/10.1016/j.ibmb.2006.08.010>
390. Attardo GM, Hansen IA, Raikhel AS (2005) Nutritional regulation of vitellogenesis in mosquitoes: implications for anautogeny. *Insect Biochem Mol Biol* 35:661–675. <https://doi.org/10.1016/j.ibmb.2005.02.013>