

References

- Alonso PL, Sacarlal J, Aponte JJ, Leach A, Macete E, Aide P, Sigauque B, Milman J, Mandomando I, Bassat Q, Guinovart C, Espasa M, Corochan S, Lievens M, Navia MM, Dubois MC, Menendez C, Dubovsky F, Cohen J, Thompson R, Ballou WR. 2005. Duration of protection with RTS,S/AS02A malaria vaccine in prevention of *Plasmodium falciparum* disease in Mozambican children: single blind extended follow-up of a randomised controlled trial. *The Lancet*. Vol. 6736(5); pp. 669-676.
- Arnot DE, Gull K. 1998. The *Plasmodium* cell-cycle: facts and questions. *Annals of Tropical Medicine & Parasitology*. Vol.92, No. 4, pp. 361-365.
- Bakacs T, Vegh Z, Merry AH, Sim RB, Varga L, Kertesz Z, Tusnady G, Klein E. 1993. Interactions in the complement-mediated lysis of blood group AB erythrocytes sensitized simultaneously with anti-A and anti-B monoclonal antibodies. *Immunol Lett*. Vol. 35(3); pp. 219-28.
- Baker DA. 2010. Malaria gametocytogenesis. *Molecular and Biochemical Parasitology*. Vol. 172;2, pp. 57-65.
- Bannister LH, Hopkins JM, Dluzewski AR, Margos G, Williams IT, Blackman MJ, Kocken CH, Thomas AW, Mitchel GH. 2003. *Plasmodium falciparum* apical membrane antigen-1 (*PfAMA-1*) is translocated within micronemes along subpellicular microtubules during merozoite development. *Journal of Cell Science*. Vol. 116; pp. 3825-3834.
- Bate CA, Kwiatkowski D. 1994. Inhibitory immunoglobulin M antibodies to tumour necrosis factor-inducing toxins in patients with malaria. *Infection and Immunity*. 62(8):pp. 3086-3091.
- Baum J, Papenfuss AT, Baum B, Speed TP, Cowman AF. 2006. Regulation of apicomplexan actin-based motility. *Nature Reviews Microbiology*. Vol 4; pp. 621-628.
- Baum J, Pinder M, Conway DJ. 2002. Erythrocyte invasion phenotypes of *Plasmodium falciparum* in The Gambia. *Infection and Immunity*. Vol. 71(4): pp. 1856-1863.
- Bei AK, Membi CD, Rayner JC, Mubi M, Ngasala B, Sultan AA, Premji Z, Duraisingh MT. 2007. Variant merozoite protein expression is associated with erythrocyte invasion phenotypes in *Plasmodium falciparum* isolates from Tanzania. *Molecular & Biochemical Parasitology*. Vol. 153; pp. 66-71.
- Beier JC. 1998. Malaria Parasite Development in Mosquitoes. *Annual Review of Entomology*. 43: pp. 519-543.
- Billker O, Lindo V, Panico M, Etienne AE, Paxton T, Dell A, Rogers M, Sinden RE, Morris HR. 1998. Identification of xanthurenic acid as the putative inducer of malaria development in the mosquito. *Nature*. 392; pp.289-292.
- Binks RH, Conway DJ. 1999. The major allelic dimorphisms in four *Plasmodium falciparum* merozoite proteins are not associated with alternative pathways of erythrocyte invasion. *Molecular and Biochemical Parasitology*. Vol. 103; pp. 123-127.

Bojang KA, Milligan PJM, Pinder M, Vigneron L, Allouche A, Kester KE, Ballou WR, Conway J, Reece WHH, Gothard P, Yamuah L, Delchambre M, Voss G, Greenwood BM, Hill A, McAddam KPWJ, Tornieporth N, Cohen JD, Doherty T. 2001. Efficacy of RTS,S/AS02 malaria vaccine against *P. falciparum* infection in semi-immune adult men in The Gambia: a randomised trial. *The Lancet*. Vol. 358(9297); pp. 1927-1934.

Boyle MJ, Richards JS, Gilson PR, Chai W, Beeson JG. 2010. Interactions with heparin-like molecules during erythrocyte invasion by *Plasmodium falciparum* merozoites. *Blood*. Vol. 115(22): pp. 4559-4568.

Bozdech Z, Llinas M, Pulliam BL, Wong ED, Zhu J, BeRisi JL. 2003. The transcriptome of the intraerythrocytic developmental cycle of *Plasmodium falciparum*. *PLoS Biology*. Vol. 1; 1 pp. 85-100.

Branch OH, Casapia WM, Gamboa DV, Hernandez JN, Alava FF, Roncal N, Alvarez E, Perez EJ, Gotuzzo E. 2005. Clustered local transmission and asymptomatic *Plasmodium falciparum* and *Plasmodium vivax* malaria infections in a recently emerged, hypoendemic Peruvian Amazon community. *Malaria Journal*. Vol. 4(27).

Carme B, Bouquet JC, Plassart H. 1993. Mortality and sequelae due to cerebral malaria in African Children in Brazzaville, Congo. *Am. J. Med. Hyg*. Vol. 48(2); pp. 216-221.

Carter R, Mendis K. 2002. Evolutionary and Historical Aspects of the Burden of Malaria. *Clin. Microbiol. Rev.* 15(4): pp.564-594.

CDC DPDx. 2008. Life cycle of *Plasmodium* spp. Accessed online at [<http://www.dpd.cdc.gov/dpdx/HTML/Malaria.htm>] on 16/07/2010].

Cele-Conde CJ, Ayala FJ. 2003. Genera of the human lineage. *PNAS*. 100(13): pp. 7684-7689. [Online] <<http://www.pnas.org/content/100/13/7684.full.pdf+html>> [Accessed on: 09/07/2010].

Chen Q, Barragan A, Fernandez V, Sundstrom A, Schlichtherle M, Sahlen A, Carlson J, Datta S, Wahlgren M. 1998. Identification of *Plasmodium falciparum* erythrocyte membrane protein (*PfEMP-1*) as the resetting ligand of the malaria parasite *Plasmodium falciparum*. *J. Exp. Med.* 187(1): pp. 15-23.

Chen Q, Schlichtherle M, Wahlgren M. 2000. Molecular Aspects of Severe Malaria. *Clinical Microbiology Rev.* Vol.13(3): pp. 439-450.

Chen TR. 1977. *In situ* detection of mycoplasma contamination in cell cultures by the fluorescent dye Hoechst 33258. *Exp. Cell Res.* Vol. 104; pp. 255-262.

Chotivanich K, Udomsangpetch R, Simpson JA, Newton P, Pukrittayakamee S, Looareesuwan S, White NJ. 2000. Parasite multiplication potential and the severity of Falciparum malaria. *Journal of Infectious Diseases*. Vol. 181; pp. 1206-1209.

Corby-Harris V, Drexler A, Watkins de Jong L, Antonova Y, Pakpour N, Ziegler R, Ramberg F, Lewis EE, Brown JM, Luckhart S, Riehle MA. 2010. Activation of Akt signalling reduces the prevalence and

intensity of malaria parasite infection and lifespan in *Anopheles stephensi* mosquitoes. *PLoS Pathogens*. Vol. 6(7); pp. e1001003.

Cowman AF, Crabb BS, 2006. Invasion of Red Blood Cells by Malaria Parasites. *Cell*. 124, pp. 755-766.

David PH, Handunnetti SM, Leech JH, Gamage P, Mendis KN. 1988. Rosetting: A new cytoadherence property of malaria infected erythrocytes. *Am. J. Trop. Med. Hyg.* 38(2); pp. 289-297.

Deans AM, Lyke KE, Thera MA, Plowe CV, Kone A, Doumbo OK, Kai O, Marsh K, Mackinnon MJ, Raza A, Rowe JA. 2006. Low multiplication rates of African *Plasmodium falciparum* isolates and lack of association of multiplication rate and red blood cell selectivity with malaria virulence. *Am. J. Med. Hyg.* Vol. 74(4); pp. 554-563.

Deans AM, Nery S, Conway DJ, Kai O, Marsh K, Rowe JA. 2007. Invasion profiles and malaria severity in Kenyan *P. falciparum* clinical isolates. *Infection and Immunity*. Vol. 75(6); pp. 3014-3020.

Doumbo OK, Thera MA, Kone AK, Raza A, Tempest LJ, Lyke KE, Plowe CV, Rowe JA. 2009. High levels of *Plasmodium falciparum* rosetting in all clinical forms of severe malaria in African children. *Am. J. Trop. Med. Hyg.* Vol. 81(6); pp. 987-993.

Duraisingh MT, Triglia T, Ralph SA, Rayner JC, Barnwell JW, McFadden GI, Cowman AF. 2003. Phenotypic variation of *Plasmodium falciparum* merozoite proteins directs receptor targeting for invasion of human erythrocytes. *EMBO Journal*. Vol 22; pp. 1047-1057.

Egan JE, Hoffman SL, Haynes D, Sadoff JC, Schneider I, Grau GE, Hollingdale MR, Ripley Ballou W, Gordon DM. 1993. Humoral immune responses in volunteers immunized with irradiated *Plasmodium falciparum* sporozoites. *Am. J. Trop. Med. Hyg.* Vol. 49(2); pp.166-173.

Egan T. 2007. Haemozoin formation. *Molecular and Biochemical Parasitology*. Vol. 157;2. Pp. 127-136.

Filatov MV, Varfolomeeva EY. 1995. Active dissociation of Hoechst 33342 from DNA in living mammalian cells. *Mutation research / Fundamental and Molecular Mechanisms of Mutagenesis*.Vol. 327(1-2); pp. 209-215.

Fujioka H, Aikawa M. 2002. Structure and life cycle. *Chem Immunol. Basel, Karger*. Vol. 80, pp.1-26.

Gardner MJ, Hall N, Fung E, White O, Berriman M, Hyman RW, Carlton JM, Pain A, Nelson KE, Bowman S, Paulsen IT, James K, Eisen JA, Rutherford K, Salzberg SL, Craig A, Kyes S, Chan MS, Nene V, Shallom SJ, Suh B, Paterson J, Angiuoli S, Pertea M, Allen J, Selengut J, Haft D, Mather MW, Vaidya AB, Martin DMA, Fairlamb AH, Fraunholz MJ, Roos DS, Ralph SA, McFadden GI, Cummings LM, Subramanian GM, Mungall C, Venter JC, Carucci DJ, Hoffman SL, Newbold C, Davis RW, Fraser CM, Barrell B. 2002. Genome sequence of the human malaria parasite *Plasmodium falciparum*. *Nature*. Vol. 419; pp. 498-511.

Gilson PR, Nebl T, Vukcevic D, Moritz RL, Sergeant T, Speed TP, Schofield L, Crabb BS. 2006. Identification and stoichiometry of GPI-anchored membrane proteins of the human malaria parasite *Plasmodium falciparum*. *MCP*. Vol. 5; pp. 1286-1299.

Girard MP, Reed ZH, Friede M, Kieny MP. 2007. A review of human vaccine research and development: Malaria. *Vaccine*. Vol. 25; pp. 1567-1580.

Gomez-Escobar N, Amambua-Ngwa A, Walther M, Okebe J, Ebonyi A, Conway DJ. 2010. Erythrocyte invasion and merozoite ligand gene expression in severe and mild *Plasmodium falciparum* malaria. *Journal of Infectious Disease*. Vol. 201(3); pp. 444-452.

Green JL, Martin SR, Fielden J, Ksagoni A, Grainger M, Yim Lim BYS, Molloy JE, Holder AA. 2006. The MTIP-Myosin A Complex in Blood Stage Malaria Parasites. *Journal of Molecular Biology*. Vol. 355(3); pp. 933-941.

Guar D, Singh S, Singh S, Jiang L, Diouf A, Miller LH. 2007. Recombinant *Plasmodium falciparum* reticulocyte homology protein 4 binds to erythrocytes and blocks invasion. *PNAS*. Vol. 104(45); pp. 17789-17794.

Guarda JA, Asayag CR, Witzig R. 1999. Malaria reemergence in the Peruvian Amazon Region. *Emerging Infectious Diseases*. Vol. 5(2). [Accessed online <<http://www.cdc.gov/ncidod/eid/vol5no2/aramburu.htm>> on 19/06/2010].

Guinet F, Dvorak JA, Fujioka H, Keister DB, Muratova O, Kaslow DC, Aikawa M, Vaidya AB, Wellemes TE. 1996. A Developmental Defect in *Plasmodium falciparum* Male Gametogenesis. *Journal of Cell Biology*. Vol. 135;1. pp. 269-278.

Hayton K, Gaur D, Lui A, Takahashi J, Henschen B, Singh S, Lambert L, Furuya T, Bouttenot R, Doll M, Nawaz F, Mu J, Jiang L, Miller LH, Wellemes TE. 2008. Erythrocyte binding protein *PfRh5* polymorphisms determine species-specific pathways of *Plasmodium falciparum* invasion. *Cell Host & Microbe*. Vol. 4; pp. 40-51.

Holder AA. 1994. Proteins on the surface of the malaria parasite and invasion. *Parasitology*. Vol. 108; pp. S5-18.

Imwong M, Snounou G, Pukrittayakamee S, Tanomsing N, Kim JR, Nandy A, Guthmann JP, Nosten F, Carlton J, Looareesuwan S, Nair S, Sudimack D, Day NPJ, Anderson TJC, White NJ. 2007. Relapses of *Plasmodium vivax* infection usually result from activation of heterologous hypnozoites. *Journal of Infectious Diseases*. 1995: pp.927-933.

Jennings CV, Ahoudi AD, Zilversmit M, Bei AK, Rayner JC, Sarr O, Ndir O, Wirth DF, Mboup S, Duraisingh MT. 2007. Molecular analysis of erythrocyte invasion in *Plasmodium falciparum* isolates from Senegal. *Infection and Immunity*. Vol. 75(7); pp. 3531-3538.

Jolliffe I. 2002. Principal Component Analysis. *Springer*. 2nd Edition. pp. 1-6. ISBN: 978-0387954424.

Jones ML, Kitson EL, Rayner JC. 2006. *Plasmodium falciparum* erythrocyte invasion: A conserved myosin associated complex. *Molecular and Biochemical Parasitology*. Vol. 147; pp. 74-84.

Kadekoppala M, Holder AA. 2010. Merozoite surface proteins of the malaria parasite: the MSP-1 complex and the MSP-7 family. *International Journal of Parasitology*. Vol. 40(10); pp. 1155-1166.

Kain KC, Orlandi PA, Haynes JD, Sim KL, Lanar DE. 1993. Evidence for two-stage binding by the 175-kD erythrocyte binding antigen of *Plasmodium falciparum*. *Journal of Experimental Medicine*. Vol. 178; pp. 1497-1505.

Kappe SHI, Vaughan AM, Boddey JA, Cowman AF. 2010. That was then but this is now: malaria research in the time of an eradication agenda. *Science*. Vol 328(862); pp. 862-866.

Krief S, Escalante AA, Pacheco MA, Mugisha L, Andre C, Halbwax M, Fischer A, Krief JM, Kasenene JM, Crandfield M, Cornejo OE, Chavatte JM, Lin C, Letourneau F, Gruner AC, McCutchan TF, Renia L, Snounou G. 2010. On the diversity of malaria parasites in African Apes and the origin of *Plasmodium falciparum* from Bonobos. *PLoS Pathogens*. Vol. 6(2); pp. E1000765.

Kwiatkowski D. 1989. Febrile temperatures can synchronise the growth of *Plasmodium falciparum* in vitro. *Journal of Experimental Medicine*. 169(1) pp. 357-361.

Kyes S, Horrocks P, Newbold C. 2001. Antigenic Variation at the Infected Red Cell Surface in Malaria. *Annual Rev. of Microbiology*. 55: pp. 673-707.

Lambros C, Vanderberg JP. 1979. Synchronization of *Plasmodium falciparum* erythrocytic stages in culture. *Journal of Parasitology*. Vol. 65(3); pp. 418-420.

Lobo CA, de Frazao K, Rodriguez M, Reid M, Zalis M, Lustigman S. 2004. Invasion profiles of Brazilian Field Isolates of *Plasmodium falciparum*: Phenotypic and genotypic analyses. *Infection and Immunity*. Vol. 72(10); pp. 5886-5891.

Malaria Site. 2010. *MalariaSite*. [Accessed online <http://www.malariasite.com/malaria/history_control.htm>] [Accessed on: 21/06/2010].

Manske HM, Kwiatkowski DP. 2009. LookSeq: a browser-based viewer for deep sequencing data. *Genome Research*. Vol. 19(11); pp. 2125-2135.

Manske HM, Kwiatkowski DP. 2009. SNP-o-matic. *Bioinformatics*. Vol. 25(18); pp. 2434-2435.

Mardis ER. 2008. The Impact of next-generation sequencing technology on genetics. *Trends in Genetics*. Vol. 24(3); pp. 133-141.

Martin RE, Marchetti RV, Cowan AI, Howitt SM, Bröer S, Kirk K. 2009. Chloroquine transport via the malaria parasite's chloroquine resistance transporter. *Science*. Vol. 325(5948); pp. 1690-1682.

Mayer DCG, Mu JB, Feng X, Su X, Miller LH. 2002. Polymorphism in a *Plasmodium falciparum* erythrocyte binding ligand changes its receptor specificity. *JEM*. Vol. 196(11); pp. 1523-1528.

Mayer DCG, Mu JB, Kaneko O, Duan J, Su X, Miller LH. 2004. Polymorphism in the *P. falciparum* erythrocyte binding ligand JESEBL/EBA-181 alters its receptor specificity. *PNAS*. Vol. 101(8); pp. 2518-2523.

Miller LH, Baruch DI, Marsh K, Doumbo OK. 2002. The pathogenic basis of malaria. *Nature*. 415; pp.673-679.

Miller LH, Good MF, Milon G. 1994. Malaria Pathogenesis. *Science*. Vol. 264; 5167. pp. 1878-1883.

Miller LH, Mason SJ, Clyde DF, McGinniss MH. 1976. The resistance factor to *Plasmodium vivax* in blacks. The Duffy blood group genotype FyFy. *New England Journal of Medicine*. Vol. 295(6); pp. 302-304.

Mital J, Meissner M, Soldati D, Ward GE. 2005. Conditional expression of *Toxoplasma gondii* apical membrane antigen-1 (TgAMA1) demonstrates that TgAMA1 plays a critical role in host cell invasion. *Mol. Biol. Cell*. 16; pp. 4341-4349.

Molyneux M, Fox R. 1993. Diagnosis and treatment of malaria in Britain. *British Medical Journal*. Vol. 306. Pp. 1175-1180.

Moorthy VS, Good MF, Hill AVS. 2004. Malaria vaccine developments. *The Lancet*. Vol 363; pp. 150-156.

Moskes C, Burghaus PA, Wernli B, Sauder U, Durrenberger M, Kappes B. 2004. Export of *Plasmodium falciparum* calcium-dependent protein kinase 1 to the parasitophorous vacuole is dependent on the N-terminal membrane anchor motifs. *Mol. Microbiology*. Vol. 54(3); pp. 676-691.

Moustafa I, Connaris H, Taylor M, Zaitsev V, Wilson JC, Kiefel MJ, von Itzstein M, Taylor G. 2004. Sialic acid recognition by *Vibrio cholerae* neuraminidase. *The Journal of Biological Chemistry*. Vol. 279; pp. 40819-40826.

Mu J, Awadalla P, Duan J, McGee KM, Joy DA, McVean GAT, Su X. 2005. Recombination hotspots and population structure in *Plasmodium falciparum*. *PLoS Biology*. Vol. 3(10); pp. 1735-1741.

Narum DL, Haynes JD, Fuhrmann S, Moch K, Liang H, Hoffman SL, Sim BKL. 2000. Antibodies against the *Plasmodium falciparum* receptor binding domain of EBA-175 block invasion pathways that do not involve sialic acids. *Infection and Immunity*. Vol. 68(4); pp. 1964-1966.

Nery S, Deans AM, Mosobo M, Marsh K, Rowe JA, Conway DJ. 2006. Expression of Plasmodium falciparum genes involved in erythrocyte invasion varies among isolates cultured directly from patients. *Mol. Biochem. Parasitology*. Vol. 149(2); pp. 208-215.

Okoyeh JN, Pillai CR, Chitnis CE. 1999. *Plasmodium falciparum* field isolates commonly use erythrocyte invasion pathways that are independent of sialic acid residues of glycophorin A. *Infection and Immunity*. Vol. 67(11); pp. 5784-5791.

Parekh FK, Hernandez JN, Krogstad DJ, Casapia WM, Branch OH. 2007. Prevalence and risk of *Plasmodium falciparum* and *P. vivax* malaria among pregnant women living in the hypoendemic communities of the Peruvian Amazon. *Am. J. Trop. Med. Hyg.* Vol. 77(3); pp. 451-457.

Prugnolle F, Durand P, Neel C, Ollomo B, Ayala FJ, Arnathau C, Etienne L, Mpoudi-Ngole E, Nkoghe D, Leroy E, Delaporte E, Peeters M, Renaud F. 2010. African great apes are natural hosts of multiple related malaria species, including *Plasmodium falciparum*. *PNAS*. Vol. 107(4); pp. 1458-1463.

Rayner JC, Vargas-Serrato E, Huber CS, Galinski MR, Barwell JW. 2001. A *P. falciparum* homologue of *Plasmodium vivax* reticulocyte binding protein (PvRBP1) defines a trypsin resistant erythrocyte invasion pathway. *Journal Exp. Med.* Vo. 194; pp. 1571-1581.

Rayner JC. 2009. The merozoite has landed: reticulocyte-binding-like ligands and the specificity of erythrocyte recognition. *Trends in Parasitology*. Vol. 25(3); pp. 104-106.

Rich SM, Leendertz FH, Xu G, LeBreton M, Djoko CF, Aminake MN, Takang EE, Diffo JLD, Pike BL, Rosenthal BM, Formenty P, Boesch C, Ayala FJ, Wolfe ND. 2009. The origin of malignant malaria. *PNAS*. Vol. 106(35); pp. 14902-14907.

Richard D, MacRald CA, Tiglar DT, Chan JA, Foley M, Baum J, Ralph SA, Norton RS, Cowman AF. 2010. Interaction between *Plasmodium falciparum* apical membrane antigen-1 and the rhoptry neck protein complex defines a key step in the erythrocyte invasion process of malaria parasites. *The Journal of Biological Chemistry*. Vol. 285; pp. 14815-14822.

Richards JS, Beeson JG. 2009. The future for blood-stage vaccines against malaria. *Immunology and Cell Biology*. Vol. 87; pp. 377-390.

Rodriguez M, Lustigman S, Montero E, Oksov Y, Lobo CA. 2008. *PfRh5*: A novel reticulocyte-binding family homolog of *P. falciparum* that binds to the erythrocyte, and an investigation of its receptor. *PLoS ONE*. Vol. 3(10): pp. e3300.

Sam-Yellowe TY. 1996. Rhoptry organelles of the apicomplexa: Their role in host cell invasion and intracellular survival. *Parasitology Today*. Vol. 12(8); pp. 308-316.

Sanders PR, Gilson PR, Cantin GT, Greenbaum DC, Nebl T, Carucci DJ, McConville MJ, Schofield L, Hodder AN, Yates III JR, Crabb BS. 2005. Distinct protein classes including novel merozoite surface antigens in raft-like membranes of *Plasmodium falciparum*. *Journal of Biological Chemistry*. Vol. 280(48): pp. 40169-40176.

Sanger F, Nicklen S, Coulson AR. 1977. DNA Sequencing with chain-terminating inhibitors. *PNAS*. Vol. 74(12) pp. 5463-5467.

Saul A, Myler P, Elliott T, Kidson C. 1982. Purification of mature schizonts of *Plasmodium falciparum* on colloidal silica gradients. *Bulletin of the World Health Organisation*. Vol. 60(5); pp. 755-759.

Schlagenhauf-Lawlor. 2008. Travellers' Malaria. *BD Decker*. Second Edition. pp. 10-23.

Shendure J, Hanlee J. 2008. Next generation DNA sequencing. *Nature biotechnology*. Vol. 26(10); pp. 1135-1145.

Sherman IW. 1998. Malaria: Parasite Biology, Pathogenesis and Protection. *American Society for Microbiology*. pp. 3-10. ISBN-13: 978-1555811310.

Silvie O, Rubinstein E, Franetich JF, Prenant M, Belnoue E, Rénia L, Hannoun L, Eling W, Levy S, Boucheix C, Mazier D. 2002. Hepatocyte CD81 is required for *Plasmodium falciparum* and *Plasmodium yoelii* sporozoites infectivity. *Nature Medicine*. Vol. 9 pp. 93-96.

Sim BK, Chitnis CE, Wasniowska K, Hadley TJ, Miller LH. 1994. Receptor and ligand domains for invasion of erythrocytes by *Plasmodium falciparum*. *Science*. Vol. 264(5167); pp. 1941-1944.

Singh S, Soe S, Weisman S, Barnwell JW, Perignon L, Druilhe P. 2009. A conserved multi-gene family induces cross-reactive antibodies effective in defense against *Plasmodium falciparum*. *PLoS One*. Vol. 4(4); pp. E5410.

Smith JD, Gamain B, Baruch DI, Kyes S. 2001. Decoding the language of var genes and *Plasmodium falciparum* sequestration. *Trends in Parasitology*. Vol. 17;11. pp. 538-545.

Snow RW, Craig M, Deichmann U, Marsh K. 1999. Estimating mortality, morbidity and disability due to malaria among Africa's non-pregnant population. *World Health Organisation Bulletin*. Vol. 77(8); pp. 624-640.

Sowumni A. 1997. Clinical study of cerebral malaria in African children. *African Journal of Medical Science*. Vol. 26(1-2); pp. 9-11.

Stanley C. Oaks, Jr., Violaine S. Mitchell, Greg W. Pearson, and Charles C.J. Carpenter. 1991. Malaria: Obstacles and Opportunities. pp. 37-39. ISBN-13: 978-0-309-04527-8.

Stark KR, James AA. 1996. Salivary gland anticoagulants in culicine and anopheline mosquitoes. *J Med Entomol*. Jul;33(4):pp.645-50.

Taylor HM, Grainger M, Holder AA. 2002. Variation in the expression of a *Plasmodium falciparum* protein family implicated in erythrocyte invasion. *Infection and Immunity*. Vol. 70(10); pp. 5779-5789.

Tham WH, Wilson DW, Reiling L, Chen L, Beeson JG, Cowman AF. 2009. Antibodies to reticulocyte binding protein-like homologue 4 inhibit invasion of *P. falciparum* into human erythrocytes. *Infection and Immunity*. Vol. 77(6); pp. 2427-2435.

Tham WH, Wilson DW, Lopaticki S, Schmidt CQ, Tetteh-Quarcoo PB, Barlow PN, Richard D, Corbin JE, Beeson JG, Cowman AF. 2010. Complement receptor 1 is the host erythrocyte receptor for *Plasmodium falciparum* PfRh4 invasion ligand. *PNAS*. Vol. 107(40); pp. 17327-17332.

Theron M, Hesketh RL, Subramanian S, Rayner JC. 2010. An adaptable two-color flow cytometric assay to quantitate the invasion of erythrocytes by *Plasmodium falciparum*. 2010. *Cytometry A*. Vol. 77(11); pp. 1067-1074.

Trucco C, Fernandez-Reyes D, Howell S, Stafford WH, Scott-Finnigan TJ, Grainger M, Ogun SA, Taylor WR, Holder AA. 2001. The merozoite surface protein 6 gene codes for a 36 kDa, protein associated

with the *Plasmodium falciparum* merozoite surface protein-1 complex. *Molecular and Biochemical Parasitology*. Vol. 112(1); pp. 91-101.

VanBuskirk KM, Sevova E, Adams JH. 2004. Conserved residues in the *Plasmodium vivax* Duffy-binding protein ligand domain are critical for erythrocyte receptor recognition. *PNAS*. Vol. 101(44); pp. 15754-15759.

Van Diggelen OP, Niermeijer MF. 1986. Elimination of mycoplasmas from infected cell cultures by combined trypsin / antibiotics treatment. *J. Inher. Metab. Dis.* Vol. 9; pp. 398-399.

Ward GE, Miller LH, Dvorak JA. 1993. The origin of parasitophorous vacuole membrane lipids in malaria infected erythrocytes. *Journal of Cell Science*. Sept;106 (Pt 1) pp. 237- 248.

Woehlbier U, Epp C, Kauth CW, Lutz R, Long CA, Coulibaly B, Kouyate B, Arevalo-Herrera M, Herrera S, Bujard H. 2006. Analysis of antibodies directed against merozoite surface protein 1 of the human malaria parasite *P. falciparum*. *Infection and Immunity*. Vol. 74(2); pp. 1313-1322.

World Health Organisation. 2009. *World Malaria Report*. [Online] World Health Organisation. Available at <http://whqlibdoc.who.int/publications/2009/9789241563901_eng.pdf> [Accessed on: 10/07/2010].