

BIBLIOGRAPHY

- Abelson, S. et al. (2018). Prediction of acute myeloid leukaemia risk in healthy individuals. *Nature*. *559*(7714), 400-404.
- Abkowitz, J. L., et al. (1996). Evidence that hematopoiesis may be a stochastic process in vivo. *Nat. Med.* *2*, 190–197.
- Abkowitz, J.L. et al. (2000). In vivo kinetics of murine hemopoietic stem cells. *Blood*. *96*(10), 3399-405.
- Abkowitz, J.L. et al. (2002). Evidence that the number of hematopoietic stem cells per animal is conserved in mammals. *Blood*. *100*(7), 2665-2667.
- Alcolea, M.P. et al. (2014). Differentiation imbalance in single oesophageal progenitor cells causes clonal immortalization and field change. *Nat. Cell Biol.* *16*(6), 615-622.
- Alexandrov, L.B., et al. (2013). Signatures of mutational processes in human cancer. *Nature*. *500*, 415–421.
- Alexandrov. L.B. et al. (2013b). Deciphering signatures of mutational processes operative in human cancer. *Cell Rep.* *3*(1), 246-59
- Alexandrov, L.B. and Stratton, M.R. (2014). Mutational signatures: the patterns of somatic mutations hidden in cancer genomes. *Curr. Opin. Genet. Dev.* *24*, 52-60.
- Alexandrov, L.B. et al. (2015). Clock-like mutational processes in human somatic cells. *Nat Genet*. *47*(12), 1402-1407.
- Alexandrov, L.B. et al. (2018). The repertoire of mutational signatures in human cancer. Preprint at: <https://www.biorxiv.org/content/early/2018/05/15/322859>.
- Aparicio, T. et al. (2014). Small bowel adenocarcinoma: epidemiology, risk factors, diagnosis and treatment. *Dig Liver Dis.* *46*(2), 97-104.
- Arai, F. and Suda, T. (2007). Maintenance of quiescent hematopoietic stem cells in the osteoblastic niche. *Ann N Y Acad Sci.* *1106*, 41-53.
- Armitage, P., and Doll, R. (1954). The age distribution of cancer and a multistage theory of carcinogenesis. *Br. J. Cancer* *8*, 1–12.

- Bae, T. et al. (2018). Different mutational rates and mechanisms in human cells at pregastrulation and neurogenesis. *Science* *359*, 550–555.
- Baker, A.M. et al. (2014). Quantification of crypt and stem cell evolution in the normal and neoplastic human colon. *Cell Rep.* *8*(4), 940-7.
- Balbás-Martínez, C., et al. (2013). Recurrent inactivation of STAG2 in bladder cancer is not associated with aneuploidy. *Nat Genet.* *45*(12), 1464-1469.
- Barker, N. et al. (2007). Identification of stem cells in small intestine and colon by marker gene Lgr5. *Nature*. *449*(7165), 1003-1007.
- Barker, N. et al. (2009). Crypt stem cells as the cells-of-origin of intestinal cancer. *Nature*. *457*(7229), 608-611.
- Becker, A.L., McCulloch, E.A., and Till, J.E. (1963). Cytological demonstration of the clonal nature of spleen colonies derived from transplanted mouse marrow cells. *Nature*. *197*, 452-454.
- Beaumont, M. A., Zhang, W., and Balding, D. J. (2002). Approximate Bayesian computation in population genetics. *Genetics*, *162*, 2025-2035.
- Behjati, S. et al. (2014). Genome sequencing of normal cells reveals developmental lineages and mutational processes. *Nature*. *513*(7518), 422-425.
- Bertorelle, G. et al. (2010). ABC as a flexible framework to estimate demography over space and time: some cons, many pros. *Molecular Ecology*. *19*, 2609-2625.
- Biasco, L. et al. (2016). In vivo tracking of human hematopoiesis reveals patterns of clonal dynamics during early and steady-state reconstitution phases. *Cell Stem Cell*. *19*, 107-119.
- Bienz, M. and Clevers, H. (2000). Linking colorectal cancer to Wnt signaling. *Cell*. *103*(2), 311-320.
- Bignold, L.P., Coghlan, B.L.D., and Jersmann, H.P.A. (2006). Hansemann, Boveri, chromosomes and the gametogenesis-related theories of tumours. *Cell Biology International* *30* 640-644
- Bird C. et al. (2011) Detecting and measuring genetic differentiation. *Crustacean Issues: Phylogeography and Population Genetics in Crustacea*. *19*, 31-55.
- Bizzozero, G. (1868). Sulla funzione ematopoetica del midollo delle ossa. *Comunicazione preventiva. Gazz. Med. Ital. Lombardia* *28*, 381-382.
- Blokzijl, F. et al. (2016). Tissue-specific mutation accumulation in human adult stem cells during life. *Nature* *538*, 260–264.

- Blum, M. G. and Francois, O. (2010). Non-linear regression models for Approximate Bayesian Computation. *Statistics and Computing*. *20*(1), 63-73.
- Boman, B.M. and Huang, E. (2008). Human Colon Cancer Stem Cells: A New Paradigm in Gastrointestinal Oncology. *J. Clin. Oncol.* *26*, 2828-2838.
- Bonnet, D. and Dick, J.E. (1997). Human acute myeloid leukemia is organized as a hierarchy that originates from a primitive hematopoietic cell. *Nat Med.* *3*(7), 730-7.
- Boot, A. et al. (2018). Mutational signature analysis of Asian OSCCs reveals novel mutational signature with exceptional sequence context specificity. Preprint at: <https://www.biorxiv.org/content/early/2018/07/19/368753.1>.
- Boveri, T. (1914). Zur Frage der Entstehung Maligner Tumoren (Gustav Fischer, Jena); English translation The Origin of Malignant Tumors by Boveri, M. (Williams and Wilkins, Baltimore, 1929, 1914).
- Bozic, I. et al. (2010). Accumulation of driver and passenger mutations during tumor progression. *Proc. Natl. Acad. Sci.* *107*(43), 18545–18550.
- Breivik, J. (2001). Don't stop for repairs in a war zone: Darwinian evolution unites genes and environment in cancer development. *Proc. Natl. Acad. Sci.* *98*(10), 5379-5381.
- Brenner, H., Kloor, M., and Pox, C.P. (2014). Colorectal cancer. *Lancet.* *383*(9927), 1490-1502.
- Brown, S. et al. (2017). Correction of aberrant growth preserves tissue homeostasis. *Nature.* *548*(7667), 334-337.
- Bruens, L. et al. (2017). In Vivo Imaging Reveals Existence of Crypt Fission and Fusion in Adult Mouse Intestine. *Gastroenterology.* *153*(3), 674-677.
- Bryder, D., Rossi, D.J., and Weissman, I.L. (2006). Hematopoietic stem cells: the paradigmatic tissue-specific stem cell. *Am. J. Pathol.* *169*(2), 338-346.
- Buczacki, S.J. et al. (2013). Intestinal label-retaining cells are secretory precursors expressing Lgr5. *Nature.* *495*(7439), 65-69.
- Buels, R. et al. (2016). Jbrowse: a dynamic web platform for genome visualization and analysis. *Genome Biology.* Doi: 10.1186/s13059-016-0924-1.
- Buescher E.S. et al. (1985). Use of an X-linked human neutrophil marker to estimate timing of lyonization and size of the dividing stem cell pool. *J Clin Invest.* *76*(4), 1581-4.
- Busch, K. et al. (2015). Fundamental properties of unperturbed haematopoiesis from stem cells in vivo. *Nature* *518*, 542-546.

- Busque, L. et al. (2012). Recurrent somatic TET2 mutations in normal elderly individuals with clonal hematopoiesis. *Nat Genet.* *44*(11), 1179-81.
- Bystrykh, L.V. et al. (2012). Counting stem cells: methodological constraints. *Nature methods.* *9*(6), 567-574.
- Cabezas-Wallscheid, N. et al. (2017). Vitamin A-Retinoic Acid Signaling Regulates Hematopoietic Stem Cell Dormancy. *Cell.* *169*, 807–823.
- Cairns, J. (1975). Mutation selection and the natural history of cancer. *Nature* *255*, 197–200.
- Calabrese and Shibata (2010). A simple algebraic cancer equation: calculating how cancers may arise with normal mutation rates. *BMC Cancer*, *10*(3), <https://doi.org/10.1186/1471-2407-10-3>.
- Campbell, P.J. et al. (2017). Pan-cancer analysis of whole genomes. Preprint at: <https://www.biorxiv.org/content/early/2017/07/12/162784>.
- Cancer Genome Atlas Network et al. (2012). Comprehensive molecular characterization of human colon and rectal cancer. *Nature* *487*, 330-337.
- Cancer Genome Atlas Research Network et al. (2013). Genomic and epigenomic landscapes of adult de novo acute myeloid leukemia. *N. Engl. J. Med.* *368*(22), 2059-2074.
- Cancer Research UK, Bowel Cancer Incidence Statistics, <https://www.cancerresearchuk.org/health-professional/cancer-statistics/statistics-by-cancer-type/bowel-cancer/incidence#heading-Seven> (Accessed August 2018).
- Cartier, N. et al. (2009). Hematopoietic stem cell gene therapy with a lentiviral vector in X-linked adrenoleukodystrophy. *Science.* *326*, 818–823.
- Catlin, S. N., et al. (2011). The replication rate of human hematopoietic stem cells in vivo. *Blood.* *117*, 4460-4466.
- Cavazzana-Calvo, M. et al. (2010). Transfusion independence and HMGA2 activation after gene therapy of human β-thalassaemia. *Nature.* *467*(7313), 318-322.
- Challen G.A. et al. (2010). Distinct hematopoietic stem cell subtypes are differentially regulated by TGF-beta1. *Cell Stem Cell.* *6*(3), 265-78.
- Chan, K. et al. (2015). An APOBEC3A hypermutation signature is distinguishable from the signature of background mutagenesis by APOBEC3B in human cancers. *Nat Genet.* *47*(9), 1067-72.
- Cheng, H. and Leblond, C.P. (1974). Origin, differentiation and renewal of the four main epithelial cell types in the mouse small intestine. V. Unitarian Theory of the origin of the four epithelial cell types. *Am J Anat.* *141*, 537-561.

Choi, K. et al. (1998). A common precursor for hematopoietic and endothelial cells. *Development*. *125*, 725-32.

Christmann, M. et al. (2016). Adaptive upregulation of DNA repair genes following benzo(a)pyrene diol epoxide protects against cell death at the expense of mutations. *Nucleic Acids Res.* *44*(22), 10727-10743.

Corley, D.A. et al. (2013). Variation of adenoma prevalence by age, sex, race, and colon location in a large population: implications for screening and quality programs. *Clin Gastroenterol Hepatol*. *11*(2), 172-180.

Cooper, B. (2011). The origins of bone marrow as the seedbed of our blood: from antiquity to the time of Osler. *Proc (Bayl. Univ. Med. Cent.)*. *24*(2), 115-118.

Copley, M.R., Beer, P.A., and Eaves, C.J. (2012). Hematopoietic stem cell heterogeneity takes center stage. *Cell Stem Cell*. *10*(6), 690-697.

Copley, M.R. et al. (2013). The Lin28b-let-7-Hmga2 axis determines the higher self-renewal potential of fetal haematopoietic stem cells. *Nat. Cell Biol.* *15*(8), 916-925.

Csillary, K., Francois, O., and Blum, M. G. (2012). abc: an R package for approximate Bayesian computation (ABC). *Methods in ecology and evolution*. *3*(3), 475-479.

Darwin, C. (1859) On the origin of species by means of natural selection, or the preservation of favoured races in the struggle for life. London: John Murray.

DeGregori, J. (2017). Connecting cancer to its causes requires incorporation of effects on tissue microenvironments. *Cancer Res.* doi: 10.1158/0008-5472.CAN-17-1207

Dentro, S.C. et al. (2018). Portraits of genetic intra-tumour heterogeneity and subclonal selection across cancer types. Preprint at: <https://www.biorxiv.org/content/early/2018/05/12/312041>

Dick, J.E. et al. (1985). Introduction of a selectable gene into primitive stem cells capable of long-term reconstitution of the hemopoietic system of W/Wv mice. *Cell*. *42*(1), 71-9.

Dieterlen-Lievre, F. (1975). On the origin of haemopoietic stem cells in the avian embryo: an experimental approach. *J Embryol Exp Morphol*. *33*(3), 607-19.

Ding, L. et al. (2010). Genome remodelling in a basal-like breast cancer metastasis and xenograft. *Nature*. *464*(7291), 999-1005.

Ding, L. et al. (2012). Clonal evolution in relapsed acute myeloid leukaemia revealed by whole-genome sequencing. *Nature*. *481*(7382), 506-10.

- Domazet-Loso, T., and Tautz, D. (2010). Phylostratigraphic tracking of cancer genes suggests a link to the emergence of multicellularity in metazoa. *BMC Biol.* *8*, 66
- Doulatov S et al. (2010). Revised map of the human progenitor hierarchy shows the origin of macrophages and dendritic cells in early lymphoid development. *Nat. Immunol.* *7*, 585-593.
- Doulatov, S. et al. (2012). Hematopoiesis: a human perspective. *Cell Stem Cell.* *10*(2), 120-136.
- Drost, J. et al. (2015). Sequential cancer mutations in cultured human intestinal stem cells. *Nature.* *521*(7550), 43-7.
- Dykstra, B. et al. (2007). Long-term propagation of distinct hematopoietic differentiation programs in vivo. *Cell Stem Cell.* *1*(2), 218-29.
- Dzierzak, E. and Speck, N.A. (2008). Of lineage and legacy: the development of mammalian hematopoietic stem cells. *Nat. Immunol.* *9*(2), 129-136.
- Eaves, C.J. (2015). Hematopoietic stem cells: concepts, definitions, and the new reality. *Blood.* *125*(17), 2605-2613.
- Excoffier L. et al. (1992). Analysis of molecular variance inferred from metric distances among DNA haplotypes: application to human mitochondrial DNA restriction data. *Genetics.* *131*, 479-491.
- Fearon, E. R. & Vogelstein, B. (1990). A genetic model for colorectal tumorigenesis. *Cell.* *61*, 759–767.
- Fearon, E.R. (2011). Molecular genetics of colorectal cancer. *Annu. Rev. Pathol. Mech. Dis.* *6*, 479–507.
- Felsenstein, J. (1989). PHYLIP — Phylogeny Inference Package (Version 3.2). *Cladistics* *5*, 973 164–166.
- Fialkow, P.J. (1974). Human genetic markers as tracers of tumour histogenesis. *J. Clin. Pathol. Suppl. (R. Coll. Pathol.).* *7*, 11–15.
- Fialkow, P.J. et al. (1978). Chronic myelocytic leukemia. Origin of some lymphocytes from leukemic stem cells. *J. Clin. Invest.* *62*(4), 815-823.
- Fischer, A. et al. (2013). EMu: probabilistic inference of mutational processes and their localization in the cancer genome. *Genome Biol.* *14*.4, R39.
- Fisher, R.A. (1922). On the dominance ratio. *Proc. R. Soc. Edinburg* *42*, 321–431.
- Forbes S.A. et al. (2017). COSMIC: somatic cancer genetics at high-resolution. *Nucleic Acids Res.* *45*, D777-D783.

- Ford, C.E. et al. (1956). Cytological identification of radiation-chimaeras. *Nature*. *177*, 452-454.
- Ford, A.M. et al. (1993). In utero rearrangements in the trithorax- related oncogene in infant leukaemias. *Nature* *363*, 358–360.
- Ford, A.M. et al. (2009). The *TEL-AML1* leukemia fusion gene dysregulates the TGF- β pathway in early B lineage progenitor cells. *J. Clin. Invest.* *119*(4), 826-836.
- Foudi, A. et al. (2009). Analysis of histone 2B-GFP retention reveals slowly cycling hematopoietic stem cells. *Nat Biotechnol.* *27*(1), 84-90.
- Foulds, L. (1958). The natural history of cancer. *J. Chronic Dis.* *8*(1), 2-37.
- Friend, S. H. et al. (1986). A human DNA segment with properties of the gene that predisposes to retinoblastoma and osteosarcoma. *Nature*. *323*, 643–646.
- Gallagher, J. 2nd Jan. 2015. Most cancer types 'just bad luck'. BBC News Website. Available at: <https://www.bbc.co.uk/news/health-30641833>
- Garinis, G.A. et al. (2008). DNA damage and ageing: new-age ideas for an age-old problem. *Nat Cell Biol.* *10*(11), 1241-7.
- Genovese, G. et al. (2014). Clonal hematopoiesis and blood-cancer risk inferred from blood DNA sequence. *N. Engl. J. Med.* *371*, 2477–2487.
- Gerstung, M. et al. (2014). Subclonal variant calling with multiple samples and prior knowledge. *Bioinformatics* *30*, 1198–1204.
- Gerstung, M. et al. (2017). The evolutionary history of 2,658 cancers. Preprint at: <https://www.biorxiv.org/content/early/2018/09/12/161562>
- Gladstein, K. (1978). The characteristic values and vectors for a class of stochastic matrices arising in genetics. *SIAM Journal of Applied Mathematics*. *34*, 630-642
- Griffiths D.F. et al. (1988). Demonstration of somatic mutation and colonic crypt clonality by X-linked enzyme histochemistry. *Nature*. *333*, 461-463.
- Griffiths, R.C. and Tavaré S. (1994). Sampling theory for neutral alleles in a varying environment. *Philos Trans R Soc Lond B Biol Sci.* *344*(1310), 403-10.
- Greaves, L.C. et al. (2006). Mitochondrial DNA mutations are established in human colonic stem cells, and mutated clones expand by crypt fission. *Proc Natl Acad Sci.* *103*(3), 714-719.
- Greaves, M. (1993). A natural history for pediatric acute leukemia. *Blood*. *82*(4), 1043-51.
- Greaves, M. et al. (2003). Leukemia in twins: lessons in natural history. *Blood*. *102*, 2321–2333.

- Greaves, M. (2018). A causal mechanism for childhood acute lymphoblastic leukaemia. *Nat. Rev. Cancer.* *18*(8), 471-484.
- Greaves, M. and Maley, C.C. (2012). Clonal evolution in cancer. *Nature.* *481*, 306-313.
- Hacein-Bey-Abina, S. et al. (2003). A serious adverse event after successful gene therapy for X-linked severe combined immunodeficiency. *N. Engl. J. Med.* *348*(3), 255-256.
- Haeckel, E. (1868). *Natürliche Schöpfungsgeschichte*. Berlin: Georg Reimer.
- Hanahan, D. and Weinberg, R.A. (2000). The hallmarks of cancer. *Cell.* *100*(1), 57-70.
- Haradhvala, N.J. et al. (2016). Mutational strand asymmetries in cancer genomes reveal mechanisms of DNA damage and repair. *Cell* *164*, 538–549.
- Helleday, T., Eshtad, S., and Nik-Zainal, S. (2014). Mechanisms underlying mutational signatures in human cancers. *Nat Rev Genet.* *15*(9), 585-98.
- Henshaw, P.S. et al. (1947). The carcinogenic effect of pile radiations. *Cancer res.* *7*(1), 48.
- Ho, T. T. et al. (2017). Autophagy maintains the metabolism and function of young and old stem cells. *Nature.* *543*, 205–210.
- Hill, V.K., Kim, J.S., and Waldman, T. (2016). Cohesin mutations in human cancer. *Biochim Biophys Acta.* *1866*(1), 1-11.
- Hoang, M.L. et al. (2016). Genome-wide quantification of rare somatic mutations in normal human tissues using massively parallel sequencing. *Proc. Natl. Acad. Sci.* *113*(35), 9846-9851.
- Hoffbrand, A.V., Catovsky, D., Tuddenham, E.G.D., Green, A.R. editors. 2011. Postgraduate haematology. 6th Edition. Chichester (UK): Wiley-Blackwell.
- Hsieh, J.C. et al. (2013). Large chromosome deletions, duplications, and gene conversion events accumulate with age in normal human colon crypts. *Aging Cell.* *12*(2), 269-279.
- Huber, T.L. et al. (2004). Haemangioblast commitment is initiated in the primitive streak of the mouse embryo. *Nature.* *432*(7017), 625-630.
- Hunty B.J.P., et al. (2004). MOZ-TIF2, but not BCR-ABL, confers properties of leukaemic stem cells to committed murine hematopoietic progenitors. *Cancer Cell.* *6*, 586-595
- Ikehata, H. and Ono, T. (2011). The mechanisms of UV mutagenesis. *J. Radiat. Res.* *52*(2), 115-125.
- Ito, K. and Suda, T. (2014). Metabolic requirements for the maintenance of self-renewing stem cells. *Nat. Rev. Mol. Cell Biol.* *15*(4), 243-256.

Jahn K, Kuipers J & Beerenwinkel N. (2016). Tree inference for single-cell data. *Genome Biol.* *17*, 86.

Jaiswal, S. et al. (2014). Age-related clonal hematopoiesis associated with adverse outcomes. *N. Engl. J. Med.* *371*, 2488–2498.

Jaiswal, S. et al. (2017). Clonal haematopoiesis and risk of atherosclerotic cardiovascular disease. *N. Engl. J. Med.* *377*, 111-121.

Jones, D. et al. (2016). cgPCaVEManWrapper: Simple execution of CaVEMan in order to detect somatic single nucleotide variants in NGS data. *Curr. Protoc. Bioinformatics.* *56*, 15.10.1–15.10.18.

Karcher, M. et al. (2017). phylodyn: an R package for phylodynamic simulation and inference. *Mol. Ecol. Resour.* *17*(1), 96-100.

Kay, H.E.M. (1965). How many cell-generations? *Lancet.* *2*, 418.

Keller, G. et al. (1985). Expression of a foreign gene in myeloid and lymphoid cells derived from multipotent haematopoietic precursors. *Nature.* *318*(6042), 149-154.

Kennedy, S.R. et al. (2014). Detecting ultralow-frequency mutations by Duplex Sequencing. *Nat Protoc.* *9*(11), 2586-2606.

Kent, D.G. et al. (2009). Prospective isolation and molecular characterization of hematopoietic stem cells with durable self-renewal potential. *Blood.* *113*(25), 6342-6350.

Kim, H.J. et al. (2000). Many multipotent gene-marked progenitor or stem cell clones contribute to hematopoiesis in nonhuman primates. *Blood.* *96*(1), 1-8.

Kim, J. et al. (2016). Somatic ERCC2 mutations are associated with a distinct genomic signature in urothelial tumors. *Nat. Genet.* *48*.6, 600–606.

Kim, S. et al. (2014). Dynamics of HSPC repopulation in nonhuman primates revealed by a decade-long clonal-tracking study. *Cell Stem Cell.* *14*(4), 473-475.

Kingman, J. F. C. (1982). On the genealogy of large populations. *J. Appl. Probab.* *19A*, 27-43.

Kinzler, K.W. and Vogelstein, B. (1996). Lessons from hereditary colorectal cancer. *Cell.* *87*(2), 159-170.

Knudson, A. G. (1971). Mutation and cancer: statistical study of retinoblastoma. *Proc. Natl Acad. Sci.* *68*, 820–823.

- Knudson, A.G. (2001). Two genetic hits (more or less) to cancer. *Nat. Rev. Cancer.* *1*(2), 157-62.
- Koelle, S.J. et al. (2017). Quantitative stability of hematopoietic stem and progenitor cell clonal output in rhesus macaques receiving transplants. *Blood.* *129*(11), 1448-1457.
- Kostadinov, R.L. et al. (2013). NSAIDs modulate clonal evolution in Barrett's esophagus. *PLoS Genet.* *9*(6):e1003553.
- Kozar, S. et al. (2013). Continuous clonal labeling reveals small numbers of functional stem cells in intestinal crypts and adenomas. *Cell Stem Cell.* *13*(5), 626-633.
- Krontiris, T.G. and Cooper, G.M. (1981). Transforming activity of human tumor DNAs. *Proc. Natl Acad. Sci.* *78*(2), 1181–1184.
- Lan, S. et al. (2015). An efficient Bayesian inference framework for coalescent-based nonparametric phylodynamics. *Bioinformatics.* *31*, 3282–3289.
- Lansdorp, P.M. (2008). Telomeres, stem cells, and hematology. *Blood.* *111*(4), 1759-1766.
- Lao-Sirieix, P., and Fitzgerald R.C. (2012). Screening for oesophageal cancer. *Nat Rev Clin Oncol.* *9*(5), 278-87.
- Larochelle, A. et al. (1996). Identification of primitive human hematopoietic cells capable of repopulating NOD/SCID mouse bone marrow: implications for gene therapy. *Nat. Med.* *2*(12), 1329-1337.
- Laurenti, E. and Gottgens, B. (2018). From haematopoietic stem cells to complex differentiation landscapes. *553*(7689), 418-426.
- Lee-Six, H. et al. (2018). Population dynamics of normal human blood inferred from somatic mutations. *Nature.* <https://doi.org/10.1038/s41586-018-0497-0>
- Leedham et al. (2009). Clonality, founder mutations, and field cancerization in human ulcerative colitis-associated neoplasia. *Gastroenterology.* *136*, 542–550.
- Lemischka, I.R. et al. (1986). Developmental potential and dynamic behavior of hematopoietic stem cells. *Cell.* *45*(6), 917-927.
- Ley, T.J. et al. (2008). DNA sequencing of cytogenetically normal acute myeloid leukemia genome. *Nature.* *456*, 66-72.
- Li, Y. et al. (2017). Patterns of structural variation in human cancer. Preprint at: <https://www.biorxiv.org/content/biorxiv/early/2017/08/27/181339.full.pdf>
- Lodato, M.A. et al. (2018). Aging and neurodegeneration are associated with increased mutations in single human neurons. *Science* *359*, 555–559.

Loeb, L.A. (1991). Mutator phenotype may be required for multistage carcinogenesis. *Cancer Res.* *51*(12), 3075-3079.

Lopez-Garcia, C. et al. (2010). Intestinal stem cell replacement follows a pattern of neutral drift. *Science.* *330*, 822-825.

Lorenz, E. (1951). Modification of irradiation injury in mice and guinea pigs by bone marrow injections. *J. Natl. Cancer.* *12*, 197-201.

Luebeck, E.G. and Moolgavkar, S.H. (2002). Multistage carcinogenesis and the incidence of colorectal cancer. *Proc Natl Acad Sci.* *99*(23), 15095-15100.

Lugli, N. et al. (2017). Enhanced Rate of Acquisition of Point Mutations in Mouse Intestinal Adenomas Compared to Normal Tissue. *Cell Rep.* *19*(11), 2185-2192.

Martin, P.J. et al. (1980). Involvement of the B-lymphoid system in chronic myelogenous leukaemia. *Nature.* *287*(5777), 49-50.

Martin, G.S. (1970). Rous Sarcoma Virus: a function required for maintenance of the transformed state. *Nature* *227*, 1021-1023.

Martincorena, I., et al. (2015). High burden and pervasive positive selection of somatic mutations in normal human skin. *Science* *348*, 880–886.

Martincorena, I. et al. (2017). Universal patterns of selection in cancer and somatic tissues. *Cell.* *171*, 1029–1041.

Mckerrell, T. et al. (2015). Leukemia-associated somatic mutations drive distinct patterns of age-related clonal hemopoiesis. *Cell Rep.* *10*(8), 1239-1245.

Mckerrell, T., and Vassiliou. G.S. (2015). Aging as a driver of leukaemogenesis. *Sci. Trans. Med.* *7*, 306fs38

Mikkola, H.K. and Orkin, S.H. (2006). The journey of developing hematopoietic stem cells. *Development.* *133*(19), 3733-3744.

Milton, K. (1987). Primate diets and gut morphology: implications for hominid evolution. In: *Food and Evolution: Toward a Theory of Food Habits*, eds. Harris M, Ross EB; Temple University Press, Philadelphia, pp. 93-115.

Mitchell, T.J. et al. (2018). Timing the landmark events in the evolution of clear cell renal cell cancer: TRACERx Renal. *Cell.* *173*(3), 611-623.

Moran, P. A. P. (1958). Random processes in genetics. *Proceedings of the Cambridge Philosophical Society*, *54*(1), 60-71.

- Morley, A.A. (1995). The somatic mutation theory of ageing. *Mutat. Res.* *338*, 19–23.
- Muller, H.J. (1927). Artificial Transmutation of the Gene. *Science* *66*, 84–87.
- Muller-Sieburg, C.E. et al. (2004). Myeloid-biased hematopoietic stem cells have extensive self-renewal capacity but generate diminished lymphoid progeny with impaired IL-7 responsiveness. *Blood*, *103*(11), 4111-4118.
- Muller-Sieburg, C.E. et al. (2012). Stem cell heterogeneity: implications for aging and regenerative medicine. *Blood*. *119*(17), 3900-3907.
- Nangalia, J. and Green, A.R. (2018). Myeloproliferative neoplasms: from origins to outcomes. *Blood*. *130*(23), 2475-2483.
- Neumann, E. (1868). Über die Bedeutung des Knochenmarkes für die Blutbildung. *Central med. Wissensch.* *6*, 689.
- Ng, A.W.T. et al. (2017). Aristolochic acids and their derivatives are widely implicated in liver cancers in Taiwan and throughout Asia. *Sci. Transl. Med.* *9*(412), eaan6446.
- Nicholson, A. et al. (2018). Fixation and spread of somatic mutations in adult human colonic epithelium. *Cell Stem Cell*. *22*, 909-918.
- Nicolas, P. et al. (2007). The Stem Cell Population of the Human Colon Crypt: Analysis via Methylation Patterns. *PLoS Comput Biol* *3*(3): e28.
- Nik-Zainal, S. et al. (2012). Mutational processes molding the genomes of 21 breast cancers. *Cell* *149*(5), 979–993.
- Nocturne, G. et al. (2013). Germline and somatic variations of TNFAIP3 in lymphoma complicating primary Sjogren's syndrome. *Blood*. *122*(25), 4068-4076.
- Nordling, C.O. (1953). A new theory on cancer-inducing mechanism. *Br. J. Cancer* *7*, 68–72.
- Nowell, P.C. and Hungerford, D.A. (1960). Chromosome studies on normal and leukemic human leukocytes. *J. Natl. Cancer Inst.* *25*, 85–109.
- Nowell, P.C. et al. (1956). Growth and continued fraction of rat marrow cells in X-irradiated mice. *Cancer Res.* *16*, 258-261.
- Nowell, P.C. (1976). The clonal evolution of tumor cell populations. *Science* *194*, 23–28.
- Orford, K.W. and Scadden, D.T. (2008). Deconstructing stem cell self-renewal: genetic insights into cell-cycle regulation. *Nat Rev Genet.* *9*(2), 115-128.

Ortmann, C.A. et al. (2015). Effect of mutation order on myeloproliferative neoplasms. *N. Engl. J. Med.* *372*(7), 601-612.

Osawa, M. et al. Long-term lymphohematopoietic reconstitution by a single CD34-low/negative hematopoietic stem cell. *Science*. *273*(5272), 242-245.

Owen, R.D. (1945). Immunogenetic consequences of vascular anastomoses between bovine twins. *Science*. *102*, 400-401.

Pang, W.W. et al. (2011). Human bone marrow hematopoietic stem cells are increased in frequency and myeloid-biased with age. *Proc. Natl. Acad. Sci.* *108*(50), 20012-20017.

Pappenheim, A. (1896). Ueber Entwicklung und Ausbildung der Erythroblasten. *Virchows Arch.* *145*, 587-643.

Parsons, B.L. et al. (2010). ACB-PCR quantification of K-RAS codon 12 GAT and GTT mutant fraction in colon tumor and non-tumor tissue. *Cancer Invest.* *28*(4), 364-75.

Parsons, B.L., McKim, K.L., and Myers, M.B. (2017). Variation in organ-specific PIK3CA and KRAS mutant levels in normal human tissues correlates with mutation prevalence in corresponding carcinomas. *Environ Mol Mutagen.* *58*(7), 466-476

Paul, F. et al. (2015). Transcriptional Heterogeneity and Lineage Commitment in Myeloid Progenitors. *Cell*. *163*(7), 1663-77.

Pei, W. et al. (2017). Polylox barcoding reveals haematopoietic stem cell fates realized in vivo. *Nature*. *548*, 456-460.

Perié, L. et al. The Branching Point in Erythro-Myeloid Differentiation. *Cell*. *163*(7), 1655-62.

Petljak, M. and Alexandrov, L.B. (2016). Understanding mutagenesis through delineation of mutational signatures in human cancer. *Carcinogenesis* *37*(6), 531-540.

Pleasance, E.D. et al. (2010a). A comprehensive catalogue of somatic mutations from a human cancer genome. *Nature* *463*, 191–196.

Pleasance, E.D. et al. (2010b). A small-cell lung cancer genome with complex signatures of tobacco exposure. *Nature* *463*, 184–190.

Ponder, B.A., et al. (1985). Derivation of mouse intestinal crypts from single progenitor cells. *Nature*. *313*, 689-691.

Ponder, B.A. and Wilkinson, M.M. (1986). Direct examination of the clonality of carcinogen-induced colonic epithelial dysplasia in chimeric mice. *J. Natl. Cancer Inst.* *77*(4), 967-976.

Popovich, D.G. et al. (1997). The western lowland gorilla diet has implications for the health of humans and other hominoids. *J. Nutr.* *127*(10), 2000-2005.

Potten, C.S. et al. (1992). Measurement of in vivo proliferation in human colorectal mucosa using bromodeoxyuridine. *Gut.* *33*, 71-78.

Potten, C.S. and Loeffler, M. (1990). Stem cells: attributes, cycles, spirals, pitfalls and uncertainties. Lessons for and from the crypt. *Development.* *110*(4), 1001-1020.

Rahbari, R. et al. (2016). Timing, rates and spectra of human germline mutation. *Nat. Genet.* *48*, 126–133.

Raine, K.M. et al. (2015). cgpPindel: identifying somatically acquired insertion and deletion events from paired end sequencing. *Curr. Protoc. Bioinformatics* *52*, 15.17.11–15.17.12.

Reddy, E.P. et al. (1982). A point mutation is responsible for the acquisition of transforming properties by the T24 human bladder carcinoma oncogene. *Nature.* *300*(5888), 149-152.

Rideout, W.M. et al. (1990). 5-Methylcytosine as an endogenous mutagen in the human LDL receptor and p53 genes. *Science.* *249*(4974), 1288-90.

Ritsma, L. et al. (2014). Intestinal crypt homeostasis revealed at single-stem-cell level by in vivo live imaging. *507*(7492), 362-365.

Roberts, N.D. 2018. Patterns of somatic genome rearrangement in human cancer [PhD thesis]. [Univ Cambridge, (UK)]: Wellcome Trust Sanger Institute.

Roberts, N.D. (2015). R pkg for Hierarchical Dirichlet Process. <https://github.com/nicolaroberts/hdp>. Accessed May 2018.

Roberts, S.A. et al. (2013). An APOBEC cytidine deaminase mutagenesis pattern is widespread in human cancers. *Nat Genet.* *45*(9), 970-6.

Rodriguez-Fraticelli, A.E. et al. (2018). Clonal analysis of lineage fate in native hematopoiesis. *Nature.* *553*(7687), 212-216.

Rosales, R.A. et al. (2016). signeR: An empirical Bayesian approach to mutational signature discovery. *Bioinformatics.* doi: 10.1093/bioinformatics/btw572.

Rothova, M. et al. (2012). Lineage tracing of the endoderm during oral development. *Dev Dyn.* *241*(7), 1183-1191.

Rozhok, A.L. et al. (2015). A Critical Examination of the "Bad Luck" Explanation of Cancer Risk. *Cancer Prev. Res.* *8*(9), 762-764.

Rozhok, A.L. and DeGregori, J. (2015). Toward an evolutionary model of cancer: Considering the mechanisms that govern the fate of somatic mutations. *Proc. Natl. Acad. Sci.* *112*(29), 8914-8921.

Sabarinathan, R. et al. (2017). The whole-genome panorama of cancer drivers. Preprint at: <https://www.biorxiv.org/content/early/2017/09/20/190330>.

Sabin, F.R. (1920). Studies on the origin of blood vessels and of red blood corpuscles as seen in the living blastoderm of chicks during the second day of incubation. *Carnegie Inst. Wash. Pub.* n°272, *Contrib. Embryol.* *9*, 214-262.

Sandberg, A.A. and Hossfeld, D.K. (1970). Chromosomal abnormalities in human neoplasia. *Annu. Rev. Med.* *21*, 379.

Sanjuan-Pla, A. et al. Platelet-biased stem cells reside at the apex of the haematopoietic stem-cell hierarchy. *Nature*. *502*(7470), 232-236.

Sawai, C. M. et al. (2016). Hematopoietic stem cells are the major source of multilineage hematopoiesis in adult animals. *Immunity* *45*, 597-609.

Scheinin, I. et al. (2014). DNA copy number analysis of fresh and formalin-fixed specimens by shallow whole-genome sequencing with identification and exclusion of problematic regions in the genome assembly. *Genome Research*. *24*, 2022-2032.

Schmitt, M.W. et al. (2012). Detection of ultra-rare mutations by next-generation sequencing. *Proc Natl Acad Sci.* *109*(36):14508-14513.

Schroeder, T. (2010). Hematopoietic stem cell heterogeneity: subtypes, not unpredictable behavior. *Cell Stem Cell*. *6*(3), 203-207.

Schwitalla, S. et al. (2013). Intestinal tumorigenesis initiated by dedifferentiation and acquisition of stem-cell-like properties. *Cell*. *152*, 25-38.

Segditsas, S. and Tomlinson I. (2006). Colorectal cancer and genetic alterations in the Wnt pathway. *Oncogene*. *25*(57), 7531-7537.

Shih, C. et al. (1981). Transforming genes of carcinomas and neuroblastomas introduced into mouse fibroblasts. *Nature*. *290*(5803), 261-264.

Signer, R. A. J. et al. (2014). Haematopoietic stem cells require a highly regulated protein synthesis rate. *Nature*. *509*, 49–54.

Siminovitch, L., McCulloch, E.A., Till, J.E. (1963). The distribution of colony-forming cells among spleen colonies. *J Cell Physiol*. *62*, 327-336.

Simsek, T. et al. (2010). The Distinct Metabolic Profile of Hematopoietic Stem Cells Reflects Their Location in a Hypoxic Niche. *Cell Stem Cell.* 7, 380-390.

Snippert, H.J. et al. (2010). Intestinal crypt homeostasis results from neutral competition between symmetrically dividing Lgr5 stem cells. *Cell.* 143, 134-144.

Snippert, H.J. et al. (2013). Biased competition between Lgr5 intestinal stem cells driven by oncogenic mutation induces clonal expansion. *EMBO Rep.* 15(1), 62-9.

Solomon, D.A. et al. (2011). Mutational inactivation of STAG2 causes aneuploidy in human cancer. *Science.* 333(6045), 1039-43.

Sottoriva, A. et al. (2015). A big bang model of human colorectal tumor growth. *Nat. Genet.* 47(3), 209-216.

Spangrude, G.L. et al. (1988). Purification and characterization of mouse hematopoietic stem cells. *Science.* 241, 58-62.

Stehelin, D. et al. (1976). DNA related to the transforming gene(s) of avian sarcoma viruses is present in normal avian DNA. *Nature.* 260(5547), 170-3.

Stratton, M.R., Campbell, P.J., and Futreal, P.A. (2009). The cancer genome. *Nature* 458, 719–724.

Suda, K. et al. (2018). Clonal Expansion and Diversification of Cancer-Associated Mutations in Endometriosis and Normal Endometrium. *Cell Rep.* 24(7), 1777-1789.

Sugarbaker, J.P. Gunderson, L.L., and Wittes, R.E. 1985. Colorectal cancer. In *Cancer: Principles and Practices of Oncology*. Philadelphia: J. B. Lipincott.

Sun, J. et al. (2014). Clonal dynamics of native haematopoiesis. *Nature* 514, 322–327.

Szilard, L. (1959). On the nature of the aging process. *Proc. Natl. Acad. Sci.* 45(1), 30-45.

Sziklakriszt, B. et al. (2016). A comprehensive survey of the mutagenic impact of common cancer cytotoxics. *Genome Biol.* 17, 99.

Tarabichi et al. (2017). Neutral tumor evolution? Preprint at:
<https://www.biorxiv.org/content/early/2017/06/30/158006>

Tavaré, S. et al. (1997) Inferring coalescence times from DNA sequence data. *Genetics.* 145(2), 505-518.

Taylor, C.F., et al. (2014). Frequent inactivating mutations of STAG2 in bladder cancer are associated with low tumour grade and stage and inversely related to chromosomal copy number changes. *Hum Mol Genet.* 23(8), 1964-1974.

Teh, Y. W. et al. (2006). Hierarchical Dirichlet Processes. *J. Am. Stat. Assoc.* *101*(476), 1566–1581.

Tetteh, P.W. et al. (2016). Replacement of Lost Lgr5-Positive Stem Cells through Plasticity of Their Enterocyte-Lineage Daughters. *Cell Stem Cell.* *18*(2), 203-13.

Tischler, G. and Leonard, S. (2014). biobambam: tools for read pair collation based algorithms on BAM files. *Source Code for Biology and Medicine.* *9*, 13.

Thompson, M. et al. (1990). Gastric endocrine cells share a clonal origin with other gut cell lineages. *Development.* *110*(2), 477-81.

Tomasetti, C. and Vogelstein, B. (2015). Cancer etiology. Variation in cancer risk among tissues can be explained by the number of stem cell divisions. *Science.* *347*(6217), 78-81.

Tomasetti, C. et al. (2014). Only three driver gene mutations are required for the development of lung and colorectal cancers. *Proc. Natl. Acad. Sci.* *112*(1), 118-123.

Tomasetti, C. et al. (2015). Only three driver gene mutations are required for the development of lung and colorectal cancers. *Proc. Natl. Acad. Sci. USA* *112*, 118–123.

Tomasetti, C. and Vogelstein, B. (2017). Stem cell divisions, somatic mutations, cancer etiology, and cancer prevention. *Science.* *355*(6331), 1330-1334.

Tomlinson, I.P. et al. (1996). The mutation rate and cancer. *Proc. Natl. Acad. Sci.* *93*(25), 14800-14803.

Tsao, J.L. et al. (1999). Colorectal adenoma and cancer divergence. Evidence of multilineage progression. *Am J Pathol.* *154*(6), 1815-24.

van de Wetering, M. et al. (2002). The beta-catenin/TCF-4 complex imposes a crypt progenitor phenotype on colorectal cancer cells. *Cell.* *111*(2), 241-250.

van de Wetering, M. et al. (2015). Prospective derivation of a living organoid biobank of colorectal cancer patients. *Cell.* *161*, 933–945.

Van Loo, P. et al. (2010). Allele-specific copy number analysis of tumors. *Proc. Natl. Acad. Sci. USA* *107*, 16910–16915.

Venot, Q. et al. (2018). Targeted therapy in patients with PIK3CA-related overgrowth syndrome. *Nature.* *558*(7711), 540-546.

Vermeulen, L. et al. (2013). Defining stem cell dynamics in models of intestinal tumor initiation. *Science.* *342*(6161), 995-8.

- Viel, A. et al. (2017). A Specific Mutational Signature Associated with DNA 8-Oxoguanine Persistence in MUTYH-defective Colorectal Cancer. *EBioMedicine*. *20*, 39-49.
- Visser, J.W. et al. (1981). Characterization and enrichment of murine hemopoietic stem cells by fluorescence activated cell sorting. *Exp Hematol*. *9*(6), 644-55.
- Visser, J.W. et al. (1984). Isolation of murine pluripotent hemopoietic stem cells. *J. Exp. Med.* *159*(6), 1576-1590.
- Vogelstein, B. et al. (2013). Cancer genome landscapes. *Science* *339*, 1546–1558.
- von Hansemann, D. (1980). Über asymmetrische Zellteilung in Epithelkrebsen und deren biologische Bedeutung. *Virchow's Arch. Path. Anat.* *119*, 299–326.
- Wan, J.C.M. et al. (2017). Liquid biopsies come of age: towards implementation of circulating tumour DNA. *Nat. Rev. Cancer*. *17*.4, 223–238.
- Wang, J.C. et al. (1997). Primitive human hematopoietic cells are enriched in cord blood compared with adult bone marrow or mobilized peripheral blood as measured by the quantitative *in vivo* SCID-repopulating cell assay. *Blood*. *89*(11), 3919-24.
- Wang, K. et al. (2010). ANNOVAR: functional annotation of genetic variants from high-throughput sequencing data. *Nucleic Acids Res.* *38*(16), 598-609.
- Wang, Y. and Navin, N.E. (2015). Advances and applications of single-cell sequencing technologies. *Mol. Cell.* *58*(4), 598-609.
- Warburg O., Wind F. and Negelein E. (1927) The metabolism of tumors in the body. *J. Gen. Physiol.* *8*, 519–530.
- Warr, M. R. et al. (2013). FOXO3A directs a protective autophagy program in haematopoietic stem cells. *Nature*. *494*, 323–32.
- Weaver, J.M.J. et al. (2014). Ordering of mutations in preinvasive disease stages of esophageal carcinogenesis. *Nat Genet*. *46*(8), 837-843.
- Welch, J.S. et al. (2012). The origin and evolution of mutations in acute myeloid leukemia. *Cell* *150*, 264–278.
- Weissman, I.L. and Shizuru, J.A. (2008). The origins of the identification and isolation of hematopoietic stem cells, and their capability to induce donor-specific transplantation tolerance and treat autoimmune diseases. *Blood*. *112*(9), 3543-3553.
- Werner, B. et al. (2015). Reconstructing the *in vivo* dynamics of hematopoietic stem cells from telomere length distributions. *eLife* *4*, e08687.

- Whitlock, M.C. (2003). Fixation Probability and Time in Subdivided Populations. *Genetics* *164*, 767–779.
- Willems, T. et al. (2017). Genome-wide profiling of heritable and de novo STR variations. *Nat Methods*. *14*, 590-592.
- Williams, M.J. et al. (2016). Identification of neutral tumor evolution across cancer types. *Nat Genet*. *48*(3), 238-244.
- Wilson, A. et al. (2008). Hematopoietic stem cells reversibly switch from dormancy to self-renewal during homeostasis and repair. *Cell*. *135*(6), 1118-1129.
- Wimmer, K. and Kratz, C.P. (2010). Constitutional mismatch repair-deficiency syndrome. *Haematologica*. *95*(5), 699-701.
- Winton, D.J. et al. (1988). A clonal marker induced by mutation in mouse intestinal epithelium. *Nature*. *333*(6172), 463-6.
- Winton, D.J., and Ponder, B.A. (1990). Stem-cell organization in mouse small intestine. *Proc. Biol. Sci.* *241*, 13-18.
- Wolf, J. et al. (1996). Peripheral blood mononuclear cells of a patient with advanced Hodgkin's lymphoma give rise to permanently growing Hodgkin-Reed Sternberg cells. *Blood*. *87*(8), 3418-3428.
- Wright, S. (1931). Evolution in Mendelian populations. *Genetics* *16*, 97–159.
- Wu, A.M. et al. (1968). Cytological evidence for a relationship between normal hematopoietic colony-forming cells and cells of the lymphoid system. *J. Exp. Med.* *127*, 455-464.
- Wu, S. et al. (2016). Substantial contribution of extrinsic risk factors to cancer development. *Nature*. *529*(7584), 43-47.
- Xie, M. et al. (2014). Age-related mutations associated with clonal hematopoietic expansion and malignancies. *Nat. Med.* *20*, 1472–1478.
- Yates, L.R. and Campbell, P.J. (2012). Evolution of the cancer genome. *Nat Rev Genet*. *13*(11), 795-806.
- Yoshizato, T. et al. (2015). Somatic Mutations and Clonal Hematopoiesis in Aplastic Anemia. *N Engl J Med*. *373*(1), 35-47
- Young, A. L., et al. (2016). Clonal haematopoiesis harbouring AML-associated mutations is ubiquitous in healthy adults. *Nat. Commun.* *7*, 12484.

Zafar, H. et al. (2017). SiFit: inferring tumor trees from single-cell sequencing data under finite-sites models. *Genome Biology*. *18*, 178.

Zhang, J. et al. (2003). Identification of the haematopoietic stem cell niche and control of the niche size. *Nature*. *425*(6960), 836-841.

Zink, F. et al. (2017). Clonal hematopoiesis, with and without candidate driver mutations, is common in the elderly. *Blood*. *130*, 742–752.