

Bibliography

- 1000 Genomes Project Consortium., Abecasis, G.R., Auton, A., Brooks, L.D., DePristo, M.A., Durbin, R.M., Handsaker, R.E., Kang, H.M., Marth, G.T., and McVean, G.A. (2012). An integrated map of genetic variation from 1,092 human genomes. *Nature* *491*, 56-65.
- Aadland, E., Schrumpf, E., Fausa, O., Elgjo, K., Heilo, A., Aakhus, T., and Gjone, E. (1987). Primary sclerosing cholangitis: a long-term follow-up study. *Scandinavian journal of gastroenterology* *22*, 655-664.
- Ahmad, T., Satsangi, J., McGovern, D., Bunce, M., and Jewell, D.P. (2001). The genetics of inflammatory bowel disease. *Alimentary Pharmacology & Therapeutics* *15*, 731-748.
- Anaya, J.M., Corena, R., Castiblanco, J., Rojas-Villarraga, A., and Shoenfeld, Y. (2007). The kaleidoscope of autoimmunity: multiple autoimmune syndromes and familial autoimmunity. *Expert review of clinical immunology* *3*, 623-635.
- Anders, S., and Huber, W. (2010). Differential expression analysis for sequence count data. *Genome Biology* *11*, R106.
- Anderson, C.A., Boucher, G., Lees, C.W., Franke, A., D'Amato, M., Taylor, K.D., Lee, J.C., Goyette, P., Imielinski, M., Latiano, A., *et al.* (2011a). Meta-analysis identifies 29 additional ulcerative colitis risk loci, increasing the number of confirmed associations to 47. *Nature Genetics* *43*, 246-252.
- Anderson, C.A., Soranzo, N., Zeggini, E., and Barrett, J.C. (2011b). Synthetic associations are unlikely to account for many common disease genome-wide association signals. *PLoS Biology* *9*, e1000580.
- Angst, J. (2007). Psychiatric diagnoses: the weak component of modern research. *World psychiatry : official journal of the World Psychiatric Association* *6*, 94-95.
- Asano, K., Matsushita, T., Umeno, J., Hosono, N., Takahashi, A., Kawaguchi, T., Matsumoto, T., Matsui, T., Kakuta, Y., Kinouchi, Y., *et al.* (2009). A genome-wide association study identifies three new susceptibility loci for ulcerative colitis in the Japanese population. *Nature Genetics* *41*, 1325-1329.
- Asimit, J., and Zeggini, E. (2010). Rare Variant Association Analysis Methods for Complex Traits. *Annual Review of Genetics* *44*, 293-308.
- Bain, S.C., Prins, J.B., Hearne, C.M., Rodrigues, N.R., Rowe, B.R., Pritchard, L.E., Ritchie, R.J., Hall, J.R.S., Undlien, D.E., Ronningen, K.S., *et al.* (1992). Insulin gene region-encoded susceptibility to type 1 diabetes is not restricted to HLA-DR4-positive individuals. *Nature Genetics* *2*, 212-215.

- Ban, M., Goris, A., Lorentzen, A.R., Baker, A., Mihalova, T., Ingram, G., Booth, D.R., Heard, R.N., Stewart, G.J., Bogaert, E., *et al.* (2009). Replication analysis identifies TYK2 as a multiple sclerosis susceptibility factor. *European Journal of Human Genetics* 17, 1309-1313.
- Bansal, V., Libiger, O., Torkamani, A., and Schork, N.J. (2010). Statistical analysis strategies for association studies involving rare variants. *Nature Reviews Genetics* 11, 773-785.
- Barrett, J.C., and Cardon, L.R. (2006). Evaluating coverage of genome-wide association studies. *Nature Genetics* 38, 659-662.
- Barrett, J.C., Clayton, D.G., Concannon, P., Akolkar, B., Cooper, J.D., Erlich, H.A., Julier, C., Morahan, G., Nerup, J., Nierras, C., *et al.* (2009). Genome-wide association study and meta-analysis find that over 40 loci affect risk of type 1 diabetes. *Nature Genetics* 41, 703-707.
- Barrett, J.C., Hansoul, S., Nicolae, D.L., Cho, J.H., Duerr, R.H., Rioux, J.D., Brant, S.R., Silverberg, M.S., Taylor, K.D., Barmada, M.M., *et al.* (2008). Genome-wide association defines more than 30 distinct susceptibility loci for Crohn's disease. *Nature Genetics* 40, 955-962.
- Basu, S., and Pan, W. (2011). Comparison of statistical tests for disease association with rare variants. *Genetic Epidemiology* 35, 606-619.
- Bateson, W., and Mendel, G. (1902). Mendel's principles of heredity; a defence (Cambridge,: University press).
- Begovich, A.B., Carlton, V.E., Honigberg, L.A., Schrodi, S.J., Chokkalingam, A.P., Alexander, H.C., Ardlie, K.G., Huang, Q., Smith, A.M., Spoerke, J.M., *et al.* (2004). A missense single-nucleotide polymorphism in a gene encoding a protein tyrosine phosphatase (PTPN22) is associated with rheumatoid arthritis. *American Journal of Human Genetics* 75, 330-337.
- Bell, O., Tiwari, V.K., Thoma, N.H., and Schubeler, D. (2011). Determinants and dynamics of genome accessibility. *Nature Reviews Genetics* 12, 554-564.
- Bellenguez, C., Strange, A., Freeman, C., Donnelly, P., and Spencer, C.C. (2012). A robust clustering algorithm for identifying problematic samples in genome-wide association studies. *Bioinformatics* 28, 134-135.
- Bennett, S.T., Wilson, A.J., Esposito, L., Bouzekri, N., Undlien, D.E., Cucca, F., Nistico, L., Buzzetti, R., Bosi, E., Pociot, F., *et al.* (1997). Insulin VNTR allele-specific effect in type 1 diabetes depends on identity of untransmitted paternal allele. *Nature Genetics* 17, 350-352.
- Bergquist, A., Montgomery, S.M., Bahmanyar, S., Olsson, R., Danielsson, A., Lindgren, S., Prytz, H., Hultcrantz, R., Loof, L.A., Sandberg-Gertzen, H., *et al.* (2008). Increased risk of primary sclerosing cholangitis and ulcerative colitis in first-degree relatives of patients with primary sclerosing cholangitis. *Clinical Gastroenterology and Hepatology* 6, 939-943.

- Blair, D.R., Lyttle, C.S., Mortensen, J.M., Bearden, C.F., Jensen, A.B., Khiabanian, H., Melamed, R., Rabidan, R., Bernstam, E.V., Brunak, S., *et al.* (2013). A nondegenerate code of deleterious variants in Mendelian loci contributes to complex disease risk. *Cell* 155, 70-80.
- Blumberg, R.S., Dittel, B., Hafler, D., von Herrath, M., and Nestle, F.O. (2012). Unraveling the autoimmune translational research process layer by layer. *Nature Medicine* 18, 35-41.
- Boonstra, K., Beuers, U., and Ponsioen, C.Y. (2012) Epidemiology of primary sclerosing cholangitis and primary biliary cirrhosis: A systematic review. *Journal of Hepatology* 56, 1181-1188.
- Botstein, D., White, R.L., Skolnick, M., and Davis, R.W. (1980). Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *American Journal of Human Genetics* 32, 314-331.
- Bouchard, T., Lykken, D., McGue, M., Segal, N., and Tellegen, A. (1990). Sources of human psychological differences: the Minnesota Study of Twins Reared Apart. *Science* 250, 223-228.
- Brant, S.R. (2011). Update on the heritability of inflammatory bowel disease: The importance of twin studies. *Inflammatory Bowel Diseases* 17, 1-5.
- Brant, S.R., Fu, Y., Fields, C.T., Baltazar, R., Ravenhill, G., Pickles, M.R., Rohal, P.M., Mann, J., Kirschner, B.S., Jabs, E.W., *et al.* (1998). American families with Crohn's disease have strong evidence for linkage to chromosome 16 but not chromosome 12. *Gastroenterology* 115, 1056-1061.
- Broome, U., Olsson, R., Loof, L., Bodemar, G., Hultcrantz, R., Danielsson, A., Prytz, H., Sandberg-Gertzen, H., Wallerstedt, S., and Lindberg, G. (1996). Natural history and prognostic factors in 305 Swedish patients with primary sclerosing cholangitis. *Gut* 38, 610-615.
- Bustamante, C.D., De La Vega, F.M., and Burchard, E.G. (2011). Genomics for the world. *Nature* 475, 163-165.
- Candore, G., Lio, D., Colonna Romano, G., and Caruso, C. (2002). Pathogenesis of autoimmune diseases associated with 8.1 ancestral haplotype: effect of multiple gene interactions. *Autoimmunity Reviews* 1, 29-35.
- Carlson, C.S., Eberle, M.A., Rieder, M.J., Yi, Q., Kruglyak, L., Nickerson, D.A. (2004) Selecting a Maximally Informative Set of Single-Nucleotide Polymorphisms for Association Analysis Using Linkage Disequilibrium. *American Journal of Human Genetics* 74, 106-120.
- Castro-Santos, P., Suarez, A., Lopez-Rivas, L., Mozo, L., and Gutierrez, C. (2006). TNF[alpha] and IL-10 Gene Polymorphisms in Inflammatory Bowel Disease. Association of -1082 AA Low Producer IL-10 Genotype with Steroid Dependency. *The American Journal of Gastroenterology* 101, 1039-1047.

- Cavanaugh, J. (2001). International Collaboration Provides Convincing Linkage Replication in Complex Disease through Analysis of a Large Pooled Data Set: Crohn Disease and Chromosome 16. *The American Journal of Human Genetics* 68, 1165-1171.
- Cavanaugh, J.A., Callen, D.F., Wilson, S.R., Stanford, P.M., Sraml, M.E., Gorska, M., Crawford, J., Whitmore, S.A., Shlegel, C., Foote, S., *et al.* (1998). Analysis of Australian Crohn's disease pedigrees refines the localization for susceptibility to inflammatory bowel disease on chromosome 16. *Annals of Human Genetics* 62, 291-298.
- Chapman, R.W., Arborgh, B.A., Rhodes, J.M., Summerfield, J.A., Dick, R., Scheuer, P.J., and Sherlock, S. (1980). Primary sclerosing cholangitis: a review of its clinical features, cholangiography, and hepatic histology. *Gut* 21, 870-877.
- Chapman, R.W., Varghese, Z., Gaul, R., Patel, G., Kokinon, N., and Sherlock, S. (1983). Association of primary sclerosing cholangitis with HLA-B8. *Gut* 24, 38-41.
- Chen, C.T., Wang, J.C., and Cohen, B.A. (2007). The strength of selection on ultraconserved elements in the human genome. *American Journal of Human Genetics* 80, 692-704.
- Cho, J.H., Nicolae, D.L., Gold, L.H., Fields, C.T., LaBuda, M.C., Rohal, P.M., Pickles, M.R., Qin, L., Fu, Y., Mann, J.S., *et al.* (1998). Identification of novel susceptibility loci for inflammatory bowel disease on chromosomes 1p, 3q, and 4q: Evidence for epistasis between 1p and IBD1. *Proceedings of the National Academy of Sciences* 95, 7502-7507.
- Cholesterol Treatment Trialists' (CTT) Collaborators (2005). Efficacy and safety of cholesterol-lowering treatment: prospective meta-analysis of data from 90 056 participants in 14 randomised trials of statins. *The Lancet* 366, 1267-1278.
- Clark, K., Mackenzie, K.F., Petkevicius, K., Kristariyanto, Y., Zhang, J., Choi, H.G., Peggy, M., Plater, L., Pedrioli, P.G., McIver, E., *et al.* (2012). Phosphorylation of CRTC3 by the salt-inducible kinases controls the interconversion of classically activated and regulatory macrophages. *Proceedings of the National Academy of Sciences* 109, 16986-16991.
- Colhoun, H.M., McKeigue, P.M., and Davey Smith, G. (2003). Problems of reporting genetic associations with complex outcomes. *Lancet* 361, 865-872.
- Cong, L., Ran, F.A., Cox, D., Lin, S., Barretto, R., Habib, N., Hsu, P.D., Wu, X., Jiang, W., Marraffini, L.A., *et al.* (2013). Multiplex genome engineering using CRISPR/Cas systems. *Science* 339, 819-823.
- Connor, S. (2014). Government backs massive new £300m gene sequencing project. *The Independent*, August 1, 2014.

- ENCODE Project Consortium, Bernstein, B.E., Birney, E., Dunham, I., Green, E.D., Gunter, C., and Snyder, M. (2012). An integrated encyclopedia of DNA elements in the human genome. *Nature* *489*, 57-74.
- Internation Genetics of Anklyosing Spondylitis Consortium. (2013). Identification of multiple risk variants for ankylosing spondylitis through high-density genotyping of immune-related loci. *Nature Genetics* *45*, 730-738.
- Cook, D.N., Prosser, D.M., Forster, R., Zhang, J., Kuklin, N.A., Abbondanzo, S.J., Niu, X.-D., Chen, S.-C., Manfra, D.J., Wiekowski, M.T., *et al.* (2000). CCR6 Mediates Dendritic Cell Localization, Lymphocyte Homeostasis, and Immune Responses in Mucosal Tissue. *Immunity* *12*, 495-503.
- Cooper, G.S., Bynum, M.L., and Somers, E.C. (2009). Recent insights in the epidemiology of autoimmune diseases: improved prevalence estimates and understanding of clustering of diseases. *Journal of Autoimmunity* *33*, 197-207.
- Cordell, H.J., and Clayton, D.G. (2002). A unified stepwise regression procedure for evaluating the relative effects of polymorphisms within a gene using case/control or family data: application to HLA in type 1 diabetes. *American Journal of Human Genetics* *70*, 124-141.
- Cortes, A., and Brown, M. (2011). Promise and pitfalls of the Immunochip. *Arthritis Research and Therapy* *13*, 101.
- Couturier, N., Bucciarelli, F., Nurtdinov, R.N., Debouverie, M., Lebrun-Frenay, C., Defer, G., Moreau, T., Confavreux, C., Vukusic, S., Cournu-Rebeix, I., *et al.* (2011). Tyrosine kinase 2 variant influences T lymphocyte polarization and multiple sclerosis susceptibility. *Brain* *134*, 693-703.
- Cowper-Sallari, R., Zhang, X., Wright, J.B., Bailey, S.D., Cole, M.D., Eeckhoute, J., Moore, J.H., and Lupien, M. (2012). Breast cancer risk-associated SNPs modulate the affinity of chromatin for FOXA1 and alter gene expression. *Nature Genetics* *44*, 1191-1198.
- Croese, J., O'Neil, J., Masson, J., Cooke, S., Melrose, W., Pritchard, D., and Speare, R. (2006). A proof of concept study establishing Necator americanus in Crohn's patients and reservoir donors. *Gut* *55*, 136-137.
- Curran, M.E., Lau, K.F., Hampe, J., Schreiber, S., Bridger, S., Macpherson § , A.J.S., Cardon, L.R., Sakul, H., Harris, T.J.R., Stokkers // , P., *et al.* (1998). Genetic analysis of inflammatory bowel disease in a large European cohort supports linkage to chromosomes 12 and 16. *Gastroenterology* *115*, 1066-1071.
- Cuthbert, A.P., Fisher, S.A., Mirza, M.M., King, K., Hampe, J., Croucher, P.J.P., Mascheretti, S., Sanderson, J., Forbes, A., Mansfield, J., *et al.* (2002). The contribution of NOD2 gene mutations to the risk and site of disease in inflammatory bowel disease. *Gastroenterology* *122*, 867-874.

- Dastani, Z., Hivert, M.-F., Timpson, N., Perry, J.R.B., Yuan, X., Scott, R.A., Henneman, P., Heid, I.M., Kizer, J.R., Lyytikäinen, L.-P., *et al.* (2012). Novel Loci for Adiponectin Levels and Their Influence on Type 2 Diabetes and Metabolic Traits: A Multi-Ethnic Meta-Analysis of 45,891 Individuals. *PLoS Genetics* *8*, e1002607.
- de Bakker, P.I.W., Yelensky, R., Peer, I., Gabriel, S.B., Daly, M.J., and Altshuler, D. (2005). Efficiency and power in genetic association studies. *Nature Genetics* *37*, 1217-1223.
- Degner, J.F., Pai, A.A., Pique-Regi, R., Veyrieras, J.B., Gaffney, D.J., Pickrell, J.K., De Leon, S., Michelini, K., Lewellen, N., Crawford, G.E., *et al.* (2012). DNase I sensitivity QTLs are a major determinant of human expression variation. *Nature* *482*, 390-394.
- DeLong, E.R., DeLong, D.M., and Clarke-Pearson, D.L. (1988). Comparing the areas under two or more correlated receiver operating characteristic curves: a nonparametric approach. *Biometrics* *44*, 837-845.
- Dequiedt, F., Kasler, H., Fischle, W., Kiermer, V., Weinstein, M., Herndier, B.G., and Verdin, E. (2003). HDAC7, a thymus-specific class II histone deacetylase, regulates Nur77 transcription and TCR-mediated apoptosis. *Immunity* *18*, 687-698.
- Dequiedt, F., Van Lint, J., Lecomte, E., Van Duppen, V., Seufferlein, T., Vandenheede, J.R., Wattiez, R., and Kettmann, R. (2005). Phosphorylation of histone deacetylase 7 by protein kinase D mediates T cell receptor-induced Nur77 expression and apoptosis. *Journal of Experimental Medicine* *201*, 793-804.
- Devlin, B., Daniels, M., and Roeder, K. (1997). The heritability of IQ. *Nature* *388*, 468-471.
- Devlin, B., and Roeder, K. (1999). Genomic control for association studies. *Biometrics* *55*, 997-1004.
- Dickson, S.P., Wang, K., Krantz, I., Hakonarson, H., and Goldstein, D.B. (2010). Rare Variants Create Synthetic Genome-Wide Associations. *PLoS Biology* *8*, e1000294.
- Dilthey, A.T., Moutsianas, L., Leslie, S., and McVean, G. (2011). HLA*IMP--an integrated framework for imputing classical HLA alleles from SNP genotypes. *Bioinformatics* *27*, 968-972.
- Dixson, L., Walter, H., Schneider, M., Erk, S., Schäfer, A., Haddad, L., Grimm, O., Mattheisen, M., Nöthen, M.M., Cichon, S., *et al.* (2014). Retraction for Dixson *et al.*, Identification of gene ontologies linked to prefrontal-hippocampal functional coupling in the human brain. *Proceedings of the National Academy of Sciences Published online before print September 2*

- Donaldson, P.T., Baragiotta, A., Heneghan, M.A., Floreani, A., Venturi, C., Underhill, J.A., Jones, D.E., James, O.F., and Bassendine, M.F. (2006). HLA class II alleles, genotypes, haplotypes, and amino acids in primary biliary cirrhosis: a large-scale study. *Hepatology* *44*, 667-674.
- Donaldson, P.T., Farrant, J.M., Wilkinson, M.L., Hayllar, K., Portmann, B.C., and Williams, R. (1991). Dual association of HLA DR2 and DR3 with primary sclerosing cholangitis. *Hepatology* *13*, 129-133.
- Donaldson, P.T., and Norris, S. (2002). Evaluation of the role of MHC class II alleles, haplotypes and selected amino acid sequences in primary sclerosing cholangitis. *Autoimmunity* *35*, 555-564.
- Duerr, R.H., Taylor, K.D., Brant, S.R., Rioux, J.D., Silverberg, M.S., Daly, M.J., Steinhart, A.H., Abraham, C., Regueiro, M., Griffiths, A., *et al.* (2006). A genome-wide association study identifies IL23R as an inflammatory bowel disease gene. *Science* *314*, 1461-1463.
- Ellinghaus, D., Baurecht, H., Esparza-Gordillo, J., Rodriguez, E., Matanovic, A., Marenholz, I., Hubner, N., Schaarschmidt, H., Novak, N., Michel, S., *et al.* (2013a). High-density genotyping study identifies four new susceptibility loci for atopic dermatitis. *Nature Genetics* *45*, 808-812.
- Ellinghaus, D., Folseraas, T., Holm, K., Ellinghaus, E., Melum, E., Balschun, T., Laerdahl, J.K., Shiryaev, A., Gotthardt, D.N., Weismuller, T.J., *et al.* (2012). Genome-wide association analysis in sclerosing cholangitis and ulcerative colitis identifies risk loci at GPR35 and TCF4. *Hepatology* *58*, 1074-1083.
- Ellinghaus, D., Zhang, H., Zeissig, S., Lipinski, S., Till, A., Jiang, T., Stade, B., Bromberg, Y., Ellinghaus, E., Keller, A., *et al.* (2013b). Association between variants of PRDM1 and NDP52 and Crohn's disease, based on exome sequencing and functional studies. *Gastroenterology* *145*, 339-347.
- Elliot, D.E., Urban, J.F., Argo, C.K., and Weinstock, J.V. (2000). Does the failure to acquire helminthic parasites predispose to Crohn's disease? *The FASEB Journal* *14*, 1848-1855.
- Ernst, J., Kheradpour, P., Mikkelsen, T.S., Shores, N., Ward, L.D., Epstein, C.B., Zhang, X., Wang, L., Issner, R., Coyne, M., *et al.* (2011). Mapping and analysis of chromatin state dynamics in nine human cell types. *Nature* *473*, 43-49.
- Evans, D.M., and Cardon, L.R. (2004). Guidelines for genotyping in genomewide linkage studies: single-nucleotide-polymorphism maps versus microsatellite maps. *American Journal of Human Genetics* *75*, 687-692.
- Eyre, S., Bowes, J., Diogo, D., Lee, A., Barton, A., Martin, P., Zhernakova, A., Stahl, E., Viatte, S., McAllister, K., *et al.* (2012). High-density genetic mapping identifies new susceptibility loci for rheumatoid arthritis. *Nature Genetics* *44*, 1336-1340.

- Fairfax, B.P., Humburg, P., Makino, S., Naranbhai, V., Wong, D., Lau, E., Jostins, L., Plant, K., Andrews, R., McGee, C., *et al.* (2014). Innate Immune Activity Conditions the Effect of Regulatory Variants upon Monocyte Gene Expression. *Science* 343.
- Falconer, D., and Mackay, T. (1996). Introduction to Quantitative Genetics (Longman).
- Farrant, J.M., Hayllar, K.M., Wilkinson, M.L., Karani, J., Portmann, B.C., Westaby, D., and Williams, R. (1991). Natural history and prognostic variables in primary sclerosing cholangitis. *Gastroenterology* 100, 1710-1717.
- Farrokhyar, F., Swarbrick, E.T., and Irvine, E.J. (2001). A critical review of epidemiological studies in inflammatory bowel disease. *Scandinavian Journal of Gastroenterology* 36, 2-15.
- Fisher, R.A. (1930). The genetical theory of natural selection (Oxford,: The Clarendon press).
- Folseraas, T., Melum, E., Rausch, P., Juran, B.D., Ellinghaus, E., Shiryaev, A., Laerdahl, J.K., Ellinghaus, D., Schramm, C., Weismuller, T.J., *et al.* (2012). Extended analysis of a genome-wide association study in primary sclerosing cholangitis detects multiple novel risk loci. *Journal of Hepatology* 57, 366-375.
- Foth, B.J., Tsai, I.J., Reid, A.J., Bancroft, A.J., Nichol, S., Tracey, A., Holroyd, N., Cotton, J.A., Stanley, E.J., Zarowiecki, M., *et al.* (2014). Whipworm genome and dual-species transcriptome analyses provide molecular insights into an intimate host-parasite interaction. *Nature Genetics* 46, 693-700.
- Franke, A., McGovern, D.P., Barrett, J.C., Wang, K., Radford-Smith, G.L., Ahmad, T., Lees, C.W., Balschun, T., Lee, J., Roberts, R., *et al.* (2010). Genome-wide meta-analysis increases to 71 the number of confirmed Crohn's disease susceptibility loci. *Nature Genetics* 42, 1118-1125.
- Gaffney, D.J., Veyrieras, J.B., Degner, J.F., Pique-Regi, R., Pai, A.A., Crawford, G.E., Stephens, M., Gilad, Y., and Pritchard, J.K. (2012). Dissecting the regulatory architecture of gene expression QTLs. *Genome Biology* 13, R7.
- Gashaw, I., Ellinghaus, P., Sommer, A., and Asadullah, K. (2011). What makes a good drug target? *Drug Discovery Today* 16, 1037-1043.
- Genovese, M.C., Becker, J.-C., Schiff, M., Luggen, M., Sherrer, Y., Kremer, J., Birbara, C., Box, J., Natarajan, K., Nuamah, I., *et al.* (2005). Abatacept for Rheumatoid Arthritis Refractory to Tumor Necrosis Factor α Inhibition. *New England Journal of Medicine* 353, 1114-1123.
- Giannoulatou, E., Yau, C., Colella, S., Ragoussis, J., and Holmes, C.C. (2008). GenoSNP: a variational Bayes within-sample SNP genotyping algorithm that does not require a reference population. *Bioinformatics* 24, 2209-2214.

- Gibbs, J.R., van der Brug, M.P., Hernandez, D.G., Traynor, B.J., Nalls, M.A., Lai, S.-L., Arepalli, S., Dillman, A., Rafferty, I.P., Troncoso, J., *et al.* (2010). Abundant Quantitative Trait Loci Exist for DNA Methylation and Gene Expression in Human Brain. *PLoS Genetics* 6, e1000952.
- Greco, L., Romino, R., Coto, I., Di Cosmo, N., Percopo, S., Maglio, M., Paparo, F., Gasperi, V., Limongelli, M.G., Cotichini, R., *et al.* (2002). The first large population based twin study of coeliac disease. *Gut* 50, 624-628.
- Gregersen, P.K., Amos, C.I., Lee, A.T., Lu, Y., Remmers, E.F., Kastner, D.L., Seldin, M.F., Criswell, L.A., Plenge, R.M., Holers, V.M., *et al.* (2009). REL, encoding a member of the NF-[kappa]B family of transcription factors, is a newly defined risk locus for rheumatoid arthritis. *Nature Genetics* 41, 820-823.
- Grundberg, E., Small, K.S., Hedman, A.K., Nica, A.C., Buil, A., Keildson, S., Bell, J.T., Yang, T.P., Meduri, E., Barrett, A., *et al.* (2012). Mapping cis- and trans-regulatory effects across multiple tissues in twins. *Nature Genetics* 44, 1084-1089.
- Gusella, J.F., Wexler, N.S., Conneally, P.M., Naylor, S.L., Anderson, M.A., Tanzi, R.E., Watkins, P.C., Ottina, K., Wallace, M.R., Sakaguchi, A.Y., *et al.* (1983). A polymorphic DNA marker genetically linked to Huntington's disease. *Nature* 306, 234-238.
- Halme, L., Paavola-Sakki, P., Turunen, U., Lappalainen, M., Farkkila, M., and Kontula, K. (2006). Family and twin studies in inflammatory bowel disease. *World Journal of Gastroenterology* 12, 3668-3672.
- Hampe, J., Cuthbert, A., Croucher, P.J.P., Mirza, M.M., Mascheretti, S., Fisher, S., Frenzel, H., King, K., Hasselmeyer, A., MacPherson, A.J.S., *et al.* (2001). Association between insertion mutation in NOD2 gene and Crohn's disease in German and British populations. *Lancet* 357, 1925-1928.
- Hampe, J., Franke, A., Rosenstiel, P., Till, A., Teuber, M., Huse, K., Albrecht, M., Mayr, G., De La Vega, F.M., Briggs, J., *et al.* (2007). A genome-wide association scan of nonsynonymous SNPs identifies a susceptibility variant for Crohn disease in ATG16L1. *Nature Genetics* 39, 207-211.
- Hanna, R.N., Carlin, L.M., Hubbeling, H.G., Nackiewicz, D., Green, A.M., Punt, J.A., Geissmann, F., and Hedrick, C.C. (2011). The transcription factor NR4A1 (Nur77) controls bone marrow differentiation and the survival of Ly6C-monocytes. *Nature Immunology* 12, 778-785.
- Hanson, B., McGue, M., Roitman-Johnson, B., Segal, N.L., Bouchard, T.J., Jr., and Blumenthal, M.N. (1991). Atopic disease and immunoglobulin E in twins reared apart and together. *American Journal of Human Genetics* 48, 873-879.
- Harrow, J., Frankish, A., Gonzalez, J.M., Tapanari, E., Diekhans, M., Kokocinski, F., Aken, B.L., Barrell, D., Zadissa, A., Searle, S., *et al.* (2012). GENCODE: the reference human genome annotation for The ENCODE Project. *Genome Research* 22, 1760-1774.

- Hemani, G., Shakhbazov, K., Westra, H.-J., Esko, T., Henders, A.K., McRae, A.F., Yang, J., Gibson, G., Martin, N.G., Metspalu, A., *et al.* (2014). Detection and replication of epistasis influencing transcription in humans. *Nature* *508*, 249-253.
- Hiatt, R.A., and Kaufman, L. (1988). Epidemiology of inflammatory bowel disease in a defined northern California population. *The Western Journal of Medicine* *149*, 541-546.
- Higgins, J.P., and Thompson, S.G. (2002). Quantifying heterogeneity in a meta-analysis. *Statistics in Medicine* *21*, 1539-1558.
- Hindorff, L., Junkins, H., Hall, P., Mehta, J., and Manolio, T. (2014) A Catalog of Published Genome-Wide Association Studies (www.genome.gov/gwastudies)
- Hirschfield, G.M., Liu, X., Xu, C., Lu, Y., Xie, G., Gu, X., Walker, E.J., Jing, K., Juran, B.D., Mason, A.L., *et al.* (2009). Primary biliary cirrhosis associated with HLA, IL12A, and IL12RB2 variants. *New England Journal of Medicine* *360*, 2544-2555.
- Hoggart, C.J., Clark, T.G., De Iorio, M., Whittaker, J.C., and Balding, D.J. (2008). Genome-wide significance for dense SNP and resequencing data. *Genetic Epidemiology* *32*, 179-185.
- Horton, R., Wilming, L., Rand, V., Lovering, R.C., Bruford, E.A., Khodiyar, V.K., Lush, M.J., Povey, S., Talbot, C.C., Jr., Wright, M.W., *et al.* (2004). Gene map of the extended human MHC. *Nature Reviews Genetics* *5*, 889-899.
- Hov, J.R., Kosmoliaptis, V., Traherne, J.A., Olsson, M., Boberg, K.M., Bergquist, A., Schrumpf, E., Bradley, J.A., Taylor, C.J., Lie, B.A., *et al.* (2011). Electrostatic modifications of the human leukocyte antigen-DR P9 peptide-binding pocket and susceptibility to primary sclerosing cholangitis. *Hepatology* *53*, 1967-1976.
- Hovhannisyan, Z., Weiss, A., Martin, A., Wiesner, M., Tollefsen, S., Yoshida, K., Ciszewski, C., Curran, S.A., Murray, J.A., David, C.S., *et al.* (2008). The role of HLA-DQ8 beta57 polymorphism in the anti-gluten T-cell response in coeliac disease. *Nature* *456*, 534-538.
- Howie, B.N., Donnelly, P., and Marchini, J. (2009). A flexible and accurate genotype imputation method for the next generation of genome-wide association studies. *PLoS Genetics* *5*, e1000529.
- Hu, X., Kim, H., Stahl, E., Plenge, R., Daly, M., and Raychaudhuri, S. (2011). Integrating Autoimmune Risk Loci with Gene-Expression Data Identifies Specific Pathogenic Immune Cell Subsets. *American Journal of Human Genetics* *89*, 496-506.
- Hu, Y.-J., Berndt, Sonja I., Gustafsson, S., Ganna, A., Hirschhorn, J., North, K.E., Ingelsson, E., and Lin, D.-Y. (2013). Meta-analysis of Gene-Level Associations

for Rare Variants Based on Single-Variant Statistics. *American Journal of Human Genetics* 93, 236-248.

Huang, H., Chanda, P., Alonso, A., Bader, J.S., and Arking, D.E. (2011). Gene-based tests of association. *PLoS Genetics* 7, e1002177.

Hugot, J.-P., Chamaillard, M., Zouali, H., Lesage, S., Cezard, J.-P., Belaiche, J., Almer, S., Tysk, C., O'Morain, C.A., Gassull, M., *et al.* (2001). Association of NOD2 leucine-rich repeat variants with susceptibility to Crohn's disease. *Nature* 411, 599-603.

Hugot, J.P., Laurent-Puig, P., Gower-Rousseau, C., Olson, J.M., Lee, J.C., Beaugerie, L., Naom, I., Dupas, J.L., Van Gossum, A., Orholm, M., *et al.* (1996). Mapping of a susceptibility locus for Crohn's disease on chromosome 16. *Nature* 379, 821-823.

Hunt, K.A., Mistry, V., Bockett, N.A., Ahmad, T., Ban, M., Barker, J.N., Barrett, J.C., Blackburn, H., Brand, O., Burren, O., *et al.* (2013). Negligible impact of rare autoimmune-locus coding-region variants on missing heritability. *Nature* 498, 232-235.

Hunt, K.A., Zhernakova, A., Turner, G., Heap, G.A.R., Franke, L., Bruinenberg, M., Romanos, J., Dinesen, L.C., Ryan, A.W., Panesar, D., *et al.* (2008). Newly identified genetic risk variants for celiac disease related to the immune response. *Nature Genetics* 40, 395-402.

Hurst, L.D., Pal, C., and Lercher, M.J. (2004). The evolutionary dynamics of eukaryotic gene order. *Nature Reviews Genetics* 5, 299-310.

Hyttinen, V., Kaprio, J., Kinnunen, L., Koskenvuo, M., and Tuomilehto, J. (2003). Genetic Liability of Type 1 Diabetes and the Onset Age Among 22,650 Young Finnish Twin Pairs: A Nationwide Follow-Up Study. *Diabetes* 52, 1052-1055.

International HapMap Consortium. (2005). A haplotype map of the human genome. *Nature* 437, 1299-1320.

International HapMap Consortium, Altshuler, D.M., Gibbs, R.A., Peltonen, L., Altshuler, D.M., Gibbs, R.A., Peltonen, L., Dermitzakis, E., Schaffner, S.F., Yu, F., *et al.* (2010). Integrating common and rare genetic variation in diverse human populations. *Nature* 467, 52-58.

International HapMap Consortium, Frazer, K.A., Ballinger, D.G., Cox, D.R., Hinds, D.A., Stuve, L.L., Gibbs, R.A., Belmont, J.W., Boudreau, A., Hardenbol, P., *et al.* (2007). A second generation human haplotype map of over 3.1 million SNPs. *Nature* 449, 851-861.

International Multiple Sclerosis Genetics Consortium. (2013). Analysis of immune-related loci identifies 48 new susceptibility variants for multiple sclerosis. *Nature Genetics* 45, 1353-1360.

- International Schizophrenia Consortium, Purcell, S.M., Wray, N.R., Stone, J.L., Visscher, P.M., O'Donovan, M.C., Sullivan, P.F., and Sklar, P. (2009). Common polygenic variation contributes to risk of schizophrenia and bipolar disorder. *Nature* *460*, 748-752.
- Invernizzi, P., Selmi, C., Poli, F., Frison, S., Floreani, A., Alvaro, D., Almasio, P., Rosina, F., Marzoni, M., Fabris, L., *et al.* (2008). Human leukocyte antigen polymorphisms in Italian primary biliary cirrhosis: a multicenter study of 664 patients and 1992 healthy controls. *Hepatology* *48*, 1906-1912.
- Ioannidis, J.P., Ntzani, E.E., Trikalinos, T.A., and Contopoulos-Ioannidis, D.G. (2001). Replication validity of genetic association studies. *Nature Genetics* *29*, 306-309.
- James, O.F., Bhopal, R., Howel, D., Gray, J., Burt, A.D., and Metcalf, J.V. (1999). Primary biliary cirrhosis once rare, now common in the United Kingdom? *Hepatology* *30*, 390-394.
- Jawaheer, D., Seldin, M.F., Amos, C.I., Chen, W.V., Shigeta, R., Etzel, C., Damle, A., Xiao, X., Chen, D., Lum, R.F., *et al.* (2003). Screening the genome for rheumatoid arthritis susceptibility genes: a replication study and combined analysis of 512 multicase families. *Arthritis and Rheumatism* *48*, 906-916.
- Jones, D.E. (2003). Addison's other disease: primary biliary cirrhosis as a model autoimmune disease. *Clinical medicine* *3*, 351-356.
- Jones, D.E., Watt, F.E., Metcalf, J.V., Bassendine, M.F., and James, O.F. (1999). Familial primary biliary cirrhosis reassessed: a geographically-based population study. *Journal of Hepatology* *30*, 402-407.
- Jostins, L. (2012). Using Next-Generation Genomic Datasets In Disease Association (The University of Cambridge).
- Jostins, L., and Barrett, J.C. (2011). Genetic risk prediction in complex disease. *Human Molecular Genetics* *20*, R182-188.
- Jostins, L., Ripke, S., Weersma, R.K., Duerr, R.H., McGovern, D.P., Hui, K.Y., Lee, J.C., Schumm, L.P., Sharma, Y., Anderson, C.A., *et al.* (2012). Host-microbe interactions have shaped the genetic architecture of inflammatory bowel disease. *Nature* *491*, 119-124.
- Joyal, G., Negi, S., Sood, A., Gupta, A., Prasad, P., Senapati, S., Zaneveld, J., Singh, S., Midha, V., van Sommeren, S., *et al.* (2014). Genome-wide association scan in north Indians reveals three novel HLA-independent risk loci for ulcerative colitis. *Gut Published Online First 16 May 2014*.
- Kamada, N., Seo, S.-U., Chen, G.Y., and Nunez, G. (2013). Role of the gut microbiota in immunity and inflammatory disease. *Nature Reviews Immunology* *13*, 321-335.

- Kang, J., Kugathasan, S., Georges, M., Zhao, H., Cho, J.H., and NIDDK IBD Genetics Consortium (2011). Improved risk prediction for Crohn's disease with a multi-locus approach. *Human Molecular Genetics* 20, 2435-2442.
- Kaplan, M.M., and Gershwin, M.E. (2005). Primary biliary cirrhosis. *New England Journal of Medicine* 353, 1261-1273.
- Karlsen, T.H., Boberg, K.M., Vatn, M., Bergquist, A., Hampe, J., Schrumpf, E., Thorsby, E., Schreiber, S., Lie, B.A., and Group, I.S. (2007). Different HLA class II associations in ulcerative colitis patients with and without primary sclerosing cholangitis. *Genes and Immunity* 8, 275-278.
- Karlsen, T.H., Franke, A., Melum, E., Kaser, A., Hov, J.R., Balschun, T., Lie, B.A., Bergquist, A., Schramm, C., Weismuller, T.J., et al. (2010a). Genome-wide association analysis in primary sclerosing cholangitis. *Gastroenterology* 138, 1102-1111.
- Karlsen, T.H., and Kaser, A. (2011). Deciphering the genetic predisposition to primary sclerosing cholangitis. *Seminars in Liver Disease* 31, 188-207.
- Karlsen, T.H., Schrumpf, E., and Boberg, K.M. (2010b). Update on primary sclerosing cholangitis. *Digestive and Liver Disease* 42, 390-400.
- Kasler, H.G., Young, B.D., Mottet, D., Lim, H.W., Collins, A.M., Olson, E.N., and Verdin, E. (2011). Histone deacetylase 7 regulates cell survival and TCR signaling in CD4/CD8 double-positive thymocytes. *Journal of Immunology* 186, 4782-4793.
- Kasowski, M., Grubert, F., Heffelfinger, C., Hariharan, M., Asabere, A., Waszak, S.M., Habegger, L., Rozowsky, J., Shi, M., Urban, A.E., et al. (2010). Variation in Transcription Factor Binding Among Humans. *Science* 328, 232-235.
- Kathiresan, S., Melander, O., Guiducci, C., Surti, A., Burtt, N.P., Rieder, M.J., Cooper, G.M., Roos, C., Voight, B.F., Havulinna, A.S., et al. (2008). Six new loci associated with blood low-density lipoprotein cholesterol, high-density lipoprotein cholesterol or triglycerides in humans. *Nature Genetics* 40, 189-197.
- Keinan, A., and Clark, A.G. (2012). Recent explosive human population growth has resulted in an excess of rare genetic variants. *Science* 336, 740-743.
- Khor, B., Gardet, A., and Xavier, R.J. (2011). Genetics and pathogenesis of inflammatory bowel disease. *Nature* 474, 307-317.
- Kiezun, A., Garimella, K., Do, R., Stitzel, N.O., Neale, B.M., McLaren, P.J., Gupta, N., Sklar, P., Sullivan, P.F., Moran, J.L., et al. (2012). Exome sequencing and the genetic basis of complex traits. *Nature Genetics* 44, 623-630.
- Klein, R.J., Zeiss, C., Chew, E.Y., Tsai, J.-Y., Sackler, R.S., Haynes, C., Henning, A.K., SanGiovanni, J.P., Mane, S.M., Mayne, S.T., et al. (2005). Complement Factor H Polymorphism in Age-Related Macular Degeneration. *Science* 308, 385-389.

- Korte, A., Vilhjalmsson, B.J., Segura, V., Platt, A., Long, Q., and Nordborg, M. (2012). A mixed-model approach for genome-wide association studies of correlated traits in structured populations. *Nature Genetics* 44, 1066-1071.
- Lander, E., and Kruglyak, L. (1995). Genetic dissection of complex traits: guidelines for interpreting and reporting linkage results. *Nature Genetics* 11, 241-247.
- Lango Allen, H., Estrada, K., Lettre, G., Berndt, S.I., Weedon, M.N., Rivadeneira, F., Willer, C.J., Jackson, A.U., Vedantam, S., Raychaudhuri, S., *et al.* (2010). Hundreds of variants clustered in genomic loci and biological pathways affect human height. *Nature* 467, 832-838.
- Lasko, T.A., Bhagwat, J.G., Zou, K.H., and Ohno-Machado, L. (2005). The use of receiver operating characteristic curves in biomedical informatics. *Journal of Biomedical Informatics* 38, 404-415.
- Lawlor, D.A., Harbord, R.M., Sterne, J.A.C., Timpson, N., and Davey Smith, G. (2008). Mendelian randomization: Using genes as instruments for making causal inferences in epidemiology. *Statistics in Medicine* 27, 1133-1163.
- Lazzeroni, L.C., Lu, Y., and Belitskaya-Levy, I. (2014). P-values in genomics: Apparent precision masks high uncertainty. *Molecular Psychiatry* 19, 1336-1340.
- Lee, J.C., Espeli, M., Anderson, C.A., Linterman, M.A., Pocock, J.M., Williams, N.J., Roberts, R., Viatte, S., Fu, B., Peshu, N., *et al.* (2013a). Human SNP links differential outcomes in inflammatory and infectious disease to a FOXO3-regulated pathway. *Cell* 155, 57-69.
- Lee, M.N., Ye, C., Villani, A.-C., Raj, T., Li, W., Eisenhaure, T.M., Imboiywa, S.H., Chipendo, P.I., Ran, F.A., Slowikowski, K., *et al.* (2014). Common Genetic Variants Modulate Pathogen-Sensing Responses in Human Dendritic Cells. *Science* 343, 1246949.
- Lee, S., Teslovich, Tanya M., Boehnke, M., and Lin, X. (2013b). General Framework for Meta-analysis of Rare Variants in Sequencing Association Studies. *The American Journal of Human Genetics* 93, 42-53.
- Lee, S.H., Wray, N.R., Goddard, M.E., and Visscher, P.M. (2011). Estimating missing heritability for disease from genome-wide association studies. *American Journal of Human Genetics* 88, 294-305.
- Lee, S.H., Yang, J., Goddard, M.E., Visscher, P.M., and Wray, N.R. (2012). Estimation of pleiotropy between complex diseases using single-nucleotide polymorphism-derived genomic relationships and restricted maximum likelihood. *Bioinformatics* 28, 2540-2542.
- Leslie, S., Donnelly, P., and McVean, G. (2008). A statistical method for predicting classical HLA alleles from SNP data. *American Journal of Human Genetics* 82, 48-56.

- Lettre, G., Jackson, A.U., Gieger, C., Schumacher, F.R., Berndt, S.I., Sanna, S., Eyheramendy, S., Voight, B.F., Butler, J.L., Guiducci, C., *et al.* (2008). Identification of ten loci associated with height highlights new biological pathways in human growth. *Nature Genetics* *40*, 584-591.
- Levison, S., Fisher, P., Hankinson, J., Zeef, L., Eyre, S., Ollier, W., McLaughlin, J., Brass, A., Grencis, R., and Pennock, J. (2013). Genetic analysis of the *Trichuris muris*-induced model of colitis reveals QTL overlap and a novel gene cluster for establishing colonic inflammation. *BMC Genomics* *14*, 127.
- Levison, S.E., McLaughlin, J.T., Zeef, L.A., Fisher, P., Grencis, R.K., and Pennock, J.L. (2010). Colonic transcriptional profiling in resistance and susceptibility to trichuriasis: phenotyping a chronic colitis and lessons for iatrogenic helminthosis. *Inflammatory Bowel Disease* *16*, 2065-2079.
- Li, Y., Sidore, C., Kang, H.M., Boehnke, M., and Abecasis, G.R. (2011). Low-coverage sequencing: implications for design of complex trait association studies. *Genome Research* *21*, 940-951.
- Li, Y., Willer, C., Sanna, S., and Abecasis, G. (2009). Genotype imputation. *Annual Review of Genomics and Human Genetics* *10*, 387-406.
- Liu, D.J., Peloso, G.M., Zhan, X., Holmen, O.L., Zawistowski, M., Feng, S., Nikpay, M., Auer, P.L., Goel, A., Zhang, H., *et al.* (2014). Meta-analysis of gene-level tests for rare variant association. *Nature Genetics* *46*, 200-204.
- Liu, J.Z., Almarri, M.A., Gaffney, D.J., Mellis, G.F., Jostins, L., Cordell, H.J., Ducker, S.J., Day, D.B., Heneghan, M.A., Neuberger, J.M., *et al.* (2012). Dense fine-mapping study identifies new susceptibility loci for primary biliary cirrhosis. *Nature Genetics* *44*, 1137-1141.
- Liu, J.Z., Hov, J.R., Folseraas, T., Ellinghaus, E., Rushbrook, S.M., Doncheva, N.T., Andreassen, O.A., Weersma, R.K., Weismuller, T.J., Eksteen, B., *et al.* (2013). Dense genotyping of immune-related disease regions identifies nine new risk loci for primary sclerosing cholangitis. *Nature Genetics* *45*, 670-675.
- Liu, J.Z., McRae, A.F., Nyholt, D.R., Medland, S.E., Wray, N.R., Brown, K.M., Hayward, N.K., Montgomery, G.W., Visscher, P.M., Martin, N.G., *et al.* (2010a). A versatile gene-based test for genome-wide association studies. *American Journal of Human Genetics* *87*, 139-145.
- Liu, X., Invernizzi, P., Lu, Y., Kosoy, R., Bianchi, I., Podda, M., Xu, C., Xie, G., Macciardi, F., Selmi, C., *et al.* (2010b). Genome-wide meta-analyses identify three loci associated with primary biliary cirrhosis. *Nature Genetics* *42*, 658-660.
- Loftus, E.V., Jr. (2004). Clinical epidemiology of inflammatory bowel disease: Incidence, prevalence, and environmental influences. *Gastroenterology* *126*, 1504-1517.

- Lonsdale, J., Thomas, J., Salvatore, M., Phillips, R., Lo, E., Shad, S., Hasz, R., Walters, G., Garcia, F., Young, N., *et al.* (2013). The Genotype-Tissue Expression (GTEx) project. *Nature Genetics* *45*, 580-585.
- Ma, C., Blackwell, T., Boehnke, M., Scott, L.J., and the Go, T.D.i. (2013). Recommended Joint and Meta-Analysis Strategies for Case-Control Association Testing of Single Low-Count Variants. *Genetic Epidemiology* *37*, 539-550.
- Maher, B. (2008). Personal genomes: The case of the missing heritability. *Nature* *456*, 18-21.
- Major Depressive Disorder Working Group of the Psychiatric Genetics Consortium. (2013). A mega-analysis of genome-wide association studies for major depressive disorder. *Molecular Psychiatry* *18*, 497-511.
- Mali, P., Yang, L., Esvelt, K.M., Aach, J., Guell, M., DiCarlo, J.E., Norville, J.E., and Church, G.M. (2013). RNA-guided human genome engineering via Cas9. *Science* *339*, 823-826.
- Mannon, P.J., Fuss, I.J., Mayer, L., Elson, C.O., Sandborn, W.J., Present, D., Dolin, B., Goodman, N., Groden, C., Hornung, R.L., *et al.* (2004). Anti-Interleukin-12 Antibody for Active Crohn's Disease. *New England Journal of Medicine* *351*, 2069-2079.
- Manolio, T.A., Collins, F.S., Cox, N.J., Goldstein, D.B., Hindorff, L.A., Hunter, D.J., McCarthy, M.I., Ramos, E.M., Cardon, L.R., Chakravarti, A., *et al.* (2009). Finding the missing heritability of complex diseases. *Nature* *461*, 747-753.
- Marchini, J., and Howie, B. (2010). Genotype imputation for genome-wide association studies. *Nature Reviews Genetics* *11*, 499-511.
- Mathew, C.G., and Lewis, C.M. (2004). Genetics of inflammatory bowel disease: progress and prospects. *Human Molecular Genetics* *13 Spec No 1*, R161-168.
- Mathieson, I., and McVean, G. (2012). Differential confounding of rare and common variants in spatially structured populations. *Nature Genetics* *44*, 243-246.
- Maurano, M.T., Humbert, R., Rynes, E., Thurman, R.E., Haugen, E., Wang, H., Reynolds, A.P., Sandstrom, R., Qu, H., Brody, J., *et al.* (2012). Systematic Localization of Common Disease-Associated Variation in Regulatory DNA. *Science* *337*, 1190-1195.
- McCarroll, S.A., Huett, A., Kuballa, P., Chilewski, S.D., Landry, A., Goyette, P., Zody, M.C., Hall, J.L., Brant, S.R., Cho, J.H., *et al.* (2008). Deletion polymorphism upstream of IRGM associated with altered IRGM expression and Crohn's disease. *Nature Genetics* *40*, 1107-1112.

McVean, G.A., Myers, S.R., Hunt, S., Deloukas, P., Bentley, D.R., and Donnelly, P. (2004). The fine-scale structure of recombination rate variation in the human genome. *Science* 304, 581-584.

Mells, G.F., Floyd, J.A., Morley, K.I., Cordell, H.J., Franklin, C.S., Shin, S.Y., Heneghan, M.A., Neuberger, J.M., Donaldson, P.T., Day, D.B., *et al.* (2011). Genome-wide association study identifies 12 new susceptibility loci for primary biliary cirrhosis. *Nature Genetics* 43, 329-332.

Melum, E., Franke, A., Schramm, C., Weismuller, T.J., Gotthardt, D.N., Offner, F.A., Juran, B.D., Laerdahl, J.K., Labi, V., Bjornsson, E., *et al.* (2011). Genome-wide association analysis in primary sclerosing cholangitis identifies two non-HLA susceptibility loci. *Nature Genetics* 43, 17-19.

Mirza, M.M., Lee, J., Teare, D., Hugot, J.P., Laurent-Puig, P., Colombel, J.F., Hodgson, S.V., Thomas, G., Easton, D.F., Lennard-Jones, J.E., *et al.* (1998). Evidence of linkage of the inflammatory bowel disease susceptibility locus on chromosome 16 (IBD1) to ulcerative colitis. *Journal of Medical Genetics* 35, 218-221.

Molodecky, N.A., Soon, I.S., Rabi, D.M., Ghali, W.A., Ferris, M., Chernoff, G., Benchimol, E.I., Panaccione, R., Ghosh, S., Barkema, H.W., *et al.* (2012). Increasing incidence and prevalence of the inflammatory bowel diseases with time, based on systematic review. *Gastroenterology* 142, 46-54 e42; quiz e30.

Momozawa, Y., Mni, M., Nakamura, K., Coppieters, W., Almer, S., Amininejad, L., Cleynen, I., Colombel, J.F., de Rijk, P., Dewit, O., *et al.* (2011). Resequencing of positional candidates identifies low frequency IL23R coding variants protecting against inflammatory bowel disease. *Nature Genetics* 43, 43-47.

Morris, A.P. (2011). Transthectic meta-analysis of genomewide association studies. *Genetic Epidemiology* 35, 809-822.

Morris, J.A., Randall, J.C., Maller, J.B., and Barrett, J.C. (2010). Evoker: a visualization tool for genotype intensity data. *Bioinformatics* 26, 1786-1787.

Mullarkey, M.E., Stevens, A.M., McDonnell, W.M., Loubiere, L.S., Brackensick, J.A., Pang, J.M., Porter, A.J., Galloway, D.A., and Nelson, J.L. (2005). Human leukocyte antigen class II alleles in Caucasian women with primary biliary cirrhosis. *Tissue Antigens* 65, 199-205.

Murthy, A., Li, Y., Peng, I., Reichelt, M., Katakam, A.K., Noubade, R., Roose-Girma, M., DeVoss, J., Diehl, L., Graham, R.R., *et al.* (2014). A Crohn's disease variant in Atg16l1 enhances its degradation by caspase 3. *Nature* 506, 456-462.

Myers, R.M., Stamatoyannopoulos, J., Snyder, M., Dunham, I., Hardison, R.C., Bernstein, B.E., Gingeras, T.R., Kent, W.J., Birney, E., Wold, B., *et al.* (2011). A user's guide to the encyclopedia of DNA elements (ENCODE). *PLoS Biology* 9, e1001046.

- Neale, B.M., and Sham, P.C. (2004). The future of association studies: gene-based analysis and replication. *American Journal of Human Genetics* 75, 353-362.
- Nejentsev, S., Walker, N., Riches, D., Egholm, M., and Todd, J.A. (2009). Rare variants of IFIH1, a gene implicated in antiviral responses, protect against type 1 diabetes. *Science* 324, 387-389.
- Nicolae, D.L., Gamazon, E., Zhang, W., Duan, S., Dolan, M.E., and Cox, N.J. (2010). Trait-Associated SNPs Are More Likely to Be eQTLs: Annotation to Enhance Discovery from GWAS. *PLoS Genetics* 6, e1000888.
- Nisticò, L., Buzzetti, R., Pritchard, L.E., Van der Auwera, B., Giovannini, C., Bosi, E., Martinez Larrad, M.T., Serrano Rios, M., Chow, C.C., Cockram, C.S., *et al.* (1996). The CTLA-4 Gene Region of Chromosome 2q33 Is Linked to, and Associated with, Type 1 Diabetes. *Human Molecular Genetics* 5, 1075-1080.
- Ogura, Y., Bonen, D.K., Inohara, N., Nicolae, D.L., Chen, F.F., Ramos, R., Britton, H., Moran, T., Karaliuskas, R., Duerr, R.H., *et al.* (2001). A frameshift mutation in NOD2 associated with susceptibility to Crohn's disease. *Nature* 411, 603-606.
- Ohmen, J.D., Yang, H.-Y., Yamamoto, K.K., Zhao, H.-Y., Ma, Y., Bentley, L.G., Huang, Z., Gerwehr, S., Pressman, S., McElree, C., *et al.* (1996). Susceptibility Locus for Inflammatory Bowel Disease on Chromosome 16 has a Role in Crohn's disease, but Not in Ulcerative Colitis. *Human Molecular Genetics* 5, 1679-1683.
- Okada, H., Kuhn, C., Feillet, H., and Bach, J.F. (2010). The 'hygiene hypothesis' for autoimmune and allergic diseases: an update. *Clinical and Experimental Immunology* 160, 1-9.
- Okada, Y., Wu, D., Trynka, G., Raj, T., Terao, C., Ikari, K., Kochi, Y., Ohmura, K., Suzuki, A., Yoshida, S., *et al.* (2014). Genetics of rheumatoid arthritis contributes to biology and drug discovery. *Nature* 506, 376-381.
- Okada, Y., Yamazaki, K., Umeno, J., Takahashi, A., Kumashita, N., Ashikawa, K., Aoi, T., Takazoe, M., Matsui, T., Hirano, A., *et al.* (2011). HLA-Cw*1202-B*5201-DRB1*1502 haplotype increases risk for ulcerative colitis but reduces risk for Crohn's disease. *Gastroenterology* 141, 864-871 e861-865.
- Painter, J.N., Anderson, C.A., Nyholt, D.R., Macgregor, S., Lin, J., Lee, S.H., Lambert, A., Zhao, Z.Z., Roseman, F., Guo, Q., *et al.* (2011). Genome-wide association study identifies a locus at 7p15.2 associated with endometriosis. *Nature Genetics* 43, 51-54.
- Park, J.-H., Wacholder, S., Gail, M.H., Peters, U., Jacobs, K.B., Chanock, S.J., and Chatterjee, N. (2010). Estimation of effect size distribution from genome-wide association studies and implications for future discoveries. *Nature Genetics* 42, 570-575.
- Parkes, M., Barrett, J.C., Prescott, N.J., Tremelling, M., Anderson, C.A., Fisher, S.A., Roberts, R.G., Nimmo, E.R., Cummings, F.R., Soars, D., *et al.* (2007). Sequence

variants in the autophagy gene IRGM and multiple other replicating loci contribute to Crohn's disease susceptibility. *Nature Genetics* 39, 830-832.

Parkes, M., Cortes, A., van Heel, D.A., and Brown, M.A. (2013). Genetic insights into common pathways and complex relationships among immune-mediated diseases. *Nature Reviews Genetics* 14, 661-673.

Parkes, M., Satsangi, J., and Jewell, D. (1998). Contribution of the IL-2 and IL-10 genes to inflammatory bowel disease (IBD) susceptibility. *Clinical & Experimental Immunology* 113, 28-32.

Patterson, N., Price, A.L., and Reich, D. (2006). Population structure and eigenanalysis. *PLoS Genetics* 2, e190.

Peters, U., Hutter, C.M., Hsu, L., Schumacher, F.R., Conti, D.V., Carlson, C.S., Edlund, C.K., Haile, R.W., Gallinger, S., Zanke, B.W., *et al.* (2012). Meta-analysis of new genome-wide association studies of colorectal cancer risk. *Human Genetics* 131, 217-234.

Pickrell, Joseph K. (2014). Joint Analysis of Functional Genomic Data and Genome-wide Association Studies of 18 Human Traits. *American Journal of Human Genetics* 94, 559-573.

Pirinen, M., Donnelly, P., and Spencer, C. (2012). Efficient computation with a linear mixed model on large-scale data sets with applications to genetic studies. *Annals of Applied Statistics* 7, 369-390.

Plenge, R.M., Scolnick, E.M., and Altshuler, D. (2013). Validating therapeutic targets through human genetics. *Nature Reviews Drug Discovery* 12, 581-594.

Podda, M., Selmi C., Lleo, A., Moroni, L., and Invernizzi, P. (2013) The limitations and hidden gems of the epidemiology of primary biliary cirrhosis. *Journal of Autoimmunity* 46, 81-87.

Prescott, N.J., Dominy, K.M., Kubo, M., Lewis, C.M., Fisher, S.A., Redon, R., Huang, N., Stranger, B.E., Blaszczyk, K., Hudspith, B., *et al.* (2010). Independent and population-specific association of risk variants at the IRGM locus with Crohn's disease. *Human Molecular Genetics* 19, 1828-1839.

Price, A.L., Patterson, N.J., Plenge, R.M., Weinblatt, M.E., Shadick, N.A., and Reich, D. (2006). Principal components analysis corrects for stratification in genome-wide association studies. *Nature Genetics* 38, 904-909.

Prideaux, L., Kamm, M.A., De Cruz, P.P., Chan, F.K., and Ng, S.C. (2012). Inflammatory bowel disease in Asia: a systematic review. *Journal of Gastroenterology and Hepatology* 27, 1266-1280.

Purcell, S., Cherny, S.S., and Sham, P.C. (2003). Genetic Power Calculator: design of linkage and association genetic mapping studies of complex traits. *Bioinformatics* 19, 149-150.

- Purcell, S., Neale, B., Todd-Brown, K., Thomas, L., Ferreira, M.A.R., Bender, D., Maller, J., Sklar, P., de Bakker, P.I.W., Daly, M.J., *et al.* (2007). PLINK: A Tool Set for Whole-Genome Association and Population-Based Linkage Analyses. *American Journal of Human Genetics* 81, 559-575.
- Raine, T., Liu, J.Z., Anderson, C.A., Parkes, M., and Kaser, A. (2014). Generation of primary human intestinal T cell transcriptomes reveals differential expression at genetic risk loci for immune-mediated disease. *Gut Published Online First 5 May.*
- Raychaudhuri, S., Plenge, R.M., Rossin, E.J., Ng, A.C., Purcell, S.M., Sklar, P., Scolnick, E.M., Xavier, R.J., Altshuler, D., and Daly, M.J. (2009). Identifying relationships among genomic disease regions: predicting genes at pathogenic SNP associations and rare deletions. *PLoS Genetics* 5, e1000534.
- DIAbetes Genetics Replication And Meta-analysis (DIAGRAM) Consortium, Asian Genetic Epidemiology Network Type 2 Diabetes (AGEN-T2D) Consortium, South Asian Type 2 Diabetes (SAT2D) Consortium, Mexican American Type 2 Diabetes (MAT2D) Consortium, Type 2 Diabetes Genetic Exploration by Next-generation sequencing in multi-Ethnic Samples (T2D-GENES) Consortium, Mahajan, A., Go, M.J., Zhang, W., Below, J.E., *et al.* (2014). Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. *Nature Genetics* 46, 234-244.
- Ricard Cervera, J.C.R., and Munther, K. (2009). Handbook of Systemic Autoimmune Diseases. In *Handbook of Systemic Autoimmune Diseases*, J.C.R. Ricard Cervera, and K. Munther, eds. (Elsevier), p. ii.
- Rioux, J.D., Xavier, R.J., Taylor, K.D., Silverberg, M.S., Goyette, P., Huett, A., Green, T., Kuballa, P., Barmada, M.M., Datta, L.W., *et al.* (2007). Genome-wide association study identifies new susceptibility loci for Crohn disease and implicates autophagy in disease pathogenesis. *Nature Genetics* 39, 596-604.
- Risch, N., and Merikangas, K. (1996). The future of genetic studies of complex human diseases. *Science* 273, 1516-1517.
- Rivas, M.A., Beaudoin, M., Gardet, A., Stevens, C., Sharma, Y., Zhang, C.K., Boucher, G., Ripke, S., Ellinghaus, D., Burtt, N., *et al.* (2011). Deep resequencing of GWAS loci identifies independent rare variants associated with inflammatory bowel disease. *Nature Genetics* 43, 1066-1073.
- Robinton, D.A., and Daley, G.Q. (2012). The promise of induced pluripotent stem cells in research and therapy. *Nature* 481, 295-305.
- Roman, A.L., and Munoz, F. (2011). Comorbidity in inflammatory bowel disease. *World Journal of Gastroenterology* 17, 2723-2733.
- Rong, G., Zhou, Y., Xiong, Y., Zhou, L., Geng, H., Jiang, T., Zhu, Y., Lu, H., Zhang, S., Wang, P., *et al.* (2009). Imbalance between T helper type 17 and T regulatory cells in patients with primary biliary cirrhosis: the serum cytokine profile

and peripheral cell population. *Clinical and Experimental Immunology* 156, 217-225.

Rossin, E.J., Lage, K., Raychaudhuri, S., Xavier, R.J., Tatar, D., Benita, Y., Cotsapas, C., and Daly, M.J. (2011). Proteins encoded in genomic regions associated with immune-mediated disease physically interact and suggest underlying biology. *PLoS Genetics* 7, e1001273.

Ruderfer, D.M., Korn, J., and Purcell, S.M. (2010). Family-based genetic risk prediction of multifactorial disease. *Genome Medicine* 2, 2.

Saarinen, S., Olerup, O., and Broome, U. (2000). Increased frequency of autoimmune diseases in patients with primary sclerosing cholangitis. *The American journal of gastroenterology* 95, 3195-3199.

Sachidanandam, R., Weissman, D., Schmidt, S.C., Kakol, J.M., Stein, L.D., Marth, G., Sherry, S., Mullikin, J.C., Mortimore, B.J., Willey, D.L., et al. (2001). A map of human genome sequence variation containing 1.42 million single nucleotide polymorphisms. *Nature* 409, 928-933.

Saich, R., and Chapman, R. (2008). Primary sclerosing cholangitis, autoimmune hepatitis and overlap syndromes in inflammatory bowel disease. *World Journal of Gastroenterology* 21, 331-337.

Sakoda, L.C., Jorgenson, E., and Witte, J.S. (2013). Turning of COGS moves forward findings for hormonally mediated cancers. *Nature Genetics* 45, 345-348.

Sanna, S., Jackson, A.U., Nagaraja, R., Willer, C.J., Chen, W.M., Bonnycastle, L.L., Shen, H., Timpson, N., Lettre, G., Usala, G., et al. (2008). Common variants in the GDF5-UQCC region are associated with variation in human height. *Nature Genetics* 40, 198-203.

Sanseau, P., Agarwal, P., Barnes, M.R., Pastinen, T., Richards, J.B., Cardon, L.R., and Mooser, V. (2012). Use of genome-wide association studies for drug repositioning. *Nature Biotech* 30, 317-320.

Sawcer, S., Hellenthal, G., Pirinen, M., Spencer, C.C., Patsopoulos, N.A., Moutsianas, L., Dilthey, A., Su, Z., Freeman, C., Hunt, S.E., et al. (2011). Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. *Nature* 476, 214-219.

Schadt, E.E., Molony, C., Chudin, E., Hao, K., Yang, X., Lum, P.Y., Kasarskis, A., Zhang, B., Wang, S., Suver, C., et al. (2008). Mapping the Genetic Architecture of Gene Expression in Human Liver. *PLoS Biology* 6, e107.

Schaub, M.A., Boyle, A.P., Kundaje, A., Batzoglou, S., and Snyder, M. (2012). Linking disease associations with regulatory information in the human genome. *Genome Research* 22, 1748-1759.

- Schizophrenia Working Group of the Psychiatric Genomics Consortium. (2014). Biological insights from 108 schizophrenia-associated genetic loci. *Nature* *511*, 421-427.
- Shah, T.S., Liu, J.Z., Floyd, J.A., Morris, J.A., Wirth, N., Barrett, J.C., and Anderson, C.A. (2012). optiCall: A robust genotype-calling algorithm for rare, low frequency and common variants. *Bioinformatics* *28*, 1598-1603.
- Sheldon, S., and Poulton, K. (2006). HLA Typing and Its Influence on Organ Transplantation. In *Transplantation Immunology*, P. Hornick, and M. Rose, eds. (Humana Press), pp. 157-174.
- Sen, P.K., (1960). On some convergence properties of U-statistics. *Calcutta Statistical Association Bulletin* *10*, 1-18.
- Sherry, S.T., Ward, M., and Sirotnik, K. (1999). dbSNP-database for single nucleotide polymorphisms and other classes of minor genetic variation. *Genome Research* *9*, 677-679.
- Shi, J., Levinson, D.F., Duan, J., Sanders, A.R., Zheng, Y., Pe'er, I., Dudbridge, F., Holmans, P.A., Whittemore, A.S., Mowry, B.J., et al. (2009). Common variants on chromosome 6p22.1 are associated with schizophrenia. *Nature* *460*, 753-757.
- Shivananda, S., Lennard-Jones, J., Logan, R., Fear, N., Price, A., Carpenter, L., and van Blankenstein, M. (1996). Incidence of inflammatory bowel disease across Europe: is there a difference between north and south? Results of the European Collaborative Study on Inflammatory Bowel Disease (EC-IBD). *Gut* *39*, 690-697.
- Sironi, M., and Clerici, M. (2010). The hygiene hypothesis: an evolutionary perspective. *Microbes and Infection* *12*, 421-427.
- So, H.C., Gui, A.H., Cherny, S.S., and Sham, P.C. (2011). Evaluating the heritability explained by known susceptibility variants: a survey of ten complex diseases. *Genetic Epidemiology* *35*, 310-317.
- Solovieff, N., Cotsapas, C., Lee, P.H., Purcell, S.M., and Smoller, J.W. (2013). Pleiotropy in complex traits: challenges and strategies. *Nature Reviews Genetics* *14*, 483-495.
- Somers, E.C., Thomas, S.L., Smeeth, L., and Hall, A.J. (2009). Are individuals with an autoimmune disease at higher risk of a second autoimmune disorder? *American Journal of Epidemiology* *169*, 749-755.
- Song, L., Zhang, Z., Grasfeder, L.L., Boyle, A.P., Giresi, P.G., Lee, B.K., Sheffield, N.C., Graf, S., Huss, M., Keefe, D., et al. (2011). Open chromatin defined by DNaseI and FAIRE identifies regulatory elements that shape cell-type identity. *Genome Research* *21*, 1757-1767.

- Speliotes, E.K., Willer, C.J., Berndt, S.I., Monda, K.L., Thorleifsson, G., Jackson, A.U., Allen, H.L., Lindgren, C.M., Luan, J.a., Magi, R., *et al.* (2010). Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. *Nature Genetics* *42*, 937-948.
- Spiegelman, B.M. (1998). PPAR-gamma: adipogenic regulator and thiazolidinedione receptor. *Diabetes* *47*, 507-514.
- Spielman, R.S., McGinnis, R.E., and Ewens, W.J. (1993). Transmission test for linkage disequilibrium: the insulin gene region and insulin-dependent diabetes mellitus (IDDM). *American Journal of Human Genetics* *52*, 506-516.
- Srivastava, B., Mells, G.F., Cordell, H.J., Muriithi, A., Brown, M., Ellinghaus, E., Franke, A., Consortium, U.P., Karlsen, T.H., Sandford, R.N., *et al.* (2012). Fine mapping and replication of genetic risk loci in primary sclerosing cholangitis. *Scandinavian Journal of Gastroenterology* *47*, 820-826.
- Stahl, E.A., Raychaudhuri, S., Remmers, E.F., Xie, G., Eyre, S., Thomson, B.P., Li, Y., Kurreeman, F.A.S., Zhernakova, A., Hinks, A., *et al.* (2010). Genome-wide association study meta-analysis identifies seven new rheumatoid arthritis risk loci. *Nature Genetics* *42*, 508-514.
- Steinthorsdottir, V., Thorleifsson, G., Sulem, P., Helgason, H., Grarup, N., Sigurdsson, A., Helgadottir, H.T., Johannsdottir, H., Magnusson, O.T., Gudjonsson, S.A., *et al.* (2014). Identification of low-frequency and rare sequence variants associated with elevated or reduced risk of type 2 diabetes. *Nature Genetics* *46*, 294-298.
- Stokkers, P.C., Reitsma, P.H., Tytgat, G.N., and van Deventer, S.J. (1999). HLA-DR and -DQ phenotypes in inflammatory bowel disease: a meta-analysis. *Gut* *45*, 395-401.
- Strange, A., Capon, F., Spencer, C.C., Knight, J., Weale, M.E., Allen, M.H., Barton, A., Band, G., Bellenguez, C., Bergboer, J.G., *et al.* (2010). A genome-wide association study identifies new psoriasis susceptibility loci and an interaction between HLA-C and ERAP1. *Nature Genetics* *42*, 985-990.
- Stranger, B.E., Montgomery, S.B., Dimas, A.S., Parts, L., Stegle, O., Ingle, C.E., Sekowska, M., Smith, G.D., Evans, D., Gutierrez-Arcelus, M. (2012). Patterns of Cis Regulatory Variation in Diverse Human Populations. *PLoS Genetics* *8*, e1002639.
- Subramanian, A., Tamayo, P., Mootha, V.K., Mukherjee, S., Ebert, B.L., Gillette, M.A., Paulovich, A., Pomeroy, S.L., Golub, T.R., Lander, E.S., *et al.* (2005). Gene set enrichment analysis: A knowledge-based approach for interpreting genome-wide expression profiles. *Proceedings of the National Academy of Sciences* *102*, 15545-15550.
- Summers, R.W., Elliott, D.E., Urban, J.F., Jr., Thompson, R.A., and Weinstock, J.V. (2005a). *Trichuris suis* therapy for active ulcerative colitis: a randomized controlled trial. *Gastroenterology* *128*, 825-832.

- Summers, R.W., Elliott, D.E., Urban, J.F., Thompson, R., and Weinstock, J.V. (2005b). *Trichuris suis* therapy in Crohn's disease. *Gut* 54, 87-90.
- Syvanen, A.-C. (2005). Toward genome-wide SNP genotyping. *Nature Genetics* 37.
- Teo, Y.Y., Inouye, M., Small, K.S., Gwilliam, R., Deloukas, P., Kwiatkowski, D.P., and Clark, T.G. (2007). A genotype calling algorithm for the Illumina BeadArray platform. *Bioinformatics* 23, 2741-2746.
- Teslovich, T.M., Musunuru, K., Smith, A.V., Edmondson, A.C., Stylianou, I.M., Koseki, M., Pirruccello, J.P., Ripatti, S., Chasman, D.I., Willer, C.J., et al. (2010). Biological, clinical and population relevance of 95 loci for blood lipids. *Nature* 466, 707-713.
- Trynka, G., Hunt, K.A., Bockett, N.A., Romanos, J., Mistry, V., Szperl, A., Bakker, S.F., Bardella, M.T., Bhaw-Rosun, L., Castillejo, G., et al. (2011). Dense genotyping identifies and localizes multiple common and rare variant association signals in celiac disease. *Nature Genetics* 43, 1193-1201.
- Trynka, G., and Raychaudhuri, S. (2013). Using chromatin marks to interpret and localize genetic associations to complex human traits and diseases. *Current Opinion in Genetics & Development* 23, 635-641.
- Trynka, G., Sandor, C., Han, B., Xu, H., Stranger, B.E., Liu, X.S., and Raychaudhuri, S. (2013). Chromatin marks identify critical cell types for fine mapping complex trait variants. *Nature Genetics* 45, 124-130.
- Tsoi, L.C., Spain, S.L., Knight, J., Ellinghaus, E., Stuart, P.E., Capon, F., Ding, J., Li, Y., Tejasvi, T., Gudjonsson, J.E., et al. (2012). Identification of 15 new psoriasis susceptibility loci highlights the role of innate immunity. *Nature Genetics* 44, 1341-1348.
- Tsui, L., Buchwald, M., Barker, D., Braman, J., Knowlton, R., Schumm, J., Eiberg, H., Mohr, J., Kennedy, D., Plavsic, N., et al. (1985). Cystic fibrosis locus defined by a genetically linked polymorphic DNA marker. *Science* 230, 1054-1057.
- Vermeire, S., Wild, G., Kocher, K., Cousineau, J., Dufresne, L., Bitton, A., Langelier, D., Pare, P., Lapointe, G., Cohen, A., et al. (2002). CARD15 Genetic Variation in a Quebec Population: Prevalence, Genotype-Phenotype Relationship, and Haplotype Structure. *The American Journal of Human Genetics* 71, 74-83.
- Veyrieras, J., Kudaravalli, S., Kim, S.Y., Dermitzakis, E.T., Gilad, Y., Stephens, M., and Pritchard, J.K. (2008). High-Resolution Mapping of Expression-QTLs Yields Insight into Human Gene Regulation. *PLoS Genetics* 4, e1000214.
- Visscher, P.M., Brown, Matthew A., McCarthy, Mark I., and Yang, J. (2012). Five Years of GWAS Discovery. *The American Journal of Human Genetics* 90, 7-24.
- Visscher, P.M., Medland, S.E., Ferreira, M.A.R., Morley, K.I., Zhu, G., Cornes, B.K., Montgomery, G.W., and Martin, N.G. (2006). Assumption-Free Estimation of

Heritability from Genome-Wide Identity-by-Descent Sharing between Full Siblings. PLoS Genetics 2, e41.

Voight, B.F., Kang, H.M., Ding, J., Palmer, C.D., Sidore, C., Chines, P.S., Burtt, N.P., Fuchsberger, C., Li, Y., Erdmann, J., *et al.* (2012). The Metabochip, a Custom Genotyping Array for Genetic Studies of Metabolic, Cardiovascular, and Anthropometric Traits. PLoS Genetics 8, e1002793.

Wallace, C., Smyth, D.J., Maisuria-Armer, M., Walker, N.M., Todd, J.A., and Clayton, D.G. (2010). The imprinted DLK1-MEG3 gene region on chromosome 14q32.2 alters susceptibility to type 1 diabetes. Nature Genetics 42, 68-71.

Wang, D., Zhang, H., Liang, J., Gu, Z., Zhou, Q., Fan, X., Hou, Y., and Sun, L. (2010a). CD4+CD25+ but not CD4+Foxp3+ T cells as a regulatory subset in primary biliary cirrhosis. Cellular and Molecular Immunology 7, 485-490.

Wang, K., Li, M., and Hakonarson, H. (2010b). Analysing biological pathways in genome-wide association studies. Nature Reviews Genetics 11, 843-854.

Wang, W.Y.S., Barratt, B.J., Clayton, D.G., Todd, J.A. (2005). Genome-wide association studies: theoretical and practical concerns. Nature Reviews Genetics 6, 109-118.

Ward, L.D., and Kellis, M. (2012). HaploReg: a resource for exploring chromatin states, conservation, and regulatory motif alterations within sets of genetically linked variants. Nucleic Acids Research 40, D930-934.

Wassmuth, R., Depner, F., Danielsson, A., Hultcrantz, R., Loof, L., Olson, R., Prytz, H., Sandberg-Gertzen, H., Wallerstedt, S., and Lindgren, S. (2002). HLA class II markers and clinical heterogeneity in Swedish patients with primary biliary cirrhosis. Tissue Antigens 59, 381-387.

Weber, J.L., and May, P.E. (1989). Abundant class of human DNA polymorphisms which can be typed using the polymerase chain reaction. American Journal of Human Genetics 44, 388-396.

Weir, B.S., and Cockerham, C.C. (1984). Estimating F-Statistics for the Analysis of Population-Structure. Evolution 38, 1358-1370.

Wellcome Trust Case Control Consortium. (2007). Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. Nature 447, 661-678.

Wen, L., Ley, R.E., Volchkov, P.Y., Stranges, P.B., Avanesyan, L., Stonebraker, A.C., Hu, C., Wong, F.S., Szot, G.L., Bluestone, J.A., *et al.* (2008). Innate immunity and intestinal microbiota in the development of Type 1 diabetes. Nature 455, 1109-1113.

Westra, H.-J., Peters, M.J., Esko, T., Yaghootkar, H., Schurmann, C., Kettunen, J., Christiansen, M.W., Fairfax, B.P., Schramm, K., Powell, J.E., *et al.* (2013).

Systematic identification of trans eQTLs as putative drivers of known disease associations. *Nature Genetics* 45, 1238-1243.

Wiencke, K., Karlsen, T.H., Boberg, K.M., Thorsby, E., Schrumpf, E., Lie, B.A., and Spurkland, A. (2007). Primary sclerosing cholangitis is associated with extended HLA-DR3 and HLA-DR6 haplotypes. *Tissue Antigens* 69, 161-169.

Willer, C.J., Dymment, D.A., Risch, N.J., Sadovnick, A.D., Ebers, G.C., and Group, T.C.C.S. (2003). Twin concordance and sibling recurrence rates in multiple sclerosis. *Proceedings of the National Academy of Sciences* 100, 12877-12882.

Wray, N.R., Purcell, S.M., and Visscher, P.M. (2011). Synthetic Associations Created by Rare Variants Do Not Explain Most GWAS Results. *PLoS Biology* 9, e1000579.

Wray, N.R., Yang, J., Goddard, M.E., and Visscher, P.M. (2010). The genetic interpretation of area under the ROC curve in genomic profiling. *PLoS Genetics* 6, e1000864.

Yamazaki, K., McGovern, D., Ragoussis, J., Paolucci, M., Butler, H., Jewell, D., Cardon, L., Takazoe, M., Tanaka, T., Ichimori, T., et al. (2005). Single nucleotide polymorphisms in TNFSF15 confer susceptibility to Crohn's disease. *Human Molecular Genetics* 14, 3499-3506.

Yamazaki, K., Umeno, J., Takahashi, A., Hirano, A., Johnson, T.A., Kumazaka, N., Morizono, T., Hosono, N., Kawaguchi, T., Takazoe, M., et al. (2013). A genome-wide association study identifies 2 susceptibility Loci for Crohn's disease in a Japanese population. *Gastroenterology* 144, 781-788.

Yang, J., Benyamin, B., McEvoy, B.P., Gordon, S., Henders, A.K., Nyholt, D.R., Madden, P.A., Heath, A.C., Martin, N.G., Montgomery, G.W., et al. (2010). Common SNPs explain a large proportion of the heritability for human height. *Nature Genetics* 42, 565-569.

Yang, J., Ferreira, T., Morris, A.P., Medland, S.E., Genetic Investigation of, A.T.C., Replication, D.I.G., Meta-analysis, C., Madden, P.A., Heath, A.C., Martin, N.G., et al. (2012). Conditional and joint multiple-SNP analysis of GWAS summary statistics identifies additional variants influencing complex traits. *Nature Genetics* 44, 369-375, S361-363.

Yang, J., Zaitlen, N.A., Goddard, M.E., Visscher, P.M., and Price, A.L. (2014a). Advantages and pitfalls in the application of mixed-model association methods. *Nature Genetics* 46, 100-106.

Yang, S.K., Hong, M., Zhao, W., Jung, Y., Baek, J., Tayebi, N., Kim, K.M., Ye, B.D., Kim, K.J., Park, S.H., et al. (2014b). Genome-wide association study of Crohn's disease in Koreans revealed three new susceptibility loci and common attributes of genetic susceptibility across ethnic populations. *Gut* 63, 80-87.

- Zaiss, Dietmar M.W., van Loosdrecht, J., Gorlani, A., Bekker, Cornelis P.J., Gröne, A., Sibilia, M., van Bergen en Henegouwen, Paul M.P., Roovers, Rob C., Cofer, Paul J., and Sijts, Alice J.A.M. (2013). Amphiregulin Enhances Regulatory T Cell-Suppressive Function via the Epidermal Growth Factor Receptor. *Immunity* 38, 275-284.
- Zeggini, E., Weedon, M.N., Lindgren, C.M., Frayling, T.M., Elliott, K.S., Lango, H., Timpson, N.J., Perry, J.R.B., Rayner, N.W., Freathy, R.M., *et al.* (2007). Replication of Genome-Wide Association Signals in UK Samples Reveals Risk Loci for Type 2 Diabetes. *Science* 316, 1336-1341.
- Zhang, K., Cui, S., Chang, S., Zhang, L., and Wang, J. (2010). i-GSEA4GWAS: a web server for identification of pathways/gene sets associated with traits by applying an improved gene set enrichment analysis to genome-wide association study. *Nucleic Acids Res* 38, W90-W95.
- Zhernakova, A., Elbers, C.C., Ferwerda, B., Romanos, J., Trynka, G., Dubois, P.C., de Kovel, C.G.F., Franke, L., Oosting, M., Barisani, D., *et al.* (2010). Evolutionary and Functional Analysis of Celiac Risk Loci Reveals SH2B3 as a Protective Factor against Bacterial Infection. *American Journal of Human Genetics* 86, 970-977.
- Zhernakova, A., van Diemen, C.C., and Wijmenga, C. (2009). Detecting shared pathogenesis from the shared genetics of immune-related diseases. *Nature Reviews Genetics* 10, 43-55.
- Zuk, O., Schaffner, S.F., Samocha, K., Do, R., Hechter, E., Kathiresan, S., Daly, M.J., Neale, B.M., Sunyaev, S.R., and Lander, E.S. (2014). Searching for missing heritability: Designing rare variant association studies. *Proceedings of the National Academy of Sciences* 111, E455-E464.