

## References

1. Ambros, V. microRNAs: tiny regulators with great potential. *Cell* 107, 823-6 (2001).
2. Ambros, V., Lee, R. C., Lavanway, A., Williams, P. T. & Jewell, D. MicroRNAs and other tiny endogenous RNAs in *C. elegans*. *Curr Biol* 13, 807-18 (2003).
3. Reinhart, B. J. et al. The 21-nucleotide let-7 RNA regulates developmental timing in *Caenorhabditis elegans*. *Nature* 403, 901-6 (2000).
4. Bagga, S. et al. Regulation by let-7 and lin-4 miRNAs results in target mRNA degradation. *Cell* 122, 553-63 (2005).
5. Lee, R. C., Feinbaum, R. L. & Ambros, V. The *C. elegans* heterochronic gene *lin-4* encodes small RNAs with antisense complementarity to *lin-14*. *Cell* 75, 843-54 (1993).
6. Lai, E. C. Micro RNAs are complementary to 3' UTR sequence motifs that mediate negative post-transcriptional regulation. *Nat Genet* 30, 363-4 (2002).
7. Brennecke, J., Stark, A., Russell, R. B. & Cohen, S. M. Principles of microRNA-target recognition. *PLoS Biol* 3, e85 (2005).
8. Jackson, R. J. & Standart, N. How do microRNAs regulate gene expression? *Sci STKE* 2007, re1 (2007).
9. Preall, J. B. & Sontheimer, E. J. RNAi: RISC gets loaded. *Cell* 123, 543-5 (2005).
10. Filipowicz, W. RNAi: the nuts and bolts of the RISC machine. *Cell* 122, 17-20 (2005).
11. Gregory, R. I., Chendrimada, T. P., Cooch, N. & Shiekhattar, R. Human RISC couples microRNA biogenesis and posttranscriptional gene silencing. *Cell* 123, 631-40 (2005).
12. Liu, J., Valencia-Sanchez, M. A., Hannon, G. J. & Parker, R. MicroRNA-dependent localization of targeted mRNAs to mammalian P-bodies. *Nat Cell Biol* 7, 719-23 (2005).
13. Jabri, E. P-bodies take a RISC. *Nat Struct Mol Biol* 12, 564 (2005).
14. Rossi, J. J. RNAi and the P-body connection. *Nat Cell Biol* 7, 643-4 (2005).

15. Clurman, B. E. & Hayward, W. S. Multiple proto-oncogene activations in avian leukosis virus-induced lymphomas: evidence for stage-specific events. *Mol Cell Biol* 9, 2657-64 (1989).
16. Tam, W., Hughes, S. H., Hayward, W. S. & Besmer, P. Avian bic, a gene isolated from a common retroviral site in avian leukosis virus-induced lymphomas that encodes a noncoding RNA, cooperates with c-myc in lymphomagenesis and erythroleukemogenesis. *J Virol* 76, 4275-86 (2002).
17. Tam, W. Identification and characterization of human BIC, a gene on chromosome 21 that encodes a noncoding RNA. *Gene* 274, 157-67 (2001).
18. Tam, W., Ben-Yehuda, D. & Hayward, W. S. bic, a novel gene activated by proviral insertions in avian leukosis virus-induced lymphomas, is likely to function through its noncoding RNA. *Mol Cell Biol* 17, 1490-502 (1997).
19. Lagos-Quintana, M. et al. Identification of tissue-specific microRNAs from mouse. *Curr Biol* 12, 735-9 (2002).
20. Kluiver, J. et al. Lack of BIC and microRNA miR-155 expression in primary cases of Burkitt lymphoma. *Genes Chromosomes Cancer* 45, 147-53 (2006).
21. Kluiver, J. et al. BIC and miR-155 are highly expressed in Hodgkin, primary mediastinal and diffuse large B cell lymphomas. *J Pathol* 207, 243-9 (2005).
22. Metzler, M., Wilda, M., Busch, K., Viehmann, S. & Borkhardt, A. High expression of precursor microRNA-155/BIC RNA in children with Burkitt lymphoma. *Genes Chromosomes Cancer* 39, 167-9 (2004).
23. van den Berg, A. et al. High expression of B-cell receptor inducible gene BIC in all subtypes of Hodgkin lymphoma. *Genes Chromosomes Cancer* 37, 20-8 (2003).
24. Kluiver, J. et al. Regulation of pri-microRNA BIC transcription and processing in Burkitt lymphoma. *Oncogene* 26, 3769-76 (2007).
25. Tam, W. & Dahlberg, J. E. miR-155/BIC as an oncogenic microRNA. *Genes Chromosomes Cancer* 45, 211-2 (2006).
26. Eis, P. S. et al. Accumulation of miR-155 and BIC RNA in human B cell lymphomas. *Proc Natl Acad Sci U S A* 102, 3627-32 (2005).

27. Costinean, S. et al. Pre-B cell proliferation and lymphoblastic leukemia/high-grade lymphoma in E(mu)-miR155 transgenic mice. *Proc Natl Acad Sci U S A* 103, 7024-9 (2006).
28. Tili, E. et al. Modulation of miR-155 and miR-125b levels following lipopolysaccharide/TNF-alpha stimulation and their possible roles in regulating the response to endotoxin shock. *J Immunol* 179, 5082-9 (2007).
29. O'Connell, R. M., Taganov, K. D., Boldin, M. P., Cheng, G. & Baltimore, D. MicroRNA-155 is induced during the macrophage inflammatory response. *Proc Natl Acad Sci U S A* 104, 1604-9 (2007).
30. Haasch, D. et al. T cell activation induces a noncoding RNA transcript sensitive to inhibition by immunosuppressant drugs and encoded by the proto-oncogene, BIC. *Cell Immunol* 217, 78-86 (2002).
31. Rodriguez, A. et al. Requirement of bic/microRNA-155 for Normal Immune Function. *Science* 316, 608-11 (2007).
32. Marshall, D. G. et al. Use of the stationary phase inducible promoters, *spv* and *dps*, to drive heterologous antigen expression in *Salmonella* vaccine strains. *Vaccine* 18, 1298-306 (2000).
33. Thai, T. H. et al. Regulation of the germinal center response by microRNA-155. *Science* 316, 604-8 (2007).
34. Vigorito, E. et al. microRNA-155 Regulates the Generation of Immunoglobulin Class-Switched Plasma Cells. *Immunity* 27, 847-59 (2007).
35. Teng, G. et al. MicroRNA-155 is a negative regulator of activation-induced cytidine deaminase. *Immunity* 28, 621-9 (2008).
36. Dorsett, Y. et al. MicroRNA-155 suppresses activation-induced cytidine deaminase-mediated Myc-Igh translocation. *Immunity* 28, 630-8 (2008).
37. Desiderio, S. Along came a spider: AID escapes a microRNA web. *Immunity* 28, 596-8 (2008).
38. Stecher, B. & Hardt, W. D. The role of microbiota in infectious disease. *Trends Microbiol* 16, 107-14 (2008).
39. Muller, U., Vogel, P., Alber, G. & Schaub, G. A. The innate immune system of mammals and insects. *Contrib Microbiol* 15, 21-44 (2008).

40. Zhong, B., Tien, P. & Shu, H. B. Innate immune responses: crosstalk of signaling and regulation of gene transcription. *Virology* 352, 14-21 (2006).
41. Bauer, M. et al. Bacterial CpG-DNA triggers activation and maturation of human CD11c-, CD123+ dendritic cells. *J Immunol* 166, 5000-7 (2001).
42. Bourhis, L. L. & Werts, C. Role of Nods in bacterial infection. *Microbes Infect* 9, 629-36 (2007).
43. Cario, E., Gerken, G. & Podolsky, D. K. "For whom the bell tolls!" -- innate defense mechanisms and survival strategies of the intestinal epithelium against luminal pathogens. *Z Gastroenterol* 40, 983-90 (2002).
44. Dalpke, A. H., Frey, M., Morath, S., Hartung, T. & Heeg, K. Interaction of lipoteichoic acid and CpG-DNA during activation of innate immune cells. *Immunobiology* 206, 392-407 (2002).
45. Elson, G., Dunn-Siegrist, I., Daubeuf, B. & Pugin, J. Contribution of Toll-like receptors to the innate immune response to Gram-negative and Gram-positive bacteria. *Blood* 109, 1574-83 (2007).
46. Farhat, K. et al. Heterodimerization of TLR2 with TLR1 or TLR6 expands the ligand spectrum but does not lead to differential signaling. *J Leukoc Biol* 83, 692-701 (2008).
47. Gibson, D. L. et al. Toll-like receptor 2 plays a critical role in maintaining mucosal integrity during *Citrobacter rodentium*-induced colitis. *Cell Microbiol* 10, 388-403 (2008).
48. Heine, H. & Ulmer, A. J. Recognition of bacterial products by toll-like receptors. *Chem Immunol Allergy* 86, 99-119 (2005).
49. Janssens, S. & Beyaert, R. Role of Toll-like receptors in pathogen recognition. *Clin Microbiol Rev* 16, 637-46 (2003).
50. Kirschning, C. J. & Schumann, R. R. TLR2: cellular sensor for microbial and endogenous molecular patterns. *Curr Top Microbiol Immunol* 270, 121-44 (2002).
51. Kufer, T. A., Fritz, J. H. & Philpott, D. J. NACHT-LRR proteins (NLRs) in bacterial infection and immunity. *Trends Microbiol* 13, 381-8 (2005).
52. Netea, M. G., Van der Graaf, C., Van der Meer, J. W. & Kullberg, B. J. Recognition of fungal pathogens by Toll-like receptors. *Eur J Clin Microbiol Infect Dis* 23, 672-6 (2004).

53. Netea, M. G., Van der Meer, J. W. & Kullberg, B. J. Recognition of pathogenic microorganisms by Toll-like receptors. *Drugs Today (Barc)* 42 Suppl A, 99-105 (2006).
54. Philpott, D. J. & Girardin, S. E. The role of Toll-like receptors and Nod proteins in bacterial infection. *Mol Immunol* 41, 1099-108 (2004).
55. Tietze, K. et al. Differences in innate immune responses upon stimulation with gram-positive and gram-negative bacteria. *J Periodontal Res* 41, 447-54 (2006).
56. Wagner, H. Interactions between bacterial CpG-DNA and TLR9 bridge innate and adaptive immunity. *Curr Opin Microbiol* 5, 62-9 (2002).
57. Areschoug, T. & Gordon, S. Pattern recognition receptors and their role in innate immunity: focus on microbial protein ligands. *Contrib Microbiol* 15, 45-60 (2008).
58. Arancibia, S. A. et al. Toll-like receptors are key participants in innate immune responses. *Biol Res* 40, 97-112 (2007).
59. Glimcher, L. H. & Murphy, K. M. Lineage commitment in the immune system: the T helper lymphocyte grows up. *Genes Dev* 14, 1693-711 (2000).
60. Murphy, K. M. et al. Signaling and transcription in T helper development. *Annu Rev Immunol* 18, 451-94 (2000).
61. Afkarian, M. et al. T-bet is a STAT1-induced regulator of IL-12R expression in naive CD4<sup>+</sup> T cells. *Nat Immunol* 3, 549-57 (2002).
62. Muraille, E. & Leo, O. Revisiting the Th1/Th2 paradigm. *Scand J Immunol* 47, 1-9 (1998).
63. Mosmann, T. R. & Sad, S. The expanding universe of T-cell subsets: Th1, Th2 and more. *Immunol Today* 17, 138-46 (1996).
64. Abbas, A. K., Murphy, K. M. & Sher, A. Functional diversity of helper T lymphocytes. *Nature* 383, 787-93 (1996).
65. Coffman, R. L., Leberman, D. A. & Rothman, P. Mechanism and regulation of immunoglobulin isotype switching. *Adv Immunol* 54, 229-70 (1993).
66. Ouyang, W. et al. Inhibition of Th1 development mediated by GATA-3 through an IL-4-independent mechanism. *Immunity* 9, 745-55 (1998).

67. Zheng, W. & Flavell, R. A. The transcription factor GATA-3 is necessary and sufficient for Th2 cytokine gene expression in CD4 T cells. *Cell* 89, 587-96 (1997).
68. Gellert, M. V(D)J recombination: RAG proteins, repair factors, and regulation. *Annu Rev Biochem* 71, 101-32 (2002).
69. Fanning, L. J., Connor, A. M. & Wu, G. E. Development of the immunoglobulin repertoire. *Clin Immunol Immunopathol* 79, 1-14 (1996).
70. Kondo, M., Weissman, I. L. & Akashi, K. Identification of clonogenic common lymphoid progenitors in mouse bone marrow. *Cell* 91, 661-72 (1997).
71. Dal Porto, J. M. et al. B cell antigen receptor signaling 101. *Mol Immunol* 41, 599-613 (2004).
72. Bishop, G. A. & Hostager, B. S. B lymphocyte activation by contact-mediated interactions with T lymphocytes. *Curr Opin Immunol* 13, 278-85 (2001).
73. MacLennan, I. C. Germinal centers still hold secrets. *Immunity* 22, 656-7 (2005).
74. Liu, Y. J., Johnson, G. D., Gordon, J. & MacLennan, I. C. Germinal centres in T-cell-dependent antibody responses. *Immunol Today* 13, 17-21 (1992).
75. MacLennan, I. C., Liu, Y. J. & Johnson, G. D. Maturation and dispersal of B-cell clones during T cell-dependent antibody responses. *Immunol Rev* 126, 143-61 (1992).
76. MacLennan, I. C. Somatic mutation. From the dark zone to the light. *Curr Biol* 4, 70-2 (1994).
77. MacLennan, I. C. Germinal centers. *Annu Rev Immunol* 12, 117-39 (1994).
78. McHeyzer-Williams, L. J. & McHeyzer-Williams, M. G. Antigen-specific memory B cell development. *Annu Rev Immunol* 23, 487-513 (2005).
79. Banchereau, J. et al. The CD40 antigen and its ligand. *Annu Rev Immunol* 12, 881-922 (1994).
80. Quezada, S. A., Jarvinen, L. Z., Lind, E. F. & Noelle, R. J. CD40/CD154 interactions at the interface of tolerance and immunity. *Annu Rev Immunol* 22, 307-28 (2004).

81. Xiao, Y., Hendriks, J., Langerak, P., Jacobs, H. & Borst, J. CD27 is acquired by primed B cells at the centroblast stage and promotes germinal center formation. *J Immunol* 172, 7432-41 (2004).
82. Kraal, G., Weissman, I. L. & Butcher, E. C. Germinal centre B cells: antigen specificity and changes in heavy chain class expression. *Nature* 298, 377-9 (1982).
83. Klein, U. & Dalla-Favera, R. Germinal centres: role in B-cell physiology and malignancy. *Nat Rev Immunol* 8, 22-33 (2008).
84. Liu, M. et al. Two levels of protection for the B cell genome during somatic hypermutation. *Nature* 451, 841-5 (2008).
85. Phan, T. G. et al. High affinity germinal center B cells are actively selected into the plasma cell compartment. *J Exp Med* 203, 2419-24 (2006).
86. Meyer-Hermann, M. E., Maini, P. K. & Iber, D. An analysis of B cell selection mechanisms in germinal centers. *Math Med Biol* 23, 255-77 (2006).
87. Park, C. S. & Choi, Y. S. How do follicular dendritic cells interact intimately with B cells in the germinal centre? *Immunology* 114, 2-10 (2005).
88. Iber, D. & Maini, P. K. A mathematical model for germinal centre kinetics and affinity maturation. *J Theor Biol* 219, 153-75 (2002).
89. Lindhout, E., Koopman, G., Pals, S. T. & de Groot, C. Triple check for antigen specificity of B cells during germinal centre reactions. *Immunol Today* 18, 573-7 (1997).
90. Matsumoto, M. et al. Affinity maturation without germinal centres in lymphotoxin-alpha-deficient mice. *Nature* 382, 462-6 (1996).
91. Apel, M. & Berek, C. Somatic mutations in antibodies expressed by germinal centre B cells early after primary immunization. *Int Immunol* 2, 813-9 (1990).
92. Berek, C. & Ziegner, M. The maturation of the immune response. *Immunol Today* 14, 400-4 (1993).
93. Liu, Y. J. et al. Mechanism of antigen-driven selection in germinal centres. *Nature* 342, 929-31 (1989).
94. Klaus, G. G. & Kunkl, A. The role of germinal centres in the generation of immunological memory. *Ciba Found Symp* 84, 265-80 (1981).

95. Coico, R. F., Bhogal, B. S. & Thorbecke, G. J. Relationship of germinal centers in lymphoid tissue to immunologic memory. VI. Transfer of B cell memory with lymph node cells fractionated according to their receptors for peanut agglutinin. *J Immunol* 131, 2254-7 (1983).
96. Tsiagbe, V. K., Inghirami, G. & Thorbecke, G. J. The physiology of germinal centers. *Crit Rev Immunol* 16, 381-421 (1996).
97. Thorbecke, G. J., Amin, A. R. & Tsiagbe, V. K. Biology of germinal centers in lymphoid tissue. *Faseb J* 8, 832-40 (1994).
98. Tsiagbe, V. K., Linton, P. J. & Thorbecke, G. J. The path of memory B-cell development. *Immunol Rev* 126, 113-41 (1992).
99. Caron, G., Le Gallou, S., Lamy, T., Tarte, K. & Fest, T. CXCR4 expression functionally discriminates centroblasts versus centrocytes within human germinal center B cells. *J Immunol* 182, 7595-602 (2009).
100. Allen, C. D. et al. Germinal center dark and light zone organization is mediated by CXCR4 and CXCR5. *Nat Immunol* 5, 943-52 (2004).
101. Allen, C. D., Okada, T. & Cyster, J. G. Germinal-center organization and cellular dynamics. *Immunity* 27, 190-202 (2007).
102. Smith, J. P., Burton, G. F., Tew, J. G. & Szakal, A. K. Tingible body macrophages in regulation of germinal center reactions. *Dev Immunol* 6, 285-94 (1998).
103. Bransteitter, R., Sneed, J. L., Allen, S., Pham, P. & Goodman, M. F. First AID (activation-induced cytidine deaminase) is needed to produce high affinity isotype-switched antibodies. *J Biol Chem* 281, 16833-6 (2006).
104. Peled, J. U. et al. The biochemistry of somatic hypermutation. *Annu Rev Immunol* 26, 481-511 (2008).
105. Xu, Z. et al. Regulation of aicda expression and AID activity: relevance to somatic hypermutation and class switch DNA recombination. *Crit Rev Immunol* 27, 367-97 (2007).
106. de Yebenes, V. G. & Ramiro, A. R. Activation-induced deaminase: light and dark sides. *Trends Mol Med* 12, 432-9 (2006).
107. Cattoretti, G. et al. Nuclear and cytoplasmic AID in extrafollicular and germinal center B cells. *Blood* 107, 3967-75 (2006).



108. Pasqualucci, L., Kitaura, Y., Gu, H. & Dalla-Favera, R. PKA-mediated phosphorylation regulates the function of activation-induced deaminase (AID) in B cells. *Proc Natl Acad Sci U S A* 103, 395-400 (2006).
109. Muramatsu, M. et al. Class switch recombination and hypermutation require activation-induced cytidine deaminase (AID), a potential RNA editing enzyme. *Cell* 102, 553-63 (2000).
110. Muramatsu, M. et al. Specific expression of activation-induced cytidine deaminase (AID), a novel member of the RNA-editing deaminase family in germinal center B cells. *J Biol Chem* 274, 18470-6 (1999).
111. Halle, S. et al. Solitary intestinal lymphoid tissue provides a productive port of entry for *Salmonella enterica* serovar Typhimurium. *Infect Immun* 75, 1577-85 (2007).
112. Cesta, M. F. Normal structure, function, and histology of mucosa-associated lymphoid tissue. *Toxicol Pathol* 34, 599-608 (2006).
113. Elmore, S. A. Enhanced histopathology of mucosa-associated lymphoid tissue. *Toxicol Pathol* 34, 687-96 (2006).
114. Kraehenbuhl, J. P., Hopkins, S. A., Kerneis, S. & Pringault, E. Antigen sampling by epithelial tissues: implication for vaccine design. *Behring Inst Mitt*, 24-32 (1997).
115. Michetti, P. et al. Monoclonal immunoglobulin A prevents adherence and invasion of polarized epithelial cell monolayers by *Salmonella typhimurium*. *Gastroenterology* 107, 915-23 (1994).
116. Haneberg, B. et al. Induction of specific immunoglobulin A in the small intestine, colon-rectum, and vagina measured by a new method for collection of secretions from local mucosal surfaces. *Infect Immun* 62, 15-23 (1994).
117. Neutra, M. R. & Kraehenbuhl, J. P. Mucosal immunization via M cells for production of protective secretory IgA antibodies. *Am J Trop Med Hyg* 50, 10-3 (1994).
118. Monath, T. P. & Neutra, M. R. Special symposium on mucosal immunity: protection against pathogens. Introduction. *Am J Trop Med Hyg* 50, 1-2 (1994).
119. Cebra, J. J., Griffin, P. M., Lebman, D. A. & London, S. D. Perturbations in Peyer's patch B cell populations indicative of priming for a secretory IgA response. *Adv Exp Med Biol* 216A, 3-14 (1987).

120. Crabbe, P. A., Nash, D. R., Bazin, H., Eyssen, H. & Heremans, J. F. Immunohistochemical observations on lymphoid tissues from conventional and germ-free mice. *Lab Invest* 22, 448-57 (1970).
121. Hamada, H. et al. Identification of multiple isolated lymphoid follicles on the antimesenteric wall of the mouse small intestine. *J Immunol* 168, 57-64 (2002).
122. Lorenz, R. G., Chaplin, D. D., McDonald, K. G., McDonough, J. S. & Newberry, R. D. Isolated lymphoid follicle formation is inducible and dependent upon lymphotoxin-sufficient B lymphocytes, lymphotoxin beta receptor, and TNF receptor I function. *J Immunol* 170, 5475-82 (2003).
123. Wang, C., McDonald, K. G., McDonough, J. S. & Newberry, R. D. Murine isolated lymphoid follicles contain follicular B lymphocytes with a mucosal phenotype. *Am J Physiol Gastrointest Liver Physiol* 291, G595-604 (2006).
124. Fagarasan, S. & Honjo, T. Intestinal IgA synthesis: regulation of front-line body defences. *Nat Rev Immunol* 3, 63-72 (2003).
125. Farquhar, M. G. & Palade, G. E. Junctional complexes in various epithelia. *J Cell Biol* 17, 375-412 (1963).
126. Jang, M. H. et al. Intestinal villous M cells: an antigen entry site in the mucosal epithelium. *Proc Natl Acad Sci U S A* 101, 6110-5 (2004).
127. Kucharzik, T. et al. Role of M cells in intestinal barrier function. *Ann N Y Acad Sci* 915, 171-83 (2000).
128. Miller, H., Zhang, J., Kuolee, R., Patel, G. B. & Chen, W. Intestinal M cells: the fallible sentinels? *World J Gastroenterol* 13, 1477-86 (2007).
129. Mach, J., Hsieh, T., Hsieh, D., Grubbs, N. & Chervonsky, A. Development of intestinal M cells. *Immunol Rev* 206, 177-89 (2005).
130. Kraehenbuhl, J. P. & Neutra, M. R. Epithelial M cells: differentiation and function. *Annu Rev Cell Dev Biol* 16, 301-32 (2000).
131. Sierro, F., Pringault, E., Assman, P. S., Kraehenbuhl, J. P. & Debard, N. Transient expression of M-cell phenotype by enterocyte-like cells of the follicle-associated epithelium of mouse Peyer's patches. *Gastroenterology* 119, 734-43 (2000).
132. Hathaway, L. J. & Kraehenbuhl, J. P. The role of M cells in mucosal immunity. *Cell Mol Life Sci* 57, 323-32 (2000).

133. Borghesi, C., Taussig, M. J. & Nicoletti, C. Rapid appearance of M cells after microbial challenge is restricted at the periphery of the follicle-associated epithelium of Peyer's patch. *Lab Invest* 79, 1393-401 (1999).
134. Sansonetti, P. J. & Phalipon, A. M cells as ports of entry for enteroinvasive pathogens: mechanisms of interaction, consequences for the disease process. *Semin Immunol* 11, 193-203 (1999).
135. Debard, N., Sierro, F. & Kraehenbuhl, J. P. Development of Peyer's patches, follicle-associated epithelium and M cell: lessons from immunodeficient and knockout mice. *Semin Immunol* 11, 183-91 (1999).
136. Owen, R. L. Mid-life crisis for M cells. *Gut* 42, 11-2 (1998).
137. Jepson, M. A. et al. Targeting to intestinal M cells. *J Anat* 189 ( Pt 3), 507-16 (1996).
138. Smith, M. W. et al. Selective transport of microparticles across Peyer's patch follicle-associated M cells from mice and rats. *Exp Physiol* 80, 735-43 (1995).
139. Pappo, J. & Mahlman, R. T. Follicle epithelial M cells are a source of interleukin-1 in Peyer's patches. *Immunology* 78, 505-7 (1993).
140. Nagura, H., Ohtani, H., Masuda, T., Kimura, M. & Nakamura, S. HLA-DR expression on M cells overlying Peyer's patches is a common feature of human small intestine. *Acta Pathol Jpn* 41, 818-23 (1991).
141. Fujimura, Y. et al. Distribution of microfold cells (M cells) in human follicle-associated epithelium. *Gastroenterol Jpn* 25, 130 (1990).
142. Pabst, R. The anatomical basis for the immune function of the gut. *Anat Embryol (Berl)* 176, 135-44 (1987).
143. Rosner, A. J. & Keren, D. F. Demonstration of M cells in the specialized follicle-associated epithelium overlying isolated lymphoid follicles in the gut. *J Leukoc Biol* 35, 397-404 (1984).
144. Bhalla, D. K. & Owen, R. L. Migration of B and T lymphocytes to M cells in Peyer's patch follicle epithelium: an autoradiographic and immunocytochemical study in mice. *Cell Immunol* 81, 105-17 (1983).
145. Kraehenbuhl, J. P. & Neutra, M. R. Molecular and cellular basis of immune protection of mucosal surfaces. *Physiol Rev* 72, 853-79 (1992).

146. Neutra, M. R. & Kraehenbuhl, J. P. Transepithelial transport and mucosal defence I: the role of M cells. *Trends Cell Biol* 2, 134-8 (1992).
147. Tyrer, P. C., Ruth Foxwell, A., Kyd, J. M., Otczyk, D. C. & Cripps, A. W. Receptor mediated targeting of M-cells. *Vaccine* 25, 3204-9 (2007).
148. Jensen, V. B., Harty, J. T. & Jones, B. D. Interactions of the invasive pathogens *Salmonella typhimurium*, *Listeria monocytogenes*, and *Shigella flexneri* with M cells and murine Peyer's patches. *Infect Immun* 66, 3758-66 (1998).
149. Rescigno, M. & Borrow, P. The host-pathogen interaction: new themes from dendritic cell biology. *Cell* 106, 267-70 (2001).
150. Rescigno, M., Rotta, G., Valzasina, B. & Ricciardi-Castagnoli, P. Dendritic cells shuttle microbes across gut epithelial monolayers. *Immunobiology* 204, 572-81 (2001).
151. Rescigno, M. et al. Dendritic cells express tight junction proteins and penetrate gut epithelial monolayers to sample bacteria. *Nat Immunol* 2, 361-7 (2001).
152. Craig, S. W. & Cebra, J. J. Peyer's patches: an enriched source of precursors for IgA-producing immunocytes in the rabbit. *J Exp Med* 134, 188-200 (1971).
153. Kraehenbuhl, J. P. & Neutra, M. R. Transepithelial transport and mucosal defence II: secretion of IgA. *Trends Cell Biol* 2, 170-4 (1992).
154. Schauer, D. B. & Falkow, S. The *eae* gene of *Citrobacter freundii* biotype 4280 is necessary for colonization in transmissible murine colonic hyperplasia. *Infect Immun* 61, 4654-61 (1993).
155. Schauer, D. B. et al. Genetic and biochemical characterization of *Citrobacter rodentium* sp. nov. *J Clin Microbiol* 33, 2064-8 (1995).
156. Lebeis, S. L., Sherman, M. A. & Kalman, D. Protective and destructive innate immune responses to enteropathogenic *Escherichia coli* and related A/E pathogens. *Future Microbiol* 3, 315-28 (2008).
157. Bergstrom, K. S. et al. Modulation of intestinal goblet cell function during infection by an attaching and effacing bacterial pathogen. *Infect Immun* 76, 796-811 (2008).

158. Bishop, A. L., Wiles, S., Dougan, G. & Frankel, G. Cell attachment properties and infectivity of host-adapted and environmentally adapted *Citrobacter rodentium*. *Microbes Infect* 9, 1316-24 (2007).
159. Guttman, J. A., Samji, F. N., Li, Y., Vogl, A. W. & Finlay, B. B. Evidence that tight junctions are disrupted due to intimate bacterial contact and not inflammation during attaching and effacing pathogen infection in vivo. *Infect Immun* 74, 6075-84 (2006).
160. Guttman, J. A. et al. Attaching and effacing pathogen-induced tight junction disruption in vivo. *Cell Microbiol* 8, 634-45 (2006).
161. Mundy, R., MacDonald, T. T., Dougan, G., Frankel, G. & Wiles, S. *Citrobacter rodentium* of mice and man. *Cell Microbiol* 7, 1697-706 (2005).
162. Knutton, S. et al. A novel EspA-associated surface organelle of enteropathogenic *Escherichia coli* involved in protein translocation into epithelial cells. *Embo J* 17, 2166-76 (1998).
163. Wiles, S. et al. Organ specificity, colonization and clearance dynamics in vivo following oral challenges with the murine pathogen *Citrobacter rodentium*. *Cell Microbiol* 6, 963-72 (2004).
164. Luperchio, S. A. et al. *Citrobacter rodentium*, the causative agent of transmissible murine colonic hyperplasia, exhibits clonality: synonymy of *C. rodentium* and mouse-pathogenic *Escherichia coli*. *J Clin Microbiol* 38, 4343-50 (2000).
165. Wiles, S., Pickard, K. M., Peng, K., MacDonald, T. T. & Frankel, G. In vivo bioluminescence imaging of the murine pathogen *Citrobacter rodentium*. *Infect Immun* 74, 5391-6 (2006).
166. Barthold, S. W., Coleman, G. L., Bhatt, P. N., Osbaldiston, G. W. & Jonas, A. M. The etiology of transmissible murine colonic hyperplasia. *Lab Anim Sci* 26, 889-94 (1976).
167. Higgins, L. M., Frankel, G., Douce, G., Dougan, G. & MacDonald, T. T. *Citrobacter rodentium* infection in mice elicits a mucosal Th1 cytokine response and lesions similar to those in murine inflammatory bowel disease. *Infect Immun* 67, 3031-9 (1999).
168. MacDonald, T. T., Frankel, G., Dougan, G., Goncalves, N. S. & Simmons, C. Host defences to *Citrobacter rodentium*. *Int J Med Microbiol* 293, 87-93 (2003).
169. Spahn, T. W. et al. CD4<sup>+</sup> T cells transfer resistance against *Citrobacter rodentium*-induced infectious colitis by induction of Th 1 immunity. *Scand J Immunol* 67, 238-44 (2008).

170. Bry, L., Brigl, M. & Brenner, M. B. CD4<sup>+</sup>-T-cell effector functions and costimulatory requirements essential for surviving mucosal infection with *Citrobacter rodentium*. *Infect Immun* 74, 673-81 (2006).
171. Simmons, C. P. et al. Central role for B lymphocytes and CD4<sup>+</sup> T cells in immunity to infection by the attaching and effacing pathogen *Citrobacter rodentium*. *Infect Immun* 71, 5077-86 (2003).
172. Maaser, C. et al. Clearance of *Citrobacter rodentium* requires B cells but not secretory immunoglobulin A (IgA) or IgM antibodies. *Infect Immun* 72, 3315-24 (2004).
173. Spahn, T. W. et al. The lymphotoxin-beta receptor is critical for control of murine *Citrobacter rodentium*-induced colitis. *Gastroenterology* 127, 1463-73 (2004).
174. Crump, J. A., Luby, S. P. & Mintz, E. D. The global burden of typhoid fever. *Bull World Health Organ* 82, 346-53 (2004).
175. Jones, B. D. Host responses to pathogenic *Salmonella* infection. *Genes Dev* 11, 679-87 (1997).
176. Mastroeni, P. & Sheppard, M. *Salmonella* infections in the mouse model: host resistance factors and in vivo dynamics of bacterial spread and distribution in the tissues. *Microbes Infect* 6, 398-405 (2004).
177. Nauciel, C. & Espinasse-Maes, F. Role of gamma interferon and tumor necrosis factor alpha in resistance to *Salmonella typhimurium* infection. *Infect Immun* 60, 450-4 (1992).
178. Mittrucker, H. W. & Kaufmann, S. H. Immune response to infection with *Salmonella typhimurium* in mice. *J Leukoc Biol* 67, 457-63 (2000).
179. McSorley, S. J., Cookson, B. T. & Jenkins, M. K. Characterization of CD4<sup>+</sup> T cell responses during natural infection with *Salmonella typhimurium*. *J Immunol* 164, 986-93 (2000).
180. Clare, S. et al. Intracellular adhesion molecule 1 plays a key role in acquired immunity to salmonellosis. *Infect Immun* 71, 5881-91 (2003).
181. Mittrucker, H. W., Raupach, B., Kohler, A. & Kaufmann, S. H. Cutting edge: role of B lymphocytes in protective immunity against *Salmonella typhimurium* infection. *J Immunol* 164, 1648-52 (2000).
182. Pie, S., Matsiota-Bernard, P., Truffa-Bachi, P. & Nauciel, C. Gamma interferon and interleukin-10 gene expression in innately susceptible

- and resistant mice during the early phase of *Salmonella typhimurium* infection. *Infect Immun* 64, 849-54 (1996).
183. Muotiala, A. & Makela, P. H. The role of IFN-gamma in murine *Salmonella typhimurium* infection. *Microb Pathog* 8, 135-41 (1990).
  184. Mastroeni, P., Villarreal, B., Demarco de Hormaeche, R. & Hormaeche, C. E. Serum TNF alpha inhibitor in mouse typhoid. *Microb Pathog* 12, 343-9 (1992).
  185. Mastroeni, P., Villarreal-Ramos, B. & Hormaeche, C. E. Role of T cells, TNF alpha and IFN gamma in recall of immunity to oral challenge with virulent salmonellae in mice vaccinated with live attenuated aro- *Salmonella* vaccines. *Microb Pathog* 13, 477-91 (1992).
  186. Mastroeni, P., Villarreal-Ramos, B. & Hormaeche, C. E. Effect of late administration of anti-TNF alpha antibodies on a *Salmonella* infection in the mouse model. *Microb Pathog* 14, 473-80 (1993).
  187. McSorley, S. J. & Jenkins, M. K. Antibody is required for protection against virulent but not attenuated *Salmonella enterica* serovar typhimurium. *Infect Immun* 68, 3344-8 (2000).
  188. Mastroeni, P., Simmons, C., Fowler, R., Hormaeche, C. E. & Dougan, G. Igh-6(-/-) (B-cell-deficient) mice fail to mount solid acquired resistance to oral challenge with virulent *Salmonella enterica* serovar typhimurium and show impaired Th1 T-cell responses to *Salmonella* antigens. *Infect Immun* 68, 46-53 (2000).
  189. Linton, P. J., Harbertson, J. & Bradley, L. M. A critical role for B cells in the development of memory CD4 cells. *J Immunol* 165, 5558-65 (2000).
  190. Hoiseth, S. K. & Stocker, B. A. D. Aromatic-dependent *Salmonella typhimurium* are non-virulent and effective as live vaccines. *Nature* 291, 238-239 (1981).
  191. Schauer, D. B. & Falkow, S. Attaching and effacing locus of a *Citrobacter freundii* biotype that causes transmissible murine colonic hyperplasia. *Infect Immun* 61, 2486-92 (1993).
  192. R Development Core Team, R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. ISBN 3-900051-07-0, URL <http://www.R-project.org>.
  193. Gentleman, R. C. et al. Bioconductor: open software development for computational biology and bioinformatics. *Genome Biol* 5, R80 (2004).

194. Du, P., Kibbe, W. A. and Lin, S. M. lumi: a pipeline for processing Illumina microarray. *Bioinformatics* 24(13), 1547-8 (2008).
195. Lin, S. M., Du, P., Huber, W. and Kibbe, W. A. Model-based variance-stabilizing transformation for Illumina microarray data. *Nucleic Acids Res.* 36, e11 (2008).
196. Smyth, G. K. Limma: linear models for microarray data. In: *Bioinformatics and Computational Biology Solutions using R and Bioconductor*, R. Gentleman, V. Carey, S. Dudoit, R. Irizarry, W. Huber (eds.), Springer, New York, pages 397-420.
197. Benjamini, Y. and Hochberg, Y. Controlling the False Discovery Rate: A Practical and Powerful Approach to Multiple Testing. *J. R. Stat. Soc. Ser. B Methodol.* 57, 289-300 (1995)
198. Marc Carlson, Seth Falcon, Herve Pages and Nianhua Li. GO.db: A set of annotation maps describing the entire Gene Ontology.
199. Gang Feng, Pan Du, Warren Kibbe and Simon Lin. LumiMouseAll.db: Illumina Mouse Expression BeadChips (include all versions: version 1 to 2) annotation data (chip lumiMouseAll)
200. Marc Carlson, Seth Falcon, Herve Pages and Nianhua Li. KEGG.db: A set of annotation maps for KEGG.
201. Hubbard, T. J. et al. Ensembl 2009. *Nucleic Acids Res* 37, D690-7 (2009).
202. Grimson, A. et al. MicroRNA targeting specificity in mammals: determinants beyond seed pairing. *Mol Cell* 27, 91-105 (2007).
203. Kertesz, M., Iovino, N., Unnerstall, U., Gaul, U. & Segal, E. The role of site accessibility in microRNA target recognition. *Nat Genet* 39, 1278-84 (2007).
204. van Dongen, S., Abreu-Goodger, C. & Enright, A. J. Detecting microRNA binding and siRNA off-target effects from expression data. *Nat Methods* 5, 1023-5 (2008).
205. Malick, L. E. & Wilson, R. B. Modified thiocarbonylhydrazide procedure for scanning electron microscopy: routine use for normal, pathological, or experimental tissues. *Stain Technol* 50, 265-9 (1975).
206. Mignard, S. & Flandrois, J. P. 16S rRNA sequencing in routine bacterial identification: a 30-month experiment. *J Microbiol Methods* 67, 574-81 (2006).



207. Hoffmann, C. et al. Community-wide response of the gut microbiota to enteropathogenic *Citrobacter rodentium* infection revealed by deep sequencing. *Infect Immun* 77, 4668-78 (2009).
208. Bry, L. & Brenner, M. B. Critical role of T cell-dependent serum antibody, but not the gut-associated lymphoid tissue, for surviving acute mucosal infection with *Citrobacter rodentium*, an attaching and effacing pathogen. *J Immunol* 172, 433-41 (2004).
209. Wolniak, K. L., Shinall, S. M. & Waldschmidt, T. J. The germinal center response. *Crit Rev Immunol* 24, 39-65 (2004).
210. Saitoh, H. A., Maeda, K. & Yamakawa, M. In situ observation of germinal center cell apoptosis during a secondary immune response. *J Clin Exp Hematop* 46, 73-82 (2006).
211. Lynn, D. J. et al. InnateDB: facilitating systems-level analyses of the mammalian innate immune response. *Mol Syst Biol* 4 (2008).
212. Li, C. K. et al. Impaired immunity to intestinal bacterial infection in stromelysin-1 (matrix metalloproteinase-3)-deficient mice. *J Immunol* 173, 5171-9 (2004).
213. Enright, A. J. et al. MicroRNA targets in *Drosophila*. *Genome Biol* 5, R1 (2003).
214. Spehlmann, M. E. et al. CXCR2-dependent mucosal neutrophil influx protects against colitis-associated diarrhea caused by an attaching/effacing lesion-forming bacterial pathogen. *J Immunol* 183, 3332-43 (2009).
215. Saxen, H. & Makela, O. The protective capacity of immune sera in experimental mouse salmonellosis is mainly due to IgM antibodies. *Immunol Lett* 5, 267-72 (1982).