

# Appendix A

## Members of the UK IBD Genetics Consortium who contributed to these studies

Ailsa Hart

*Department of Medicine, St Mark's Hospital, Harrow, Middlesex, UK*

Alison Simmons

*Translational Gastroenterology Unit, John Radcliffe Hospital, University of Oxford, Oxford OX3 9DS, UK; Human Immunology Unit, Weatherall Institute of Molecular Medicine, University of Oxford, Oxford OX3 9DS, UK*

Carl A. Anderson

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Cathryn Edwards

*Department of Gastroenterology, Torbay Hospital, Torbay, Devon, UK*

Charlie W. Lees

*Gastrointestinal Unit, Western General Hospital University of Edinburgh, Edinburgh, UK*

Chris Hawkey

*Nottingham Digestive Diseases Centre, Queens Medical Centre, Nottingham, UK*

Christopher A. Lamb

*Institute of Cellular Medicine, Newcastle University, Newcastle upon Tyne*

Christopher G. Mathew

*Department of Medical and Molecular Genetics, Faculty of Life Science and Medicine,*

*King's College London, Guy's Hospital, London, UK; Sydney Brenner Institute for Molecular Bioscience, Faculty of Health Sciences, University of Witwatersrand, South Africa.*

Craig Mowat

*Department of Medicine, Ninewells Hospital and Medical School, Dundee, UK*

Daniel L. Rice

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

David C. Wilson

*Paediatric Gastroenterology and Nutrition, Royal Hospital for Sick Children, Edinburgh, UK; Child Life and Health, University of Edinburgh, Edinburgh, Scotland, UK*

Elaine R. Nimmo

*Gastrointestinal Unit, Wester General Hospital University of Edinburgh, Edinburgh, UK*

Eva Goncalves Serra

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Graham Heap

*Precision Medicine Exeter, University of Exeter, Exeter, UK; IBD Pharmacogenetics, Royal Devon and Exeter Foundation Trust, Exeter, UK*

Holm Uhlig

*Translational Gastroenterology Unit and the Department of Paediatrics, University of Oxford, Oxford, United Kingdom*

Jack Satsangi

*Gastrointestinal Unit, Wester General Hospital University of Edinburgh, Edinburgh, UK*

James C. Lee

*Inflammatory Bowel Disease Research Group, Addenbrooke's Hospital, Cambridge, UK*

Javier Gutierrez-Achury

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Jeffrey C. Barrett

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Jeremy Sanderson

*Guys and St Thomas NHS Foundation Trust, St Thomas Hospital, Department of Gastroenterology, London, UK*

John C. Mansfield

*Institute of Human Genetics, Newcastle University, Newcastle upon Tyne, UK*

Joshua Randall

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Katrina M. de Lange

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Loukas Moutsianas

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Luke Jostins

*Wellcome Trust Centre for Human Genetics, University of Oxford, Headington, UK; Christ Church, University of Oxford, St Aldates, UK*

Mark Tremelling

*Gastroenterology and General Medicine, Norfolk and Norwich University Hospital, Norwich, UK*

Martin Pollard

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Miles Parkes

*Inflammatory Bowel Disease Research Group, Addenbrooke's Hospital, Cambridge, UK*

Natalie J. Prescott

*Department of Medical and Molecular Genetics, Faculty of Life Science and Medicine, King's College London, Guy's Hospital, London, UK*

Nicholas A. Kennedy

*Precision Medicine Exeter, University of Exeter, Exeter, UK; IBD Pharmacogenetics, Royal Devon and Exeter Foundation Trust, Exeter, UK*

Paul Henderson

*Department of Child Life and Health, University of Edinburgh, Edinburgh, UK; De-*

*partment of Paediatric Gastroenterology and Nutrition, Royal Hospital for Sick Children, Edinburgh, UK*

Sam Nichols

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Shane McCarthy

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Sun-Gou Ji

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK*

Tariq Ahmad

*Precision Medicine Exeter, University of Exeter, Exeter, UK; IBD Pharmacogenetics, Royal Devon and Exeter Foundation Trust, Exeter, UK*

William G. Newman

*Genetic Medicine, Manchester Academic Health Science Centre, Manchester, UK; The Manchester Centre for Genomic Medicine, University of Manchester, Manchester, UK*

Yang Luo

*Wellcome Trust Sanger Institute, Wellcome Trust Genome Campus, Hinxton, UK; Division of Genetics and Rheumatology, Brigham and Womens Hospital, Harvard Medical School, Boston, MA, USA; Program in Medical and Population Genetics, Broad Institute of Harvard and MIT, Cambridge, MA, USA*

# Appendix B

## Meta-analysis association statistics at all 241 known and novel loci

In the following table we report the top SNP as that with most significant association described in any of the listed studies (including this one), for all 241 known and novel IBD-associated loci. Association statistics for this study are included for each locus, based on the reported top SNP. A locus is defined around each reported SNP as the right- and left-most variants in linkage disequilibrium  $\geq 0.6$  to the top SNP, as calculated using the GBR and CEU samples from the 1000 Genomes Phase 3 dataset.

I use the following definitions in this table:

- “FM” in place of a PMID refers to the Huang et al. (2015) bioRxiv preprint.
- “ $P_{Meta}$ ” refers to the association  $p$ -value obtained in Chapter 4.
- “ $P_{Het}$ ” refers to the meta-analysis heterogeneity  $p$ -value.
- “Trait” describes the phenotype reported by Liu et al. (2015), where applicable, and the one reported by the original paper (cited) if the locus was not replicated. In cases where two (or more) loci from Liu et al. (2015) are merged in this table, and for which different traits are reported, we keep both traits (e.g. the 1:20171860 locus)
- “Implicated gene” indicates those loci where a specific gene has been confidently implicated by fine-mapping, eQTL, or targeted sequencing studies.

Table B.1: Meta-analysis association statistics at all 241 known and novel loci. Table compiled in collaboration with Loukas Moutsianas.

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{Het}$	Implicated gene
1	1247494	rs12103	1193586	1346703	$8.00 \times 10^{-13}$	23128233	IBD	$2.09 \times 10^{-7}$	0.451	
1	2501338	rs10797432	2470671	2552217	$3.00 \times 10^{-12}$	23128233	UC	$1.20 \times 10^{-10}$	0.220	
1	8022197	rs3766606	7809383	8189936	$8.84 \times 10^{-18}$	26192919	IBD	$1.35 \times 10^{-12}$	0.092	
1	20171860	rs6426833	20133810	20238343	$8.56 \times 10^{-69}$	FM	UC,	$3.04 \times 10^{-42}$ ,	0.049,	
1	22702231	rs12568930	22652911	22731392	$1.00 \times 10^{-17}$	23128233	IBD	$7.53 \times 10^{-15}$	0.074	
1	63049593	rs1748195	62900811	63202258	$7.13 \times 10^{-08}$	26192919	CD	$3.75 \times 10^{-06}$	0.377	
1	67707690	rs11581607	67206042	68100675	$8.76 \times 10^{-75}$	FM	IBD	$4.59 \times 10^{-11}$	0.078	<i>IL23R</i>
1	70995562	rs2651244	70991829	71035970	$2.00 \times 10^{-08}$	23128233	IBD	$7.91 \times 10^{-01}$	0.444	
1	78623626	rs17391694	78349467	78623626	$2.62 \times 10^{-09}$	26192919	CD	$9.90 \times 10^{-06}$	0.281	
1	92554283	rs34856868	92362377	93035991	$9.80 \times 10^{-09}$	26192919	IBD	$8.86 \times 10^{-03}$	0.771	
1	101466054	rs11583043	101293753	101587145	$1.92 \times 10^{-06}$	26192919	IBD	$8.91 \times 10^{-04}$	0.139	
1	114165757	rs2636006	114165757	114447914	$2.34 \times 10^{-42}$	FM	IBD	$2.89 \times 10^{-03}$	0.018	<i>PTPN22</i>
1	120451190	rs3897478	120437718	120638503	$2.00 \times 10^{-11}$	23128233	CD	$1.66 \times 10^{-04}$	0.202	
1	151801680	rs4845604	151801680	151801680	$1.21 \times 10^{-17}$	26192919	IBD	$7.09 \times 10^{-14}$	0.276	
1	155230131	rs3180018	155053719	156011444	$2.00 \times 10^{-13}$	21102463	CD	$1.87 \times 10^{-07}$	0.007	
1	159799910	rs34687326	159799910	159799910	$1.06 \times 10^{-08}$	NOVEL	CD	$1.06 \times 10^{-08}$	0.420	<i>SLAMF8</i>
1	160856964	rs4656958	160837622	160919496	$2.05 \times 10^{-11}$	26192919	IBD	$1.68 \times 10^{-08}$	0.197	
1	161479745	rs1801274	161460211	161638410	$2.00 \times 10^{-38}$	23128233	IBD	$9.34 \times 10^{-14}$	0.008	<i>FCGR2A</i>
1	169519049	rs6025	169090748	169733566	$2.51 \times 10^{-08}$	26192919	IBD	$8.92 \times 10^{-05}$	0.443	
1	172853460	rs7517810	172803958	172871681	$4.53 \times 10^{-22}$	26192919	CD	$1.55 \times 10^{-21}$	0.319	
1	186875459	rs10798069	186862512	186967702	$2.49 \times 10^{-07}$	26192919	IBD	$2.29 \times 10^{-02}$	0.965	
1	191559356	rs10801047	191438042	191795390	$3.00 \times 10^{-08}$	17554261	CD	$1.75 \times 10^{-01}$	0.940	
1	197701279	rs2488397	197342380	197822994	$5.64 \times 10^{-18}$	FM	IBD	$4.05 \times 10^{-11}$	0.033	

Continued on next page

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{Het}$	Implicated gene
1	198598663	rs7555082	198598389	198730097	$2.54 \times 10^{-9}$	26192919	IBD	$3.82 \times 10^{-3}$	0.760	
1	200101920	rs2816958	200074018	200105746	$2.00 \times 10^{-17}$	23128233	IBD	$8.71 \times 10^{-8}$	0.580	
1	200877562	rs7554511	200874229	201025850	$3.20 \times 10^{-44}$	26192919	IBD	$1.00 \times 10^{-21}$	0.332	
1	206939904	rs3024505	206939904	206969339	$2.99 \times 10^{-50}$	26192919	IBD	$6.04 \times 10^{-31}$	0.271	<i>IL10</i>
1	209970610	rs59043219	209965283	210019701	$1.09 \times 10^{-98}$	NOVEL	IBD	$1.09 \times 10^{-98}$	0.351	
2	5664008	rs11894081	5651813	5693857	$4.00 \times 10^{-99}$	23266558	CD	$2.27 \times 10^{-1}$	0.744	
2	25097644	rs13407913	25075281	25506107	$1.69 \times 10^{-20}$	26192919	IBD	$3.39 \times 10^{-7}$	0.898	
2	27730940	rs1260326	27598097	27752871	$1.74 \times 10^{-21}$	26192919	CD	$6.32 \times 10^{-11}$	0.186	
2	28614794	rs925255	28602911	28647084	$3.00 \times 10^{-15}$	23128233	IBD	$5.83 \times 10^{-11}$	0.229	
2	43806918	rs10495903	43451957	43864089	$2.00 \times 10^{-14}$	21102463	IBD	$5.53 \times 10^{-9}$	0.497	
2	61204856	rs7608910	61186829	61231014	$2.60 \times 10^{-36}$	26192919	IBD	$2.72 \times 10^{-28}$	0.981	
2	62552321	rs11679753	62549284	62723474	$2.65 \times 10^{-12}$	FM	CD	$2.83 \times 10^{-4}$	0.898	
2	65667272	rs6740462	65557287	65693513	$5.59 \times 10^{-12}$	26192919	IBD	$6.05 \times 10^{-4}$	0.284	
2	102939036	rs13001325	102610642	103176797	$2.51 \times 10^{-23}$	FM	IBD	$4.43 \times 10^{-11}$	0.732	<i>IL18RAP</i>
2	145492382	rs11681525	145417530	145627269	$4.08 \times 10^{-11}$	26192919	CD	$5.19 \times 10^{-7}$	0.640	
2	160794008	rs4664304	160707866	160879971	$2.61 \times 10^{-98}$	26192919	IBD	$8.38 \times 10^{-92}$	0.314	
2	163110536	rs2111485	162992004	163237390	$4.60 \times 10^{-99}$	26192919	IBD	$1.16 \times 10^{-5}$	0.426	<i>IFIH1</i>
2	182308352	rs6740847	182308352	182334753	$1.22 \times 10^{-13}$	NOVEL	IBD	$1.22 \times 10^{-13}$	0.003	<i>ITGA4</i>
2	187576378	rs144344067187497988		187684426	$1.29 \times 10^{-98}$	NOVEL	IBD	$1.29 \times 10^{-98}$	0.118	
2	191931464	rs1517352	191907655	191972789	$3.87 \times 10^{-14}$	26192919	IBD	$1.66 \times 10^{-4}$	0.049	
2	198896895	rs6738825	198386175	198954831	$4.00 \times 10^{-99}$	21102463	UC	$1.32 \times 10^{-1}$	0.639	
2	199560757	rs17229679	199362905	200152198	$7.05 \times 10^{-20}$	FM	UC	$3.18 \times 10^{-4}$	0.969	
2	204592021	rs3116494	204585502	204649276	$5.11 \times 10^{-7}$	26192919	IBD	$9.98 \times 10^{-5}$	0.610	
2	219151218	rs2382817	218941916	219192755	$1.13 \times 10^{-13}$	26192919	IBD	$1.90 \times 10^{-7}$	0.158	

*Continued on next page*

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{Het}$	Implicated gene
2	228660112	rs111781203228646855	228664568	$2.16 \times 10^{-10}$	26192919	IBD	$5.09 \times 10^{-5}$	0.820		
2	228670476	rs1811711	228670387	228671736	$6.09 \times 10^{-9}$	NOVEL	UC	$6.09 \times 10^{-9}$	0.870	
2	231097129	rs6716753	231083171	231187167	$1.98 \times 10^{-17}$	26192919	CD	$1.46 \times 10^{-13}$	0.822	<i>SP140</i>
2	234161448	rs6752107	234143048	234208258	$1.42 \times 10^{-73}$	FM	IBD	$3.13 \times 10^{-28}$	0.607	<i>ATG16L1</i>
2	241574401	rs4676408	241563739	241608453	$2.59 \times 10^{-30}$	FM	IBD,	$7.63 \times 10^{-15}$ ,	0.323,	
2	242484701	rs76527535	242471730	242489453	$2.87 \times 10^{-8}$	NOVEL	IBD	$1.19 \times 10^{-17}$	0.597	
2	242737341	rs35320439	242724543	242740537	$1.73 \times 10^{-5}$	26192919	IBD	$2.38 \times 10^{-1}$	0.051	
3	18767404	rs4256159	18610175	18825669	$9.00 \times 10^{-15}$	23128233	CD	$2.90 \times 10^{-5}$	0.032	
3	46457412	rs11301008146183180	46461783	$4.21 \times 10^{-8}$	26192919	IBD	$1.08 \times 10^{-3}$	0.677		
3	49721532	rs3197999	48446237	49731861	$1.55 \times 10^{-52}$	26192919	IBD	$1.43 \times 10^{-33}$	0.661	<i>MST1</i>
3	53062661	rs9847710	52962681	53174638	$1.00 \times 10^{-8}$	23128233	UC	$6.57 \times 10^{-5}$	0.033	
3	53133149	rs2581828	53103155	53174638	$6.46 \times 10^{-9}$	NOVEL	CD	$6.46 \times 10^{-9}$	0.620	
3	71175495	rs2593855	71163596	71191350	$2.54 \times 10^{-9}$	NOVEL	IBD	$2.54 \times 10^{-9}$	0.432	
3	101023748	rs503734	100910925	101270494	$2.67 \times 10^{-8}$	NOVEL	IBD	$2.67 \times 10^{-8}$	0.718	
3	101569726	rs616597	101560223	101576029	$9.34 \times 10^{-6}$	26192919	UC	$4.50 \times 10^{-2}$	0.640	
3	141105570	rs724016	141072289	141154542	$3.36 \times 10^{-6}$	26192919	CD	$7.60 \times 10^{-8}$	0.969	
3	188401160	rs56116661	188398642	188404669	$5.67 \times 10^{-10}$	NOVEL	CD	$5.67 \times 10^{-10}$	0.592	
4	3444503	rs2073505	3444503	3446754	$1.46 \times 10^{-7}$	26192919	IBD	$2.16 \times 10^{-4}$	0.040	
4	26132361	rs4692386	26132361	26132361	$1.21 \times 10^{-8}$	26192919	IBD	$1.40 \times 10^{-4}$	0.136	
4	38325036	rs6856616	38325036	38345898	$4.00 \times 10^{-14}$	23850713	IBD	$1.42 \times 10^{-4}$	0.751	
4	38588453	rs11734570	38581581	38588453	$4.80 \times 10^{-8}$	NOVEL	IBD	$4.80 \times 10^{-8}$	0.053	
4	48363245	rs7438704	48344930	48430354	$3.42 \times 10^{-11}$	26192919	CD	$1.26 \times 10^{-5}$	0.012	
4	74857708	rs2472649	74778235	74875713	$3.00 \times 10^{-8}$	23128233	IBD	$1.86 \times 10^{-3}$	0.247	

*Continued on next page*

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{Het}$	Implicated gene
4	102865304	rs13126505	102702364	103547967	$1.57 \times 10^{-14}$	26192919	CD, UC	$3.79 \times 10^{-08}$ , $1.11 \times 10^{-02}$	0.029, 0.419	
4	106075498	rs2189234	106048360	106271522	$1.95 \times 10^{-10}$	26192919	UC	$1.47 \times 10^{-05}$	0.156	
4	123351431	rs1479918	123023206	123558828	$1.07 \times 10^{-13}$	FM	IBD	$1.10 \times 10^{-07}$	0.800	
5	583442	rs4957048	533995	697372	$1.00 \times 10^{-09}$	20228799	UC	$1.64 \times 10^{-07}$	0.682	
5	10695526	rs2930047	10670197	10759514	$9.78 \times 10^{-14}$	26192919	IBD	$5.08 \times 10^{-06}$	0.764	
5	35876274	rs3194051	35815846	35924748	$4.00 \times 10^{-08}$	21297633	UC	$1.78 \times 10^{-03}$	0.073	
5	38867732	rs395157	38861514	38867732	$2.22 \times 10^{-20}$	26192919	IBD	$4.63 \times 10^{-10}$	0.445	
5	40410584	rs11742570	40219972	40623346	$2.00 \times 10^{-82}$	23128233	IBD	$3.64 \times 10^{-40}$	0.285	
5	55438851	rs10065637	55436851	55444683	$4.00 \times 10^{-12}$	23128233	IBD	$1.09 \times 10^{-05}$	0.472	
5	71693899	rs4703855	71683885	71694246	$7.16 \times 10^{-11}$	26192919	IBD	$1.41 \times 10^{-05}$	0.587	
5	72539850	rs34804116	72502029	72559339	$1.21 \times 10^{-12}$	FM	CD	$6.09 \times 10^{-06}$	0.160	
5	96252803	rs1363907	96200770	96373750	$4.87 \times 10^{-15}$	26192919	IBD	$1.10 \times 10^{-10}$	0.767	<i>ERAP2</i>
5	101946798	rs7705924	101629599	101978963	$2.00 \times 10^{-08}$	22412388	CD	$5.96 \times 10^{-01}$	0.256	
5	130017287	rs4836519	129723552	130197645	$4.00 \times 10^{-10}$	23128233	IBD	$1.49 \times 10^{-03}$	0.266	
5	131770805	rs2188962	130370970	131833599	$9.53 \times 10^{-53}$	FM	IBD	$3.67 \times 10^{-27}$	0.805	
5	134443606	rs254560	134422204	134453390	$8.55 \times 10^{-10}$	26192919	IBD	$1.63 \times 10^{-06}$	0.003	
5	141513204	rs6863411	141435466	141543989	$2.41 \times 10^{-14}$	26192919	IBD	$5.02 \times 10^{-10}$	0.867	
5	149605994	rs1766349	149592334	149626547	$1.54 \times 10^{-08}$	NOVEL	UC	$1.54 \times 10^{-08}$	0.125	
5	150277909	rs11741861	149737015	150723626	$3.00 \times 10^{-37}$	23128233	IBD	$3.28 \times 10^{-15}$	0.305	
5	158827769	rs56167332	158687404	158856513	$7.17 \times 10^{-50}$	26192919	IBD	$2.52 \times 10^{-38}$	0.415	
5	172324978	rs561349	172324978	172324978	$1.54 \times 10^{-07}$	26192919	IBD	$2.35 \times 10^{-06}$	0.749	
5	173279842	rs359457	173269669	173393823	$3.00 \times 10^{-12}$	21102463	IBD	$6.42 \times 10^{-04}$	0.513	
5	176788570	rs4976646	176781209	176806636	$3.23 \times 10^{-12}$	26192919	IBD	$3.99 \times 10^{-09}$	0.229	
6	382559	rs7773324	382537	391623	$5.84 \times 10^{-09}$	26192919	IBD	$1.69 \times 10^{-01}$	0.291	

*Continued on next page*

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{H_{et}}$	Implicated gene
6	3433318	rs17309827	3416922	3445671	$7.00 \times 10^{-9}$	21102463	IBD	$3.94 \times 10^{-2}$	0.131	
6	14719496	rs17119	14711961	14734463	$2.18 \times 10^{-11}$	26192919	IBD	$9.35 \times 10^{-11}$	0.320	
6	19781009	rs1398629019716349	19825913	$7.59 \times 10^{-9}$	NOVEL	UC	$7.59 \times 10^{-9}$	0.150		
6	20812588	rs9358372	20640424	20891791	$9.00 \times 10^{-14}$	23128233	CD	$1.25 \times 10^{-8}$	0.113	
6	21430730	rs71559680	21426743	21444899	$1.78 \times 10^{-15}$	26192919	CD	$2.08 \times 10^{-8}$	0.607	
6	32612397	rs6927022	31011373	32778656	$5.00 \times 10^{-133}$	23128233	IBD	$2.28 \times 10^{-31}$	0.039	
6	42007403	rs67289879	41999358	42008203	$3.04 \times 10^{-8}$	NOVEL	IBD	$3.04 \times 10^{-8}$	0.232	
6	43795968	rs943072	43784803	43801582	$2.00 \times 10^{-10}$	21297633	UC	$1.81 \times 10^{-4}$	0.127	
6	90973159	rs1847472	90809560	91012867	$2.00 \times 10^{-10}$	23128233	IBD	$1.79 \times 10^{-9}$	0.401	
6	106435269	rs7746082	106435025	106530330	$1.29 \times 10^{-20}$	26192919	IBD	$9.03 \times 10^{-13}$	0.428	
6	111848191	rs3851228	111426965	112213778	$1.50 \times 10^{-15}$	26192919	IBD	$3.91 \times 10^{-10}$	0.501	
6	116768917	rs2858829	116768917	116818887	$8.00 \times 10^{-10}$	25082827	UC	$8.69 \times 10^{-6}$	0.044	
6	127456122	rs9491697	127419737	127532381	$4.00 \times 10^{-10}$	23128233	CD	$2.24 \times 10^{-9}$	0.765	
6	128277151	rs9491891	128215237	128339699	$9.39 \times 10^{-17}$	FM	CD	$6.84 \times 10^{-6}$	0.732	
6	138006504	rs6920220	137959235	138166068	$1.00 \times 10^{21}$	23128233	IBD	$1.00 \times 10^{-8}$	0.122	
6	143898894	rs12199775	143865221	143924048	$2.00 \times 10^{-8}$	23128233	IBD	$2.91 \times 10^{-5}$	0.193	
6	149577079	rs7758080	149577079	149595505	$1.15 \times 10^{-7}$	26192919	IBD	$1.09 \times 10^{-4}$	0.220	
6	159490436	rs212388	159472149	159515309	$1.80 \times 10^{-16}$	26192919	CD	$9.52 \times 10^{-11}$	0.575	
6	167373547	rs1819333	167360389	167544278	$7.00 \times 10^{-21}$	23128233	IBD	$8.81 \times 10^{-15}$	0.093	
7	2789880	rs798502	2752152	2912928	$6.00 \times 10^{-17}$	23128233	IBD	$1.60 \times 10^{-7}$	0.221	
7	6545188	rs11768365	6497501	6545335	$3.88 \times 10^{-8}$	NOVEL	IBD	$3.88 \times 10^{-8}$	0.935	
7	17442679	rs1077773	17430004	17450531	$5.96 \times 10^{-9}$	26192919	UC	$6.25 \times 10^{-6}$	0.773	
7	20577298	rs14916903720577298	20581696	$3.26 \times 10^{-8}$	NOVEL	IBD	$3.26 \times 10^{-8}$	0.259	<i>ITGB8</i>	
7	26892440	rs10486483	26694926	27248891	$1.55 \times 10^{-11}$	26192919	CD,	$4.32 \times 10^{-4}$	0.197,	
						UC	$9.60 \times 10^{-1}$	0.391		

*Continued on next page*

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{Het}$	Implicated gene
7	28190730	rs56691573	28141159	28231103	$2.22 \times 10^{-12}$	FM	CD	$7.01 \times 10^{-1}$	1.000	
7	50304461	rs1456896	50096251	50323456	$7.00 \times 10^{-15}$	23128233	IBD	$4.50 \times 10^{-11}$	0.266	
7	98759117	rs9297145	98717625	98797924	$8.00 \times 10^{-12}$	23128233	IBD	$8.37 \times 10^{-9}$	0.414	
7	10031517	rs1734907	100219167	100433794	$2.00 \times 10^{-13}$	23128233	IBD	$1.61 \times 10^{-5}$	0.121	
7	107480315	rs4380874	107435187	107584780	$2.00 \times 10^{-26}$	23128233	UC	$9.07 \times 10^{-21}$	0.320	
7	116892846	rs38904	116889718	116917118	$1.00 \times 10^{-08}$	23128233	UC	$6.28 \times 10^{-06}$	0.695	
7	128573967	rs4728142	128567032	128581835	$1.92 \times 10^{-14}$	26192919	UC	$3.23 \times 10^{-10}$	0.491	
7	148220448	rs2538470	148211140	148253738	$3.00 \times 10^{-11}$	26192919	IBD	$3.77 \times 10^{-05}$	0.329	
7	148435339	rs243505	148395484	148576042	$3.04 \times 10^{-10}$	NOVEL	IBD	$3.04 \times 10^{-10}$	0.671	
8	27227554	rs17057051	27195121	27238052	$5.50 \times 10^{-08}$	26192919	IBD	$9.90 \times 10^{-04}$	0.235	
8	49129242	rs7011507	49047317	49206289	$2.03 \times 10^{-08}$	26192919	IBD	$5.84 \times 10^{-06}$	0.061	
8	74007347	rs12677663	73995603	74013420	$2.00 \times 10^{-08}$	22412388	CD	$6.38 \times 10^{-02}$	0.306	
8	90875918	rs7015630	90854846	90877546	$1.00 \times 10^{-08}$	23128233	IBD	$9.98 \times 10^{-04}$	0.459	
8	126534671	rs921720	126527765	126541090	$8.00 \times 10^{-20}$	23128233	IBD	$2.73 \times 10^{-12}$	0.458	
8	129567181	rs6651252	129503666	129571140	$4.00 \times 10^{-18}$	21102463	IBD	$5.63 \times 10^{-07}$	0.235	
8	130624105	rs1991866	130589676	130624661	$2.00 \times 10^{-09}$	23128233	IBD	$1.22 \times 10^{-06}$	0.043	
9	4981601	rs75900472	4980756	4984530	$4.70 \times 10^{-48}$	26192919	IBD	$1.24 \times 10^{-28}$	0.273	
9	34736158	rs9408254	34707814	34768894	$1.95 \times 10^{-08}$	26974007	CD	$1.47 \times 10^{-04}$	0.038	
9	93928416	rs4713820	93904561	94124414	$3.80 \times 10^{-09}$	26192919	IBD	$3.63 \times 10^{-06}$	0.189	
9	117545666	rs6478106	117535341	117698507	$5.00 \times 10^{-46}$	23266558	IBD	$1.89 \times 10^{-01}$	0.638	<i>TNFSF8</i>
9	120473302	rs4986790	120467576	120475602	$6.99 \times 10^{-09}$	26974007	CD	$2.77 \times 10^{-05}$	0.211	
9	139266405	rs10781499	138824899	139405093	$4.00 \times 10^{-56}$	23128233	IBD	$5.06 \times 10^{-36}$	0.121	<i>CARD9</i>
10	6094697	rs61839660	6038478	6527143	$1.24 \times 10^{-14}$	FM	IBD	$3.81 \times 10^{-03}$	0.013	<i>IL2RA</i>
10	27179596	rs7911117	27159385	27182592	$1.84 \times 10^{-08}$	NOVEL	UC	$1.84 \times 10^{-08}$	0.723	

*Continued on next page*

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{H_{et}}$	Implicated gene
10	30728101	rs1042058	30689316	30808324	$6.00 \times 10^{-11}$	23128233	IBD	$2.81 \times 10^{-12}$	0.221	
10	35466185	rs34779708	35256960	35554054	$2.39 \times 10^{-26}$	FM	IBD	$5.74 \times 10^{-12}$	0.034	
10	59913151	rs1819658	59901559	60065351	$9.00 \times 10^{-17}$	21102463	IBD	$1.44 \times 10^{-6}$	0.191	
10	64445564	rs10761659	64349667	64566258	$4.97 \times 10^{-53}$	26192919	IBD	$2.30 \times 10^{-36}$	0.239	
10	75673101	rs2227564	75462199	75695724	$7.00 \times 10^{-10}$	23128233	IBD	$1.35 \times 10^{-4}$	0.049	
10	81060317	rs1250550	81032532	81067480	$1.00 \times 10^{-30}$	21102463	IBD	$3.56 \times 10^{-12}$	0.552	
10	82254047	rs65586030	82214586	82301536	$9.00 \times 10^{-16}$	23128233	IBD	$5.27 \times 10^{-8}$	0.600	
10	94436851	rs7911264	94248310	94495241	$3.00 \times 10^{-98}$	23128233	IBD	$5.37 \times 10^{-7}$	0.491	
10	101284237	rs4409764	101271789	101320612	$1.16 \times 10^{-61}$	26192919	IBD	$1.90 \times 10^{-34}$	0.117	
10	104232716	rs3740415	104222963	104403310	$1.03 \times 10^{-97}$	26192919	IBD	$8.47 \times 10^{-4}$	0.004	
10	112186148	rs11195128	112182708	112186148	$2.00 \times 10^{-10}$	23850713	CD	$5.41 \times 10^{-11}$	0.012	
10	126439381	rs11456533126316604	126551228	1.18 × 10 <sup>09</sup>	NOVEL	IBD	$1.18 \times 10^{-9}$	0.568		
10	133172119	rs10734105	133170322	133172119	$3.00 \times 10^{-98}$	22412388	CD	$3.45 \times 10^{-1}$	0.932	
11	1874072	rs907611	1873232	1880596	$1.00 \times 10^{-10}$	21297633	IBD	$1.06 \times 10^{-6}$	0.100	
11	57203009	rs11229030	57184964	57209488	$8.00 \times 10^{-99}$	22412388	CD	$2.98 \times 10^{-1}$	0.906	
11	58408687	rs11229555	58174653	58434545	$5.23 \times 10^{-12}$	26192919	IBD	$2.59 \times 10^{-5}$	0.489	
11	60776209	rs11230563	60770426	60776781	$1.71 \times 10^{-14}$	26192919	IBD	$1.95 \times 10^{-6}$	0.138	<i>CD6</i>
11	61564299	rs4246215	61542006	61624181	$2.00 \times 10^{-15}$	23128233	IBD	$4.37 \times 10^{-5}$	0.332	
11	64150370	rs559928	63956102	64164833	$3.33 \times 10^{-13}$	26192919	IBD	$1.75 \times 10^{-5}$	0.235	
11	65656504	rs2231884	65575263	65663547	$3.00 \times 10^{-10}$	23128233	CD	$1.40 \times 10^{-4}$	0.647	
11	72863697	rs11235667	72863697	72863697	$7.00 \times 10^{-99}$	23850713	CD	NA	NA	
11	76299649	rs11236797	76270683	76302073	$2.25 \times 10^{-50}$	FM	IBD	$7.19 \times 10^{-33}$	0.837	
11	87125438	rs6592362	87123977	87130298	$2.00 \times 10^{-98}$	23128233	IBD	$1.44 \times 10^{-3}$	0.839	
11	96023427	rs483905	96015426	96045998	$3.16 \times 10^{-10}$	26192919	UC	$6.81 \times 10^{-7}$	0.013	

*Continued on next page*

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{Het}$	Implicated gene
11	114397162	rs200349593114275412	114447782	$3.56 \times 10^{-20}$	FM	UC	$2.19 \times 10^{-9}$	1.000		<i>NXPE1</i>
11	118754353	rs630923	118754353	118754353	$7.00 \times 10^{-9}$	23128233	CD	$6.55 \times 10^{-6}$	0.495	
11	128380974	rs11221332	128380974	128396738	$2.44 \times 10^{-9}$	26974007	IBD	$2.44 \times 10^{-8}$	0.909	
12	6491125	rs7954567	6487161	6514969	$1.30 \times 10^{-9}$	26192919	CD	$4.69 \times 10^{-9}$	0.974	
12	12657513	rs11612508	12560673	12711368	$1.00 \times 10^{-8}$	23128233	UC	$5.01 \times 10^{-4}$	0.226	
12	40740223	rs14831989940388109	40828306	$5.54 \times 10^{-29}$	FM	IBD	$2.55 \times 10^{-15}$	0.100		
12	48208368	rs11168249	48195939	48208368	$8.00 \times 10^{-9}$	23128233	UC	$3.18 \times 10^{-7}$	0.711	
12	68508122	rs11614178	68469642	68508276	$2.22 \times 10^{-32}$	FM	IBD	$3.82 \times 10^{-3}$	0.976	
12	112007756	rs653178	111826477	112486818	$1.11 \times 10^{-8}$	26192919	IBD	$2.14 \times 10^{-9}$	0.451	
12	120146925	rs11064881	120109284	120146925	$5.95 \times 10^{-8}$	26192919	IBD	$5.34 \times 10^{-5}$	0.911	
13	27531267	rs17085007	27531267	27543781	$3.00 \times 10^{-19}$	23128233	UC	$1.21 \times 10^{-14}$	0.942	
13	41013977	rs941823	40678443	41032853	$2.00 \times 10^{-14}$	23128233	IBD	$3.59 \times 10^{-7}$	0.240	
13	41558110	rs7329174	41552738	41771476	$8.00 \times 10^{-9}$	23266558	CD	$3.90 \times 10^{-1}$	0.164	
13	429177861	rs80244186	42838908	42938329	$3.66 \times 10^{-8}$	NOVEL	CD	$3.66 \times 10^{-8}$	0.362	
13	43052880	rs2062305	42951449	43055002	$5.00 \times 10^{-10}$	21102463	CD	$3.60 \times 10^{-7}$	0.139	
13	44457925	rs376147	44406102	44490181	$2.00 \times 10^{-21}$	23128233	IBD	$2.74 \times 10^{-8}$	0.954	
13	49595331	rs2026029	49538512	49821244	$9.73 \times 10^{-9}$	26974007	CD	$2.58 \times 10^{-3}$	0.889	
13	99956622	rs95557195	99778655	100064765	$2.00 \times 10^{-14}$	23128233	IBD	$1.38 \times 10^{-6}$	0.366	
14	69210199	rs4902642	69201003	69307621	$2.00 \times 10^{-10}$	21102463	IBD	$1.96 \times 10^{-4}$	0.225	
14	75741751	rs1569328	75700675	75747118	$3.21 \times 10^{-9}$	26192919	IBD	$1.98 \times 10^{-5}$	0.819	
14	88472395	rs8005161	88398949	88555206	$4.00 \times 10^{-18}$	21102463	IBD	$2.71 \times 10^{-11}$	0.303	
15	38899190	rs16967103	38836777	38925195	$4.00 \times 10^{-9}$	23128233	IBD	$6.35 \times 10^{-3}$	0.864	
15	41563950	rs28374715	41367036	41779260	$2.00 \times 10^{-8}$	23128233	UC	$3.27 \times 10^{-7}$	0.750	
15	67442596	rs17293632	67441750	67468285	$2.71 \times 10^{-20}$	26192919	IBD	$3.01 \times 10^{-21}$	0.538	<i>SMAD3</i>

*Continued on next page*

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{Het}$	Implicated gene
15	91172901	rs7495132	91172901	91192408	$9.00 \times 10^{-11}$	23128233	IBD	$2.62 \times 10^{-7}$	0.854	
16	11373320	rs529866	11344903	11718433	$2.00 \times 10^{-16}$	23128233	CD	$1.05 \times 10^{-7}$	0.244	
16	23864590	rs7404095	23841051	23867776	$1.00 \times 10^{-9}$	23128233	IBD	$1.63 \times 10^{-7}$	0.145	
16	28528781	rs28449958	28338039	28955702	$7.50 \times 10^{-24}$	FM	IBD	$2.18 \times 10^{-12}$	0.631	
16	30482494	rs11150589	30469919	30512443	$1.63 \times 10^{-11}$	FM	UC	$1.21 \times 10^{-6}$	0.936	<i>ITGAL</i>
16	50335074	rs78534766	50304685	50335074	$1.17 \times 10^{-14}$	NOVEL	UC	$3.32 \times 10^{-13}$	0.838	<i>ADCY7</i>
16	50745926	rs2066844	50511169	51009351	$2.27 \times 10^{-217}$	FM	IBD	$1.42 \times 10^{-38}$	0.003	<i>NOD2</i>
16	68591230	rs1728785	68554754	68680902	$3.00 \times 10^{-98}$	19915572	UC	$3.76 \times 10^{-8}$	0.702	
16	81916912	rs11548656	81910840	81922813	$5.18 \times 10^{-11}$	NOVEL	IBD	$5.18 \times 10^{-11}$	0.208	
16	82867456	rs10492862	82866188	82916401	$1.26 \times 10^{-99}$	NOVEL	CD	$1.26 \times 10^{-9}$	0.840	
16	86014241	rs16940202	85589464	86019761	$6.00 \times 10^{-19}$	21297633	IBD	$2.51 \times 10^{-11}$	0.606	
17	25869033	rs10775412	25788058	25869033	$2.51 \times 10^{-25}$	FM	CD	$3.32 \times 10^{-8}$	0.974	
17	32593974	rs3091316	32567679	32625383	$1.00 \times 10^{-26}$	23128233	IBD	$1.47 \times 10^{-12}$	0.578	
17	37912377	rs12946510	37902887	38119638	$2.16 \times 10^{-39}$	26192919	IBD	$1.69 \times 10^{-26}$	0.916	
17	40527544	rs12942547	40412165	40690118	$6.00 \times 10^{-22}$	23128233	IBD	$1.90 \times 10^{-17}$	0.717	
17	54880993	rs3833824	54468990	54949047	$7.70 \times 10^{-10}$	26192919	IBD	$9.79 \times 10^{-6}$	0.807	
17	57963537	rs1292053	57801597	58046076	$9.00 \times 10^{-13}$	23128233	IBD	$2.04 \times 10^{-5}$	0.086	
17	70642923	rs17780256	70611194	70642923	$3.19 \times 10^{-11}$	26192919	IBD	$3.74 \times 10^{-11}$	0.914	
17	76737118	rs17736589	76667271	76833429	$4.34 \times 10^{-98}$	26192919	UC	$1.28 \times 10^{-5}$	0.079	
18	12818922	rs80262450	12745889	12886441	$3.97 \times 10^{-28}$	FM	IBD	$1.04 \times 10^{-16}$	0.696	
18	46395022	rs7240004	46393601	46395315	$1.01 \times 10^{-10}$	26192919	IBD	$4.30 \times 10^{-8}$	0.209	
18	56879827	rs9319943	56876228	56883319	$9.05 \times 10^{-7}$	26192919	CD	$6.60 \times 10^{-5}$	0.346	
18	67530439	rs727088	67511645	67562657	$5.00 \times 10^{-9}$	23128233	IBD	$2.21 \times 10^{-3}$	0.863	
18	77220616	rs7236492	77183529	77237142	$1.45 \times 10^{-8}$	26192919	IBD	$9.99 \times 10^{-4}$	0.156	

*Continued on next page*

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{Het^t}$	Implicated gene
19	1124031	rs2024092	1106477	1191682	$8.00 \times 10^{-22}$	23128233	IBD	$5.00 \times 10^{-17}$	0.620	
19	10512911	rs11879191	10408439	10600418	$5.27 \times 10^{-20}$	26192919	IBD	$1.53 \times 10^{-11}$	0.566	<i>ICAM1, TYK2</i>
19	33731551	rs17694108	33728381	33757062	$6.00 \times 10^{-15}$	23128233	IBD	$1.36 \times 10^{-12}$	0.985	
19	34656406	rs587259	34653364	34727202	$2.98 \times 10^{-08}$	26974007	CD	$1.41 \times 10^{-03}$	0.043	
19	46849806	rs4802307	46847901	47147226	$9.04 \times 10^{-12}$	26192919	CD,	$3.59 \times 10^{-07}$ ,	0.598,	
19	49206172	rs516246	49168942	49248730	$1.33 \times 10^{-20}$	26192919	CD	$3.58 \times 10^{-11}$	0.266	<i>FUT2</i>
19	55383051	rs11672983	55368865	55386920	$7.00 \times 10^{-11}$	23128233	IBD	$2.74 \times 10^{-04}$	0.994	
20	6093889	rs4256018	6076126	6095344	$1.23 \times 10^{-08}$	NOVEL	IBD	$1.23 \times 10^{-08}$	0.781	
20	30725648	rs6142618	30696392	31099311	$6.00 \times 10^{-10}$	23128233	IBD	$6.14 \times 10^{-06}$	0.334	
20	31376282	rs4911259	31329704	31471012	$1.00 \times 10^{-09}$	23128233	IBD	$2.46 \times 10^{-03}$	0.061	
20	33799280	rs6088765	33799280	33882720	$2.00 \times 10^{-08}$	23128233	IBD	$8.47 \times 10^{-03}$	0.079	
20	43065028	rs6017342	43065028	43258079	$5.17 \times 10^{-50}$	FM	UC	$3.95 \times 10^{-30}$	0.150	
20	44742064	rs1569723	44680853	44749251	$1.00 \times 10^{-13}$	23128233	IBD	$1.98 \times 10^{-06}$	0.195	
20	48955424	rs913678	48955424	48968438	$5.35 \times 10^{-11}$	26192919	IBD	$4.21 \times 10^{-07}$	0.411	
20	57824309	rs259964	57809343	57829821	$1.00 \times 10^{-12}$	23128233	IBD	$3.37 \times 10^{-09}$	0.936	
20	62329099	rs6062496	62270637	62378954	$6.76 \times 10^{-26}$	FM	IBD	$2.83 \times 10^{-26}$	0.075	
21	16817938	rs283286	16781136	16841303	$9.00 \times 10^{-30}$	23128233	IBD	$4.43 \times 10^{-29}$	0.073	
21	34776695	rs2284553	34752334	34777409	$5.63 \times 10^{-17}$	26192919	CD	$1.14 \times 10^{-14}$	0.624	
21	40465534	rs2836878	40458508	40468838	$5.00 \times 10^{-48}$	23128233	IBD	$2.30 \times 10^{-29}$	0.093	
21	45615741	rs72282490	45611686	45634148	$9.85 \times 10^{-30}$	26192919	IBD	$1.85 \times 10^{-23}$	0.214	
22	21922904	rs2266959	21910280	21998833	$1.00 \times 10^{-16}$	23128233	IBD	$4.12 \times 10^{-15}$	0.642	
22	30493882	rs5763767	30130115	30592487	$8.82 \times 10^{-15}$	26192919	IBD	$4.17 \times 10^{-08}$	0.109	
22	35729721	rs138788	35724659	35737461	$2.95 \times 10^{-08}$	NOVEL	UC	$2.95 \times 10^{-08}$	0.347	
22	37258503	rs4821544	37258503	37258986	$1.76 \times 10^{-08}$	NOVEL	CD	$1.76 \times 10^{-08}$	0.574	

*Continued on next page*

Table B.1 – *Continued from previous page*

Chr	Position	Rsid	LD_left	LD_right	P-value	Study (PMID)	Trait	$P_{Meta}$	$P_{Het}$	Implicated gene
22	39659773	rs2413583	39659773	39756650	$5.06 \times 10^{-38}$	26192919	IBD	$4.60 \times 10^{-24}$	0.822	
22	41867377	rs727563	41215672	42216326	$1.88 \times 10^{-10}$	26192919	CD	$8.20 \times 10^{-4}$	0.016	
22	50435480	rs5771069	50353919	50457041	$4.00 \times 10^{-98}$	20228798	UC	$2.47 \times 10^{-10}$	0.373	

# List of Tables

1.1	Distinguishing features of the two major inflammatory bowel disease subtypes, Crohn’s disease and ulcerative colitis . . . . .	4
1.2	Pathways implicated in inflammatory bowel disease pathogenesis . . . . .	18
2.1	A comparison of current rare variant association testing methods . . . . .	41
3.1	Testing for an association of structural variation with IBD. . . . .	73
3.2	Variant annotations used to define each of the gene-based burden test subsets. . . . .	76
3.3	Number of gene-based burden tests performed. . . . .	76
3.4	Genes with $P < 5 \times 10^{-4}$ in the gene-based burden tests. . . . .	80
3.5	Confidently implicated IBD genes . . . . .	83
3.6	Burden testing in IBD risk genes . . . . .	84
3.7	Burden of rare, predicted damaging coding variation in IBD gene sets. . . . .	85
3.8	Number of enhancer-based burden tests performed. . . . .	88
3.9	Cell and tissue types for which FANTOM5 defines preferentially expressed enhancer sets. . . . .	92
3.10	Enhancer set-based tests with $P < 0.005$ . . . . .	93
3.11	Sample counts of the imputed GWAS cohorts. . . . .	96
3.12	Association statistics for rs78534766 across UC cohorts. . . . .	100
4.1	GWAS, sequencing, and summary statistic datasets included in this study. . . . .	116
4.2	Novel IBD-associated loci. . . . .	118
4.3	Variants fine-mapped to $> 50\%$ probability of being causal in their given signal. . . . .	121
4.4	Association of known IBD genes with Mendelian disorders of inflammation and immunity. . . . .	127
4.5	Co-localization between meta-analysis association statistics and monocyte stimulus response eQTLs. . . . .	130

4.6	IBD-associated loci containing genes in immune pathways related to classes of approved therapeutics. . . . .	134
5.1	Study designs considerations when choosing between performing whole genome and whole exome sequencing as part of a fixed-cost study. . . . .	144
B.1	Meta-analysis association statistics at all 241 known and novel loci. .	162

# List of Figures

1.1	Disease localisation and appearance of Crohn's disease and ulcerative colitis . . . . .	3
1.2	Global prevalence of inflammatory bowel disease in 2015 . . . . .	5
1.3	Overview of the linkage analysis study design for identifying disease-associated loci . . . . .	8
1.4	The <i>NOD2</i> signalling pathway . . . . .	9
1.5	The <i>IL23R</i> signalling pathway . . . . .	12
1.6	The relative power to detect associations offered by different GWAS study designs . . . . .	14
1.7	Shared genetic overlap between Crohn's disease and ulcerative colitis at 163 loci . . . . .	16
1.8	IBD-associated loci identified with each new advance in technology . . . . .	21
2.1	Batch effects observed in the 1000 Genomes project sequence data . . . . .	34
2.2	Improving sensitivity and specificity by joint calling . . . . .	36
2.3	Genotype refinement through imputation . . . . .	37
2.4	Effect of read depth on sensitivity and specificity across the allele frequency spectrum . . . . .	38
2.5	Variance component test for rare variation in <i>NOD2</i> . . . . .	42
2.6	Sensitivity and specificity of rare variant calling at different read depths . . . . .	43
2.7	Rare variant burden testing with the RVS statistic . . . . .	49
2.8	INFO score distribution at different MAFs . . . . .	53
2.9	INFO score distribution at different MAFs using raw genotype probabilities . . . . .	55
2.10	Example of a site with poor quality genotype probabilities. . . . .	56
2.11	Rare variant burden testing with the RVS statistic and raw genotype probabilities . . . . .	57

3.1	Overview of the modular structure employed by GenomeSTRiP 2.0 to discover and genotype CNVs across a number of low coverage whole genome sequences. . . . .	68
3.2	An apparent excess of large, low frequency CNVs . . . . .	71
3.3	Effects of sequencing depth on CNV calling . . . . .	72
3.4	Manual inspection of variant calling at nominally associated sites. . . . .	77
3.5	Gene-based burden tests of rare, functional coding variation. . . . .	78
3.6	Gene-based burden tests of rare, functional coding variation that is predicted to be damaging. . . . .	79
3.7	Associations between <i>NOD2</i> and Crohn's disease. . . . .	82
3.8	Burden of rare damaging variants in Crohn's disease . . . . .	86
3.9	Burden tests of rare variation in enhancers. . . . .	90
3.10	Burden tests of rare variation predicted to affect transcription factor binding motifs in enhancers. . . . .	91
3.11	QQ plots of genome-wide association studies for variants with MAF $\geq 0.1\%$ in the sequencing dataset. . . . .	94
3.12	Relative power of this study compared to previous GWAS. . . . .	95
3.13	Cluster plots for rs78534766 ( <i>ADCY7</i> p.Asp439Glu) . . . . .	99
3.14	Association analysis for the <i>NOD2/ADCY7</i> region of chromosome 16.101	
3.15	The role of <i>ADCY7</i> in the inflammatory response. . . . .	102
3.16	The frequency-odds ratio space investigated by this study . . . . .	104
4.1	Missingness versus heterozygosity rate for samples in the new UK IBD GWAS. . . . .	111
4.2	Principal component analysis of samples in the new UK IBD GWAS.112	
4.3	Genotyping batch effect in the new UK IBD GWAS. . . . .	113
4.4	Cluster plots for rs34687326, rs1143687 and rs4821544 . . . . .	122
4.5	Likely causal missense variants in <i>SLAMF8</i> and <i>PLCG2</i> . . . . .	123
4.6	Effect size of variant rs4821544 when stratified by disease location.. 126	
4.7	The role of integrins in leukocyte homing. . . . .	128
4.8	Co-localization of disease association and stimulus response eQTLs in monocytes. . . . .	131
4.9	IBD-associated loci containing genes in immune pathways related to classes of approved therapeutics. . . . .	135
5.1	Relative sequence coverage of exome versus whole genome sequencing143	
5.2	Minimum depth required for a correct genotype call in whole exome vs whole genome sequencing . . . . .	143
5.3	Overview of an analysis pipeline for sequencing studies . . . . .	147
5.4	Effect sizes of IBD-associated loci identified using various study designs152	
5.5	The genetic substructure of inflammatory bowel disease location .. 153	

5.6 Using Mendelian randomization to infer causality . . . . .	155
--	-----

