

References

- 23andMe. SNPwatch: Uncertainty Surrounds Longevity GWAS. 2010. URL <http://spittoon.23andme.com/2010/07/07/snpwatch-uncertainty-surrounds-longevity-gwas/>. 8
- Alberts, B., Johnson, A., Lewis, J., Raff, M., et al. *Molecular Biology of the Cell*. Garland Science, 5 edition, 2007. 4, 16
- Alter, O., Brown, P.O., and Botstein, D. Singular value decomposition for genome-wide expression data processing and modeling. *Proc. Natl. Acad. Sci. U.S.A.*, 97:10101–10106, 2000. 67
- Altshuler, D., Daly, M.J., and Lander, E.S. Genetic mapping in human disease. *Science (New York, N.Y.)*, 322(5903):881–888, 2008. 7
- Alwine, J.C., Kemp, D.J., and Stark, G.R. Method for detection of specific RNAs in agarose gels by transfer to diazobenzyloxymethyl-paper and hybridization with DNA probes. *Proc Natl Acad Sci U S A*, 74(12):5350–4, 1977. 3
- Atwell, S., Huang, Y.S., Vilhjálmsson, B.J., Willems, G., et al. Genome-wide association study of 107 phenotypes in *Arabidopsis thaliana* inbred lines. *Nature*, 465(7298):627–31, 2010. 8, 24
- Ayyadevara, S., Ayyadevara, R., Vertino, A., Galecki, A., et al. Genetic loci modulating fitness and life span in *Caenorhabditis elegans*: categorical trait interval mapping in CL2a x Bergerac-BO recombinant-inbred worms. *Genetics*, 163(2):557–70, 2003. 6

REFERENCES

- Babu, M.M., Luscombe, N.M., Aravind, L., Gerstein, M., et al. Structure and evolution of transcriptional regulatory networks. *Curr Opin Struct Biol*, 14(3):283–91, 2004. [11](#)
- Balding, D., Bishop, M., and Cannings. *Handbook of Statistical Genetics*. Wiley J. and Sons Ltd., N.Y., second edition, 2003. [34](#)
- Barrett, J.C., Hansoul, S., Nicolae, D.L., Cho, J.H., et al. Genome-wide association defines more than 30 distinct susceptibility loci for Crohn’s disease. *Nat Genet*, 40(8):955–62, 2008. [11](#)
- Barrett, T., Troup, D.B., Wilhite, S.E., Ledoux, P., et al. NCBI GEO: archive for high-throughput functional genomic data. *Nucleic Acids Res*, 37(Database issue):D885–90, 2009. [51](#)
- Bateson, W. *Mendel’s Principles of Heredity*. Cambridge University Press, 1909. [3](#)
- Bishop, C.M. *Pattern Recognition and Machine Learning (Information Science and Statistics)*. Springer, 1st ed. 2006. corr. 2nd printing edition, 2007. [30](#)
- Biswas, S., Storey, J.D., and Akey, J.M. Mapping gene expression quantitative trait loci by singular value decomposition and independent component analysis. *BMC Bioinformatics*, 9(1):244, 2008. [62](#), [67](#), [80](#), [88](#)
- Boomsma, D., Busjahn, A., and Peltonen, L. Classical twin studies and beyond. *Nat Rev Genet*, 3(11):872–82, 2002. [13](#)
- Brem, R.B. and Kruglyak, L. The landscape of genetic complexity across 5,700 gene expression traits in yeast. *Proceedings of the National Academy of Sciences of the United States of America*, 102(5):1572–1577, 2005. [6](#), [34](#), [48](#), [51](#), [66](#), [80](#), [87](#)
- Brem, R.B., Storey, J.D., Whittle, J., and Kruglyak, L. Genetic interactions between polymorphisms that affect gene expression in yeast. *Nature*, 436(7051):701–703, 2005. [6](#)

REFERENCES

- Brem, R.B., Yvert, G., Clinton, R., and Kruglyak, L. Genetic Dissection of Transcriptional Regulation in Budding Yeast. *Science*, 296(5568):752–755, 2002. [6](#), [11](#), [18](#), [34](#), [44](#), [82](#)
- Broman, K.W., Wu, H., Sen, S., and Churchill, G.A. R/qtl: QTL mapping in experimental crosses. *Bioinformatics*, 19(7):889–90, 2003. [116](#)
- Butt, C., Zheng, H., Randell, E., Robb, D., et al. Combined carrier status of prothrombin 20210A and factor XIII-A Leu34 alleles as a strong risk factor for myocardial infarction: evidence of a gene-gene interaction. *Blood*, 101(8):3037–41, 2003. [12](#)
- C. elegans Sequencing Consortium. Genome sequence of the nematode *C. elegans*: a platform for investigating biology. *Science*, 282(5396):2012–8, 1998. [4](#)
- Chen, Y., Zhu, J., Lum, P.Y.Y., Yang, X., et al. Variations in DNA elucidate molecular networks that cause disease. *Nature*, 452(7186):429–435, 2008. [11](#), [34](#), [66](#)
- Choo, K.H. Why is the centromere so cold? *Genome Res*, 8(2):81–2, 1998. [116](#)
- Choudhary, C. and Mann, M. Decoding signalling networks by mass spectrometry-based proteomics. *Nat Rev Mol Cell Biol*, 11(6):427–39, 2010. [17](#), [21](#)
- Cirulli, E.T. and Goldstein, D.B. Uncovering the roles of rare variants in common disease through whole-genome sequencing. *Nature Reviews Genetics*, 11(6):415–425, 2010. [10](#)
- Clarke, J., Seo, P., and Clarke, B. Statistical expression deconvolution from mixed tissue samples. *Bioinformatics (Oxford, England)*, 26(8):1043–1049, 2010. [16](#)
- Codd, V., Mangino, M., van der Harst, P., Braund, P.S., et al. Common variants near *TERC* are associated with mean telomere length. *Nat Genet*, 42(3):197–9, 2010. [8](#)
- Consortium. 1000 Genomes Project. 2010. URL <http://www.1000genomes.org>. [59](#)

REFERENCES

- Cordell, H.J. Detecting gene-gene interactions that underlie human diseases. *Nature reviews. Genetics*, 10(6):392–404, 2009. [12](#), [87](#)
- Costanzo, M., Baryshnikova, A., Bellay, J., Kim, Y., et al. The Genetic Landscape of a Cell. *Science*, 327(5964):425, 2010. [66](#), [85](#), [86](#)
- Cotsapas, C.J., Williams, R.B.H., Pulvers, J.N., Nott, D.J., et al. Genetic dissection of gene regulation in multiple mouse tissues. *Mamm Genome*, 17(6):490–5, 2006. [19](#)
- Crick, F. Central dogma of molecular biology. *Nature*, 227(5258):561–3, 1970. [3](#)
- Crump, J.A., Luby, S.P., and Mintz, E.D. The global burden of typhoid fever. *Bull World Health Organ*, 82(5):346–53, 2004. [110](#)
- Cubillos, F.A., Zörgö, E., Parts, L., Fargier, P., et al. Assessing the complex architecture of polygenic traits in diverged yeast populations. *Molecular Ecology*, 2011. [93](#), [95](#), [99](#), [102](#), [109](#), [116](#), [117](#)
- Cudworth, A.G. and Woodrow, J.C. Genetic susceptibility in diabetes mellitus: analysis of the HLA association. *Br Med J*, 2(6040):846–8, 1976. [7](#)
- Dahm, R. Discovering DNA: Friedrich Miescher and the early years of nucleic acid research. *Hum Genet*, 122(6):565–81, 2008. [2](#)
- Darvasi, A. and Soller, M. Advanced intercross lines, an experimental population for fine genetic mapping. *Genetics*, 141(3):1199–1207, 1995. [6](#), [93](#)
- Davison, A.C. *Statistical Models*. Cambridge Series in Statistical and Probabilistic Mathematics. Cambridge University Press, 2003. [28](#), [30](#), [57](#)
- de Vrijes, H. *Die mutationstheorie. Versuche und beobachtungen über die entstehung von arten im pflanzenreich*. Leipzig, Veit comp., 1901. [3](#)
- Dimas, A.S., Deutsch, S., Stranger, B.E., Montgomery, S.B., et al. Common regulatory variation impacts gene expression in a cell type-dependent manner. *Science*, 325(5945):1246–50, 2009. [19](#)

REFERENCES

- Doroszuk, A., Snoek, L.B., Fradin, E., Riksen, J., et al. A genome-wide library of CB4856/N2 introgression lines of *Caenorhabditis elegans*. *Nucleic Acids Res*, 37(16):e110, 2009. [6](#)
- Durbin, R., Eddy, S.R., Krogh, A., and Mitchison, G. *Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids*. Cambridge University Press, 1999. [30](#)
- Ehrenreich, I.M., Torabi, N., Jia, Y., Kent, J., et al. Dissection of genetically complex traits with extremely large pools of yeast segregants. *Nature*, 464(7291):1039–1042, 2010. [6](#), [10](#), [91](#), [92](#), [98](#)
- Ehrenreich, I., Gerke, J., and Kruglyak, L. Genetic dissection of complex traits in yeast: insights from studies of gene expression and other phenotypes in the BYxRM cross. In *Cold Spring Harb Symp Quant Biol*, volume 74, pp. 145–153. 2009. [6](#), [91](#), [112](#)
- Emilsson, V., Thorleifsson, G., Zhang, B., Leonardson, A.S., et al. Genetics of gene expression and its effect on disease. *Nature*, 452(7186):423–428, 2008. [34](#), [61](#), [66](#)
- Eriksson, N., Macpherson, J.M., Tung, J.Y., Hon, L.S., et al. Web-based, participant-driven studies yield novel genetic associations for common traits. *PLoS Genet*, 6(6):e1000993, 2010. [8](#)
- Fisher, R.A. *The Genetical Theory of Natural Selection*. Oxford University Press, USA, 1939. [22](#)
- Fleischmann, R.D., Adams, M.D., White, O., Clayton, R.A., et al. Whole-genome random sequencing and assembly of *Haemophilus influenzae* Rd. *Science*, 269(5223):496–512, 1995. [4](#)
- Flint, J. and Mackay, T.F.C. Genetic architecture of quantitative traits in mice, flies, and humans. *Genome Res*, 19(5):723–33, 2009. [6](#), [10](#)
- Flintoft, L. Complex disease: Adding epigenetics to the mix. *Nature Reviews Genetics*, 11(2):94–95, 2010. [13](#)

REFERENCES

- Foss, E.J., Radulovic, D., Shaffer, S.A., Ruderfer, D.M., et al. Genetic basis of proteome variation in yeast. *Nature Genetics*, 39(11):1369–1375, 2007. [6](#), [17](#), [81](#), [118](#)
- Freeman, T.C., Goldovsky, L., Brosch, M., van Dongen, S., et al. Construction, visualisation, and clustering of transcription networks from microarray expression data. *PLoS Comput Biol*, 3(10):2032–42, 2007. [27](#)
- Fuchs, F., Pau, G., Kranz, D., Sklyar, O., et al. Clustering phenotype populations by genome-wide RNAi and multiparametric imaging. *Mol Syst Biol*, 6:370, 2010. [17](#)
- Gardner, R.S., Wahba, A.J., Basilio, C., Miller, R.S., et al. Synthetic polynucleotides and the amino acid code. VII. *Proc Natl Acad Sci U S A*, 48:2087–94, 1962. [3](#)
- Garge, N., Pan, H., Rowland, M.D., Cargile, B.J., et al. Identification of quantitative trait loci underlying proteome variation in human lymphoblastoid cells. *Mol Cell Proteomics*, 9(7):1383–99, 2010. [17](#)
- Gerke, J., Lorenz, K., and Cohen, B. Genetic Interactions Between Transcription Factors Cause Natural Variation in Yeast. *Science*, 323(5913):498–501, 2009. [12](#)
- Giaever, G., Chu, A.M., Ni, L., Connelly, C., et al. Functional profiling of the *Saccharomyces cerevisiae* genome. *Nature*, 418(6896):387–91, 2002. [9](#)
- Gibbs, J.R., van der Brug, M.P., Hernandez, D.G., Traynor, B.J., et al. Abundant quantitative trait loci exist for DNA methylation and gene expression in human brain. *PLoS Genet*, 6(5):e1000952, 2010. [14](#), [20](#)
- Gibson, G. The environmental contribution to gene expression profiles. *Nature reviews. Genetics*, 9(8):575–581, 2008. [34](#), [66](#)
- Glass, D., Parts, L., Knowles, D., Aviv, A., et al. No correlation between childhood maltreatment and telomere length. *Biol Psychiatry*, 68(6):e21–2; author reply e23–4, 2010. [8](#)

REFERENCES

- Goerner, W., Durchschlag, E., Martinez-Pastor, M., Estruch, F., et al. Nuclear localization of the C2H2 zinc finger protein MSN2P is regulated by stress and protein kinase A activity. *Genes & development*, 12(4):586, 1998. [81](#)
- Goffeau, A., Barrell, B.G., Bussey, H., Davis, R.W., et al. Life with 6000 genes. *Science*, 274(5287):546, 563–7, 1996. [4](#)
- Green, M.M. 2010: A century of Drosophila genetics through the prism of the white gene. *Genetics*, 184(1):3–7, 2010. [5](#)
- Group, T.H.D.C.R. A novel gene containing a trinucleotide repeat that is expanded and unstable on Huntington’s disease chromosomes. *Cell*, 72(6):971–83, 1993. [5](#)
- Gygi, S., Rochon, Y., Franza, B., and Aebersold, R. Correlation between protein and mRNA abundance in yeast. *Molecular and Cellular Biology*, 19(3):1720, 1999. [81](#)
- Hartl, D.L. and Clark, A.G. *Principles of Population Genetics, Fourth Edition*. Sinauer Associates, Inc., 4th edition, 2006. URL <http://www.amazon.com/exec/obidos/redirect?tag=citeulike07-20&path=ASIN/0878933085>. [105](#)
- Hawkins, R.D., Hon, G.C., and Ren, B. Next-generation genomics: an integrative approach. *Nature Reviews Genetics*, 11(7):476–486, 2010. [17](#), [21](#)
- Hershey, A.D. and Chase, M. Independent functions of viral protein and nucleic acid in growth of bacteriophage. *J Gen Physiol.*, 36:39–56, 1952. [3](#)
- Hindorff, L.A., Sethupathy, P., Junkins, H.A., Ramos, E.M., et al. Potential etiologic and functional implications of genome-wide association loci for human diseases and traits. *Proc Natl Acad Sci U S A*, 106(23):9362–7, 2009. [10](#)
- Hunter, D.J. Gene-environment interactions in human diseases. *Nat Rev Genet*, 6(4):287–298, 2005. [12](#)
- Hutchins, J.R.A., Toyoda, Y., Hegemann, B., Poser, I., et al. Systematic analysis of human protein complexes identifies chromosome segregation proteins. *Science*, 328(5978):593–9, 2010. [17](#)

REFERENCES

- Ingram, G.I. The history of haemophilia. *Journal of Clinical Pathology*, 29(6):469–479, 1976. [5](#)
- Iyer-Pascuzzi, A.S., Symonova, O., Mileyko, Y., Hao, Y., et al. Imaging and analysis platform for automatic phenotyping and trait ranking of plant root systems. *Plant Physiol*, 152(3):1148–57, 2010. [15](#)
- Jaynes, E.T. *Probability Theory: The Logic of Science*. Cambridge University Press, 2003. [21](#)
- Jordan, M., Ghahramani, Z., Jaakkola, T., and Saul, L. An Introduction to Variational Methods for Graphical Models. *Machine Learning*, 37:183–233, 1999. [37](#), [41](#), [71](#), [127](#)
- Kanehisa, M., Goto, S., Kawashima, S., and Nakaya, A. The KEGG databases at GenomeNet. *Nucleic Acids Research*, 30(1):42, 2002. [67](#), [76](#), [77](#)
- Kang, H.M.M., Sul, J.H.H., Service, S.K., Zaitlen, N.A., et al. Variance component model to account for sample structure in genome-wide association studies. *Nature genetics*, 42(4):348–354, 2010. [24](#)
- Kang, H.M.M., Ye, C., and Eskin, E. Accurate discovery of expression quantitative trait loci under confounding from spurious and genuine regulatory hotspots. *Genetics*, 180(4):1909–1925, 2008. [34](#), [35](#), [52](#)
- Komeili, A. and O’Shea, E. Roles of phosphorylation sites in regulating activity of the transcription factor Pho4. *Science*, 284(5416):977, 1999. [81](#)
- Krichevsky, A.M., King, K.S., Donahue, C.P., Khrapko, K., et al. A microRNA array reveals extensive regulation of microRNAs during brain development. *RNA*, 9(10):1274–81, 2003. [17](#)
- Kurimoto, K., Yabuta, Y., Ohinata, Y., and Saitou, M. Global single-cell cDNA amplification to provide a template for representative high-density oligonucleotide microarray analysis. *Nat Protoc*, 2(3):739–52, 2007. [15](#)

REFERENCES

- Lander, E.S. and Botstein, D. Mapping Mendelian Factors Underlying Quantitative Traits Using RFLP Linkage Maps. *Genetics*, 121(1):185–199, 1989. [5](#), [35](#), [123](#)
- Lander, E.S., Linton, L.M., Birren, B., Nusbaum, C., et al. Initial sequencing and analysis of the human genome. *Nature*, 409(6822):860–921, 2001. [4](#)
- Langridge, G.C., Phan, M.D., Turner, D.J., Perkins, T.T., et al. Simultaneous assay of every Salmonella Typhi gene using one million transposon mutants. *Genome Res*, 19(12):2308–16, 2009. [9](#), [109](#), [110](#), [112](#)
- Lee, S.I.I., Dudley, A.M., Drubin, D., Silver, P.A., et al. Learning a prior on regulatory potential from eQTL data. *PLoS genetics*, 5(1):e1000358+, 2009. [79](#), [88](#)
- Leek, J.T. and Storey, J.D. Capturing Heterogeneity in Gene Expression Studies by Surrogate Variable Analysis. *PLoS Genet*, 3(9):e161–1735, 2007. [34](#), [43](#), [52](#), [67](#), [88](#)
- Lehner, B., Crombie, C., Tischler, J., Fortunato, A., et al. Systematic mapping of genetic interactions in *Caenorhabditis elegans* identifies common modifiers of diverse signaling pathways. *Nat Genet*, 38(8):896–903, 2006. [12](#)
- Li, H. and Durbin, R. Fast and accurate long-read alignment with Burrows-Wheeler transform. *Bioinformatics*, 26(5):589–595, 2010. [100](#)
- Liao, J.C., Boscolo, R., Yang, Y., Tran, L.M., et al. Network component analysis: Reconstruction of regulatory signals in biological systems. *Proc. Natl. Acad. Sci.*, 100(26):15522–15527, 2003. [67](#)
- Liede, A., Karlan, B.Y., and Narod, S.A. Cancer risks for male carriers of germline mutations in BRCA1 or BRCA2: a review of the literature. *J Clin Oncol*, 22(4):735–42, 2004. [1](#)
- Liti, G., Carter, D.M., Moses, A.M., Warringer, J., et al. Population genomics of domestic and wild yeasts. *Nature*, 458(7236):337–341, 2009a. [100](#), [114](#)

REFERENCES

- Liti, G., Haricharan, S., Cubillos, F.A., Tierney, A.L., et al. Segregating YKU80 and TLC1 alleles underlying natural variation in telomere properties in wild yeast. *PLoS Genet*, 5(9):e1000659, 2009b. [109](#)
- Loos, R.J.F., Lindgren, C.M., Li, S., Wheeler, E., et al. Common variants near MC4R are associated with fat mass, weight and risk of obesity. *Nat Genet*, 40(6):768–75, 2008. [8](#)
- Lukk, M., Kapushesky, M., Nikkilä, J., Parkinson, H., et al. A global map of human gene expression. *Nat Biotechnol*, 28(4):322–4, 2010. [119](#)
- Lupski, J.R., Reid, J.G., Gonzaga-Jauregui, C., Rio Deiros, D., et al. Whole-genome sequencing in a patient with Charcot-Marie-Tooth neuropathy. *N Engl J Med*, 362(13):1181–91, 2010. [5](#)
- Luscombe, N.M., Babu, M.M., Yu, H., Snyder, M., et al. Genomic analysis of regulatory network dynamics reveals large topological changes. *Nature*, 431(7006):308–12, 2004. [11](#)
- Lynch, M. and Walsh, B. *Genetics and Analysis of Quantitative Traits*. Sinauer Associates, 1 edition, 1998. [72](#), [124](#)
- Mackay, D.J.C. Probable networks and plausible predictions - a review of practical Bayesian methods for supervised neural networks. *Network: Computation in Neural Systems*, 6(3):469–505, 1995. [40](#), [126](#)
- MacKay, D.J.C. *Information theory, inference and learning algorithms*. Cambridge University Press, 2003. [28](#), [37](#)
- Mackay, T.F.C. The genetic architecture of quantitative traits: lessons from *Drosophila*. *Curr Opin Genet Dev*, 14(3):253–7, 2004. [12](#)
- Mackay, T.F.C., Stone, E.A., and Ayroles, J.F. The genetics of quantitative traits: challenges and prospects. *Nat Rev Genet*, 10(8):565–577, 2009. [18](#), [90](#)
- Mancera, E., Bourgon, R., Brozzi, A., Huber, W., et al. High-resolution mapping of meiotic crossovers and non-crossovers in yeast. *Nature*, 454(7203):479–85, 2008. [6](#), [114](#), [116](#)

REFERENCES

- Manolio, T.A., Collins, F.S., Cox, N.J., Goldstein, D.B., et al. Finding the missing heritability of complex diseases. *Nature*, 461(7265):747–753, 2009. [10](#)
- Marcus, J.S., Anderson, W.F., and Quake, S.R. Microfluidic single-cell mRNA isolation and analysis. *Anal Chem*, 78(9):3084–9, 2006. [15](#)
- McCord, R., Pierce, M., Xie, J., Wonkatal, S., et al. RFM1, a Novel Tethering Factor Required To Recruit the Hst1 Histone Deacetylase for Repression of Middle Sporulation Genes. *Molecular and Cellular Biology*, 23:2009–2016, 2003. [78](#)
- McDaniell, R., Lee, B.K., Song, L., Liu, Z., et al. Heritable Individual-Specific and Allele-Specific Chromatin Signatures in Humans. *Science*, 328(5975):235–239, 2010. [14](#), [17](#), [21](#)
- Mendel, G. Versuche über Pflanzenhybriden. *Verhandlungen des naturforschenden*, 3(47), 1865. [2](#)
- Minka, T.P. Expectation propagation for approximate Bayesian inference. In *Uncertainty in Artificial Intelligence*, volume 17, p. 362–369. 2001. [72](#)
- Monks, S.A., Leonardson, A., Zhu, H., Cundiff, P., et al. Genetic inheritance of gene expression in human cell lines. *Am J Hum Genet*, 75(6):1094–105, 2004. [19](#)
- Montgomery, S.B. and Dermitzakis, E.T. The resolution of the genetics of gene expression. *Human molecular genetics*, 18(R2):R211–215, 2009. [17](#), [18](#)
- Montgomery, S.B., Sammeth, M., Gutierrez-Arcelus, M., Lach, R.P., et al. Transcriptome genetics using second generation sequencing in a Caucasian population. *Nature*, 464(7289):773–777, 2010. [17](#)
- Moreira, I.S., Fernandes, P.A., and Ramos, M.J. Hot spots—a review of the protein-protein interface determinant amino-acid residues. *Proteins*, 68(4):803–12, 2007. [14](#)
- Morgan, T. Sex limited inheritance in *Drosophila*. *Science*, 32(1):120–122, 1910. [3](#)

REFERENCES

- Morley, M., Molony, C.M., Weber, T.M., Devlin, J.L., et al. Genetic analysis of genome-wide variation in human gene expression. *Nature*, 430(7001):743–747, 2004. [19](#)
- Neal, R.M. *Bayesian Learning for Neural Networks*. Springer, 1996. [40](#), [126](#)
- Nelder, J.A. and Wedderburn, R.W.M. Generalized Linear Models. *Journal of the Royal Statistical Society. Series A (General)*, 135(3):370–384, 1972. [26](#)
- Neumann, B., Walter, T., Hériché, J.K., Bulkescher, J., et al. Phenotypic profiling of the human genome by time-lapse microscopy reveals cell division genes. *Nature*, 464(7289):721–7, 2010. [17](#)
- Newton-Cheh, C., Johnson, T., Gateva, V., Tobin, M.D., et al. Genome-wide association study identifies eight loci associated with blood pressure. *Nat Genet*, 2009. [8](#)
- Ng, P.C. and Henikoff, S. SIFT: predicting amino acid changes that affect protein function. *Nucl. Acids Res.*, 31(13):3812–3814, 2003. [98](#)
- Ng, P.C. and Henikoff, S. Predicting the effects of amino acid substitutions on protein function. *Annu Rev Genomics Hum Genet*, 7:61–80, 2006. [14](#)
- Ng, S.B., Bigham, A.W., Buckingham, K.J., Hannibal, M.C., et al. Exome sequencing identifies MLL2 mutations as a cause of Kabuki syndrome. *Nat Genet*, 2010. [5](#)
- Nica, A.C., Montgomery, S.B., Dimas, A.S., Stranger, B.E., et al. Candidate Causal Regulatory Effects by Integration of Expression QTLs with Complex Trait Genetic Associations. *PLoS Genet*, 6(4):e1000895+, 2010. [118](#)
- Nica, A.C., Parts, L., Glass, D., Nisbet, J., et al. The Architecture of Gene Regulatory Variation across Multiple Human Tissues: The MuTHER Study. *PLoS Genet*, 7(2):e1002003, 2011. [16](#), [19](#), [33](#), [56](#), [57](#), [119](#)
- Nicolae, D.L., Gamazon, E., Zhang, W., Duan, S., et al. Trait-Associated SNPs Are More Likely to Be eQTLs: Annotation to Enhance Discovery from GWAS. *PLoS Genet*, 6(4):e1000888+, 2010. [118](#)

REFERENCES

- Nordborg, M. and Weigel, D. Next-generation genetics in plants. *Nature*, 456(7223):720–723, 2008. [90](#)
- O’Conallain, C., Doolin, M., Taggart, C., Thornton, F., et al. Regulated nuclear localisation of the yeast transcription factor Ace2p controls expression of chitinase (CTS1) in *Saccharomyces cerevisiae*. *Mol Gen Genet.*, 262:275–282, 1999. [81](#)
- Parts, L., Cubillos, F., Jain, K., Warringer, J., et al. Revealing the genetic structure of a trait by sequencing a population under selection, 2010. (submitted). [90](#), [92](#)
- Parts, L., Stegle, O., Winn, J., and Durbin, R. Joint Genetic Analysis of Gene Expression Data with Inferred Cellular Phenotypes. *PLoS Genet*, 7(1):e1001276, 2011. [65](#)
- Pastinen, T., Ge, B., and Hudson, T.J. Influence of human genome polymorphism on gene expression. *Hum Mol Genet*, 15 Spec No 1, 2006. [34](#), [62](#)
- Patterson, N., Price, A.L., and Reich, D. Population Structure and Eigenanalysis. *PLoS Genetics*, 2(12):e190+, 2006. [24](#)
- Paulsson, J. Summing up the noise in gene networks. *Nature*, 427(6973):415–8, 2004. [16](#)
- Perlstein, E.O., Ruderfer, D.M., Roberts, D.C., Schreiber, S.L., et al. Genetic basis of individual differences in the response to small-molecule drugs in yeast. *Nature genetics*, 39(4):496–502, 2007. [6](#), [18](#), [80](#)
- Petes, T.D. and Botstein, D. Simple Mendelian inheritance of the reiterated ribosomal DNA of yeast. *Proc Natl Acad Sci U S A*, 74(11):5091–5, 1977. [5](#)
- Phillips, P.C. Epistasis—the essential role of gene interactions in the structure and evolution of genetic systems. *Nature reviews. Genetics*, 9(11):855–867, 2008. [12](#)

REFERENCES

- Pickrell, J.K., Marioni, J.C., Pai, A.A., Degner, J.F., et al. Understanding mechanisms underlying human gene expression variation with RNA sequencing. *Nature*, 464(7289):768–772, 2010. [17](#)
- Plagnol, V., Uz, E., Wallace, C., Stevens, H., et al. Extreme Clonality in Lymphoblastoid Cell Lines with Implications for Allele Specific Expression Analyses. *PLoS ONE*, 3(8):e2966+, 2008. [34](#)
- Price, A.L., Patterson, N., Hancks, D.C., Myers, S., et al. Effects of cis and trans Genetic Ancestry on Gene Expression in African Americans. *PLoS Genetics*, 4(12):e1000294+, 2008. [64](#)
- Raj, A., Rifkin, S.A., Andersen, E., and van Oudenaarden, A. Variability in gene expression underlies incomplete penetrance. *Nature*, 463(7283):913–918, 2010. [14](#)
- Ratray, M., Liu, X., Sanguinetti, G., Milo, M., et al. Propagating uncertainty in microarray data analysis. *Briefings in Bioinformatics*, 7(1):37–47, 2006. [37](#)
- Ratray, M., Stegle, O., Sharp, K., and Winn, J. Inference algorithms and learning theory for Bayesian sparse factor analysis. *Journal of Physics: Conference Series*, 197:012002, 2009. [67](#), [70](#), [72](#)
- Rees, J.L. The genetics of sun sensitivity in humans. *Am J Hum Genet*, 75(5):739–51, 2004. [13](#)
- Reimand, J., Kull, M., Peterson, H., Hansen, J., et al. g:Profiler—a web-based toolset for functional profiling of gene lists from large-scale experiments. *Nucleic Acids Res*, 35(Web Server issue), 2007. [62](#)
- Rockman, M.V. Reverse engineering the genotype–phenotype map with natural genetic variation. *Nature*, 456(7223):738–744, 2008. [90](#)
- Rommens, J.M., Iannuzzi, M.C., Kerem, B., Drumm, M.L., et al. Identification of the cystic fibrosis gene: chromosome walking and jumping. *Science*, 245(4922):1059–65, 1989. [5](#)

REFERENCES

- Sanger, F., Coulson, A.R., Hong, G.F., Hill, D.F., et al. Nucleotide sequence of bacteriophage lambda DNA. *J Mol Biol*, 162(4):729–73, 1982. [3](#)
- Schadt, E.E., Lamb, J., Yang, X., Zhu, J., et al. An integrative genomics approach to infer causal associations between gene expression and disease. *Nature genetics*, 37(7):710–717, 2005. [34](#), [44](#), [48](#), [66](#)
- Schadt, E.E., Monks, S.A., Drake, T.A., Luskis, A.J., et al. Genetics of gene expression surveyed in maize, mouse and man. *Nature*, 422(6929):297–302, 2003. [18](#)
- Scherens, B. and Goffeau, A. The uses of genome-wide yeast mutant collections. *Genome Biol*, 5(7):229, 2004. [9](#)
- Scherzer, C.R., Eklund, A.C., Morse, L.J., Liao, Z., et al. Molecular markers of early Parkinson’s disease based on gene expression in blood. *Proc Natl Acad Sci U S A*, 104(3):955–60, 2007. [16](#)
- Segrè, A.V., Murray, A.W., and Leu, J.Y. High-Resolution Mutation Mapping Reveals Parallel Experimental Evolution in Yeast. *PLoS Biol*, 4(8):e256, 2006. [91](#)
- SGD project. Saccharomyces Genome Database. World Wide Web electronic publication, 2009. URL <http://www.yeastgenome.org/>. [78](#)
- Shao, H., Burrage, L.C., Sinasac, D.S., Hill, A.E., et al. Genetic architecture of complex traits: Large phenotypic effects and pervasive epistasis. *Proceedings of the National Academy of Sciences*, 105(50):19910–19914, 2008. [12](#)
- Sinha, H., Nicholson, B.P., Steinmetz, L.M., and McCusker, J.H. Complex genetic interactions in a quantitative trait locus. *PLoS Genetics*, 2, 2006. [6](#)
- Smith, E.N. and Kruglyak, L. Gene-Environment Interaction in Yeast Gene Expression. *PLoS Biology*, 6(4):e83+, 2008. [62](#), [66](#), [67](#), [75](#), [76](#), [77](#), [80](#), [82](#), [85](#), [86](#)

REFERENCES

- Smith, J., Ramsey, S., Marelli, M., Marzolf, B., et al. Transcriptional responses to fatty acid are coordinated by combinatorial control. *Molecular Systems Biology*, 3, 2007. [79](#)
- Smith, M.W., Dean, M., Carrington, M., Winkler, C., et al. Contrasting genetic influence of CCR2 and CCR5 variants on HIV-1 infection and disease progression. Hemophilia Growth and Development Study (HGDS), Multicenter AIDS Cohort Study (MACS), Multicenter Hemophilia Cohort Study (MHCS), San Francisco City Cohort (SFCC), ALIVE Study. *Science*, 277(5328):959–65, 1997. [12](#)
- Sobreira, N.L.M., Cirulli, E.T., Avramopoulos, D., Wohler, E., et al. Whole-genome sequencing of a single proband together with linkage analysis identifies a Mendelian disease gene. *PLoS Genet*, 6(6):e1000991, 2010. [5](#)
- Southern, E.M. Detection of specific sequences among DNA fragments separated by gel electrophoresis. *J Mol Biol*, 98(3):503–17, 1975. [3](#)
- Spector, T.D. and Williams, F.M.K. The UK Adult Twin Registry (TwinsUK). *Twin Res Hum Genet*, 9(6):899–906, 2006. [56](#)
- Spielman, R.S., Bastone, L.A., Burdick, J.T., Morley, M., et al. Common genetic variants account for differences in gene expression among ethnic groups. *Nature Genetics*, 39(2):226–231, 2007. [34](#)
- Stegle, O., Sharp, K., Winn, J., and Rattray, M. A comparison of inference in sparse factor analysis models. *Journal of Machine Learning Research*, 2009, in preparation. [65](#), [67](#), [70](#), [72](#), [75](#), [76](#)
- Stegle, O., Kannan, A., Durbin, R., and Winn, J. Accounting for Non-genetic Factors Improves the Power of eQTL Studies. In *Research in Computational Molecular Biology*, pp. 411–422. 2008. [33](#), [34](#), [40](#)
- Stegle, O., Parts, L., Durbin, R., and Winn, J. A Bayesian Framework to Account for Complex Non-Genetic Factors in Gene Expression Levels Greatly Increases Power in eQTL Studies. *PLoS Computational Biology*, 6(5):e1000770, 2010. [33](#), [67](#), [88](#)

REFERENCES

- Steinmetz, L.M., Sinha, H., Richards, D.R., Spiegelman, J.I., et al. Dissecting the architecture of a quantitative trait locus in yeast. *Nature*, 416(6878):326–330, 2002. [6](#), [9](#), [97](#), [114](#)
- Storey, J. The positive false discovery rate: A Bayesian interpretation and the q-value. *Annals of Statistics*, 31(6):2013–2035, 2003. [74](#)
- Storey, J. and Tibshirani, R. Statistical significance for genomewide studies. *Proceedings of the National Academy of Sciences of the United States of America*, 100(16):9440, 2003. [74](#), [78](#)
- Storey, J.D., Akey, J.M., and Kruglyak, L. Multiple locus linkage analysis of genomewide expression in yeast. *PLoS Biology*, 3(8):e267, 2005. [66](#), [87](#)
- Storici, F., Lewis, L.K., and Resnick, M.A. In vivo site-directed mutagenesis using oligonucleotides. *Nat Biotechnol*, 19(8):773–6, 2001. [9](#)
- Stranger, B.E., Forrest, M.S., Clark, A.G., Minichiello, M.J., et al. Genome-Wide Associations of Gene Expression Variation in Humans. *PLoS Genet*, 1(6):e78, 2005. [18](#), [19](#)
- Stranger, B.E., Nica, A.C., Forrest, M.S., Dimas, A., et al. Population genomics of human gene expression. *Nature Genetics*, 39(10):1217–1224, 2007. [14](#), [17](#), [20](#), [34](#), [35](#), [48](#), [50](#), [53](#), [54](#), [56](#), [124](#)
- Sun, W., Yu, T., and Li, K. Detection of eQTL modules mediated by activity levels of transcription factors. *Bioinformatics*, 23(17):2290, 2007. [88](#)
- Takeuchi, F., McGinnis, R., Bourgeois, S., Barnes, C., et al. A genome-wide association study confirms VKORC1, CYP2C9, and CYP4F2 as principal genetic determinants of warfarin dose. *PLoS Genet*, 5(3):e1000433, 2009. [13](#)
- Teixeira, M.C., Monteiro, P., Jain, P., Tenreiro, S., et al. The YEASTRACT database: a tool for the analysis of transcription regulatory associations in *Saccharomyces cerevisiae*. *Nucleic Acids Research*, 34:D3–D5, 2006. [67](#), [75](#), [77](#)
- The International HapMap Consortium. A haplotype map of the human genome. *Nature*, 437:1299–1320, 2005. [17](#), [48](#)

REFERENCES

- Threadgill, D.W., Hunter, K.W., and Williams, R.W. Genetic dissection of complex and quantitative traits: from fantasy to reality via a community effort. *Mamm Genome*, 13(4):175–8, 2002. [7](#)
- Tiret, L., Bonnardeaux, A., Poirier, O., Ricard, S., et al. Synergistic effects of angiotensin-converting enzyme and angiotensin-II type 1 receptor gene polymorphisms on risk of myocardial infarction. *Lancet*, 344(8927):910–3, 1994. [12](#)
- Towbin, H., Staehelin, T., and Gordon, J. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *Proc Natl Acad Sci U S A*, 76(9):4350–4, 1979. [3](#)
- Tsai, I.J., Burt, A., and Koufopanou, V. Conservation of recombination hotspots in yeast. *Proceedings of the National Academy of Sciences of the United States of America*, 107(17):7847–7852, 2010. [93](#)
- Valdar, W. et al. Genome-wide genetic association of complex traits in heterogeneous stock mice. *Nature Genetics*, 38:879–887, 2006. [91](#)
- van Nas, A., Ingram-Drake, L., Sinsheimer, J.S., Wang, S.S., et al. Expression quantitative trait loci: replication, tissue- and sex-specificity in mice. *Genetics*, 185(3):1059–68, 2010. [19](#)
- Visscher, P.M., Hill, W.G., and Wray, N.R. Heritability in the genomics era—concepts and misconceptions. *Nat Rev Genet*, 9(4):255–66, 2008. [13](#)
- Vogel, C., de Sousa Abreu, R., Ko, D., Le, S.Y., et al. Sequence signatures and mRNA concentration can explain two-thirds of protein abundance variation in a human cell line. *Molecular Systems Biology*, 6, 2010. [21](#)
- Voigt, B., Kuramoto, T., Mashimo, T., Tsurumi, T., et al. Evaluation of LEXF/FXLE rat recombinant inbred strains for genetic dissection of complex traits. *Physiol Genomics*, 32(3):335–42, 2008. [6](#)
- Watson, J.D. and Crick, F.H. Molecular structure of nucleic acids; a structure for deoxyribose nucleic acid. *Nature*, 171(4356):737–8, 1953. [3](#)

REFERENCES

- Weedon, M.N., Lango, H., Lindgren, C.M., Wallace, C., et al. Genome-wide association analysis identifies 20 loci that influence adult height. *Nat Genet*, 40(5):575–83, 2008. [8](#)
- Wei, W., McCusker, J.H., Hyman, R.W., Jones, T., et al. Genome sequencing and comparative analysis of *Saccharomyces cerevisiae* strain YJM789. *Proceedings of the National Academy of Sciences of the United States of America*, 104(31):12825–12830, 2007. [6](#)
- Wenger, J.W., Schwartz, K., and Sherlock, G. Bulk Segregant Analysis by High-Throughput Sequencing Reveals a Novel Xylose Utilization Gene from *Saccharomyces cerevisiae*. *PLoS Genet*, 6(5):e1000942+, 2010. [91](#)
- Williams, R.B., Chan, E.K., Cowley, M.J., and Little, P.F. The influence of genetic variation on gene expression. *Genome research*, 17(12):1707–1716, 2007. [53](#)
- Winn, J. and Bishop, C. Variational Message Passing. *Journal of Machine Learning Research*, 6(1):661, 2006. [41](#)
- Wykoff, D., Rizvi, A., Raser, J., Margolin, B., et al. Positive feedback regulates switching of phosphate transporters in *S. cerevisiae*. *Molecular cell*, 27(6):1005–1013, 2007. [78](#)
- Yang, J., Benyamin, B., McEvoy, B.P., Gordon, S., et al. Common SNPs explain a large proportion of the heritability for human height. *Nat Genet*, 42(7):565–9, 2010. [13](#)
- Yuste, R. Fluorescence microscopy today. *Nat Methods*, 2(12):902–4, 2005. [15](#)
- Yvert, G., Brem, R.B., Whittle, J., Akey, J.M., et al. Trans-acting regulatory variation in *Saccharomyces cerevisiae* and the role of transcription factors. *Nature genetics*, 35(1):57–64, 2003. [18](#), [80](#), [82](#), [85](#)
- Zhang, W., Zhu, J., Schadt, E.E., and Liu, J.S. A Bayesian Partition Method for Detecting Pleiotropic and Epistatic eQTL Modules. *PLoS Comput Biol*, 6(1):e1000642+, 2010. [27](#), [88](#)

REFERENCES

- Zheng, W., Zhao, H., Mancera, E., Steinmetz, L.M., et al. Genetic analysis of variation in transcription factor binding in yeast. *Nature*, 464(7292):1187–1191, 2010. [6](#), [14](#), [114](#)
- Zhu, J., Zhang, B., Smith, E.N., Drees, B., et al. Integrating large-scale functional genomic data to dissect the complexity of yeast regulatory networks. *Nature genetics*, 40(7):854–861, 2008. [27](#), [88](#)