

References

- Adikusuma, F., Piltz, S., Corbett, M. A., Turvey, M., McColl, S. R., Helbig, K. J., Beard, M. R., Hughes, J., Pomerantz, R. T., and Thomas, P. Q. (2018). Large deletions induced by Cas9 cleavage. *Nature*, 560(7717):E8–E9.
- Ahuja, A. K., Jodkowska, K., Teloni, F., Bizard, A. H., Zellweger, R., Herrador, R., Ortega, S., Hickson, I. D., Altmeyer, M., Mendez, J., and Lopes, M. (2016). A short G1 phase imposes constitutive replication stress and fork remodelling in mouse embryonic stem cells. *Nature Communications*, 7(May 2015):1–11.
- Aiuti, A., Biasco, L., Scaramuzza, S., Ferrua, F., Cicalese, M. P., Baricordi, C., Dionisio, F., Calabria, A., Giannelli, S., Castiello, M. C., Bosticardo, M., Evangelio, C., Assanelli, A., Casiraghi, M., Di Nunzio, S., Callegaro, L., Benati, C., Rizzardi, P., Pellin, D., Di Serio, C., Schmidt, M., Von Kalle, C., Gardner, J., Mehta, N., Neduva, V., Dow, D. J., Galy, A., Miniero, R., Finocchi, A., Metin, A., Banerjee, P. P., Orange, J. S., Galimberti, S., Valsecchi, M. G., Biffi, A., Montini, E., Villa, A., Ciceri, F., Roncarolo, M. G., and Naldini, L. (2013). Lentiviral hematopoietic stem cell gene therapy in patients with Wiskott-Aldrich syndrome. *Science*, 341(6148):1233151–1233151.
- Akcakaya, P., Bobbin, M. L., Guo, J. A., Lopez, J. M., Clement, M. K., Garcia, S. P., Fellows, M. D., Porritt, M. J., Firth, M. A., Carreras, A., Baccega, T., Seeliger, F., Bjursell, M., Tsai, S. Q., Nguyen, N. T., Nitsch, R., Mayr, L., Pinello, L., Bohlooly-Y, M., Aryee, M. J., Maresca, M., and Joung, J. K. (2018). In vivo CRISPR-Cas gene editing with no detectable genome-wide off-target mutations. *bioRxiv*, page 272724.
- Aladjem, M. I., Spike, B. T., Rodewald, L. W., Hope, T. J., Klemm, M., Jaenisch, R., and Wahl, G. M. (1998). ES cells do not activate p53-dependent stress responses and undergo p53-independent apoptosis in response to DNA damage. *Curr Biol*, 8(3):145–155.
- Alt, F. W., Zhang, Y., Meng, F.-L., Guo, C., and Schwer, B. (2013). Mechanisms of programmed DNA lesions and genomic instability in the immune system. *Cell*, 152(3):417–29.
- Ames, B. N. (1979). Identifying environmental chemicals causing mutations and cancer. *Science (New York, N.Y.)*, 204(4393):587–93.
- Andersen, S. L. and Sekelsky, J. (2010). Meiotic versus mitotic recombination: two different routes for double-strand break repair: the different functions of meiotic versus mitotic DSB repair are reflected in different pathway usage and different outcomes. *BioEssays : news and reviews in molecular, cellular and developmental biology*, 32(12):1058–66.
- Andersson-Rolf, A., Mustata, R. C., Merenda, A., Kim, J., Perera, S., Grego, T., Andrews, K., Tremble, K., Silva, J. C. R., Fink, J., Skarnes, W. C., and Koo, B.-K. K. (2017). One-step generation of conditional and reversible gene knockouts. *Nature Methods*, 14(3):287–289.
- Aparicio-Prat, E., Arnan, C., Sala, I., Bosch, N., Guigó, R., and Johnson, R. (2015). DECKO: Single-oligo, dual-CRISPR deletion of genomic elements including long non-coding RNAs. *BMC genomics*, 16(1):846.
- Austin, C. P., Battey, J. F., Bradley, A., Bucan, M., Capecchi, M., Collins, F. S., Dove, W. F., Duyk, G., Dymecki, S., Eppig, J. T., Grieder, F. B., Heintz, N., Hicks, G., Insel, T. R., Joyner, A., Koller, B. H., Lloyd, K. C. K., Magnuson, T., Moore, M. W., Nagy, A., Pollock, J. D., Roses, A. D., Sands, A. T., Seed, B., Skarnes, W. C., Snoddy, J., Soriano, P., Stewart, D. J., Stewart, F., Stillman, B., Varmus, H., Varticovski, L., Verma, I. M., Vogt, T. F., von Melchner, H., Witkowski, J., Woychik, R. P., Wurst, W., Yancopoulos, G. D., Young, S. G., and Zambrowicz, B. (2004). The knockout mouse project. *Nature genetics*, 36(9):921–4.
- Aylon, Y., Liefshitz, B., and Kupiec, M. (2004). The CDK regulates repair of double-strand breaks by homologous recombination during the cell cycle. *The EMBO journal*, 23(24):4868–75.
- Bahassi, E. M., O’Dea, M. H., Allali, N., Messens, J., Gellert, M., and Couturier, M. (1999). Interactions of CcdB with DNA gyrase. Inactivation of Gyra, poisoning of the gyrase-DNA complex, and the antidote action of CcdA. *The Journal of biological chemistry*, 274(16):10936–44.
- Barbieri, E. M., Muir, P., Akhuetie-Oni, B. O., Yellman, C. M., and Isaacs, F. J. (2017). Precise Editing at DNA Replication Forks Enables Multiplex Genome Engineering in Eukaryotes. *Cell*, 171(6):1453–1467.e13.
- Barkal, A. A., Srinivasan, S., Hashimoto, T., Gifford, D. K., and Sherwood, R. I. (2016). Cas9 functionally opens chromatin. *PLoS ONE*, 11(3):1–8.

- Bennardo, N., Cheng, A., Huang, N., and Stark, J. M. (2008). Alternative-NHEJ is a mechanistically distinct pathway of mammalian chromosome break repair. *PLoS genetics*, 4(6):e1000110.
- Bennett, C. B., Lewis, A. L., Baldwin, K. K., and Resnick, M. A. (1993). Lethality induced by a single site-specific double-strand break in a dispensable yeast plasmid. *Proceedings of the National Academy of Sciences of the United States of America*, 90(12):5613–7.
- Bibikova, M., Beumer, K., Trautman, J. K., and Carroll, D. (2003). Enhancing gene targeting with designed zinc finger nucleases. *Science (New York, N.Y.)*, 300(5620):764.
- Blackford, A. N. and Jackson, S. P. (2017). ATM, ATR, and DNA-PK: The Trinity at the Heart of the DNA Damage Response. *Molecular cell*, 66(6):801–817.
- Blomen, V. A., Jae, L. T., Bigenzahn, J. W., Nieuwenhuis, J., Staring, J., Sacco, R., Diemen, F. R. V., Olk, N., Stukalov, A., Marceau, C., Janssen, H., Carette, J. E., Bennett, K. L., and Colinge, J. (2015). Gene essentiality and synthetic lethality in haploid human cells. *Science*, 350(6264).
- Boch, J., Scholze, H., Schornack, S., Landgraf, A., Hahn, S., Kay, S., Lahaye, T., Nickstadt, A., and Bonas, U. (2009). Breaking the code of DNA binding specificity of TAL-type III effectors. *Science (New York, N.Y.)*, 326(5959):1509–12.
- Bolton, H., Graham, S. J. L., Van der Aa, N., Kumar, P., Theunis, K., Fernandez Gallardo, E., Voet, T., and Zernicka-Goetz, M. (2016). Mouse model of chromosome mosaicism reveals lineage-specific depletion of aneuploid cells and normal developmental potential. *Nature Communications*, 7:11165.
- Boroviak, K., Doe, B., Banerjee, R., Yang, F., and Bradley, A. (2016). Chromosome engineering in zygotes with CRISPR/Cas9. *Genesis*, 54(2):78–85.
- Boroviak, K., Fu, B., Yang, F., Doe, B., and Bradley, A. (2017). Revealing hidden complexities of genomic rearrangements generated with Cas9. *Scientific Reports*, 7(1):1–8.
- Boulton, S. J. and Jackson, S. P. (1996). *Saccharomyces cerevisiae* Ku70 potentiates illegitimate DNA double-strand break repair and serves as a barrier to error-prone DNA repair pathways. *The EMBO journal*, 15(18):5093–103.
- Bradley, A., Evans, M., Kaufman, M. H., and Robertson, E. (1984). Formation of germ-line chimaeras from embryo-derived teratocarcinoma cell lines. *Nature*, 309(5965):255–256.
- Brenneman, M. A., Wagener, B. M., Miller, C. A., Allen, C., and Nickoloff, J. A. (2002). XRCC3 controls the fidelity of homologous recombination: roles for XRCC3 in late stages of recombination. *Molecular cell*, 10(2):387–95.
- Brenneman, M. A., Weiss, A. E., Nickoloff, J. A., and Chen, D. J. (2000). XRCC3 is required for efficient repair of chromosome breaks by homologous recombination. *Mutation research*, 459(2):89–97.
- Brinkman, E. K., Chen, T., Amendola, M., and Van Steensel, B. (2014). Easy quantitative assessment of genome editing by sequence trace decomposition. *Nucleic Acids Research*, 42(22):1–8.
- Brinkman, E. K., Chen, T., de Haas, M., Holland, H. A., Akhtar, W., and van Steensel, B. (2018). Kinetics and Fidelity of the Repair of Cas9-Induced Double-Strand DNA Breaks. *Molecular Cell*.
- Broach, J. R. (1982). The yeast plasmid 2μ circle. *Cell*, 28(2):203–204.
- Broll, S., Oumard, A., Hahn, K., Schambach, A., and Bode, J. (2010). Minicircle Performance Depending on S/MAR–Nuclear Matrix Interactions. *Journal of Molecular Biology*, 395(5):950–965.
- Cai, Y., Bak, R. O., Krogh, L. B., Staunstrup, N. H., Moldt, B., Corydon, T. J., Schröder, L. D., and Mikkelsen, J. G. (2014). DNA transposition by protein transduction of the piggyBac transposase from lentiviral Gag precursors. *Nucleic Acids Research*, 42(4).
- Cain-Hom, C., Splinter, E., van Min, M., Simonis, M., van de Heijning, M., Martinez, M., Asghari, V., Cox, J., and Warming, S. (2017). Efficient mapping of transgene integration sites and local structural changes in Cre transgenic mice using targeted locus amplification. *Nucleic Acids Research*, 45(8):gkw1329.
- Canela, A., Sridharan, S., Sciascia, N., Tubbs, A., Meltzer, P., Sleckman, B. P., and Nussenzweig, A. (2016). DNA Breaks and End Resection Measured Genome-wide by End Sequencing. *Molecular Cell*, 63(5):898–911.
- Canver, M. C., Bauer, D. E., Dass, A., Yien, Y. Y., Chung, J., Masuda, T., Maeda, T., Paw, B. H., and Orkin, S. H. (2014). Characterization of Genomic Deletion Efficiency Mediated by CRISPR/Cas9 in Mammalian Cells. *The Journal of biological chemistry*.

- Canver, M. C., Smith, E. C., Sher, F., Pinello, L., Sanjana, N. E., Shalem, O., Chen, D. D., Schupp, P. G., Vinjamur, D. S., Garcia, S. P., Luc, S., Kurita, R., Nakamura, Y., Fujiwara, Y., Maeda, T., Yuan, G.-C. C., Zhang, F., Orkin, S. H., and Bauer, D. E. (2015). BCL11A enhancer dissection by Cas9-mediated in situ saturating mutagenesis. *Nature*, 527(7577):192–197.
- Casini, A., Olivieri, M., Petris, G., Montagna, C., Reginato, G., Maule, G., Lorenzin, F., Prandi, D., Romanel, A., Demichelis, F., Inga, A., and Cereseto, A. (2018). A highly specific SpCas9 variant is identified by in vivo screening in yeast. *Nature biotechnology*, 36(3):265–271.
- Certo, M. T., Ryu, B. Y., Annis, J. E., Garibov, M., Jarjour, J., Rawlings, D. J., and Scharenberg, A. M. (2011). Tracking genome engineering outcome at individual DNA breakpoints. *Nature Methods*, 8(8):671–676.
- Chaikind, B., Bessen, J. L., Thompson, D. B., Hu, J. H., and Liu, D. R. (2016). A programmable Cas9-serine recombinase fusion protein that operates on DNA sequences in mammalian cells. *Nucleic Acids Research*, 44(20):gkw707.
- Chakrabarti, A. M., Henser-Brownhill, T., Monserrat, J., Poetsch, A. R., Luscombe, N. M., and Scaffidi, P. (2018). Target-specific precision of CRISPR-mediated genome editing. *bioRxiv*, page 387027.
- Chang, H. H. Y., Pannunzio, N. R., Adachi, N., and Lieber, M. R. (2017). Non-homologous DNA end joining and alternative pathways to double-strand break repair. *Nature Reviews Molecular Cell Biology*, 18(8):495–506.
- Chang, H. H. Y., Watanabe, G., Gerodimos, C. A., Ochi, T., Blundell, T. L., Jackson, S. P., and Lieber, M. R. (2016). Different DNA End Configurations Dictate Which NHEJ Components Are Most Important for Joining Efficiency. *The Journal of biological chemistry*, 291(47):24377–24389.
- Chavez, A., Pruitt, B. W., Tuttle, M., Shapiro, R. S., Cecchi, R. J., Winston, J., Turczyk, B. M., Tung, M., Collins, J. J., and Church, G. M. (2018). Precise Cas9 targeting enables genomic mutation prevention. *Proceedings of the National Academy of Sciences of the United States of America*, 115(14):3669–3673.
- Chavez, A., Tuttle, M., Pruitt, B. W., Ewen-Campen, B., Chari, R., Ter-Ovanesyan, D., Haque, S. J., Cecchi, R. J., Kowal, E. J., Buchthal, J., Housden, B. E., Perrimon, N., Collins, J. J., and Church, G. (2016). Comparison of Cas9 activators in multiple species. *Nature Methods*, 13(7):563–567.
- Chen, C.-h., Li, W., Xiao, T., Xu, H., Jiang, P., Meyer, C. A., Brown, M., and Liu, X. S. (2017). Integrative analysis and refined design of CRISPR knockout screens. *bioRxiv*, page 106534.
- Chevalier, B. S., Kortemme, T., Chadsey, M. S., Baker, D., Monnat, R. J., and Stoddard, B. L. (2002). Design, Activity, and Structure of a Highly Specific Artificial Endonuclease. *Molecular Cell*, 10(4):895–905.
- Chira, S., Jackson, C. S., Oprea, I., Ozturk, F., Pepper, M. S., Diaconu, I., Braicu, C., Raduly, L.-Z., Calin, G. A., and Berindan-Neagoe, I. (2015). Progresses towards safe and efficient gene therapy vectors. *Oncotarget*, 6(31):30675–30703.
- Cho, S. W., Kim, S., Kim, J. M., and Kim, J.-S. (2013). Targeted genome engineering in human cells with the Cas9 RNA-guided endonuclease. *Nature biotechnology*, 31(3):230–232.
- Chu, V. T., Weber, T., Wefers, B., Wurst, W., Sander, S., Rajewsky, K., and Kühn, R. (2015). Increasing the efficiency of homology-directed repair for CRISPR-Cas9-induced precise gene editing in mammalian cells. *Nature biotechnology*, 33(5):543–8.
- Ciccica, A. and Elledge, S. J. (2010). The DNA damage response: making it safe to play with knives. *Molecular cell*, 40(2):179–204.
- Clarke, R., Heler, R., MacDougall, M. S., Yeo, N. C., Chavez, A., Regan, M., Hanakahi, L., Church, G. M., Marraffini, L. A., and Merrill, B. J. (2018). Enhanced Bacterial Immunity and Mammalian Genome Editing via RNA-Polymerase-Mediated Dislodging of Cas9 from Double-Strand DNA Breaks. *Molecular cell*, 71(1):42–55.e8.
- Cohen, S. N. (2013). DNA cloning: a personal view after 40 years. *Proceedings of the National Academy of Sciences of the United States of America*, 110(39):15521–9.
- Cohen, S. N., Chang, A. C. Y., and Hsu, L. (1972). Nonchromosomal Antibiotic Resistance in Bacteria: Genetic Transformation of Escherichia coli by R-Factor DNA. *Proceedings of the National Academy of Sciences*, 69(8):2110–2114.
- Cong, L., Ran, F. A., Cox, D., Lin, S., Barretto, R., Habib, N., Hsu, P. D., Wu, X., Jiang, W., Marraffini, L. a., and Zhang, F. (2013). Multiplex genome engineering using CRISPR/Cas systems. *Science (New York, N.Y.)*, 339(6121):819–23.
- Conway, A., Laganière, J., Paschon, D. E., Hacke, K., Kasahara, N., Gregory, P. D., Holmes, M. C., and Cost, G. J. (2014). HPRT As a Selectable Safe Harbor for Transgenesis. *Blood*, 124(21).

- Daughtry, B. L., Rosenkrantz, J. L., Lazar, N. H., Fei, S. S., Redmayne, N., Torkenczy, K. A., Adey, A., Gao, L., Park, B., Nevonen, K. A., Carbone, L., and Chavez, S. L. (2018). Single-Cell Sequencing of Primate Preimplantation Embryos Reveals Chromosome Elimination Via Cellular Fragmentation and Blastomere Exclusion. *bioRxiv*, page 241851.
- de Vree, P. J. P., de Wit, E., Yilmaz, M., van de Heijning, M., Klous, P., Versteegen, M. J. A. M., Wan, Y., Teunissen, H., Krijger, P. H. L., Geeven, G., Eijk, P. P., Sie, D., Ylstra, B., Hulsman, L. O. M., van Dooren, M. F., van Zutven, L. J. C. M., van den Ouweland, A., Verbeek, S., van Dijk, K. W., Cornelissen, M., Das, A. T., Berkhout, B., Sikkema-Raddatz, B., van den Berg, E., van der Vlies, P., Weening, D., den Dunnen, J. T., Matusiak, M., Lamkanfi, M., Ligtenberg, M. J. L., ter Brugge, P., Jonkers, J., Foekens, J. A., Martens, J. W., van der Luijt, R., van Amstel, H. K. P., van Min, M., Splinter, E., and de Laat, W. (2014). Targeted sequencing by proximity ligation for comprehensive variant detection and local haplotyping. *Nature Biotechnology*, 32(10):1019–1025.
- Deckbar, D., Birraux, J., Krempler, A., Tchouandong, L., Beucher, A., Walker, S., Stiff, T., Jeggo, P., and Löbrich, M. (2007). Chromosome breakage after G2 checkpoint release. *The Journal of cell biology*, 176(6):749–55.
- Deem, A., Keszhelyi, A., Blackgrove, T., Vayl, A., Coffey, B., Mathur, R., Chabes, A., and Malkova, A. (2011). Break-induced replication is highly inaccurate. *PLoS biology*, 9(2):e1000594.
- Doench, J. G., Fusi, N., Sullender, M., Hegde, M., Vaimberg, E. W., Donovan, K. F., Smith, I., Tothova, Z., Wilen, C., Orchard, R., Virgin, H. W., Listgarten, J., and Root, D. E. (2016). Optimized sgRNA design to maximize activity and minimize off-target effects of CRISPR-Cas9. *Nature Biotechnology*, 34(2):184–191.
- Egli, D., Zuccaro, M. V., Kosicki, M., Church, G. M., Bradley, A., and Jasin, M. (2018). Interhomologue repair in fertilized human eggs? *Nature*, 560(7717):E5–E7.
- Elling, U., Wimmer, R. A., Leibbrandt, A., Burkard, T., Michlits, G., Leopoldi, A., Micheler, T., Abdeen, D., Zhuk, S., Aspalter, I. M., Handl, C., Liebergesell, J., Hubmann, M., Husa, A.-M., Kinzer, M., Schuller, N., Wetzler, E., van de Loo, N., Martinez, J. A. Z., Estoppey, D., Riedl, R., Yang, F., Fu, B., Dechat, T., Ivics, Z., Agu, C. A., Bell, O., Blaas, D., Gerhardt, H., Hoepfner, D., Stark, A., and Penninger, J. M. (2017). A reversible haploid mouse embryonic stem cell biobank resource for functional genomics. *Nature*, 550(7674):114.
- Escribano-Díaz, C., Orthwein, A., Fradet-Turcotte, A., Xing, M., Young, J. T. F., Tkáč, J., Cook, M. A., Rosebrock, A. P., Munro, M., Canny, M. D., Xu, D., and Durocher, D. (2013). A cell cycle-dependent regulatory circuit composed of 53BP1-RIF1 and BRCA1-CtIP controls DNA repair pathway choice. *Molecular cell*, 49(5):872–83.
- Findlay, G. M., Daza, R. M., Martin, B., Zhang, M. D., Leith, A. P., Gasperini, M., Janizek, J. D., Huang, X., Starita, L. M., and Shendure, J. (2018). Accurate classification of BRCA1 variants with saturation genome editing. *Nature*, page 1.
- Fonfara, I., Richter, H., Bratovič, M., Le Rhun, A., and Charpentier, E. (2016). The CRISPR-associated DNA-cleaving enzyme Cpf1 also processes precursor CRISPR RNA. *Nature*, 532(7600):517–521.
- Fu, Y., Sander, J. D., Reyon, D., Cascio, V. M., and Joung, J. K. (2014). Improving CRISPR-Cas nuclease specificity using truncated guide RNAs. *Nature biotechnology*, 32(3):279–84.
- Gallagher, D. N. and Haber, J. E. (2018). Repair of a Site-Specific DNA Cleavage: Old-School Lessons for Cas9-Mediated Gene Editing. *ACS Chemical Biology*, 13(2):397–405.
- Gao, X., Tao, Y., Lamas, V., Huang, M., Yeh, W.-H., Pan, B., Hu, Y.-J., Hu, J. H., Thompson, D. B., Shu, Y., Li, Y., Wang, H., Yang, S., Xu, Q., Polley, D. B., Liberman, M. C., Kong, W.-J., Holt, J. R., Chen, Z.-Y., and Liu, D. R. (2017). Treatment of autosomal dominant hearing loss by in vivo delivery of genome editing agents. *Nature*, 553(7687):217–221.
- Gasiunas, G., Barrangou, R., Horvath, P., and Siksnys, V. (2012). Cas9-crRNA ribonucleoprotein complex mediates specific DNA cleavage for adaptive immunity in bacteria. *Proceedings of the National Academy of Sciences of the United States of America*, 109(39):E2579–86.
- Gasperini, M., Findlay, G. M., McKenna, A., Milbank, J. H., Lee, C., Zhang, M. D., Cusanovich, D. A., and Shendure, J. (2017). CRISPR/Cas9-Mediated Scanning for Regulatory Elements Required for HPRT1 Expression via Thousands of Large, Programmed Genomic Deletions. *American Journal of Human Genetics*, 101(2):192–205.
- Gasperini, M., Hill, A., McFaline-Figueroa, J. L., Martin, B., Trapnell, C., Ahituv, N., and Shendure, J. (2018). crisprQTL mapping as a genome-wide

- association framework for cellular genetic screens. *bioRxiv*, page 314344.
- Gaudelli, N. M., Komor, A. C., Rees, H. A., Packer, M. S., Badran, A. H., Bryson, D. I., and Liu, D. R. (2017). Programmable base editing of A • T to G • C in genomic DNA without DNA cleavage. *Nature Publishing Group*, 551(7681):464–471.
- Georges-Labouesse, E., Messaddeq, N., Yehia, G., Cadalbert, L., Dierich, A., and Le Meur, M. (1996). Absence of integrin $\alpha 6$ leads to epidermolysis bullosa and neonatal death in mice. *Nature Genetics*, 13(3):370–373.
- Giannoukos, G., Ciulla, D. M., Marco, E., Abdulkirim, H. S., Barrera, L. A., Bothmer, A., Dhanapal, V., Gloskowski, S. W., Jayaram, H., Maeder, M. L., Skor, M. N., Wang, T., Myer, V. E., and Wilson, C. J. (2018). UDiTaS™, a genome editing detection method for indels and genome rearrangements. *BMC Genomics*, 19(1):212.
- Gilbert, L., Horlbeck, M., Adamson, B., Villalta, J., Chen, Y., Whitehead, E., Guimaraes, C., Panning, B., Ploegh, H., Bassik, M., Qi, L., Kampmann, M., and Weissman, J. (2014). Genome-Scale CRISPR-Mediated Control of Gene Repression and Activation. *Cell*, 159(3):647–661.
- Golic, K. G. and Lindquist, S. (1989). The FLP recombinase of yeast catalyzes site-specific recombination in the drosophila genome. *Cell*, 59(3):499–509.
- Goto, T. and Wang, J. C. (1982). Yeast DNA topoisomerase II. An ATP-dependent type II topoisomerase that catalyzes the catenation, decatenation, unknotting, and relaxation of double-stranded DNA rings. *The Journal of biological chemistry*, 257(10):5866–72.
- Guilinger, J. P., Thompson, D. B., and Liu, D. R. (2014). Fusion of catalytically inactive Cas9 to FokI nuclease improves the specificity of genome modification. *Nature biotechnology*, 32(6):577–582.
- Gutschner, T., Haemmerle, M., Genovese, G., Draetta, G. F., and Chin, L. (2016). Post-translational Regulation of Cas9 during G1 Enhances Homology-Directed Repair. *Cell Reports*, 14(6):1555–1566.
- Haapaniemi, E., Botla, S., Persson, J., Schmierer, B., and Taipale, J. (2018). CRISPR–Cas9 genome editing induces a p53-mediated DNA damage response. *Nature Medicine*, page 1.
- Hacein-Bey-Abina, S., von Kalle, C., Schmidt, M., Le Deist, F., Wulffraat, N., McIntyre, E., Radford, I., Villeval, J.-L., Fraser, C. C., Cavazzana-Calvo, M., and Fischer, A. (2003). A Serious Adverse Event after Successful Gene Therapy for X-Linked Severe Combined Immunodeficiency. *New England Journal of Medicine*, 348(3):255–256.
- Hansen, A. S. and O’Shea, E. K. (2015). Cis Determinants of Promoter Threshold and Activation Timescale. *Cell Reports*, 12(8):1226–1233.
- Hendel, A., Bak, R. O., Clark, J. T., Kennedy, A. B., Ryan, D. E., Roy, S., Steinfeld, I., Lunstad, B. D., Kaiser, R. J., Wilkens, A. B., Bacchetta, R., Tsalenko, A., Dellinger, D., Bruhn, L., and Porteus, M. H. (2015). Chemically modified guide RNAs enhance CRISPR-Cas genome editing in human primary cells. *Nature Biotechnology*, 33(9):985–989.
- Hicks, W. M., Kim, M., and Haber, J. E. (2010). Increased mutagenesis and unique mutation signature associated with mitotic gene conversion. *Science (New York, N.Y.)*, 329(5987):82–5.
- Hill, J. T., Demarest, B. L., Bisgrove, B. W., Su, Y. C., Smith, M., and Yost, H. J. (2014). Poly peak parser: Method and software for identification of unknown indels using sanger sequencing of polymerase chain reaction products. *Developmental Dynamics*, 243(12):1632–1636.
- Hirano, H., Gootenberg, J. S., Horii, T., Abudayyeh, O. O., Kimura, M., Hsu, P. D., Nakane, T., Ishitani, R., Hatada, I., Zhang, F., Nishimasu, H., and Nureki, O. (2016). Structure and Engineering of Francisella novicida Cas9. *Cell*, 164(5):950–961.
- Hong, Y. and Stambrook, P. J. (2004). Restoration of an absent G1 arrest and protection from apoptosis in embryonic stem cells after ionizing radiation. *Proceedings of the National Academy of Sciences of the United States of America*, 101(40):14443–14448.
- Horlbeck, M. A., Witkowsky, L. B., Guglielmi, B., Replogle, J. M., Gilbert, L. A., Villalta, J. E., Torigoe, S. E., Tjian, R., and Weissman, J. S. (2016). Nucleosomes impede cas9 access to DNA in vivo and in vitro. *eLife*, 5(MARCH2016).
- Hsu, P. D., Scott, D. A., Weinstein, J. A., Ran, F. A., Konermann, S., Agarwala, V., Li, Y., Fine, E. J., Wu, X., Shalem, O., Cradick, T. J., Marraffini, L. A., Bao, G., and Zhang, F. (2013a). DNA targeting specificity of RNA-guided Cas9 nucleases. *Nature Biotechnology*, 31(9):827–832.
- Hsu, P. D., Scott, D. a., Weinstein, J. a., Ran, F. A., Konermann, S., Agarwala, V., Li, Y., Fine, E. J., Wu, X., Shalem, O., Cradick, T. J., Marraffini,

- L. a., Bao, G., and Zhang, F. (2013b). Genome-Scale CRISPR-Cas9 Knockout Screening in Human Cells. *Nature biotechnology*, 31(9):827–32.
- Hu, J. H., Miller, S. M., Geurts, M. H., Tang, W., Chen, L., Sun, N., Zeina, C. M., Gao, X., Rees, H. A., Lin, Z., and Liu, D. R. (2018). Evolved Cas9 variants with broad PAM compatibility and high DNA specificity. *Nature*, 556(7699):57–63.
- Huang, L. C., Clarkin, K. C., and Wahl, G. M. (1996). Sensitivity and selectivity of the DNA damage sensor responsible for activating p53-dependent G1 arrest. *Proceedings of the National Academy of Sciences of the United States of America*, 93(10):4827–32.
- Huang, Y., McCann, C., Samsonov, A., Malkov, D., Davis, G. D., and Ji, Q. (2017). Modulation of Genome Editing Outcomes by Cell Cycle Control of Cas9 Expression. *bioRxiv*, page 127068.
- Iliakis, G. (2009). Backup pathways of NHEJ in cells of higher eukaryotes: Cell cycle dependence. *Radiotherapy and Oncology*, 92(3):310–315.
- Ira, G., Pelliccioli, A., Balijja, A., Wang, X., Fiorani, S., Carotenuto, W., Liberi, G., Bressan, D., Wan, L., Hollingsworth, N. M., Haber, J. E., and Foiani, M. (2004). DNA end resection, homologous recombination and DNA damage checkpoint activation require CDK1. *Nature*, 431(7011):1011–7.
- Iyer, V., Boroviak, K., Thomas, M., Doe, B., Ryder, E., and Adams, D. (2018). No unexpected CRISPR-Cas9 off-target activity revealed by trio sequencing of gene-edited mice. *bioRxiv*, page 263129.
- Jasin, M. and Rothstein, R. (2013). Repair of Strand Breaks by Homologous Recombination. *Cold Spring Harbor Perspectives in Biology*, 5 VN-re(11):1–19.
- Jensen, R. B., Carreira, A., and Kowalczykowski, S. C. (2010). Purified human BRCA2 stimulates RAD51-mediated recombination. *Nature*, 467(7316):678–83.
- Jiang, F., Taylor, D. W., Chen, J. S., Kornfeld, J. E., Zhou, K., Thompson, A. J., Nogales, E., and Doudna, J. A. (2016). Structures of a CRISPR-Cas9 R-loop complex primed for DNA cleavage. *Science (New York, N.Y.)*, 351(6275):867–871.
- Jinek, M., Chylinski, K., Fonfara, I., Hauer, M., Doudna, J. A., and Charpentier, E. (2012). A Programmable Dual-RNA – Guided DNA Endonuclease in Adaptive Bacterial Immunity. *Science (New York, N.Y.)*, 337(August):816–822.
- Johnson, R. D. and Jasin, M. (2000). Sister chromatid gene conversion is a prominent double-strand break repair pathway in mammalian cells. *The EMBO Journal*, 19(13):3398–407.
- Julius, M. H., Masuda, T., and Herzenberg, L. A. (1972). Demonstration that antigen-binding cells are precursors of antibody-producing cells after purification with a fluorescence-activated cell sorter. *Proceedings of the National Academy of Sciences of the United States of America*, 69(7):1934–8.
- Kearns, N. A., Pham, H., Tabak, B., Genga, R. M., Silverstein, N. J., Garber, M., and Maehr, R. (2015). Functional annotation of native enhancers with a Cas9–histone demethylase fusion. *Nature Methods*, 12(5):401–403.
- Keeney, S. and Kleckner, N. (1995). Covalent protein-DNA complexes at the 5' strand termini of meiosis-specific double-strand breaks in yeast. *Proceedings of the National Academy of Sciences of the United States of America*, 92(24):11274–8.
- Kent, T., Mateos-Gomez, P. A., Sfeir, A., and Pomerantz, R. T. (2016). Polymerase θ is a robust terminal transferase that oscillates between three different mechanisms during end-joining. *eLife*, 5(JUN2016):1–25.
- Kim, H. K., Song, M., Lee, J., Menon, A. V., Jung, S., Kang, Y.-M., Choi, J. W., Woo, E., Koh, H. C., Nam, J.-W., and Kim, H. (2017a). In vivo high-throughput profiling of CRISPR–Cpf1 activity. *Nature Methods*, 14(2):153–159.
- Kim, S., Bae, T., Hwang, J., and Kim, J.-S. (2017b). Rescue of high-specificity Cas9 variants using sgRNAs with matched 5' nucleotides. *Genome Biology*, 18(1):218.
- Kim, S., Kim, D., Cho, S. W., Jungeun, K., Kim, J. S. J. J.-S. S., and Kim, J. S. J. J.-S. S. (2014). Highly efficient RNA-guided genome editing in human cells via delivery of purified Cas9 ribonucleoproteins. *Genome Research*, 24(6):1012–1019.
- Kleinstiver, B. P., Pattanayak, V., Prew, M. S., Tsai, S. Q., Nguyen, N. T., Zheng, Z., and Joung, J. K. (2016). High-fidelity CRISPR–Cas9 nucleases with no detectable genome-wide off-target effects. *Nature*, 529(7587):490–495.
- Kleinstiver, B. P., Prew, M. S., Tsai, S. Q., Topkar, V. V., Nguyen, N. T., Zheng, Z., Gonzales, A. P. W., Li, Z., Peterson, R. T., Yeh, J.-R. J. R. J., Aryee, M. J., and Joung, J. K. (2015). Engineered CRISPR-Cas9 nucleases with altered PAM specificities. *Nature*, 523(7561):481–485.

- Koike-Yusa, H., Li, Y., Tan, E.-P., Velasco-Herrera, M. D. C., and Yusa, K. (2014). Genome-wide recessive genetic screening in mammalian cells with a lentiviral CRISPR-guide RNA library. *Nature biotechnology*, 32(3):267–73.
- Koller, B. H., Hagemann, L. J., Doetschman, T., Hageman, J. R., Huang, S., Williams, P. J., First, N. L., Maeda, N., and Smithies, O. (1989). Germ-line transmission of a planned alteration made in a hypoxanthine phosphoribosyltransferase gene by homologous recombination in embryonic stem cells. *Proceedings of the National Academy of Sciences*, 86(22):8927–8931.
- Komor, A. C., Kim, Y. B., Packer, M. S., Zuris, J. A., and Liu, D. R. (2016). Programmable editing of a target base in genomic DNA without double-stranded DNA cleavage. *Nature*, 61(16):5985–91.
- Konermann, S., Brigham, M. D., Trevino, A. E., Joung, J., Abudayyeh, O. O., Barcena, C., Hsu, P. D., Habib, N., Gootenberg, J. S., Nishimasu, H., Nureki, O., and Zhang, F. (2014). Genome-scale transcriptional activation by an engineered CRISPR-Cas9 complex. *Nature*, 517(7536):583–8.
- Korkmaz, G., Lopes, R., Ugalde, A. P., Nevedomskaya, E., Han, R., Myacheva, K., Zwart, W., Elkon, R., and Agami, R. (2016). Functional genetic screens for enhancer elements in the human genome using CRISPR-Cas9. *Nature biotechnology*, (August 2015):1–10.
- Kosicki, M., Rajan, S. S., Lorenzetti, F. C., Wandall, H. H., Narimatsu, Y., Metzakopian, E., and Bennett, E. P. (2017). Dynamics of Indel Profiles Induced by Various CRISPR/Cas9 Delivery Methods. *Progress in Molecular Biology and Translational Science*, 152:49–67.
- Kosicki, M., Tomberg, K., and Bradley, A. (2018). Repair of double-strand breaks induced by CRISPR–Cas9 leads to large deletions and complex rearrangements. *Nature Biotechnology*, 36(8):765.
- Kraft, K., Geuer, S., Will, A. J., Chan, W., Paliou, C., Borschiwer, M., Harabula, I., Wittler, L., Franke, M., Ibrahim, D. M., Kragesteen, B. K., Spielmann, M., Mundlos, S., Lupiáñez, D. G., and Andrey, G. (2015). Deletions, inversions, duplications: Engineering of structural variants using CRISPR/Cas in mice. *Cell Reports*, 10(5):833–839.
- Le Naour, F. and Boucheix, C. (2000). Severely Reduced Female Fertility in CD9-Deficient Mice. *Science*, 287(5451):319–321.
- Lee, E.-C., Liang, Q., Ali, H., Bayliss, L., Beasley, A., Bloomfield-Gerdes, T., Bonoli, L., Brown, R., Campbell, J., Carpenter, A., Chalk, S., Davis, A., England, N., Fane-Dremuccheva, A., Franz, B., Germaschewski, V., Holmes, H., Holmes, S., Kirby, I., Kosmac, M., Legent, A., Lui, H., Manin, A., O’Leary, S., Paterson, J., Sciarrillo, R., Speak, A., Spensberger, D., Tuffery, L., Waddell, N., Wang, W., Wells, S., Wong, V., Wood, A., Owen, M. J., Friedrich, G. a., and Bradley, A. (2014). Complete humanization of the mouse immunoglobulin loci enables efficient therapeutic antibody discovery. *Nature biotechnology*, 32(4):356–63.
- Leenay, R. T., Aghazadeh, A., Hiatt, J., Tse, D., Hulquist, J., Krogan, N., Wu, Z., Marson, A., May, A. P., and Zou, J. (2018). Systematic characterization of genome editing in primary T cells reveals proximal genomic insertions and enables machine learning prediction of CRISPR-Cas9 DNA repair outcomes. *bioRxiv*, page 404947.
- Lemos, B. R., Kaplan, A. C., Bae, J. E., Ferrazzoli, A. E., Kuo, J., Anand, R. P., Waterman, D. P., and Haber, J. E. (2018). CRISPR/Cas9 cleavages in budding yeast reveal templated insertions and strand-specific insertion/deletion profiles. *Proceedings of the National Academy of Sciences*, page 201716855.
- Lensing, S. V., Marsico, G., Hänsel-Hertsch, R., Lam, E. Y., Tannahill, D., and Balasubramanian, S. (2016). DSBcapture: in situ capture and sequencing of DNA breaks. *Nature Methods*, 13(10):855–7.
- Lessard, S., Francioli, L., Alfoldi, J., Tardif, J.-C., Ellinor, P. T., MacArthur, D. G., Lettre, G., Orkin, S. H., and Canver, M. C. (2017). Human genetic variation alters CRISPR-Cas9 on- and off-targeting specificity at therapeutically implicated loci. *Proceedings of the National Academy of Sciences*, 114(52):E11257–E11266.
- Levy, J. E., Jin, O., Fujiwara, Y., Kuo, F., and Andrews, N. C. (1999). Transferrin receptor is necessary for development of erythrocytes and the nervous system. *Nature Genetics*, 21(4):396–399.
- Lin, F. L. and Sternberg, N. (1984). Homologous recombination between overlapping thymidine kinase gene fragments stably inserted into a mouse cell genome. *Molecular and Cellular Biology*, 4(5):852–861.
- Lin, S., Staahl, B. T., Alla, R. K., and Doudna, J. A. (2014). Enhanced homology-directed human genome engineering by controlled timing of CRISPR/Cas9 delivery. *eLife*, 3:e04766.

- Listgarten, J., Weinstein, M., Kleinstiver, B. P., Sousa, A. A., Joung, J. K., Crawford, J., Gao, K., Hoang, L., Elibol, M., Doench, J. G., and Fusi, N. (2018). Prediction of off-target activities for the end-to-end design of CRISPR guide RNAs. *Nature Biomedical Engineering*, 2(1):38–47.
- Liu, X., Homma, A., Sayadi, J., Yang, S., Ohashi, J., and Takumi, T. (2016). Sequence features associated with the cleavage efficiency of CRISPR/Cas9 system. *Scientific Reports*, 6:1–9.
- Liu, Z., Gerner, M. Y., Van Panhuys, N., Levine, A. G., Rudensky, A. Y., and Germain, R. N. (2015). Immune homeostasis enforced by colocalized effector and regulatory T cells. *Nature*, 528(7581):225–230.
- Lonowski, L. A., Narimatsu, Y., Riaz, A., Delay, C. E., Yang, Z., Niola, F., Duda, K., Ober, E. A., Clausen, H., Wandall, H. H., Hansen, S. H., Bennett, E. P., and Frödin, M. (2017). Genome editing using FACS enrichment of nuclease-expressing cells and indel detection by amplicon analysis. *Nature protocols*, 12(3):581–603.
- Luo, J., Sun, X., Cormack, B. P., and Boeke, J. D. (2018a). Karyotype engineering by chromosome fusion leads to reproductive isolation in yeast. *Nature*, 560(7718):392–396.
- Luo, X., He, Y., Zhang, C., He, X., Yan, L., Li, M., Hu, T., Hu, Y., Jiang, J., Meng, X., Ji, W., Zhao, X., Zheng, P., Xu, S., and Su, B. (2018b). Trio deep-sequencing does not reveal unexpected mutations in Cas9-edited monkeys. *bioRxiv*, page 339143.
- Ma, H., Marti-Gutierrez, N., Park, S.-W., Wu, J., Hayama, T., Darby, H., Van Dyken, C., Li, Y., Koski, A., Liang, D., Suzuki, K., Gu, Y., Gong, J., Xu, X., Ahmed, R., Lee, Y., Kang, E., Ji, D., Park, A.-R., Kim, D., Kim, S.-T., Heitner, S. B., Battaglia, D., Krieg, S. A., Lee, D. M., Wu, D. H., Wolf, D. P., Amato, P., Kaul, S., Belmonte, J. C. I., Kim, J.-S., and Mitalipov, S. (2018). Ma et al. reply. *Nature*, 560(7717):E10–E23.
- Ma, M., Zhuang, F., Hu, X., Wang, B., Wen, X. Z., Ji, J. F., and Xi, J. J. (2017). Efficient generation of mice carrying homozygous double-floxp alleles using the Cas9-Avidin/Biotin-donor DNA system. *Cell Research*, 27(4):578–581.
- Mahaney, B. L., Meek, K., and Lees-Miller, S. P. (2009). Repair of ionizing radiation-induced DNA double-strand breaks by non-homologous end-joining. *The Biochemical journal*, 417(3):639–50.
- Mali, P., Yang, L., Esvelt, K. M., Aach, J., Guell, M., DiCarlo, J. E., Norville, J. E., and Church, G. M. (2013). RNA-guided human genome engineering via Cas9. *Science*, 339(6121):823–826.
- Mansour, S. L., Thomas, K. R., and Capecchi, M. R. (1988). Disruption of the proto-oncogene int-2 in mouse embryo-derived stem cells: a general strategy for targeting mutations to non-selectable genes. *Nature*, 336(6197):348–52.
- Marrero, V. A. and Symington, L. S. (2010). Extensive DNA end processing by exo1 and sgs1 inhibits break-induced replication. *PLoS genetics*, 6(7):e1001007.
- Maruyama, T., Dougan, S. K., Truttmann, M. C., Bilate, A. M., Ingram, J. R., and Ploegh, H. L. (2015). Increasing the efficiency of precise genome editing with CRISPR-Cas9 by inhibition of nonhomologous end joining. *Nature Biotechnology*, 33(5):538–542.
- Mateos-Gomez, P. A., Kent, T., Deng, S. K., Mcdevitt, S., Kashkina, E., Hoang, T. M., Pomerantz, R. T., and Sfeir, A. (2017). The helicase domain of Polθ counteracts RPA to promote alt-NHEJ. *Nature Structural and Molecular Biology*, 24(12):1116–1123.
- Mehta, A. and Haber, J. E. (2014). Sources of DNA double-strand breaks and models of recombinational DNA repair. *Cold Spring Harbor perspectives in biology*, 6(9):a016428.
- Metzakopian, E., Strong, A., Iyer, V., Hodgkins, A., Tzelepis, K., Antunes, L., Friedrich, M. J., Kang, Q., Davidson, T., Lamberth, J., Hoffmann, C., Davis, G. D., Vassiliou, G. S., Skarnes, W. C., and Bradley, A. (2017). Enhancing the genome editing toolbox: Genome wide CRISPR arrayed libraries. *Scientific Reports*, 7(1):2244.
- Mitra, R., Fain-Thornton, J., and Craig, N. L. (2008). piggyBac can bypass DNA synthesis during cut and paste transposition. *The EMBO journal*, 27(7):1097–109.
- Miyata, T., Takeda, J., Iida, Y., Yamada, N., Inoue, N., Takahashi, M., Maeda, K., Kitani, T., and Kinoshita, T. (1993). The cloning of PIG-A, a component in the early step of GPI-anchor biosynthesis. *Science (New York, N.Y.)*, 259(5099):1318–20.
- Mladenov, E. and Iliakis, G. (2011). Induction and repair of DNA double strand breaks: The increasing spectrum of non-homologous end joining pathways. *Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis*, 711(1-2):61–72.

- Moreno-Mateos, M. a., Vejnár, C. E., Beaudoin, J.-d., Fernandez, J. P., Mis, E. K., Khokha, M. K., and Giraldez, A. J. (2015). CRISPRscan: designing highly efficient sgRNAs for CRISPR-Cas9 targeting in vivo. *Nature methods*, 12(10):982–8.
- Moscou, M. J. and Bogdanove, A. J. (2009). A simple cipher governs DNA recognition by TAL effectors. *Science (New York, N.Y.)*, 326(5959):1501.
- Nassif, N., Penney, J., Pal, S., Engels, W. R., and Gloor, G. B. (1994). Efficient copying of non-homologous sequences from ectopic sites via P-element-induced gap repair. *Molecular and cellular biology*, 14(3):1613–25.
- Nygaard, S., Barzel, A., Haft, A., Major, A., Finegold, M., Kay, M. A., and Grompe, M. (2016). A universal system to select gene-modified hepatocytes in vivo. *Science translational medicine*, 8(342):342ra79.
- Paquet, D., Kwart, D., Chen, A., Sproul, A., Jacob, S., Teo, S., Olsen, K. M., Gregg, A., Noggle, S., and Tessier-Lavigne, M. (2016). Efficient introduction of specific homozygous and heterozygous mutations using CRISPR/Cas9. *Nature*, 533(7601):125–129.
- Parikh, B. A., Beckman, D. L., Patel, S. J., and White, J. M. (2015). Detailed Phenotypic and Molecular Analyses of Genetically Modified Mice Generated by CRISPR-Cas9-Mediated Editing. *PloS one*, pages 1–28.
- Perrault, R., Wang, H., Wang, M., Rosidi, B., and Iliakis, G. (2004). Backup pathways of NHEJ are suppressed by DNA-PK. *Journal of Cellular Biochemistry*, 92(4):781–794.
- Pettitt, S. J., Liang, Q., Rairdan, X. Y., Moran, J. L., Prosser, H. M., Beier, D. R., Lloyd, K. C., Bradley, A., and Skarnes, W. C. (2009). Agouti C57BL/6N embryonic stem cells for mouse genetic resources. *Nature methods*, 6(7):493–495.
- Pierce, A. J., Johnson, R. D., Thompson, L. H., and Jasin, M. (1999). XRCC3 promotes homology-directed repair of DNA damage in mammalian cells. *Genes & development*, 13(20):2633–8.
- Platt, R., Chen, S., Zhou, Y., Yim, M., Swiech, L., Kempton, H., Dahlman, J., Parnas, O., Eisenhaure, T., Jovanovic, M., Graham, D., Jhunjhunwala, S., Heidenreich, M., Xavier, R., Langer, R., Anderson, D., Hacohen, N., Regev, A., Feng, G., Sharp, P., and Zhang, F. (2014). CRISPR-Cas9 Knockin Mice for Genome Editing and Cancer Modeling. *Cell*, 159(2):440–455.
- Plessis, A., Perrin, A., Haber, J. E., and Dujon, B. (1992). Site-specific recombination determined by I-SceI, a mitochondrial group I intron-encoded endonuclease expressed in the yeast nucleus. *Genetics*, 130(3):451–60.
- Polstein, L. R., Perez-Pinera, P., Kocak, D. D., Vockley, C. M., Bledsoe, P., Song, L., Safi, A., Crawford, G. E., Reddy, T. E., and Gersbach, C. A. (2015). Genome-wide specificity of DNA binding, gene regulation, and chromatin remodeling by TALE- and CRISPR/Cas9-based transcriptional activators. *Genome Research*, 25(8):1158–1169.
- Prasher, D. C., Eckenrode, V. K., Ward, W. W., Prendergast, F. G., and Cormier, M. J. (1992). Primary structure of the *Aequorea victoria* green-fluorescent protein. *Gene*, 111(2):229–233.
- Ramakrishna, S., Kwaku Dad, A.-B., Beloor, J., Gopalappa, R., Lee, S.-K., and Kim, H. (2014). Gene disruption by cell-penetrating peptide-mediated delivery of Cas9 protein and guide RNA. *Genome research*, 24(6):1020–7.
- Ramírez-Solis, R., Davis, A. C., and Bradley, A. (1993). Gene targeting in embryonic stem cells. *Methods in enzymology*, 225:855–78.
- Ran, F. A., Hsu, P. D., Lin, C.-Y., Gootenberg, J. S., Konermann, S., Trevino, A. E., Scott, D. a., Inoue, A., Matoba, S., Zhang, Y., and Zhang, F. (2013). Double nicking by RNA-guided CRISPR Cas9 for enhanced genome editing specificity. *Cell*, 154(6):1380–1389.
- Redman, M., King, A., Watson, C., and King, D. (2016). What is CRISPR/Cas9? *Archives of disease in childhood. Education and practice edition*, 101(4):213–5.
- Richardson, C. and Jasin, M. (2000). Frequent chromosomal translocations induced by DNA double-strand breaks. *Nature*, 405(51):697–700.
- Richardson, C. D., Kazane, K. R., Feng, S. J., Zelin, E., Bray, N. L., Schäfer, A. J., Floor, S. N., and Corn, J. E. (2018). CRISPR–Cas9 genome editing in human cells occurs via the Fanconi anemia pathway. *Nature Genetics*, 50(8):1132–1139.
- Richardson, C. D., Ray, G. J., Bray, N. L., and Corn, J. E. (2016). Non-homologous DNA increases gene disruption efficiency by altering DNA repair outcomes. *Nature Communications*, 7:1–7.
- Riesenberg, S. and Maricic, T. (2018). Targeting repair pathways with small molecules increases precise genome editing in pluripotent stem cells. *Nature communications*, 9(1):2164.

- Roberts, S. A., Sterling, J., Thompson, C., Harris, S., Mav, D., Shah, R., Klimczak, L. J., Kryukov, G. V., Malc, E., Mieczkowski, P. A., Resnick, M. A., and Gordenin, D. A. (2012). Clustered Mutations in Yeast and in Human Cancers Can Arise from Damaged Long Single-Strand DNA Regions. *Molecular Cell*, 46(4):424–435.
- Roos, W. P. and Kaina, B. (2006). DNA damage-induced cell death by apoptosis. *Trends in Molecular Medicine*, 12(9):440–450.
- Rosen, L. E., Morrison, H. A., Masri, S., Brown, M. J., Springstubb, B., Sussman, D., Stoddard, B. L., and Seligman, L. M. (2006). Homing endonuclease I-CreI derivatives with novel DNA target specificities. *Nucleic acids research*, 34(17):4791–800.
- Rouet, P., Smih, F., and Jasin, M. (1994). Expression of a site-specific endonuclease stimulates homologous recombination in mammalian cells. *Proceedings of the National Academy of Sciences of the United States of America*, 91(13):6064–8.
- Ruff, P., Donnianni, R. A., Glancy, E., Oh, J., and Symington, L. S. (2016). RPA Stabilization of Single-Stranded DNA Is Critical for Break-Induced Replication. *Cell Reports*, 17(12):3359–3368.
- Sadhu, M. J., Bloom, J. S., Day, L., and Kruglyak, L. (2016). CRISPR-directed mitotic recombination enables genetic mapping without crosses. *Science*, 352(6289):1113–1116.
- Santaguida, S., Richardson, A., Iyer, D. R., M'Saad, O., Zasadil, L., Knouse, K. A., Wong, Y. L., Rhind, N., Desai, A., and Amon, A. (2017). Chromosome Mis-segregation Generates Cell-Cycle-Arrested Cells with Complex Karyotypes that Are Eliminated by the Immune System. *Developmental cell*, 41(6):638–651.e5.
- Santarosa, M. and Ashworth, A. (2004). Haploinsufficiency for tumour suppressor genes: When you don't need to go all the way.
- Savic, N., Ringnalda, F. C., Lindsay, H., Berk, C., Bargsten, K., Li, Y., Neri, D., Robinson, M. D., Ciaudo, C., Hall, J., Jinek, M., and Schwank, G. (2018). Covalent linkage of the DNA repair template to the CRISPR-Cas9 nuclease enhances homology-directed repair. *eLife*, 7:e33761.
- Schaft, J., Ashery-Padan, R., van der Hoeven, F., Gruss, P., and Stewart, A. F. (2001). Efficient FLP recombination in mouse ES cells and oocytes. *Genesis (New York, N.Y. : 2000)*, 31(1):6–10.
- Schröder, A. R., Shinn, P., Chen, H., Berry, C., Ecker, J. R., and Bushman, F. (2002). HIV-1 Integration in the Human Genome Favors Active Genes and Local Hotspots. *Cell*, 110(4):521–529.
- Seligman, L. M., Chisholm, K. M., Chevalier, B. S., Chadsey, M. S., Edwards, S. T., Savage, J. H., and Veillet, A. L. (2002). Mutations altering the cleavage specificity of a homing endonuclease. *Nucleic acids research*, 30(17):3870–9.
- Seol, J.-H., Shim, E. Y., and Lee, S. E. (2018). Microhomology-mediated end joining: Good, bad and ugly. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 809:81–87.
- Sfeir, A. and Symington, L. S. (2015). Microhomology-Mediated End Joining: A Back-up Survival Mechanism or Dedicated Pathway? *Trends in biochemical sciences*, 40(11):701–714.
- Shao, Y., Lu, N., Wu, Z., Cai, C., Wang, S., Zhang, L.-L., Zhou, F., Xiao, S., Liu, L., Zeng, X., Zheng, H., Yang, C., Zhao, Z., Zhao, G., Zhou, J.-Q., Xue, X., and Qin, Z. (2018). Creating a functional single-chromosome yeast. *Nature*, 560(7718):331–335.
- Sharma, S., Javadekar, S. M., Pandey, M., Srivastava, M., Kumari, R., and Raghavan, S. C. (2015). Homology and enzymatic requirements of microhomology-dependent alternative end joining. *Cell death & disease*, 6(3):e1697.
- Shimomura, O., Johnson, F. H., and Saiga, Y. (1962). Extraction, Purification and Properties of Aequorin, a Bioluminescent Protein from the Luminous Hydromedusan, Aequorea. *Journal of Cellular and Comparative Physiology*, 59(3):223–239.
- Shin, H. Y., Wang, C., Lee, H. K., Yoo, K. H., Zeng, X., Kuhns, T., Yang, C. M., Mohr, T., Liu, C., and Hennighausen, L. (2017). CRISPR/Cas9 targeting events cause complex deletions and insertions at 17 sites in the mouse genome. *Nature Communications*, 8(May):1–10.
- Shou, J., Li, J., Liu, Y., and Wu, Q. (2018). Precise and Predictable CRISPR Chromosomal Rearrangements Reveal Principles of Cas9-Mediated Nucleotide Insertion. *Molecular cell*, 71(4):498–509.e4.
- Simonelli, V., Narciso, L., Dogliotti, E., and Fortini, P. (2005). Base excision repair intermediates are mutagenic in mammalian cells. *Nucleic acids research*, 33(14):4404–11.

- Sinha, S., Li, F., Villarreal, D., Shim, J. H., Yoon, S., Myung, K., Shim, E. Y., and Lee, S. E. (2017). Microhomology-mediated end joining induces hypermutagenesis at breakpoint junctions. *PLoS Genetics*, 13(4):1–25.
- Skarnes, W. C., Rosen, B., West, A. P., Koutsourakis, M., Bushell, W., Iyer, V., Mujica, A. O., Thomas, M., Harrow, J., Cox, T., Jackson, D., Severin, J., Biggs, P., Fu, J., Nefedov, M., de Jong, P. J., Stewart, A. F., and Bradley, A. (2011). A conditional knockout resource for the genome-wide study of mouse gene function. *Nature*, 474(7351):337–344.
- Slymaker, I. M., Gao, L., Zetsche, B., Scott, D. a., Yan, W. X., and Zhang, F. (2016). Rationally engineered Cas9 nucleases with improved specificity. *Science (New York, N.Y.)*, 351(6268):84–88.
- Smithies, O., Gregg, R. G., Boggs, S. S., Koralewski, M. A., and Kucherlapati, R. S. (1985). Insertion of DNA sequences into the human chromosomal beta-globin locus by homologous recombination. *Nature*, 317(6034):230–4.
- Sotiriou, S. K., Kamileri, I., Lugli, N., Evangelou, K., Da-Ré, C., Huber, F., Padayachy, L., Tardy, S., Nicati, N. L., Barriot, S., Ochs, F., Lukas, C., Lukas, J., Gorgoulis, V. G., Scapozza, L., and Halazonetis, T. D. (2016). Mammalian RAD52 Functions in Break-Induced Replication Repair of Collapsed DNA Replication Forks. *Molecular Cell*, 64(6):1127–1134.
- Starita, L. M., Islam, M. M., Banerjee, T., Adamovich, A. I., Gullingsrud, J., Fields, S., Shendure, J., and Parvin, J. D. (2018). A Multiplex Homology-Directed DNA Repair Assay Reveals the Impact of More Than 1,000 BRCA1 Missense Substitution Variants on Protein Function. *American journal of human genetics*, 0(0).
- Stark, J. M., Pierce, A. J., Oh, J., Pastink, A., and Jasin, M. (2004). Genetic steps of mammalian homologous repair with distinct mutagenic consequences. *Molecular and cellular biology*, 24(21):9305–16.
- Stemmer, M., Thumberger, T., del Sol Keyer, M., Wittbrodt, J., and Mateo, J. L. (2015). CCTop: An Intuitive, Flexible and Reliable CRISPR/Cas9 Target Prediction Tool. *PLOS ONE*, 10(4):e0124633.
- Stephenson, A. A., Raper, A. T., and Suo, Z. (2018). Bidirectional Degradation of DNA Cleavage Products Catalyzed by CRISPR/Cas9. *Journal of the American Chemical Society*, 140(10):3743–3750.
- Sternberg, N. and Hamilton, D. (1981). Bacteriophage P1 site-specific recombination: I. Recombination between loxP sites. *Journal of Molecular Biology*, 150(4):467–486.
- Sternberg, S. H., Redding, S., Jinek, M., Greene, E. C., and Doudna, J. A. (2014). DNA interrogation by the CRISPR RNA-guided endonuclease Cas9. *Nature*, 507(7490):62–67.
- Stojic, L., Lun, A. T., Mangei, J., Mascalchi, P., Quarantotti, V., Barr, A. R., Bakal, C., Marioni, J. C., Gergely, F., and Odom, D. T. (2018). Specificity of RNAi, LNA and CRISPRi as loss-of-function methods in transcriptional analysis. *Nucleic Acids Research*.
- Strogantsev, R., Krueger, F., Yamazawa, K., Shi, H., Gould, P., Goldman-roberts, M., Mcewen, K., Sun, B., Pedersen, R., and Ferguson-smith, A. C. (2015). Allele-specific binding of ZFP57 in the epigenetic regulation of imprinted and non-imprinted monoallelic expression. *Genome Biology*, pages 1–18.
- Sugawara, N. and Haber, J. E. (2012). Monitoring DNA recombination initiated by HO endonuclease. *Methods in Molecular Biology*, 920:349–370.
- Sung, P. and Klein, H. (2006). Mechanism of homologous recombination: Mediators and helicases take on regulatory functions.
- Sussman, D., Chadsey, M., Fauce, S., Engel, A., Bruett, A., Monnat, R., Stoddard, B. L., and Seligman, L. M. (2004). Isolation and Characterization of New Homing Endonuclease Specificities at Individual Target Site Positions. *Journal of Molecular Biology*, 342(1):31–41.
- Sutherland, D. R., Kuek, N., Davidson, J., Barth, D., Chang, H., Yeo, E., Bamford, S., Chin-Yee, I., and Keeney, M. (2007). Diagnosing PNH with FLAER and multiparameter flow cytometry. *Cytometry. Part B, Clinical cytometry*, 72(3):167–177.
- Szostak, J. W., Orr-Weaver, T. L., Rothstein, R. J., and Stahl, F. W. (1983). The double-strand-break repair model for recombination. *Cell*, 33(1):25–35.
- Tadi, S. K., Sebastian, R., Dahal, S., Babu, R. K., Choudhary, B., and Raghavan, S. C. (2016). Microhomology-mediated end joining is the principal mediator of double-strand break repair during mitochondrial DNA lesions. *Molecular Biology of the Cell*, 27(2):223–235.
- Taheri-Ghahfarokhi, A., Taylor, B. J., Nitsch, R., Lundin, A., Cavallo, A.-L., Madeyski-Bengtson, K., Karlsson, F., Clausen, M., Hicks, R., Mayr, L. M., Bohlooly-Y, M., and Maresca, M. (2018). Decoding non-random mutational signatures at Cas9 targeted sites. *Nucleic Acids Research*.

- Takeda, J., Miyata, T., Kawagoe, K., Iida, Y., Endo, Y., Fujita, T., Takahashi, M., Kitani, T., and Kinoshita, T. (1993). Deficiency of the GPI anchor caused by a somatic mutation of the PIG-A gene in paroxysmal nocturnal hemoglobinuria. *Cell*, 73(4):703–711.
- Tan, E. P., Li, Y., Del Castillo Velasco-Herrera, M., Yusa, K., and Bradley, A. (2015). Off-target assessment of CRISPR-Cas9 guiding RNAs in human iPS and mouse ES cells. *Genesis*, 53(2):225–236.
- Taylor, J. and Woodcock, S. (2015). A Perspective on the Future of High-Throughput RNAi Screening: Will CRISPR Cut Out the Competition or Can RNAi Help Guide the Way? *Journal of Biomolecular Screening*, 20(8):1040–1051.
- Thakore, P. I., D'Ippolito, A. M., Song, L., Safi, A., Shivakumar, N. K., Kabadi, A. M., Reddy, T. E., Crawford, G. E., and Gersbach, C. a. (2015). Highly specific epigenome editing by CRISPR-Cas9 repressors for silencing of distal regulatory elements. *Nature methods*, 12(12):1143–9.
- Thomas, K. R. and Capecchi, M. R. (1987). Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells. *Cell*, 51(3):503–512.
- Thompson, S., Clarke, A. R., Pow, A. M., Hooper, M. L., and Melton, D. W. (1989). Germ line transmission and expression of a corrected HPRT gene produced by gene targeting in embryonic stem cells. *Cell*, 56(2):313–321.
- Tichy, E. D., Pillai, R., Deng, L., Liang, L., Tischfield, J., Schwemberger, S. J., Babcock, G. F., and Stambrook, P. J. (2010). Mouse Embryonic Stem Cells, but Not Somatic Cells, Predominantly Use Homologous Recombination to Repair Double-Strand DNA Breaks. *Stem Cells and Development*, 19(11):1699–1711.
- Tsai, S. Q. and Joung, J. K. (2016). Defining and improving the genome-wide specificities of CRISPR-Cas9 nucleases. *Nature Reviews Genetics*, 17(5):300–312.
- Tsai, S. Q., Nguyen, N. T., Malagon-Lopez, J., Topkar, V. V., Aryee, M. J., and Joung, J. K. (2017). CIRCLE-seq: a highly sensitive in vitro screen for genome-wide CRISPR-Cas9 nuclease off-targets. *Nature Methods*, 14(6):607–614.
- Tsai, S. Q., Zheng, Z., Nguyen, N. T., Liebers, M., Topkar, V. V., Thapar, V., Wyvekens, N., Khayter, C., Iafrate, A. J., Le, L. P., Aryee, M. J., and Joung, J. K. (2015). GUIDE-seq enables genome-wide profiling of off-target cleavage by CRISPR-Cas nucleases. *Nature biotechnology*, 33(2):187–197.
- Urnov, F. D., Miller, J. C., Lee, Y.-L., Beausejour, C. M., Rock, J. M., Augustus, S., Jamieson, A. C., Porteus, M. H., Gregory, P. D., and Holmes, M. C. (2005). Highly efficient endogenous human gene correction using designed zinc-finger nucleases. *Nature*, 435(7042):646–51.
- Uusi-Mäkelä, M. I., Barker, H. R., Bäuerlein, C. A., Häkkinen, T., Nykter, M., and Rämetsä, M. (2018). Chromatin accessibility is associated with CRISPR-Cas9 efficiency in the zebrafish (*Danio rerio*). *PLoS ONE*, 13(4):e0196238.
- van der Lugt, N., Maandag, E. R., te Riele, H., Laird, P. W., and Berns, A. (1991). A pgk::hprt fusion as a selectable marker for targeting of genes in mouse embryonic stem cells: disruption of the T-cell receptor δ -chain-encoding gene. *Gene*, 105(2):263–267.
- van Gent, D. C., Mizuuchi, K., and Gellert, M. (1996). Similarities between initiation of V(D)J recombination and retroviral integration. *Science (New York, N.Y.)*, 271(5255):1592–4.
- van Overbeek, M., Capurso, D., Carter, M. M., Thompson, M. S., Frias, E., Russ, C., Reece-Hoyes, J. S., Nye, C., Gradia, S., Vidal, B., Zheng, J., Hoffman, G. R., Fuller, C. K., and May, A. P. (2016). DNA Repair Profiling Reveals Nonrandom Outcomes at Cas9-Mediated Breaks. *Molecular Cell*, 63(4):633–646.
- Voet, T., Vanneste, E., and Vermeesch, J. R. (2011). The human cleavage stage embryo is a cradle of chromosomal rearrangements. *Cytogenetic and genome research*, 133(2-4):160–8.
- Wang, T., Birsoy, K., Hughes, N. W., Krupczak, K. M., Post, Y., Wei, J. J., Lander, E. S., Sabatini, D. M., Krupczak, M., Post, Y., Wei, J. J., Eric, S., and Sabatini, D. M. (2015). Identification and characterization of essential genes in the human genome. *Science*, 00013(6264):1–10.
- Weitzman, M. D., Kyöstiö, S. R., Kotin, R. M., and Owens, R. A. (1994). Adeno-associated virus (AAV) Rep proteins mediate complex formation between AAV DNA and its integration site in human DNA. *Proceedings of the National Academy of Sciences of the United States of America*, 91(13):5808–12.
- Wilde, J. J., Aida, T., Wienisch, M., Zhang, Q., Qi, P., and Feng, G. (2018). RAD51 Enhances Zygotic Interhomolog Repair. *BioRxiv*.
- Williams, R. L., Hilton, D. J., Pease, S., Willson, T. A., Stewart, C. L., Gearing, D. P., Wagner, E. F., Metcalf, D., Nicola, N. A., and Gough, N. M.

- (1988). Myeloid leukaemia inhibitory factor maintains the developmental potential of embryonic stem cells. *Nature*, 336(6200):684–687.
- Wright, A. V., Nuñez, J. K., and Doudna, J. A. (2016). Biology and Applications of CRISPR Systems: Harnessing Nature's Toolbox for Genome Engineering. *Cell*, 164(1-2):29–44.
- Xu, L., Park, K. H., Zhao, L., Xu, J., El Refaey, M., Gao, Y., Zhu, H., Ma, J., and Han, R. (2016). CRISPR-mediated Genome Editing Restores Dystrophin Expression and Function in mdx Mice. *Molecular Therapy*, 24(3):564–569.
- Yagi, T., Nada, S., Watanabe, N., Tamemoto, H., Kohmura, N., Ikawa, Y., and Aizawa, S. (1993). A Novel Negative Selection for Homologous Recombinants Using Diphtheria Toxin A Fragment Gene. *Analytical Biochemistry*, 214(1):77–86.
- Yang, D., Scavuzzo, M. A., Chmielowiec, J., Sharp, R., Bajic, A., and Borowiak, M. (2016a). Enrichment of G2/M cell cycle phase in human pluripotent stem cells enhances HDR-mediated gene repair with customizable endonucleases. *Scientific Reports*, 6(January):1–15.
- Yang, S., Fujikado, N., Kolodin, D., Benoist, C., and Mathis, D. (2015). Regulatory T cells generated early in life play a distinct role in maintaining self-tolerance. *Science*, 348(6234):589–594.
- Yang, Y., Sterling, J., Storici, F., Resnick, M. A., and Gordenin, D. A. (2008). Hypermutability of damaged single-strand DNA formed at double-strand breaks and uncapped telomeres in yeast *Saccharomyces cerevisiae*. *PLoS Genetics*, 4(11).
- Yang, Y., Wang, L., Bell, P., McMenamin, D., He, Z., White, J., Yu, H., Xu, C., Morizono, H., Musunuru, K., Batshaw, M. L., and Wilson, J. M. (2016b). A dual AAV system enables the Cas9-mediated correction of a metabolic liver disease in newborn mice. *Nature biotechnology*, 34(3):334–338.
- Yeung, A. T., Hattangadi, D., Blakesley, L., and Nicolas, E. (2005). Enzymatic mutation detection technologies.
- Yusa, K., Rashid, S. T., Strick-Marchand, H., Varela, I., Liu, P.-Q., Paschon, D. E., Miranda, E., Ordóñez, A., Hannan, N. R. F., Rouhani, F. J., Darche, S., Alexander, G., Marciniak, S. J., Fusaki, N., Hasegawa, M., Holmes, M. C., Di Santo, J. P., Lomas, D. a., Bradley, A., and Vallier, L. (2011a). Targeted gene correction of α 1-antitrypsin deficiency in induced pluripotent stem cells. *Nature*, 478(7369):391–4.
- Yusa, K., Zhou, L., Li, M. A., Bradley, A., and Craig, N. L. (2011b). A hyperactive piggyBac transposase for mammalian applications. *Proceedings of the National Academy of Sciences of the United States of America*, 108(4):1531–6.
- Zetsche, B., Gootenberg, J. S. S., Abudayyeh, O. O., Slaymaker, I. M. M., Makarova, K. S. S., Essletzbichler, P., Volz, S. E. E., Joung, J., Van Der Oost, J., Regev, A., Koonin, E. V. V., Zhang, F., van der Oost, J., Regev, A., Koonin, E. V. V., Zhang, F., Van Der Oost, J., Regev, A., Koonin, E. V. V., and Zhang, F. (2015). Cpf1 Is a Single RNA-Guided Endonuclease of a Class 2 CRISPR-Cas System. *Cell*, 163(3):759–771.
- Zhang, Y., Rajan, R., Seifert, H. S., Mondragón, A., and Sontheimer, E. J. (2015). DNase H Activity of *Neisseria meningitidis* Cas9. *Molecular Cell*, 60(2):242–255.
- Zheng, Z., Liebers, M., Zhelyazkova, B., Cao, Y., Panditi, D., Lynch, K. D., Chen, J., Robinson, H. E., Shim, H. S., Chmielecki, J., Pao, W., Engelman, J. A., Iafrate, A. J., and Le, L. P. (2014). Anchored multiplex PCR for targeted next-generation sequencing. *Nature Medicine*, 20(12):1479–1484.
- Zhu, S., Li, W., Liu, J., Chen, C.-h., Liao, Q., Xu, P., Xu, H., Xiao, T., Cao, Z., Peng, J., Yuan, P., Brown, M., Liu, X. S., and Wei, W. (2016). Genome-scale deletion screening of human long non-coding RNAs using a paired-guide RNA CRISPR–Cas9 library. *Nature Biotechnology*, 34(12):1279–1286.
- Zhulidov, P. A., Bogdanova, E. A., Shcheglov, A. S., Vagner, L. L., Khaspekov, G. L., Kozhemyako, V. B., Matz, M. V., Meleshkevitch, E., Moroz, L. L., Lukyanov, S. A., and Shagin, D. A. (2004). Simple cDNA normalization using kamchatka crab duplex-specific nuclease. *Nucleic Acids Research*, 32(3):37e–37.
- Zuckermann, M., Hovestadt, V., Knobbe-Thomsen, C. B., Zapatka, M., Northcott, P. A., Schramm, K., Belic, J., Jones, D. T., Tschida, B., Moriarity, B., Largaespada, D., Roussel, M. F., Korshunov, A., Reifenberger, G., Pfister, S. M., Lichter, P., Kawauchi, D., and Gronych, J. (2015). Somatic CRISPR/Cas9-mediated tumour suppressor disruption enables versatile brain tumour modelling. *Nature Communications*, 6(1):7391.
- Zuris, J. A., Thompson, D. B., Shu, Y., Guilinger, J. P., Bessen, J. L., Hu, J. H., Maeder, M. L., Joung, J. K., Chen, Z.-Y., and Liu, D. R. (2015). Cationic lipid-mediated delivery of proteins enables efficient protein-based genome editing in vitro and in vivo. *Nature biotechnology*, 33(1):73–80.