

References

- (2009). "Genome-wide association study identifies new multiple sclerosis susceptibility loci on chromosomes 12 and 20." *Nat Genet* **41**(7): 824-828.
- Abzhanov, A., M. Protas, et al. (2004). "Bmp4 and morphological variation of beaks in Darwin's finches." *Science* **305**(5689): 1462-1465.
- Adams, M. D., A. R. Kerlavage, et al. (1995). "Initial assessment of human gene diversity and expression patterns based upon 83 million nucleotides of cDNA sequence." *Nature* **377**(6547 Suppl): 3-174.
- Ahmadiyeh, N., M. M. Pomerantz, et al. (2010). "8q24 prostate, breast, and colon cancer risk loci show tissue-specific long-range interaction with MYC." *Proc Natl Acad Sci U S A* **107**(21): 9742-9746.
- Al Olama, A. A., Z. Kote-Jarai, et al. (2009). "Multiple loci on 8q24 associated with prostate cancer susceptibility." *Nat Genet* **41**(10): 1058-1060.
- Alberts, B. (2002). *Molecular biology of the cell*. New York, Garland Science.
- Alley, C. D. (1987). "Human bone marrow-derived IgA is produced by IgA-committed B cells in vitro." *J Clin Immunol* **7**(2): 151-158.
- Aulchenko, Y. S., S. Ripatti, et al. (2009). "Loci influencing lipid levels and coronary heart disease risk in 16 European population cohorts." *Nat Genet* **41**(1): 47-55.
- Bailey, R., J. D. Cooper, et al. (2007). "Association of the vitamin D metabolism gene CYP27B1 with type 1 diabetes." *Diabetes* **56**(10): 2616-2621.
- Barrett, J. C., S. Hansoul, et al. (2008). "Genome-wide association defines more than 30 distinct susceptibility loci for Crohn's disease." *Nat Genet* **40**(8): 955-962.
- Bentires-Alj, M., M. I. Kontaridis, et al. (2006). "Stops along the RAS pathway in human genetic disease." *Nat Med* **12**(3): 283-285.
- Birney, E., J. A. Stamatoyannopoulos, et al. (2007). "Identification and analysis of functional elements in 1% of the human genome by the ENCODE pilot project." *Nature* **447**(7146): 799-816.
- Bochukova, E. G., N. Huang, et al. (2010). "Large, rare chromosomal deletions associated with severe early-onset obesity." *Nature* **463**(7281): 666-670.
- Bolstad, B. M., R. A. Irizarry, et al. (2003). "A comparison of normalization methods for high density oligonucleotide array data based on variance and bias." *Bioinformatics* **19**(2): 185-193.
- Boxer, L. M. and C. V. Dang (2001). "Translocations involving c-myc and c-myc function." *Oncogene* **20**(40): 5595-5610.
- Boyle, A. P., S. Davis, et al. (2008). "High-resolution mapping and characterization of open chromatin across the genome." *Cell* **132**(2): 311-322.
- Braun, T., G. Buschhausen-Denker, et al. (1989). "A novel human muscle factor related to but distinct from MyoD1 induces myogenic conversion in 10T1/2 fibroblasts." *EMBO J* **8**(3): 701-709.
- Brem, R. B., J. D. Storey, et al. (2005). "Genetic interactions between polymorphisms that affect gene expression in yeast." *Nature* **436**(7051): 701-703.
- Brem, R. B., G. Yvert, et al. (2002). "Genetic dissection of transcriptional regulation in budding yeast." *Science* **296**(5568): 752-755.
- Browning, S. R. and B. L. Browning (2007). "Rapid and accurate haplotype phasing and missing-data inference for whole-genome association studies by use of localized haplotype clustering." *Am J Hum Genet* **81**(5): 1084-1097.
- Cenit, M. C., A. Alcina, et al. (2010). "STAT3 locus in inflammatory bowel disease and multiple sclerosis susceptibility." *Genes Immun* **11**(3): 264-268.

- Chen, K. and N. Rajewsky (2007). "The evolution of gene regulation by transcription factors and microRNAs." *Nat Rev Genet* **8**(2): 93-103.
- Chen, Y., J. Zhu, et al. (2008). "Variations in DNA elucidate molecular networks that cause disease." *Nature* **452**(7186): 429-435.
- Cheung, V. G., L. K. Conlin, et al. (2003). "Natural variation in human gene expression assessed in lymphoblastoid cells." *Nat Genet* **33**(3): 422-425.
- Cheung, V. G. and R. S. Spielman (2009). "Genetics of human gene expression: mapping DNA variants that influence gene expression." *Nat Rev Genet* **10**(9): 595-604.
- Cheung, V. G., R. S. Spielman, et al. (2005). "Mapping determinants of human gene expression by regional and genome-wide association." *Nature* **437**(7063): 1365-1369.
- Chi, S. W., J. B. Zang, et al. (2009). "Argonaute HITS-CLIP decodes microRNA-mRNA interaction maps." *Nature* **460**(7254): 479-486.
- Choy, E., R. Yelensky, et al. (2008). "Genetic analysis of human traits in vitro: drug response and gene expression in lymphoblastoid cell lines." *PLoS Genet* **4**(11): e1000287.
- Churchill, G. A. and R. W. Doerge (1994). "Empirical threshold values for quantitative trait mapping." *Genetics* **138**(3): 963-971.
- Cirulli, E. T. and D. B. Goldstein (2010). "Uncovering the roles of rare variants in common disease through whole-genome sequencing." *Nat Rev Genet* **11**(6): 415-425.
- Conrad, D. F., D. Pinto, et al. (2010). "Origins and functional impact of copy number variation in the human genome." *Nature* **464**(7289): 704-712.
- Consortium, I. H. (2003). "The International HapMap Project." *Nature* **426**(6968): 789-796.
- Consortium, I. H. (2005). "A haplotype map of the human genome." *Nature* **437**(7063): 1299-1320.
- Cookson, W., L. Liang, et al. (2009). "Mapping complex disease traits with global gene expression." *Nat Rev Genet* **10**(3): 184-194.
- Cowles, C. R., J. N. Hirschhorn, et al. (2002). "Detection of regulatory variation in mouse genes." *Nat Genet* **32**(3): 432-437.
- Craddock, N., M. E. Hurles, et al. (2010). "Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls." *Nature* **464**(7289): 713-720.
- Crick, F. H. (1958). "On protein synthesis." *Symp Soc Exp Biol* **12**: 138-163.
- Dawson, E., G. R. Abecasis, et al. (2002). "A first-generation linkage disequilibrium map of human chromosome 22." *Nature* **418**(6897): 544-548.
- De Gobbi, M., V. Viprakasit, et al. (2006). "A regulatory SNP causes a human genetic disease by creating a new transcriptional promoter." *Science* **312**(5777): 1215-1217.
- Dekker, J., K. Rippe, et al. (2002). "Capturing chromosome conformation." *Science* **295**(5558): 1306-1311.
- Dermitzakis, E. T. (2008). "From gene expression to disease risk." *Nat Genet* **40**(5): 492-493.
- Dimas, A. S., S. Deutsch, et al. (2009). "Common regulatory variation impacts gene expression in a cell type-dependent manner." *Science* **325**(5945): 1246-1250.
- Dimas, A. S., B. E. Stranger, et al. (2008). "Modifier effects between regulatory and protein-coding variation." *PLoS Genet* **4**(10): e1000244.

- Dixon, A. L., L. Liang, et al. (2007). "A genome-wide association study of global gene expression." *Nat Genet* **39**(10): 1202-1207.
- Doerge, R. W. and G. A. Churchill (1996). "Permutation tests for multiple loci affecting a quantitative character." *Genetics* **142**(1): 285-294.
- Dupuis, J., C. Langenberg, et al. (2010). "New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk." *Nat Genet* **42**(2): 105-116.
- Eckhardt, F., J. Lewin, et al. (2006). "DNA methylation profiling of human chromosomes 6, 20 and 22." *Nat Genet* **38**(12): 1378-1385.
- Eeles, R. A., Z. Kote-Jarai, et al. (2008). "Multiple newly identified loci associated with prostate cancer susceptibility." *Nat Genet* **40**(3): 316-321.
- Eichler, E. E., J. Flint, et al. (2010). "Missing heritability and strategies for finding the underlying causes of complex disease." *Nat Rev Genet* **11**(6): 446-450.
- Emilsson, V., G. Thorleifsson, et al. (2008). "Genetics of gene expression and its effect on disease." *Nature* **452**(7186): 423-428.
- Evans, W. E. and M. V. Relling (1999). "Pharmacogenomics: translating functional genomics into rational therapeutics." *Science* **286**(5439): 487-491.
- Franke, L., H. van Bakel, et al. (2006). "Reconstruction of a functional human gene network, with an application for prioritizing positional candidate genes." *Am J Hum Genet* **78**(6): 1011-1025.
- Fraser, H. B. and X. Xie (2009). "Common polymorphic transcript variation in human disease." *Genome Res* **19**(4): 567-575.
- Frayling, T. M., N. J. Timpson, et al. (2007). "A common variant in the FTO gene is associated with body mass index and predisposes to childhood and adult obesity." *Science* **316**(5826): 889-894.
- Frazer, K. A., D. G. Ballinger, et al. (2007). "A second generation human haplotype map of over 3.1 million SNPs." *Nature* **449**(7164): 851-861.
- Gandhi, K. S., F. C. McKay, et al. (2010). "The multiple sclerosis whole blood mRNA transcriptome and genetic associations indicate dysregulation of specific T cell pathways in pathogenesis." *Hum Mol Genet* **19**(11): 2134-2143.
- Geyer, P. K. and V. G. Corces (1992). "DNA position-specific repression of transcription by a Drosophila zinc finger protein." *Genes Dev* **6**(10): 1865-1873.
- Ghoussaini, M., H. Song, et al. (2008). "Multiple loci with different cancer specificities within the 8q24 gene desert." *J Natl Cancer Inst* **100**(13): 962-966.
- Gibson, G. (2008). "The environmental contribution to gene expression profiles." *Nat Rev Genet* **9**(8): 575-581.
- Gilad, Y., A. Oshlack, et al. (2006). "Natural selection on gene expression." *Trends Genet* **22**(8): 456-461.
- Gilad, Y., S. A. Rifkin, et al. (2008). "Revealing the architecture of gene regulation: the promise of eQTL studies." *Trends Genet* **24**(8): 408-415.
- Giuliani, N., G. Girasole, et al. (1999). "Ethanol and acetaldehyde inhibit the formation of early osteoblast progenitors in murine and human bone marrow cultures." *Alcohol Clin Exp Res* **23**(2): 381-385.
- Gompel, N., B. Prud'homme, et al. (2005). "Chance caught on the wing: cis-regulatory evolution and the origin of pigment patterns in Drosophila." *Nature* **433**(7025): 481-487.
- Goring, H. H., J. E. Curran, et al. (2007). "Discovery of expression QTLs using large-scale transcriptional profiling in human lymphocytes." *Nat Genet* **39**(10): 1208-1216.

- Goyette, P., C. Lefebvre, et al. (2008). "Gene-centric association mapping of chromosome 3p implicates MST1 in IBD pathogenesis." Mucosal Immunol **1**(2): 131-138.
- Grange, T., J. Roux, et al. (1991). "Cell-type specific activity of two glucocorticoid responsive units of rat tyrosine aminotransferase gene is associated with multiple binding sites for C/EBP and a novel liver-specific nuclear factor." Nucleic Acids Res **19**(1): 131-139.
- Gregersen, P. K., C. I. Amos, et al. (2009). "REL, encoding a member of the NF-kappaB family of transcription factors, is a newly defined risk locus for rheumatoid arthritis." Nat Genet **41**(7): 820-823.
- Guan, Y. and M. Stephens (2008). "Practical issues in imputation-based association mapping." PLoS Genet **4**(12): e1000279.
- Gudbjartsson, D. F., G. B. Walters, et al. (2008). "Many sequence variants affecting diversity of adult human height." Nat Genet **40**(5): 609-615.
- Guenther, M. G., S. S. Levine, et al. (2007). "A chromatin landmark and transcription initiation at most promoters in human cells." Cell **130**(1): 77-88.
- Guo, Y., L. J. Tan, et al. (2010). "Genome-wide association study identifies ALDH7A1 as a novel susceptibility gene for osteoporosis." PLoS Genet **6**(1): e1000806.
- Hakonarson, H., S. F. Grant, et al. (2007). "A genome-wide association study identifies KIAA0350 as a type 1 diabetes gene." Nature **448**(7153): 591-594.
- Hara, H., C. Ishihara, et al. (2007). "The adaptor protein CARD9 is essential for the activation of myeloid cells through ITAM-associated and Toll-like receptors." Nat Immunol **8**(6): 619-629.
- Harris, M. B., J. Mostecky, et al. (2005). "Repression of an interleukin-4-responsive promoter requires cooperative BCL-6 function." J Biol Chem **280**(13): 13114-13121.
- Hawkins, R. D., G. C. Hon, et al. (2010). "Next-generation genomics: an integrative approach." Nat Rev Genet **11**(7): 476-486.
- Heinzen, E. L., D. Ge, et al. (2008). "Tissue-specific genetic control of splicing: implications for the study of complex traits." PLoS Biol **6**(12): e1.
- Hindorf, L. A., P. Sethupathy, et al. (2009). "Potential etiologic and functional implications of genome-wide association loci for human diseases and traits." Proc Natl Acad Sci U S A **106**(23): 9362-9367.
- Hirschhorn, J. N. and M. J. Daly (2005). "Genome-wide association studies for common diseases and complex traits." Nat Rev Genet **6**(2): 95-108.
- Holden, C. and R. Mace (1997). "Phylogenetic analysis of the evolution of lactose digestion in adults." Hum Biol **69**(5): 605-628.
- Hom, G., R. R. Graham, et al. (2008). "Association of systemic lupus erythematosus with C8orf13-BLK and ITGAM-ITGAX." N Engl J Med **358**(9): 900-909.
- Hoogendoorn, B., S. L. Coleman, et al. (2003). "Functional analysis of human promoter polymorphisms." Hum Mol Genet **12**(18): 2249-2254.
- Hsu, Y. M., Y. Zhang, et al. (2007). "The adaptor protein CARD9 is required for innate immune responses to intracellular pathogens." Nat Immunol **8**(2): 198-205.
- Hugot, J. P., M. Chamaillard, et al. (2001). "Association of NOD2 leucine-rich repeat variants with susceptibility to Crohn's disease." Nature **411**(6837): 599-603.
- Huszar, D., C. A. Lynch, et al. (1997). "Targeted disruption of the melanocortin-4 receptor results in obesity in mice." Cell **88**(1): 131-141.
- lafrate, A. J., L. Feuk, et al. (2004). "Detection of large-scale variation in the human genome." Nat Genet **36**(9): 949-951.

- Idaghdour, Y., J. D. Storey, et al. (2008). "A genome-wide gene expression signature of environmental geography in leukocytes of Moroccan Amazighs." PLoS Genet **4**(4): e1000052.
- Ingram, C. J., C. A. Mulcare, et al. (2009). "Lactose digestion and the evolutionary genetics of lactase persistence." Hum Genet **124**(6): 579-591.
- Ioannidis, J. P., E. E. Ntzani, et al. (2001). "Replication validity of genetic association studies." Nat Genet **29**(3): 306-309.
- Iwamoto, K., M. Bundo, et al. (2004). "Expression of HSPF1 and LIM in the lymphoblastoid cells derived from patients with bipolar disorder and schizophrenia." J Hum Genet **49**(5): 227-231.
- Jakkula, E., V. Leppa, et al. (2010). "Genome-wide association study in a high-risk isolate for multiple sclerosis reveals associated variants in STAT3 gene." Am J Hum Genet **86**(2): 285-291.
- Jansen, R. C. and J. P. Nap (2001). "Genetical genomics: the added value from segregation." Trends Genet **17**(7): 388-391.
- Jimenez-Sanchez, G., B. Childs, et al. (2001). "Human disease genes." Nature **409**(6822): 853-855.
- Johannes, F., E. Porcher, et al. (2009). "Assessing the impact of transgenerational epigenetic variation on complex traits." PLoS Genet **5**(6): e1000530.
- Johansen, C. T., J. Wang, et al. (2010). "Excess of rare variants in genes identified by genome-wide association study of hypertriglyceridemia." Nat Genet **42**(8): 684-687.
- Jones, S., X. Zhang, et al. (2008). "Core signaling pathways in human pancreatic cancers revealed by global genomic analyses." Science **321**(5897): 1801-1806.
- Kathiresan, S., C. J. Willer, et al. (2009). "Common variants at 30 loci contribute to polygenic dyslipidemia." Nat Genet **41**(1): 56-65.
- Kellum, R. and P. Schedl (1992). "A group of scs elements function as domain boundaries in an enhancer-blocking assay." Mol Cell Biol **12**(5): 2424-2431.
- Kent, W. J. (2002). "BLAT--the BLAST-like alignment tool." Genome Res **12**(4): 656-664.
- Kerkhof, H. J., R. J. Lories, et al. (2010). "A genome-wide association study identifies an osteoarthritis susceptibility locus on chromosome 7q22." Arthritis Rheum **62**(2): 499-510.
- King, M. C. and A. C. Wilson (1975). "Evolution at two levels in humans and chimpanzees." Science **188**(4184): 107-116.
- Kleinjan, D. A. and V. van Heyningen (2005). "Long-range control of gene expression: emerging mechanisms and disruption in disease." Am J Hum Genet **76**(1): 8-32.
- Koch, C. M., R. M. Andrews, et al. (2007). "The landscape of histone modifications across 1% of the human genome in five human cell lines." Genome Res **17**(6): 691-707.
- Kong, A., V. Steinthorsdottir, et al. (2009). "Parental origin of sequence variants associated with complex diseases." Nature **462**(7275): 868-874.
- Kong, A. M., C. J. Speed, et al. (2000). "Cloning and characterization of a 72-kDa inositol-polyphosphate 5-phosphatase localized to the Golgi network." J Biol Chem **275**(31): 24052-24064.
- Lage, K., N. T. Hansen, et al. (2008). "A large-scale analysis of tissue-specific pathology and gene expression of human disease genes and complexes." Proc Natl Acad Sci U S A **105**(52): 20870-20875.
- Lander, E. S. and N. J. Schork (1994). "Genetic dissection of complex traits." Science **265**(5181): 2037-2048.

- Leask, A., M. Rosenberg, et al. (1990). "Regulation of a human epidermal keratin gene: sequences and nuclear factors involved in keratinocyte-specific transcription." Genes Dev **4**(11): 1985-1998.
- Leek, J. T. and J. D. Storey (2007). "Capturing heterogeneity in gene expression studies by surrogate variable analysis." PLoS Genet **3**(9): 1724-1735.
- Lemire, J. M. and D. C. Archer (1991). "1,25-dihydroxyvitamin D3 prevents the in vivo induction of murine experimental autoimmune encephalomyelitis." J Clin Invest **87**(3): 1103-1107.
- Leonard, E. J. and A. Skeel (1976). "A serum protein that stimulates macrophage movement, chemotaxis and spreading." Exp Cell Res **102**(2): 434-438.
- Lettre, G., A. U. Jackson, et al. (2008). "Identification of ten loci associated with height highlights new biological pathways in human growth." Nat Genet **40**(5): 584-591.
- Levine, M. and R. Tjian (2003). "Transcription regulation and animal diversity." Nature **424**(6945): 147-151.
- Lewontin, R. C. and L. C. Dunn (1960). "The Evolutionary Dynamics of a Polymorphism in the House Mouse." Genetics **45**(6): 705-722.
- Li, L., S. He, et al. (2004). "Gene regulation by Sp1 and Sp3." Biochem Cell Biol **82**(4): 460-471.
- Li, N., M. Ye, et al. (2010). "Whole genome DNA methylation analysis based on high throughput sequencing technology." Methods.
- Li, Q., K. R. Peterson, et al. (2002). "Locus control regions." Blood **100**(9): 3077-3086.
- Libioulle, C., E. Louis, et al. (2007). "Novel Crohn disease locus identified by genome-wide association maps to a gene desert on 5p13.1 and modulates expression of PTGER4." PLoS Genet **3**(4): e58.
- Lieberman-Aiden, E., N. L. van Berkum, et al. (2009). "Comprehensive mapping of long-range interactions reveals folding principles of the human genome." Science **326**(5950): 289-293.
- Lister, R., M. Pelizzola, et al. (2009). "Human DNA methylomes at base resolution show widespread epigenomic differences." Nature **462**(7271): 315-322.
- Liu, X., Y. S. Lee, et al. (2008). "Loss of STAT3 in CD4+ T cells prevents development of experimental autoimmune diseases." J Immunol **180**(9): 6070-6076.
- Loos, R. J., C. M. Lindgren, et al. (2008). "Common variants near MC4R are associated with fat mass, weight and risk of obesity." Nat Genet **40**(6): 768-775.
- Lowrey, C. H., D. M. Bodine, et al. (1992). "Mechanism of DNase I hypersensitive site formation within the human globin locus control region." Proc Natl Acad Sci U S A **89**(3): 1143-1147.
- Mann, M. and O. N. Jensen (2003). "Proteomic analysis of post-translational modifications." Nat Biotechnol **21**(3): 255-261.
- Manolio, T. A., F. S. Collins, et al. (2009). "Finding the missing heritability of complex diseases." Nature **461**(7265): 747-753.
- Margulies, M., M. Egholm, et al. (2005). "Genome sequencing in microfabricated high-density picolitre reactors." Nature **437**(7057): 376-380.
- Martienssen, R. A. and V. Colot (2001). "DNA methylation and epigenetic inheritance in plants and filamentous fungi." Science **293**(5532): 1070-1074.
- Maston, G. A., S. K. Evans, et al. (2006). "Transcriptional regulatory elements in the human genome." Annu Rev Genomics Hum Genet **7**: 29-59.
- McCarroll, S. A., A. Huett, et al. (2008). "Deletion polymorphism upstream of IRGM associated with altered IRGM expression and Crohn's disease." Nat Genet **40**(9): 1107-1112.

- McCarroll, S. A., A. Huett, et al. (2008). "Deletion polymorphism upstream of IRGM associated with altered IRGM expression and Crohn's disease." Nat Genet.
- McCarroll, S. A., F. G. Kuruville, et al. (2008). "Integrated detection and population-genetic analysis of SNPs and copy number variation." Nat Genet **40**(10): 1166-1174.
- McCarthy, M. I., G. R. Abecasis, et al. (2008). "Genome-wide association studies for complex traits: consensus, uncertainty and challenges." Nat Rev Genet **9**(5): 356-369.
- McCracken, S., N. Fong, et al. (1997). "The C-terminal domain of RNA polymerase II couples mRNA processing to transcription." Nature **385**(6614): 357-361.
- McHeyzer-Williams, L. J., N. Pelletier, et al. (2009). "Follicular helper T cells as cognate regulators of B cell immunity." Curr Opin Immunol **21**(3): 266-273.
- McVean, G. A., S. R. Myers, et al. (2004). "The fine-scale structure of recombination rate variation in the human genome." Science **304**(5670): 581-584.
- Meyer, O. (2009). "Interferons and autoimmune disorders." Joint Bone Spine **76**(5): 464-473.
- Miller, R. G. (1981). Simultaneous statistical inference. New York, Springer-Verlag.
- Modrek, B. and C. J. Lee (2003). "Alternative splicing in the human, mouse and rat genomes is associated with an increased frequency of exon creation and/or loss." Nat Genet **34**(2): 177-180.
- Modrek, B., A. Resch, et al. (2001). "Genome-wide detection of alternative splicing in expressed sequences of human genes." Nucleic Acids Res **29**(13): 2850-2859.
- Moffatt, M. F., M. Kabesch, et al. (2007). "Genetic variants regulating ORMDL3 expression contribute to the risk of childhood asthma." Nature **448**(7152): 470-473.
- Monks, S. A., A. Leonardson, et al. (2004). "Genetic inheritance of gene expression in human cell lines." Am J Hum Genet **75**(6): 1094-1105.
- Montgomery, S. B. and E. T. Dermitzakis (2009). "The resolution of the genetics of gene expression." Hum Mol Genet **18**(R2): R211-215.
- Montgomery, S. B., M. Sammeth, et al. (2010). "Transcriptome genetics using second generation sequencing in a Caucasian population." Nature **464**(7289): 773-777.
- Morley, M., C. M. Molony, et al. (2004). "Genetic analysis of genome-wide variation in human gene expression." Nature **430**(7001): 743-747.
- Morrison, A. C., C. B. Wilson, et al. (2004). "Macrophage-stimulating protein, the ligand for the stem cell-derived tyrosine kinase/RON receptor tyrosine kinase, inhibits IL-12 production by primary peritoneal macrophages stimulated with IFN-gamma and lipopolysaccharide." J Immunol **172**(3): 1825-1832.
- Myers, A. J., J. R. Gibbs, et al. (2007). "A survey of genetic human cortical gene expression." Nat Genet **39**(12): 1494-1499.
- Myers, S., L. Bottolo, et al. (2005). "A fine-scale map of recombination rates and hotspots across the human genome." Science **310**(5746): 321-324.
- Naukkarinen, J., I. Surakka, et al. (2010). "Use of genome-wide expression data to mine the "Gray Zone" of GWA studies leads to novel candidate obesity genes." PLoS Genet **6**(6): e1000976.
- Nica, A. C. and E. T. Dermitzakis (2008). "Using gene expression to investigate the genetic basis of complex disorders." Hum Mol Genet **17**(R2): R129-134.
- Nica, A. C., S. B. Montgomery, et al. (2010). "Candidate causal regulatory effects by integration of expression QTLs with complex trait genetic associations." PLoS Genet **6**(4): e1000895.

- Ning, Z., A. J. Cox, et al. (2001). "SSAHA: a fast search method for large DNA databases." *Genome Res* **11**(10): 1725-1729.
- Nishimura, Y., C. L. Martin, et al. (2007). "Genome-wide expression profiling of lymphoblastoid cell lines distinguishes different forms of autism and reveals shared pathways." *Hum Mol Genet* **16**(14): 1682-1698.
- Nowak, K. J. and K. E. Davies (2004). "Duchenne muscular dystrophy and dystrophin: pathogenesis and opportunities for treatment." *EMBO Rep* **5**(9): 872-876.
- Ogura, Y., D. K. Bonen, et al. (2001). "A frameshift mutation in NOD2 associated with susceptibility to Crohn's disease." *Nature* **411**(6837): 603-606.
- Oksenberg, J. R. and S. E. Baranzini (2010). "Multiple sclerosis genetics-is the glass half full, or half empty?" *Nat Rev Neurol*.
- Oleksiak, M. F., G. A. Churchill, et al. (2002). "Variation in gene expression within and among natural populations." *Nat Genet* **32**(2): 261-266.
- Paigen, K. and P. Petkov (2010). "Mammalian recombination hot spots: properties, control and evolution." *Nat Rev Genet* **11**(3): 221-233.
- Parkes, M., J. C. Barrett, et al. (2007). "Sequence variants in the autophagy gene IRGM and multiple other replicating loci contribute to Crohn's disease susceptibility." *Nat Genet* **39**(7): 830-832.
- Parsons, D. W., S. Jones, et al. (2008). "An integrated genomic analysis of human glioblastoma multiforme." *Science* **321**(5897): 1807-1812.
- Pelteková, V. D., R. F. Wintle, et al. (2004). "Functional variants of OCTN cation transporter genes are associated with Crohn disease." *Nat Genet* **36**(5): 471-475.
- Pickrell, J. K., J. C. Marioni, et al. (2010). "Understanding mechanisms underlying human gene expression variation with RNA sequencing." *Nature* **464**(7289): 768-772.
- Pikaart, M. J., F. Recillas-Targa, et al. (1998). "Loss of transcriptional activity of a transgene is accompanied by DNA methylation and histone deacetylation and is prevented by insulators." *Genes Dev* **12**(18): 2852-2862.
- Plagnol, V., D. J. Smyth, et al. (2009). "Statistical independence of the colocalized association signals for type 1 diabetes and RPS26 gene expression on chromosome 12q13." *Biostatistics* **10**(2): 327-334.
- Plomin, R., C. M. Haworth, et al. (2009). "Common disorders are quantitative traits." *Nat Rev Genet* **10**(12): 872-878.
- Price, A. L., N. Patterson, et al. (2008). "Effects of cis and trans genetic ancestry on gene expression in African Americans." *PLoS Genet* **4**(12): e1000294.
- Price, A. L., N. J. Patterson, et al. (2006). "Principal components analysis corrects for stratification in genome-wide association studies." *Nat Genet* **38**(8): 904-909.
- Pritchard, J. K. and M. Przeworski (2001). "Linkage disequilibrium in humans: models and data." *Am J Hum Genet* **69**(1): 1-14.
- Prokopenko, I., C. Langenberg, et al. (2009). "Variants in MTNR1B influence fasting glucose levels." *Nat Genet* **41**(1): 77-81.
- Ravasi, T., H. Suzuki, et al. (2010). "An atlas of combinatorial transcriptional regulation in mouse and man." *Cell* **140**(5): 744-752.
- Redon, R., S. Ishikawa, et al. (2006). "Global variation in copy number in the human genome." *Nature* **444**(7118): 444-454.
- Ren, D., M. Li, et al. (2005). "Identification of SH2-B as a key regulator of leptin sensitivity, energy balance, and body weight in mice." *Cell Metab* **2**(2): 95-104.
- Rice, T. K., N. J. Schork, et al. (2008). "Methods for handling multiple testing." *Adv Genet* **60**: 293-308.

- Rioux, J. D., R. J. Xavier, et al. (2007). "Genome-wide association study identifies new susceptibility loci for Crohn disease and implicates autophagy in disease pathogenesis." *Nat Genet* **39**(5): 596-604.
- Risch, N. and K. Merikangas (1996). "The future of genetic studies of complex human diseases." *Science* **273**(5281): 1516-1517.
- Robertson, G., M. Hirst, et al. (2007). "Genome-wide profiles of STAT1 DNA association using chromatin immunoprecipitation and massively parallel sequencing." *Nat Methods* **4**(8): 651-657.
- Rockman, M. V. and L. Kruglyak (2006). "Genetics of global gene expression." *Nat Rev Genet* **7**(11): 862-872.
- Sanna, S., A. U. Jackson, et al. (2008). "Common variants in the GDF5-UQCC region are associated with variation in human height." *Nat Genet* **40**(2): 198-203.
- Saxena, R., B. F. Voight, et al. (2007). "Genome-wide association analysis identifies loci for type 2 diabetes and triglyceride levels." *Science* **316**(5829): 1331-1336.
- Schadt, E. E. (2009). "Molecular networks as sensors and drivers of common human diseases." *Nature* **461**(7261): 218-223.
- Schadt, E. E., C. Molony, et al. (2008). "Mapping the genetic architecture of gene expression in human liver." *PLoS Biol* **6**(5): e107.
- Schadt, E. E., S. A. Monks, et al. (2003). "Genetics of gene expression surveyed in maize, mouse and man." *Nature* **422**(6929): 297-302.
- Scott, L. J., K. L. Mohlke, et al. (2007). "A genome-wide association study of type 2 diabetes in Finns detects multiple susceptibility variants." *Science* **316**(5829): 1341-1345.
- Sebat, J., B. Lakshmi, et al. (2004). "Large-scale copy number polymorphism in the human genome." *Science* **305**(5683): 525-528.
- Selbach, M., B. Schwanhauser, et al. (2008). "Widespread changes in protein synthesis induced by microRNAs." *Nature* **455**(7209): 58-63.
- Shendure, J., G. J. Porreca, et al. (2005). "Accurate multiplex polony sequencing of an evolved bacterial genome." *Science* **309**(5741): 1728-1732.
- Shi, J., D. F. Levinson, et al. (2009). "Common variants on chromosome 6p22.1 are associated with schizophrenia." *Nature* **460**(7256): 753-757.
- Silventoinen, K., S. Sammalisto, et al. (2003). "Heritability of adult body height: a comparative study of twin cohorts in eight countries." *Twin Res* **6**(5): 399-408.
- Sladek, R., G. Rocheleau, et al. (2007). "A genome-wide association study identifies novel risk loci for type 2 diabetes." *Nature* **445**(7130): 881-885.
- Smirnov, D. A., M. Morley, et al. (2009). "Genetic analysis of radiation-induced changes in human gene expression." *Nature* **459**(7246): 587-591.
- Soranzo, N., F. Rivadeneira, et al. (2009). "Meta-analysis of genome-wide scans for human adult stature identifies novel Loci and associations with measures of skeletal frame size." *PLoS Genet* **5**(4): e1000445.
- Sorrell, J. M. and A. I. Caplan (2004). "Fibroblast heterogeneity: more than skin deep." *J Cell Sci* **117**(Pt 5): 667-675.
- Spector, T. D. and F. M. Williams (2006). "The UK Adult Twin Registry (TwinsUK)." *Twin Res Hum Genet* **9**(6): 899-906.
- Spielman, R. S., L. A. Bastone, et al. (2007). "Common genetic variants account for differences in gene expression among ethnic groups." *Nat Genet* **39**(2): 226-231.
- Spits, H. (2002). "Development of alphabeta T cells in the human thymus." *Nat Rev Immunol* **2**(10): 760-772.
- Srinivasan, L. and M. L. Atchison (2004). "YY1 DNA binding and PcG recruitment requires CtBP." *Genes Dev* **18**(21): 2596-2601.

- Stegle, O., L. Parts, et al. (2010). "A Bayesian framework to account for complex non-genetic factors in gene expression levels greatly increases power in eQTL studies." *PLoS Comput Biol* **6**(5): e1000770.
- Stern, D. L. (1998). "A role of Ultrabithorax in morphological differences between *Drosophila* species." *Nature* **396**(6710): 463-466.
- Storey, J. D., J. Madeoy, et al. (2007). "Gene-expression variation within and among human populations." *Am J Hum Genet* **80**(3): 502-509.
- Storey, J. D. and R. Tibshirani (2003). "Statistical significance for genomewide studies." *Proc Natl Acad Sci U S A* **100**(16): 9440-9445.
- Strachan, T. and A. P. Read (2004). *Human molecular genetics 3*. London ; New York Independence, KY, Garland Science ;
Distributed in the USA by Taylor & Francis.
- Stranger, B. E., M. S. Forrest, et al. (2005). "Genome-wide associations of gene expression variation in humans." *PLoS Genet* **1**(6): e78.
- Stranger, B. E., M. S. Forrest, et al. (2007). "Relative impact of nucleotide and copy number variation on gene expression phenotypes." *Science* **315**(5813): 848-853.
- Stranger, B. E., A. C. Nica, et al. (2007). "Population genomics of human gene expression." *Nat Genet* **39**(10): 1217-1224.
- Stratton, M. R. and N. Rahman (2008). "The emerging landscape of breast cancer susceptibility." *Nat Genet* **40**(1): 17-22.
- Su, A. I., M. P. Cooke, et al. (2002). "Large-scale analysis of the human and mouse transcriptomes." *Proc Natl Acad Sci U S A* **99**(7): 4465-4470.
- Swanberg, M., O. Lidman, et al. (2005). "MHC2TA is associated with differential MHC molecule expression and susceptibility to rheumatoid arthritis, multiple sclerosis and myocardial infarction." *Nat Genet* **37**(5): 486-494.
- Teo, Y. Y., M. Inouye, et al. (2007). "A genotype calling algorithm for the Illumina BeadArray platform." *Bioinformatics* **23**(20): 2741-2746.
- Teslovich, T. M., K. Musunuru, et al. (2010). "Biological, clinical and population relevance of 95 loci for blood lipids." *Nature* **466**(7307): 707-713.
- Thomas, G., K. B. Jacobs, et al. (2008). "Multiple loci identified in a genome-wide association study of prostate cancer." *Nat Genet* **40**(3): 310-315.
- Todd, J. A., N. M. Walker, et al. (2007). "Robust associations of four new chromosome regions from genome-wide analyses of type 1 diabetes." *Nat Genet* **39**(7): 857-864.
- Torkamani, A., E. J. Topol, et al. (2008). "Pathway analysis of seven common diseases assessed by genome-wide association." *Genomics* **92**(5): 265-272.
- Ueda, H., J. M. Howson, et al. (2003). "Association of the T-cell regulatory gene CTLA4 with susceptibility to autoimmune disease." *Nature* **423**(6939): 506-511.
- Underhill, D. M. and T. Shimada (2007). "A pair of 9s: it's in the CARDs." *Nat Immunol* **8**(2): 122-124.
- Vaisse, C., K. Clement, et al. (1998). "A frameshift mutation in human MC4R is associated with a dominant form of obesity." *Nat Genet* **20**(2): 113-114.
- van der Mei, I. A., A. L. Ponsonby, et al. (2007). "Vitamin D levels in people with multiple sclerosis and community controls in Tasmania, Australia." *J Neurol* **254**(5): 581-590.
- Vaughn, M. W., M. Tanurdzic, et al. (2007). "Epigenetic natural variation in *Arabidopsis thaliana*." *PLoS Biol* **5**(7): e174.
- Vetter, K. and W. Wurst (2001). "Expression of a novel mouse gene 'mbFZb' in distinct regions of the developing nervous system and the adult brain." *Mech Dev* **100**(1): 123-125.

- Visel, A., M. J. Blow, et al. (2009). "ChIP-seq accurately predicts tissue-specific activity of enhancers." *Nature* **457**(7231): 854-858.
- Visscher, P. M. (2008). "Sizing up human height variation." *Nat Genet* **40**(5): 489-490.
- Visscher, P. M., W. G. Hill, et al. (2008). "Heritability in the genomics era--concepts and misconceptions." *Nat Rev Genet* **9**(4): 255-266.
- Wang, W. Y., B. J. Barratt, et al. (2005). "Genome-wide association studies: theoretical and practical concerns." *Nat Rev Genet* **6**(2): 109-118.
- Wang, Y., C. B. Harvey, et al. (1995). "The lactase persistence/non-persistence polymorphism is controlled by a cis-acting element." *Hum Mol Genet* **4**(4): 657-662.
- Wang, Z., M. Gerstein, et al. (2009). "RNA-Seq: a revolutionary tool for transcriptomics." *Nat Rev Genet* **10**(1): 57-63.
- Weatherall, D. J. (1998). "Pathophysiology of thalassaemia." *Baillieres Clin Haematol* **11**(1): 127-146.
- Weedon, M. N., H. Lango, et al. (2008). "Genome-wide association analysis identifies 20 loci that influence adult height." *Nat Genet* **40**(5): 575-583.
- Weedon, M. N., G. Lettre, et al. (2007). "A common variant of HMGA2 is associated with adult and childhood height in the general population." *Nat Genet* **39**(10): 1245-1250.
- Weintraub, H., R. Davis, et al. (1991). "The myoD gene family: nodal point during specification of the muscle cell lineage." *Science* **251**(4995): 761-766.
- Willer, C. J., S. Sanna, et al. (2008). "Newly identified loci that influence lipid concentrations and risk of coronary artery disease." *Nat Genet* **40**(2): 161-169.
- Willer, C. J., E. K. Speliotes, et al. (2009). "Six new loci associated with body mass index highlight a neuronal influence on body weight regulation." *Nat Genet* **41**(1): 25-34.
- Wittkopp, P. J., B. K. Haerum, et al. (2008). "Regulatory changes underlying expression differences within and between Drosophila species." *Nat Genet* **40**(3): 346-350.
- Workman, J. L. and R. G. Roeder (1987). "Binding of transcription factor TFIID to the major late promoter during in vitro nucleosome assembly potentiates subsequent initiation by RNA polymerase II." *Cell* **51**(4): 613-622.
- Wray, G. A. (2007). "The evolutionary significance of cis-regulatory mutations." *Nat Rev Genet* **8**(3): 206-216.
- WTCCC (2007). "Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls." *Nature* **447**(7145): 661-678.
- Xu, J., S. Chen, et al. (2009). "STAT5 mediates antiapoptotic effects of methylprednisolone on oligodendrocytes." *J Neurosci* **29**(7): 2022-2026.
- Yan, H., Z. Dobbie, et al. (2002). "Small changes in expression affect predisposition to tumorigenesis." *Nat Genet* **30**(1): 25-26.
- Yan, H., W. Yuan, et al. (2002). "Allelic variation in human gene expression." *Science* **297**(5584): 1143.
- Yang, J., B. Benyamin, et al. (2010). "Common SNPs explain a large proportion of the heritability for human height." *Nat Genet* **42**(7): 565-569.
- Ye, S., P. Eriksson, et al. (1996). "Progression of coronary atherosclerosis is associated with a common genetic variant of the human stromelysin-1 promoter which results in reduced gene expression." *J Biol Chem* **271**(22): 13055-13060.
- Yeo, G. S., I. S. Farooqi, et al. (1998). "A frameshift mutation in MC4R associated with dominantly inherited human obesity." *Nat Genet* **20**(2): 111-112.
- Yoshida, T., K. Kato, et al. (2010). "Association of genetic variants with hemorrhagic stroke in Japanese individuals." *Int J Mol Med* **25**(4): 649-656.

- Zeggini, E., L. J. Scott, et al. (2008). "Meta-analysis of genome-wide association data and large-scale replication identifies additional susceptibility loci for type 2 diabetes." Nat Genet **40**(5): 638-645.
- Zeggini, E., M. N. Weedon, et al. (2007). "Replication of genome-wide association signals in UK samples reveals risk loci for type 2 diabetes." Science **316**(5829): 1336-1341.
- Zhang, X. and S. Markovic-Plese (2010). "Interferon beta inhibits the Th17 cell-mediated autoimmune response in patients with relapsing-remitting multiple sclerosis." Clin Neurol Neurosurg **112**(7): 641-645.
- Zhang, Z. D., A. Paccanaro, et al. (2007). "Statistical analysis of the genomic distribution and correlation of regulatory elements in the ENCODE regions." Genome Res **17**(6): 787-797.
- Zhernakova, A., E. M. Festen, et al. (2008). "Genetic analysis of innate immunity in Crohn's disease and ulcerative colitis identifies two susceptibility loci harboring CARD9 and IL18RAP." Am J Hum Genet **82**(5): 1202-1210.