

## 8 References

1. Ochman H, Wilson AC (1987) Evolution in Bacteria: Evidence for a universal substitution rate in cellular genomes. *J Mol Evol* 26: 74-86.
2. Kauffmann F (1973) [The classification and nomenclature of salmonella-species]. *Zentralbl Bakteriol [Orig A]* 223: 508-512.
3. Crosa JH, Brenner DJ, Ewing WH, Falkow S (1973) Molecular relationships among the Salmonelleae. *J Bacteriol* 115: 307-315.
4. Brenner FW, Villar RG, Angulo FJ, Tauxe R, Swaminathan B (2000) Salmonella nomenclature. *J Clin Microbiol* 38: 2465-2467.
5. Lee WS, Hafeez A, Hassan H, Raja NS, Puthuchery SD (2005) Focal nontyphoidal Salmonella infections from a single center in Malaysia. *Southeast Asian J Trop Med Public Health* 36: 678-682.
6. Gupta SK, Pandit A, White DG, Evans PD (2004) Salmonella osteomyelitis of the thoracic spine: an unusual presentation. *Postgrad Med J* 80: 110-111.
7. Langridge GC, Nair S, Wain J (2009) Nontyphoidal Salmonella serovars cause different degrees of invasive disease globally. *J Infect Dis* 199: 602-603.
8. Crump JA, Luby SP, Mintz ED (2004) The global burden of typhoid fever. *Bull World Health Organ* 82: 346-353.
9. Bitar R, Tarpley J (1985) Intestinal perforation and typhoid fever: a historical and state-of-the-art review. *Rev Infect Dis* 7: 257.
10. Kariuki S, Revathi G, Kariuki N, Kiiru J, Mwituria J, et al. (2006) Invasive multidrug-resistant non-typhoidal Salmonella infections in Africa: zoonotic or anthroponotic transmission? *J Med Microbiol* 55: 585-591.
11. Tsoilis RM, Kingsley RA, Townsend SM, Ficht TA, Adams LG, et al. (1999) Of mice, calves, and men. Comparison of the mouse typhoid model with other Salmonella infections. *Adv Exp Med Biol* 473: 261-274.
12. Galán JE, Curtiss III R (1989) Cloning and molecular characterization of genes whose products allow *Salmonella typhimurium* to penetrate tissue culture cells. *Proc Natl Acad Sci USA* 86: 6383-6387.
13. Shea JE, Hensel M, Gleeson C, Holden DW (1996) Identification of a virulence locus encoding a second type III secretion system in *Salmonella typhimurium*. *Proc Natl Acad Sci USA* 93: 2593-2597.
14. Nnalue NA, Stocker BA (1987) Test of the virulence and live-vaccine efficacy of auxotrophic and galE derivatives of Salmonella choleraesuis. *Infect Immun* 55: 955-962.
15. Stocker BA (1988) Auxotrophic Salmonella typhi as live vaccine. *Vaccine* 6: 141-145.

16. Segall T, Lindberg AA (1991) Salmonella dublin experimental infection in calves: protection after oral immunization with an auxotrophic *aroA* live vaccine. *Zentralblatt Fur Veterinarmedizin Reihe B* 38: 142-160.
17. Drazek ES, Houg HS, Crawford RM, Hadfield TL, Hoover DL, et al. (1995) Deletion of *purE* attenuates *Brucella melitensis* 16M for growth in human monocyte-derived macrophages. *Infection & Immunity* 63: 3297-3301.
18. Kelly-Hope LA, Alonso WJ, Thiem VD, Anh DD, Canh do G, et al. (2007) Geographical distribution and risk factors associated with enteric diseases in Vietnam. *Am J Trop Med Hyg* 76: 706-712.
19. Garcia-del Portillo F, Foster JW, Finlay BB (1993) Role of acid tolerance response genes in *Salmonella typhimurium* virulence. *Infect Immun* 61: 4489-4492.
20. Selsted ME, Miller SI, Henschen AH, Ouellette AJ (1992) Enteric defensins: antibiotic peptide components in intestinal host defense. *J Cell Biol* 118: 929-936.
21. Michetti P, Mahan MJ, Slauch JM, Mekalanos JJ, Neutra MR (1992) Monoclonal secretory immunoglobulin A protects mice against oral challenge with the invasive pathogen *Salmonella typhimurium*. *Infect Immun* 60: 1786-1792.
22. Prouty AM, Brodsky IE, Falkow S, Gunn JS (2004) Bile-salt-mediated induction of antimicrobial and bile resistance in *Salmonella typhimurium*. *Microbiology* 150: 775-783.
23. Altmeyer RM, McNern JK, Bossio JC, Rosenshine I, Finlay BB, et al. (1993) Cloning and molecular characterization of a gene involved in *Salmonella* adherence and invasion of cultured epithelial cells. *Mol Microbiol* 7: 89-98.
24. Robertson JM, Grant G, Allen-Vercoe E, Woodward MJ, Pusztai A, et al. (2000) Adhesion of *Salmonella enterica* var *Enteritidis* strains lacking fimbriae and flagella to rat ileal explants cultured at the air interface or submerged in tissue culture medium. *J Med Microbiol* 49: 691-696.
25. Edwards RA, Schifferli DM, Maloy SR (2000) A role for *Salmonella* fimbriae in intraperitoneal infections. *Proc Natl Acad Sci U S A* 97: 1258-1262.
26. Lindberg F, Lund B, Johansson L, Normark S (1987) Localization of the receptor-binding protein adhesin at the tip of the bacterial pilus. *Nature* 328: 84-87.
27. Wilson RL, Elthon J, Clegg S, Jones BD (2000) *Salmonella enterica* serovars *gallinarum* and *pullorum* expressing *Salmonella enterica* serovar *typhimurium* type 1 fimbriae exhibit increased invasiveness for mammalian cells. *Infect Immun* 68: 4782-4785.
28. Bloch CA, Stocker BA, Orndorff PE (1992) A key role for type 1 pili in enterobacterial communicability. *Mol Microbiol* 6: 697-701.
29. Fujimara Y (1986) Functional morphology of microfold cells (M cells) in Payer's patches - phagocytosis and transport of BCG by M cells into rabbit Payer's patches. *Gastroenterol Jpn* 21: 325-335.

30. Vazquez-Torres A, Jones-Carson J, Baumler AJ, Falkow S, Valdivia R, et al. (1999) Extraintestinal dissemination of *Salmonella* by CD18-expressing phagocytes. *Nature* 401: 804-808.
31. Boyle EC, Brown NF, Finlay BB (2006) *Salmonella enterica* serovar Typhimurium effectors SopB, SopE, SopE2 and SipA disrupt tight junction structure and function. *Cell Microbiol* 8: 1946-1957.
32. Levine WC, Buehler JW, Bean NH, Tauxe RV (1991) Epidemiology of nontyphoidal *Salmonella* bacteremia during the human immunodeficiency virus epidemic. *J Infect Dis* 164: 81-87.
33. Bronzan RN, Taylor TE, Mwenechanya J, Tembo M, Kayira K, et al. (2007) Bacteremia in Malawian children with severe malaria: prevalence, etiology, HIV coinfection, and outcome. *J Infect Dis* 195: 895-904.
34. Sharma A, Qadri A (2004) Vi polysaccharide of *Salmonella typhi* targets the prohibitin family of molecules in intestinal epithelial cells and suppresses early inflammatory responses. *Proc Natl Acad Sci U S A* 101: 17492-17497.
35. Raffatellu M, Chessa D, Wilson RP, Dusold R, Rubino S, et al. (2005) The Vi capsular antigen of *Salmonella enterica* serotype Typhi reduces Toll-like receptor-dependent interleukin-8 expression in the intestinal mucosa. *Infect Immun* 73: 3367-3374.
36. Alpuche-Aranda CM, Berthiaume EP, Mock B, Swanson JA, Miller SI (1995) Spacious phagosome formation within mouse macrophages correlates with *Salmonella* serotype pathogenicity and host susceptibility. *Infect Immun* 63: 4456-4462.
37. Alpuche-Aranda CM, Racoosin EL, Swanson JA, Miller SI (1994) *Salmonella* stimulate macrophage macropinocytosis and persist within spacious phagosomes. *J Exp Med* 179: 601-608.
38. Chen LM, Hobbie S, Galan JE (1996) Requirement of cdc42 for salmonella-induced cytoskeletal and nuclear responses. *Science* 274: 2115-2118.
39. Frances CL, Ryan TA, Jones BD, Smith SJ, Falkow S (1993) Ruffles induced by *Salmonella* and other stimuli direct macropinocytosis of bacteria. *Nature* 364: 639-642.
40. Garcia-del Portillo F, Finlay BB (1995) Targeting of *Salmonella typhimurium* to vesicles containing lysosomal membrane glycoproteins bypasses compartments with mannose 6-phosphate receptors. *Journal of Cell Biology* 129: 81-97.
41. Harrison RE, Brumell JH, Khandani A, Bucci C, Scott CC, et al. (2004) *Salmonella* impairs RILP recruitment to Rab7 during maturation of invasion vacuoles. *Mol Biol Cell*.
42. Marsman M, Jordens I, Kuijl C, Janssen L, Neefjes J (2004) Dynein-mediated Vesicle Transport Controls Intracellular *Salmonella* Replication. *Mol Biol Cell* 15: 2954-2964.
43. Guignot J, Caron E, Beuzon C, Bucci C, Kagan J, et al. (2004) Microtubule motors control membrane dynamics of *Salmonella*-containing vacuoles. *J Cell Sci* 117: 1033-1045.

44. Steele-Mortimer O, Meresse S, Gorvel JP, Toh BH, Finlay BB (1999) Biogenesis of *Salmonella typhimurium*-containing vacuoles in epithelial cells involves interactions with the early endocytic pathway. *Cell Microbiol* 1: 33-49.
45. Garvis SG, Beuzon CR, Holden DW (2001) A role for the PhoP/Q regulon in inhibition of fusion between lysosomes and *Salmonella*-containing vacuoles in macrophages. *Cell Microbiol* 3: 731-744.
46. Abrahams GL, Muller P, Hensel M (2006) Functional dissection of SseF, a type III effector protein involved in positioning the salmonella-containing vacuole. *Traffic* 7: 950-965.
47. Yu XJ, Ruiz-Albert J, Unsworth KE, Garvis S, Liu M, et al. (2002) SpiC is required for secretion of *Salmonella* Pathogenicity Island 2 type III secretion system proteins. *Cell Microbiol* 4: 531-540.
48. Drecktrah D, Knodler LA, Howe D, Steele-Mortimer O (2007) *Salmonella* trafficking is defined by continuous dynamic interactions with the endolysosomal system. *Traffic* 8: 212-225.
49. Steele-Mortimer O, Brumell JH, Knodler LA, Meresse S, Lopez A, et al. (2002) The invasion-associated type III secretion system of *Salmonella enterica* serovar Typhimurium is necessary for intracellular proliferation and vacuole biogenesis in epithelial cells. *Cell Microbiol* 4: 43-54.
50. Cirillo DM, Valdivia RH, Monack DM, Falkow S (1998) Macrophage-dependent induction of the *Salmonella* pathogenicity island 2 type III secretion system and its role in intracellular survival. *Mol Microbiol* 30: 175-188.
51. Klein JR, Jones BD (2001) *Salmonella* pathogenicity island 2-encoded proteins SseC and SseD are essential for virulence and are substrates of the type III secretion system. *Infect Immun* 69: 737-743.
52. Brumell JH, Kujat-Choy S, Brown NF, Vallance BA, Knodler LA, et al. (2003) SopD2 is a novel type III secreted effector of *Salmonella typhimurium* that targets late endocytic compartments upon delivery into host cells. *Traffic* 4: 36-48.
53. Brumell JH, Rosenberger CM, Gotto GT, Marcus SL, Finlay BB (2001) SifA permits survival and replication of *Salmonella typhimurium* in murine macrophages. *Cell Microbiol* 3: 75-84.
54. Gallois A, Klein JR, Allen LA, Jones BD, Nauseef WM (2001) *Salmonella* pathogenicity island 2-encoded type III secretion system mediates exclusion of NADPH oxidase assembly from the phagosomal membrane. *J Immunol* 166: 5741-5748.
55. Lindberg AA, Segall T, Weintraub A, Stocker BA (1993) Antibody response and protection against challenge in mice vaccinated intraperitoneally with a live aroA O4-O9 hybrid *Salmonella dublin* strain. *Infection & Immunity* 61: 1211-1221.
56. Segall T, Jacobsson SO, Karlsson K, Lindberg AA (1994) Mucosal immune responses in calves orally vaccinated with a live auxotrophic aroA *Salmonella dublin* strain. *Zentralblatt Fur Veterinarmedizin Reihe B* 41: 305-312.

57. Formica S, Roach TI, Blackwell JM (1994) Interaction with extracellular matrix proteins influences Lsh/Ity/Bcg (candidate Nramp) gene regulation of macrophage priming/activation for tumour necrosis factor-alpha and nitrite release. *Immunology* 82: 42-50.
58. Jabado N, Cuellar-Mata P, Grinstein S, Gros P (2003) Iron chelators modulate the fusogenic properties of Salmonella-containing phagosomes. *Proc Natl Acad Sci U S A* 100: 6127-6132.
59. Martin-Orozco N, Touret N, Zaharik ML, Park E, Kopelman R, et al. (2006) Visualization of vacuolar acidification-induced transcription of genes of pathogens inside macrophages. *Mol Biol Cell* 17: 498-510.
60. Engels EA, Falagas ME, Lau J, Bennish ML (1998) Typhoid fever vaccines: a meta-analysis of studies on efficacy and toxicity. *Bmj* 316: 110-116.
61. Szu SC, Taylor DN, Trofa AC, Clements JD, Shiloach J, et al. (1994) Laboratory and preliminary clinical characterization of Vi capsular polysaccharide-protein conjugate vaccines. *Infect Immun* 62: 4440-4444.
62. Germanier R, Fürer E (1975) Isolation and Characterization of *galE* mutant Ty21a of *Salmonella typhi*: a candidate strain for a live, oral typhoid vaccine. *J Infect Dis* 131: 553-558.
63. Wahdan MH, Serie C, Germanier R, Lackany A, Cerisier Y, et al. (1980) A controlled field trial of liver oral typhoid vaccine Ty21a. *Bull World Health Organ* 58: 469-474.
64. Levine MM, Ferreccio C, Black RE, Germanier R (1987) Large-scale field trial of Ty21a live oral typhoid vaccine in enteric-coated capsule formulation. *Lancet* i: 1049-1052.
65. Silva B, Gonzalez, C., Mora, GC, and Cabello, F (1987) Genetic characteristics of the *Salmonella typhi* Ty21a vaccine. *J Infect Dis* 155: 1077-1078.
66. Fraser A, Paul M, Goldberg E, Acosta CJ, Leibovici L (2007) Typhoid fever vaccines: systematic review and meta-analysis of randomised controlled trials. *Vaccine* 25: 7848-7857.
67. Smith BP, Reina GM, Hoiseth SK, Stocker BA, Habasha F, et al. (1984) Aromatic-dependent *Salmonella typhimurium* as modified live vaccines for calves. *American Journal of Veterinary Research* 45: 59-66.
68. Stocker BA, Hoiseth SK, Smith BP (1983) Aromatic-dependent "*Salmonella* sp." as live vaccine in mice and calves. *Developments in Biological Standardization* 53: 47-54.
69. Hindle Z, Chatfield SN, Phillimore J, Bentley M, Johnson J, et al. (2002) Characterization of *Salmonella enterica* derivatives harboring defined *aroC* and *Salmonella* pathogenicity island 2 type III secretion system (*ssaV*) mutations by immunization of healthy volunteers. *Infect Immun* 70: 3457-3467.
70. Dorman CJ, Chatfield S, Higgins CF, Hayward C, Dougan G (1989) Characterization of porin and *ompR* mutants of a virulent strain of *Salmonella typhimurium*: *ompR* mutants are attenuated in vivo. *Infect Immun* 57: 2136-2140.

71. Hohmann EL, Oletta CA, Killeen KP, Miller SI (1996) *phoP/phoQ*-deleted *Salmonella typhi* (Ty800) is a safe and immunogenic single-dose typhoid fever vaccine in volunteers. *J Infect Dis* 173: 1408-1414.
72. Johnson K, Charles I, Dougan G, Pickard D, O'Gaora P, et al. (1991) The role of a stress-response protein in *Salmonella typhimurium* virulence. *Mol Microbiol* 5: 401-407.
73. Covone MG, Brocchi M, Palla E, Dias da Silveira W, Rappuoli R, et al. (1998) Levels of expression and immunogenicity of attenuated *Salmonella enterica* serovar typhimurium strains expressing *Escherichia coli* mutant heat-labile enterotoxin. *Infect Immun* 66: 224-231.
74. Kramer U, Rizos K, Apfel H, Autenrieth IB, Lattemann CT (2003) Autodisplay: development of an efficacious system for surface display of antigenic determinants in *Salmonella* vaccine strains. *Infect Immun* 71: 1944-1952.
75. Roland KL, Tinge SA, Killeen KP, Kochi SK (2005) Recent advances in the development of live, attenuated bacterial vectors. *Curr Opin Mol Ther* 7: 62-72.
76. Parkhill J, Dougan G, James KD, Thomson NR, Pickard D, et al. (2001) Complete genome sequence of a multiple drug resistant *Salmonella enterica* serovar Typhi CT18. *Nature* 413: 848-852.
77. McClelland M, Sanderson KE, Spieth J, Clifton SW, Latreille P, et al. (2001) Complete genome sequence of *Salmonella enterica* serovar Typhimurium LT2. *Nature* 413: 852-856.
78. Bäumlér AJ (1997) The record of horizontal gene transfer in *Salmonella*. *Trends in Microbiol* 5: 318-322.
79. Zhou D, Galan J (2001) *Salmonella* entry into host cells: the work in concert of type III secreted effector proteins. *Microbes Infect* 3: 1293-1298.
80. Bäumlér AJ, Gilde AJ, Tsolis RM, van der Velden AWM, Ahmer BMM, et al. (1997) Contribution of horizontal gene transfer and deletion events to the development of distinctive patterns of fimbrial operons during evolution of *Salmonella* serotypes. *J Bacteriol* 179: 317-322.
81. Bäumlér AJ, Heffron F (1995) Identification and sequence analysis of *lpfABCDE*, a putative fimbrial operon of *Salmonella typhimurium*. *J Bacteriol* 177: 2087-2097.
82. McClelland M, Sanderson KE, Clifton SW, Latreille P, Porwollik S, et al. (2004) Comparison of genome degradation in Paratyphi A and Typhi, human-restricted serovars of *Salmonella enterica* that cause typhoid. *Nat Genet* 36: 1268-1274.
83. Thomson NR, Clayton DJ, Windhorst D, Vernikos G, Davidson S, et al. (2008) Comparative genome analysis of *Salmonella* Enteritidis PT4 and *Salmonella Gallinarum* 287/91 provides insights into evolutionary and host adaptation pathways. *Genome Res* 18: 1624-1637.

84. Pickard D, Wain J, Baker S, Line A, Chohan S, et al. (2003) Composition, Acquisition, and Distribution of the Vi Exopolysaccharide-Encoding *Salmonella enterica* Pathogenicity Island SPI-7. *J Bacteriol* 185: 5055-5065.
85. Kolyva S, Waxin H, Popoff MY (1992) The Vi antigen of *Salmonella typhi*: molecular analysis of the *viaB* locus. *J Gen Microbiol* 138: 297-304.
86. Wilson RP, Raffatellu M, Chessa D, Winter SE, Tukel C, et al. (2008) The Vi-capsule prevents Toll-like receptor 4 recognition of *Salmonella*. *Cell Microbiol* 10: 876-890.
87. Holt KE, Parkhill J, Mazzoni CJ, Roumagnac P, Weill FX, et al. (2008) High-throughput sequencing provides insights into genome variation and evolution in *Salmonella Typhi*. *Nat Genet* 40: 987-993.
88. Klugman KP, Gilbertson IT, Koornhof HJ, Robbins JB, Schneerson R, et al. (1987) Protective activity of Vi capsular polysaccharide vaccine against typhoid fever. *Lancet* 2: 1165-1169.
89. Thomson N, Baker S, Pickard D, Fookes M, Anjum M, et al. (2004) The role of prophage-like elements in the diversity of *Salmonella enterica* serovars. *J Mol Biol* 339: 279-300.
90. Herrington DA, Hall RH, Losonsky G, Mekalanos JJ, Taylor RK, et al. (1988) Toxin, toxin coregulated pili and *toxR* regulon are essential for *Vibrio cholerae* pathogenesis in humans. *J Exp Med* 168: 1487-1492.
91. Knothe H, Schmidt D (1952) [Diphtheria toxin formation in incubated egg.]. *Arztl Wochensh* 7: 275-277.
92. Desiere F, McShan WM, van Sinderen D, Ferretti JJ, Brussow H (2001) Comparative genomics reveals close genetic relationships between phages from dairy bacteria and pathogenic Streptococci: evolutionary implications for prophage-host interactions. *Virology* 288: 325-341.
93. Miold S, Rabsch W, Tschape H, Hardt WD (2001) Transfer of the *Salmonella* type III effector *sopE* between unrelated phage families. *J Mol Biol* 312: 7-16.
94. Altier C (2005) Genetic and environmental control of salmonella invasion. *J Microbiol* 43 Spec No: 85-92.
95. Sukhan A, Kubori T, Wilson J, Galan JE (2001) Genetic analysis of assembly of the *Salmonella enterica* serovar Typhimurium type III secretion-associated needle complex. *J Bacteriol* 183: 1159-1167.
96. Galan JE, Wolf-Watz H (2006) Protein delivery into eukaryotic cells by type III secretion machines. *Nature* 444: 567-573.
97. Raffatellu M, Wilson RP, Chessa D, Andrews-Polymenis H, Tran QT, et al. (2005) SipA, SopA, SopB, SopD, and SopE2 contribute to *Salmonella enterica* serotype typhimurium invasion of epithelial cells. *Infect Immun* 73: 146-154.
98. Jepson MA, Kenny B, Leard AD (2001) Role of *sipA* in the early stages of *Salmonella typhimurium* entry into epithelial cells. *Cell Microbiol* 3: 417-426.

99. Bakshi CS, Singh VP, Wood MW, Jones PW, Wallis TS, et al. (2000) Identification of SopE2, a *Salmonella* secreted protein which is highly homologous to SopE and involved in bacterial invasion of epithelial cells. *J Bacteriol* 182: 2341-2344.
100. Norris FA, Wilson MP, Wallis TS, Galyov EE, Majerus PW (1998) SopB, a protein required for virulence of *Salmonella dublin*, is an inositol phosphate phosphatase [see comments]. *Proc Natl Acad Sci U S A* 95: 14057-14059.
101. Jones MA, Wood MW, Mullan PB, Watson PR, Wallis TS, et al. (1998) Secreted effector proteins of *Salmonella dublin* act in concert to induce enteritis. *Infect Immun* 66: 5799-5804.
102. Hardt WD, Urlaub H, Galan JE (1998) A substrate of the centisome 63 type III protein secretion system of *Salmonella typhimurium* is encoded by a cryptic bacteriophage. *Proc Natl Acad Sci U S A* 95: 2574-2579.
103. Hardt WD, Chen LM, Schuebel KE, Bustelo XR, Galan JE (1998) *S. typhimurium* encodes an activator of Rho GTPases that induces membrane ruffling and nuclear responses in host cells. *Cell* 93: 815-826.
104. Galyov EE, Wood MW, Rosqvist R, Mullan PB, Watson PR, et al. (1997) A secreted effector protein of *Salmonella dublin* is translocated into eukaryotic cells and mediates inflammation and fluid secretion in infected ileal mucosa. *Molecular Microbiology* 25: 903-912.
105. Collazo CM, Galan JE (1997) The invasion-associated type III system of *Salmonella typhimurium* directs the translocation of Sip proteins into the host cell. *Mol Microbiol* 24: 747-756.
106. Wood MW, Rosqvist R, Mullan PB, Edwards MH, Galyov EE (1996) SopE, a secreted protein of *Salmonella dublin*, is translocated into the target eukaryotic cell via a *sip*-dependent mechanism and promotes bacterial entry. *Mol Microbiol* 22: 327-338.
107. McGhie EJ, Hayward RD, Koronakis V (2001) Cooperation between actin-binding proteins of invasive *Salmonella*: SipA potentiates SipC nucleation and bundling of actin. *Embo J* 20: 2131-2139.
108. Haraga A, Ohlson MB, Miller SI (2008) *Salmonellae* interplay with host cells. *Nat Rev Microbiol* 6: 53-66.
109. Worley MJ, Ching KH, Heffron F (2000) *Salmonella* SsrB activates a global regulon of horizontally acquired genes. *Mol Microbiol* 36: 749-761.
110. Hensel M, Shea JE, Waterman SR, Mundy R, Nikolaus T, et al. (1998) Genes encoding putative effector proteins of the type III secretion system of *Salmonella* pathogenicity island 2 are required for bacterial virulence and proliferation in macrophages. *Mol Microbiol* 30: 163-174.
111. Nikolaus T, Deiwick J, Rappl C, Freeman JA, Schroder W, et al. (2001) SseBCD proteins are secreted by the type III secretion system of *Salmonella* pathogenicity island 2 and function as a translocon. *J Bacteriol* 183: 6036-6045.
112. Waterman SR, Holden DW (2003) Functions and effectors of the *Salmonella* pathogenicity island 2 type III secretion system. *Cell Microbiol* 5: 501-511.



113. Kuhle V, Hensel M (2004) Cellular microbiology of intracellular *Salmonella enterica*: functions of the type III secretion system encoded by *Salmonella* pathogenicity island 2. *Cell Mol Life Sci* 61: 2812-2826.
114. Felix A, Pitt R (1934) Virulence of *B. typhosus* and Resistance to O Antibody. *J Path & Bact* 38: 409-420.
115. Hashimoto Y, Khan AQ (1997) Comparison of *ViaB* regions of Vi-positive organisms. *FEMS Microbiol Lett* 157: 55-57.
116. Pickard D, Li J, Roberts M, Maskell D, Hone D, et al. (1994) Characterization of defined *ompR* mutants of *Salmonella typhi*: *ompR* is involved in the regulation of Vi polysaccharide expression. *Infect Immun* 62: 3984-3993.
117. Virlogeux I, Waxin H, Ecobichon C, Lee JO, Popoff MY (1996) Characterization of the *rcsA* and *rcsB* genes from *Salmonella typhi*: *rcsB* through *tviA* is involved in regulation of Vi antigen synthesis. *J Bacteriol* 178: 1691-1698.
118. Virlogeux I, Waxin H, Ecobichon C, Popoff MY (1995) Role of the *viaB* locus in synthesis, transport and expression of *Salmonella typhi* Vi antigen. *Microbiology* 141 ( Pt 12): 3039-3047.
119. Blanc-Potard AB, Solomon F, Kayser J, Groisman EA (1999) The SPI-3 pathogenicity island of *salmonella enterica* [In Process Citation]. *J Bacteriol* 181: 998-1004.
120. Kiss T, Morgan E, Nagy G (2007) Contribution of SPI-4 genes to the virulence of *Salmonella enterica*. *FEMS Microbiology Letters* 275: 153-159.
121. Wood MW, Jones MA, Watson PR, Hedges S, Wallis TS, et al. (1998) Identification of a pathogenicity island required for *Salmonella enteropathogenicity*. *Mol Microbiol* 29: 883-891.
122. Kingsley RA, Humphries AD, Weening EH, De Zoete MR, Winter S, et al. (2003) Molecular and phenotypic analysis of the CS54 island of *Salmonella enterica* serotype typhimurium: identification of intestinal colonization and persistence determinants. *Infect Immun* 71: 629-640.
123. Bäumlér AJ, Tsolis RM, Bowe F, Kusters JG, Hoffmann S, et al. (1996) The *pef* fimbrial operon mediates adhesion to murine small intestine and is necessary for fluid accumulation in infant mice. *Infect Immun* 64: 61-68.
124. Bäumlér AJ, Tsolis RM, Bowe F, Kusters JG, Hoffmann S, et al. (1996) The *pef* fimbrial operon of *Salmonella typhimurium* mediates adhesion to murine small intestine and is necessary for fluid accumulation in the infant mouse. *Infect Immun* 64: 61-68.
125. Bäumlér AJ, Tsolis RM, Heffron F (1996) The *lpf* fimbrial operon mediates adhesion to murine Peyer's patches. *Proc Natl Acad Sci USA* 93: 279-283.
126. Bäumlér AJ, Tsolis RM, Heffron F (1996) Contribution of fimbrial operons to attachment to and invasion of epithelial cell lines by *Salmonella typhimurium*. *Infect Immun* 64: 1862-1865.

127. Lawley TD, Chan K, Thompson LJ, Kim CC, Govoni GR, et al. (2006) Genome-Wide Screen for Salmonella Genes Required for Long-Term Systemic Infection of the Mouse. *PLoS Pathogens* 2: e11.
128. Tsui IS, Yip CM, Hackett J, Morris C (2003) The type IVB pili of *Salmonella enterica* serovar Typhi bind to the cystic fibrosis transmembrane conductance regulator. *Infect Immun* 71: 6049-6050.
129. Pier GB, Grout M, Zaidi T, Meluleni G, Mueschenborn SS, et al. (1998) *Salmonella typhi* uses CFTR to enter intestinal epithelial cells. *Nature* 393: 79-82.
130. Sun Y-H, Rolan HG, Tsolis RM (2007) Injection of Flagellin into the Host Cell Cytosol by *Salmonella enterica* Serotype Typhimurium. *J Biol Chem* 282: 33897-33901.
131. Soncini FC, Garcia Vescovi E, Solomon F, Groisman EA (1996) Molecular basis of the magnesium deprivation response in *Salmonella typhimurium*: identification of PhoP-regulated genes. *J Bacteriol* 178: 5092-5099.
132. Bijlsma JJ, Groisman EA (2005) The PhoP/PhoQ system controls the intramacrophage type three secretion system of *Salmonella enterica*. *Mol Microbiol* 57: 85-96.
133. Alpuche Aranda CM, Swanson JA, Loomis WP, Miller SI (1992) *Salmonella typhimurium* activates virulence gene transcription within acidified macrophage phagosomes. *Proc Natl Acad Sci U S A* 89: 10079-10083.
134. van Velkinburgh JC, Gunn JS (1999) PhoP-PhoQ-regulated loci are required for enhanced bile resistance in *Salmonella* spp. *Infect Immun* 67: 1614-1622.
135. Gunn JS, Miller SI (1996) PhoP-PhoQ activates transcription of pmrAB, encoding a two-component regulatory system involved in salmonella typhimurium antimicrobial peptide resistance. *J Bacteriol* 178: 6857-6864.
136. Deng W, Liou SR, Plunkett G, 3rd, Mayhew GF, Rose DJ, et al. (2003) Comparative genomics of *Salmonella enterica* serovar Typhi strains Ty2 and CT18. *J Bacteriol* 185: 2330-2337.
137. Blattner FR, Plunkett G, Bloch CA, Perna NT, Burland V, et al. (1997) The complete genome sequence of *Escherichiacoli* K-12 [Review]. *Science* 277.
138. Nakae T, Ishii JN, Tokunaga H, Kobayashi Y, Nakae R (1982) The solute selectivity of porin pores of *Escherichia coli* and *Salmonella typhimurium*. *Tokai J Exp Clin Med* 7 Suppl: 141-148.
139. Slauch JM, Silhavy TJ (1989) Genetic analysis of the switch that controls porin gene expression in *Escherichia coli* K-12. *J Mol Biol* 210: 281-292.
140. Thomas AD, Booth IR (1992) The regulation of expression of the porin gene ompC by acid pH. *J Gen Microbiol* 138: 1829-1835.
141. Heyde M, Portalier R (1987) Regulation of major outer membrane porin proteins of *Escherichia coli* K 12 by pH. *Mol Gen Genet* 208: 511-517.
142. Contreras I, Munoz L, Toro CS, Mora GC (1995) Heterologous expression of *Escherichia coli* porin genes in *Salmonella typhi* Ty2: regulation by

- medium osmolarity, temperature and oxygen availability. FEMS Microbiol Lett 133: 105-111.
143. Fernandez-Mora M, Puente JL, Calva E (2004) OmpR and LeuO positively regulate the *Salmonella enterica* serovar Typhi ompS2 porin gene. J Bacteriol 186: 2909-2920.
  144. Oropeza R, Sampieri CL, Puente JL, Calva E (1999) Negative and positive regulation of the non-osmoregulated ompS1 porin gene in *Salmonella typhi*: a novel regulatory mechanism that involves OmpR. Mol Microbiol 32: 243-252.
  145. Bang IS, Kim BH, Foster JW, Park YK (2000) OmpR regulates the stationary-phase acid tolerance response of *Salmonella enterica* serovar typhimurium. J Bacteriol 182: 2245-2252.
  146. Kutsukake K (1997) Autogenous and global control of the flagellar master operon, flhD, in *Salmonella typhimurium*. Mol Gen Genet 254: 440-448.
  147. Gerstel U, Park C, Romling U (2003) Complex regulation of csgD promoter activity by global regulatory proteins. Mol Microbiol 49: 639-654.
  148. Romling U, Sierralta WD, Eriksson K, Normark S (1998) Multicellular and aggregative behaviour of *Salmonella typhimurium* strains is controlled by mutations in the agfD promoter. Mol Microbiol 28: 249-264.
  149. Bajaj V, Lucas RL, Hwang C, Lee CA (1996) Co-ordinate regulation of *Salmonella typhimurium* invasion genes by environmental factors is mediated by control of *hilA* expression. Mol Microbiol 22: 703-714.
  150. Robbins JD, Robbins JB (1984) Reexamination of the protective role of the capsular polysaccharide (Vi antigen) of *Salmonella typhi*. J Infect Dis 150: 436-449.
  151. Looney RJ, Steigbigel RT (1986) Role of the Vi antigen of *Salmonella typhi* in resistance to host defense in vitro. J Lab Clin Med 108: 506-516.
  152. Bishop A, House D, Perkins T, Baker S, Kingsley RA, et al. (2008) Interaction of *Salmonella enterica* serovar Typhi with cultured epithelial cells: roles of surface structures in adhesion and invasion. Microbiology 154: 1914-1926.
  153. Brumell JH, Grinstein S (2004) *Salmonella* redirects phagosomal maturation. Curr Opin Microbiol 7: 78-84.
  154. Gibson MM, Ellis EM, Graeme-Cook KA, Higgins CF (1987) OmpR and EnvZ are pleiotropic regulatory proteins: positive regulation of the tripeptide permease (tppB) of *Salmonella typhimurium*. Mol Gen Genet 207: 120-129.
  155. Valdivia RH, Falkow S (1997) Fluorescence-based isolation of bacterial genes expressed within host cells. Science 277: 2007-2011.
  156. Valdivia RH, Falkow S (1996) Bacterial genetics by flow cytometry: rapid isolation of *Salmonella typhimurium* acid-inducible promoters by differential fluorescence induction. Mol Microbiol 22: 367-378.

157. Garmendia J, Beuzon CR, Ruiz-Albert J, Holden DW (2003) The roles of SsrA-SsrB and OmpR-EnvZ in the regulation of genes encoding the *Salmonella typhimurium* SPI-2 type III secretion system. *Microbiology* 149: 2385-2396.
158. Sugiura M, Okamoto T, Takanami M (1970) RNA polymerase sigma-factor and the selection of initiation site. *Nature* 225: 598-600.
159. Popham DL, Szeto D, Keener J, Kustu S (1989) Function of a bacterial activator protein that binds to transcriptional enhancers. *Science* 243: 629-635.
160. Fang FC, Libby SJ, Buchmeier NA, Loewen PC, Switala J, et al. (1992) The alternative sigma factor katF (rpoS) regulates *Salmonella* virulence. *Proc Natl Acad Sci U S A* 89: 11978-11982.
161. Testerman TL, Vazquez-Torres A, Xu Y, Jones-Carson J, Libby SJ, et al. (2002) The alternative sigma factor sigmaE controls antioxidant defences required for *Salmonella* virulence and stationary-phase survival. *Mol Microbiol* 43: 771-782.
162. Conlin CA, Miller CG (2000) *opdA*, a *Salmonella enterica* serovar Typhimurium gene encoding a protease, is part of an operon regulated by heat shock. *J Bacteriol* 182: 518-521.
163. Baumberg S (1999) *Prokaryotic Gene Expression*. Oxford.
164. Dorman CJ (1994) *Genetics of Bacterial Virulence*: Blackwell Science. 390 p.
165. Bourret RB, Hess JF, Borkovich KA, Pakula AA, Simon MI (1989) Protein phosphorylation in chemotaxis and two-component regulatory systems of bacteria. *J Biol Chem* 264: 7085-7088.
166. Wadhams GH, Armitage JP (2004) Making sense of it all: bacterial chemotaxis. *Nat Rev Mol Cell Biol* 5: 1024-1037.
167. Schena M, Shalon D, Davis RW, Brown PO (1995) Quantitative monitoring of gene expression patterns with a complementary DNA microarray. *Science* 270: 467-470.
168. Lucchini S, Rowley G, Goldberg MD, Hurd D, Harrison M, et al. (2006) H-NS mediates the silencing of laterally acquired genes in bacteria. *PLoS Pathog* 2: e81.
169. Morozova O, Marra MA (2008) Applications of next-generation sequencing technologies in functional genomics. *Genomics* 92: 255-264.
170. Sittka A, Lucchini S, Papenfort K, Sharma CM, Rolle K, et al. (2008) Deep sequencing analysis of small noncoding RNA and mRNA targets of the global post-transcriptional regulator, Hfq. *PLoS Genet* 4: e1000163.
171. Rutherford K, Parkhill J, Crook J, Horsnell T, Rice P, et al. (2000) Artemis: sequence visualization and annotation. *Bioinformatics* 16: 944-945.
172. Abbott JC, Aanensen DM, Rutherford K, Butcher S, Spratt BG (2005) WebACT--an online companion for the Artemis Comparison Tool. *Bioinformatics* 21: 3665-3666.

173. Carver TJ, Rutherford KM, Berriman M, Rajandream MA, Barrell BG, et al. (2005) ACT: the Artemis Comparison Tool. *Bioinformatics* 21: 3422-3423.
174. Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ (1990) Basic local alignment search tool. *J Mol Biol* 215: 403-410.
175. Altschul SF, Madden TL, Schaffer AA, Zhang J, Zhang Z, et al. (1997) Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res* 25: 3389-3402.
176. Sambrook J, Fritsch, E.F. and Maniatis, T. (1989) *Molecular Cloning - a lab manual*: Cold Spring Harbour Laboratory Press, USA.
177. Levine MM, Galen J, Barry E, Noriega F, Chatfield S, et al. (1996) Attenuated *Salmonella* as live oral vaccines against typhoid fever and as live vectors. *J Biotechnol* 44: 193-196.
178. Hoiseth SK, Stocker BA (1985) Genes *aroA* and *serC* of *Salmonella typhimurium* constitute an operon. *J Bacteriol* 163: 355-361.
179. Herrero M, de Lorenzo V, Timmis KN (1990) Transposon vectors containing non-antibiotic resistance selection markers for cloning and stable chromosomal insertion of foreign genes in gram-negative bacteria. *J Bacteriol* 172: 6557-6567.
180. Datsenko KA, Wanner BL (2000) One-step inactivation of chromosomal genes in *Escherichia coli* K-12 using PCR products. *Proc Natl Acad Sci U S A* 97: 6640-6645.
181. McKelvie ND, Stratford R, Wu T, Bellaby T, Aldred E, et al. (2004) Expression of heterologous antigens in *Salmonella Typhimurium* vaccine vectors using the in vivo-inducible, SPI-2 promoter, *ssaG*. *Vaccine* 22: 3243-3255.
182. Doyle M, Fookes M, Ivens A, Mangan MW, Wain J, et al. (2007) An H-NS-like stealth protein aids horizontal DNA transmission in bacteria. *Science* 315: 251-252.
183. Hantke K (1981) Regulation of the ferric iron transport in *Escherichia coli* K12: Isolation of a constitutive mutant. *Mol Gen Genet* 182: 288-292.
184. Sinha S, Tompa M (2003) YMF: A program for discovery of novel transcription factor binding sites by statistical overrepresentation. *Nucleic Acids Res* 31: 3586-3588.
185. Li H, Ruan J, Durbin R (2008) Mapping short DNA sequencing reads and calling variants using mapping quality scores. *Genome Res* 18: 1851-1858.
186. Team RDC (2005) R: A language and environment for statistical computing.
187. Wettenhall JM, Smyth GK (2004) limmaGUI: a graphical user interface for linear modeling of microarray data. *Bioinformatics* 20: 3705-3706.
188. Nagalakshmi U, Wang Z, Waern K, Shou C, Raha D, et al. (2008) The transcriptional landscape of the yeast genome defined by RNA sequencing. *Science* 320: 1344-1349.

189. Wilhelm BT, Marguerat S, Watt S, Schubert F, Wood V, et al. (2008) Dynamic repertoire of a eukaryotic transcriptome surveyed at single-nucleotide resolution. *Nature* 453: 1239-1243.
190. Graveley BR (2008) Molecular biology: power sequencing. *Nature* 453: 1197-1198.
191. Mortazavi A, Williams BA, McCue K, Schaeffer L, Wold B (2008) Mapping and quantifying mammalian transcriptomes by RNA-Seq. *Nat Methods* 5: 621-628.
192. Sultan M, Schulz MH, Richard H, Magen A, Klingenhoff A, et al. (2008) A global view of gene activity and alternative splicing by deep sequencing of the human transcriptome. *Science* 321: 956-960.
193. Lister R, O'Malley RC, Tonti-Filippini J, Gregory BD, Berry CC, et al. (2008) Highly integrated single-base resolution maps of the epigenome in *Arabidopsis*. *Cell* 133: 523-536.
194. Cloonan N, Forrest AR, Kolle G, Gardiner BB, Faulkner GJ, et al. (2008) Stem cell transcriptome profiling via massive-scale mRNA sequencing. *Nat Methods* 5: 613-619.
195. Kuhn H, Frank-Kamenetskii MD (2005) Template-independent ligation of single-stranded DNA by T4 DNA ligase. *Febs J* 272: 5991-6000.
196. Carver T, Berriman M, Tivey A, Patel C, Bohme U, et al. (2008) Artemis and ACT: viewing, annotating and comparing sequences stored in a relational database. *Bioinformatics* 24: 2672-2676.
197. Pak J, Fire A (2007) Distinct populations of primary and secondary effectors during RNAi in *C. elegans*. *Science* 315: 241-244.
198. Fleischmann RD, Adams MD, White O, Clayton RA, Kirkness EF, et al. (1995) Whole-genome random sequencing and assembly of *Haemophilus influenzae* Rd. *Science* 269: 496-512.
199. Bentley DR, Deloukas P, Dunham A, French L, Gregory SG, et al. (2001) The physical maps for sequencing human chromosomes 1, 6, 9, 10, 13, 20 and X. *Nature* 409: 942-943.
200. Gallo S, Oberhuber M, Sigel RK, Krautler B (2008) The corrin moiety of coenzyme B12 is the determinant for switching the *btuB* riboswitch of *E. coli*. *Chembiochem* 9: 1408-1414.
201. Nahvi A, Barrick JE, Breaker RR (2004) Coenzyme B12 riboswitches are widespread genetic control elements in prokaryotes. *Nucleic Acids Res* 32: 143-150.
202. McCarthy TJ, Plog MA, Floy SA, Jansen JA, Soukup JK, et al. (2005) Ligand requirements for *glmS* ribozyme self-cleavage. *Chem Biol* 12: 1221-1226.
203. Kutsukake K, Ohya Y, Iino T (1990) Transcriptional analysis of the flagellar regulon of *Salmonella typhimurium*. *J Bacteriol* 172: 741-747.
204. Cunningham L, Guest JR (1998) Transcription and transcript processing in the *sdhCDAB-sucABCD* operon of *Escherichia coli*. *Microbiology* 144 (Pt 8): 2113-2123.

205. Bennett GN, Schweingruber ME, Brown KD, Squires C, Yanofsky C (1976) Nucleotide sequence of region preceding *trp* mRNA initiation site and its role in promoter and operator function. *Proc Natl Acad Sci U S A* 73: 2351-2355.
206. Bajaj V, Lucas RL, Hwang C, Lee CA (1996) Co-ordinate regulation of *Salmonella typhimurium* invasion genes by environmental and regulatory factors is mediated by control of *hilA* expression. *Mol Microbiol* 22: 703-714.
207. Bäumlér AJ, Tsohis RM, Heffron F (1997) Fimbrial adhesins of *Salmonella typhimurium* - role in bacterial interactions with epithelial cells. In: Paul PS, Francis DH, Benfield D, editors. *Mechanisms in the pathogenesis of enteric diseases*. New York: Plenum Press. pp. 149-158.
208. van der Velden AWM, Bäumlér AJ, Tsohis RM, Heffron F (1998) Multiple fimbrial adhesins are required for full virulence of *Salmonella typhimurium* in mice. *Infection & Immunity* 66: 2803-2808.
209. Cooke FJ, Wain J, Fookes M, Ivens A, Thomson N, et al. (2007) Prophage sequences defining hot spots of genome variation in *Salmonella enterica* serovar Typhimurium can be used to discriminate between field isolates. *J Clin Microbiol* 45: 2590-2598.
210. Carlson JH, Hughes S, Hogan D, Cieplak G, Sturdevant DE, et al. (2004) Polymorphisms in the *Chlamydia trachomatis* cytotoxin locus associated with ocular and genital isolates. *Infect Immun* 72: 7063-7072.
211. Carlson JH, Porcella SF, McClarty G, Caldwell HD (2005) Comparative genomic analysis of *Chlamydia trachomatis* oculotropic and genitotropic strains. *Infect Immun* 73: 6407-6418.
212. Washietl S, Hofacker IL, Stadler PF (2005) Fast and reliable prediction of noncoding RNAs. *Proc Natl Acad Sci U S A* 102: 2454-2459.
213. Weinberg Z, Regulski EE, Hammond MC, Barrick JE, Yao Z, et al. (2008) The aptamer core of SAM-IV riboswitches mimics the ligand-binding site of SAM-I riboswitches. *Rna* 14: 822-828.
214. Barrick JE, Breaker RR (2007) The distributions, mechanisms, and structures of metabolite-binding riboswitches. *Genome Biol* 8: R239.
215. Serganov A, Polonskaia A, Phan AT, Breaker RR, Patel DJ (2006) Structural basis for gene regulation by a thiamine pyrophosphate-sensing riboswitch. *Nature* 441: 1167-1171.
216. Zhou D, Hardt WD, Galan JE (1999) *Salmonella typhimurium* encodes a putative iron transport system within the centisome 63 pathogenicity island. *Infect Immun* 67: 1974-1981.
217. Nixon BT, Ronson CW, Ausubel FM (1986) Two-component regulatory systems responsive to environmental stimuli share strongly conserved domains with the nitrogen assimilation regulatory genes *ntxB* and *ntxC*. *Proc Natl Acad Sci U S A* 83: 7850-7854.
218. Hochberg Y, Benjamini Y (1990) More powerful procedures for multiple significance testing. *Stat Med* 9: 811-818.

219. Muller PK, Krohn K, Muhlradt PF (1989) Effects of pyocyanine, a phenazine dye from *Pseudomonas aeruginosa*, on oxidative burst and bacterial killing in human neutrophils. *Infect Immun* 57: 2591-2596.
220. Maier RJ, Olczak A, Maier S, Soni S, Gunn J (2004) Respiratory hydrogen use by *Salmonella enterica* serovar Typhimurium is essential for virulence. *Infect Immun* 72: 6294-6299.
221. Lambert JM, Bongers RS, de Vos WM, Kleerebezem M (2008) Functional analysis of four bile salt hydrolase and penicillin acylase family members in *Lactobacillus plantarum* WCFS1. *Appl Environ Microbiol* 74: 4719-4726.
222. Sudarsan N, Cohen-Chalamish S, Nakamura S, Emilsson GM, Breaker RR (2005) Thiamine pyrophosphate riboswitches are targets for the antimicrobial compound pyrithiamine. *Chem Biol* 12: 1325-1335.
223. Young GP, Bayley N, Ward P, St John DJ, McDonald MI (1986) Antibiotic-associated colitis caused by *Clostridium difficile*: relapse and risk factors. *Med J Aust* 144: 303-306.
224. Marioni JC, Mason CE, Mane SM, Stephens M, Gilad Y (2008) RNA-seq: an assessment of technical reproducibility and comparison with gene expression arrays. *Genome Res* 18: 1509-1517.
225. Pallen MJ, Wren BW (1997) The HtrA family of serine proteases. *Mol Microbiol* 26: 209-221.
226. Hoiseth SK, Stocker BAD (1981) Aromatic-dependent *Salmonella typhimurium* are non-virulent and effective as live oral vaccines. *Nature* 291: 238-239.
227. Song M, Kim HJ, Kim EY, Shin M, Lee HC, et al. (2004) ppGpp-dependent stationary phase induction of genes on salmonella pathogenicity island 1 (SPI1). *J Biol Chem*.
228. Kim CC, Falkow S (2004) Delineation of upstream signaling events in the salmonella pathogenicity island 2 transcriptional activation pathway. *J Bacteriol* 186: 4694-4704.
229. Carver T, Thomson N, Bleasby A, Berriman M, Parkhill J (2008) DNAPlotter: Circular and linear interactive genome visualisation. *Bioinformatics*.
230. Fey A, Eichler S, Flavier S, Christen R, Hofle MG, et al. (2004) Establishment of a real-time PCR-based approach for accurate quantification of bacterial RNA targets in water, using *Salmonella* as a model organism. *Appl Environ Microbiol* 70: 3618-3623.
231. Yang X, Yu L, Yu CA (1997) Resolution and reconstitution of succinate-ubiquinone reductase from *Escherichia coli*. *J Biol Chem* 272: 9683-9689.
232. Sinha S, Tompa M (2000) A statistical method for finding transcription factor binding sites. *Proc Int Conf Intell Syst Mol Biol* 8: 344-354.
233. Liljestrom P, Luokkamaki M, Palva ET (1987) Isolation and characterization of a substitution mutation in the *ompR* gene of *Salmonella typhimurium* LT2. *J Bacteriol* 169: 438-441.



234. Lee AK, Detweiler CS, Falkow S (2000) OmpR regulates the two-component system SsrA-ssrB in Salmonella pathogenicity island 2. *J Bacteriol* 182: 771-781.
235. Romling U, Bian Z, Hammar M, Sierralta WD, Normark S (1998) Curli fibers are highly conserved between Salmonella typhimurium and Escherichia coli with respect to operon structure and regulation. *J Bacteriol* 180: 722-731.
236. Mills SD, Ruschkowski SR, Stein MA, Finlay BB (1998) Trafficking of porin-deficient Salmonella typhimurium mutants inside HeLa cells: ompR and envZ mutants are defective for the formation of Salmonella-induced filaments. *Infect Immun* 66: 1806-1811.
237. Lucas RL, Lostroh CP, DiRusso CC, Spector MP, Wanner BL, et al. (2000) Multiple factors independently regulate hilA and invasion gene expression in Salmonella enterica serovar typhimurium. *J Bacteriol* 182: 1872-1882.
238. Lee YH, Kim BH, Kim JH, Yoon WS, Bang SH, et al. (2007) CadC has a global translational effect during acid adaptation in Salmonella enterica serovar Typhimurium. *J Bacteriol* 189: 2417-2425.
239. Rintoul MR, Cusa E, Baldoma L, Badia J, Reitzer L, et al. (2002) Regulation of the Escherichia coli allantoin regulon: coordinated function of the repressor AllR and the activator AllS. *J Mol Biol* 324: 599-610.
240. Krom BP, Warner JB, Konings WN, Lolkema JS (2003) Transporters involved in uptake of di- and tricarboxylates in Bacillus subtilis. *Antonie Van Leeuwenhoek* 84: 69-80.
241. Ibanez-Ruiz M, Robbe-Saule V, Hermant D, Labrude S, Norel F (2000) Identification of RpoS (sigma(S))-regulated genes in Salmonella enterica serovar typhimurium. *J Bacteriol* 182: 5749-5756.
242. Palacios S, Escalante-Semerena JC (2004) 2-Methylcitrate-dependent activation of the propionate catabolic operon (prpBCDE) of Salmonella enterica by the PrpR protein. *Microbiology* 150: 3877-3887.
243. Abo-Amer AE, Munn J, Jackson K, Aktas M, Golby P, et al. (2004) DNA interaction and phosphotransfer of the C<sub>4</sub>-dicarboxylate-responsive DcuS-DcuR two-component regulatory system from Escherichia coli. *J Bacteriol* 186: 1879-1889.
244. Mejean V, Iobbi-Nivol C, Lepelletier M, Giordano G, Chippaux M, et al. (1994) TMAO anaerobic respiration in Escherichia coli: involvement of the tor operon. *Mol Microbiol* 11: 1169-1179.
245. Siddiqui RA, Warnecke-Eberz U, Hengsberger A, Schneider B, Kostka S, et al. (1993) Structure and function of a periplasmic nitrate reductase in Alcaligenes eutrophus H16. *J Bacteriol* 175: 5867-5876.
246. Abouhamad WN, Manson MD (1994) The dipeptide permease of Escherichia coli closely resembles other bacterial transport systems and shows growth-phase-dependent expression. *Mol Microbiol* 14: 1077-1092.
247. Abouhamad WN, Manson M, Gibson MM, Higgins CF (1991) Peptide transport and chemotaxis in Escherichia coli and Salmonella typhimurium:

- characterization of the dipeptide permease (Dpp) and the dipeptide-binding protein. *Mol Microbiol* 5: 1035-1047.
248. Rowe JJ, Ubbink-Kok T, Molenaar D, Konings WN, Driessen AJ (1994) NarK is a nitrite-extrusion system involved in anaerobic nitrate respiration by *Escherichia coli*. *Mol Microbiol* 12: 579-586.
  249. Kustu SG, McFarland NC, Hui SP, Esmon B, Ames GF (1979) Nitrogen control of *Salmonella typhimurium*: co-regulation of synthesis of glutamine synthetase and amino acid transport systems. *J Bacteriol* 138: 218-234.
  250. Dela Vega AL, Delcour AH (1996) Polyamines decrease *Escherichia coli* outer membrane permeability. *J Bacteriol* 178: 3715-3721.
  251. delaVega AL, Delcour AH (1995) Cadaverine induces closing of *E. coli* porins. *Embo J* 14: 6058-6065.
  252. Soncini FC, Vescovi EG, Solomon F, Groisman EA (1996) Molecular basis of the magnesium deprivation response in *Salmonella typhimurium*: identification of PhoP-regulated genes. *J Bacteriol* 178: 5092-5099.
  253. Richardson DJ (2000) Bacterial respiration: a flexible process for a changing environment. *Microbiology* 146 (Pt 3): 551-571.
  254. Cheneby D, Hallet S, Mondon M, Martin-Laurent F, Germon JC, et al. (2003) Genetic characterization of the nitrate reducing community based on narG nucleotide sequence analysis. *Microb Ecol* 46: 113-121.
  255. Harborne NR, Griffiths L, Busby SJ, Cole JA (1992) Transcriptional control, translation and function of the products of the five open reading frames of the *Escherichia coli* nir operon. *Mol Microbiol* 6: 2805-2813.
  256. Brondijk TH, Nilavongse A, Filenko N, Richardson DJ, Cole JA (2004) NapGH components of the periplasmic nitrate reductase of *Escherichia coli* K-12: location, topology and physiological roles in quinol oxidation and redox balancing. *Biochem J* 379: 47-55.
  257. Chung T, Klumpp DJ, LaPorte DC (1988) Glyoxylate bypass operon of *Escherichia coli*: cloning and determination of the functional map. *J Bacteriol* 170: 386-392.
  258. Clarke TA, Mills PC, Poock SR, Butt JN, Cheesman MR, et al. (2008) *Escherichia coli* cytochrome c nitrite reductase NrfA. *Methods Enzymol* 437: 63-77.
  259. Campbell JW, Morgan-Kiss RM, Cronan JE, Jr. (2003) A new *Escherichia coli* metabolic competency: growth on fatty acids by a novel anaerobic beta-oxidation pathway. *Mol Microbiol* 47: 793-805.
  260. Higashitani A, Nishimura Y, Hara H, Aiba H, Mizuno T, et al. (1993) Osmoregulation of the fatty acid receptor gene fadL in *Escherichia coli*. *Mol Gen Genet* 240: 339-347.
  261. Horswill AR, Escalante-Semerena JC (1999) *Salmonella typhimurium* LT2 catabolizes propionate via the 2-methylcitric acid cycle. *J Bacteriol* 181: 5615-5623.

262. Nakamura H, Yamato I, Anraku Y, Lemieux L, Gennis RB (1990) Expression of *cyoA* and *cyoB* demonstrates that the CO-binding heme component of the *Escherichia coli* cytochrome *o* complex is in subunit I. *J Biol Chem* 265: 11193-11197.
263. Shioi J, Dang CV, Taylor BL (1987) Oxygen as attractant and repellent in bacterial chemotaxis. *J Bacteriol* 169: 3118-3123.
264. Aldridge P, Karlinsey J, Hughes KT (2003) The type III secretion chaperone FlgN regulates flagellar assembly via a negative feedback loop containing its chaperone substrates FlgK and FlgL. *Mol Microbiol* 49: 1333-1345.
265. Karlinsey JE, Lonner J, Brown KL, Hughes KT (2000) Translation/secretion coupling by type III secretion systems. *Cell* 102: 487-497.
266. Chaudhuri RR, Khan AM, Pallen MJ (2004) coliBASE: an online database for *Escherichia coli*, *Shigella* and *Salmonella* comparative genomics. *Nucleic Acids Res* 32 Database issue: D296-299.
267. McKinney JD, Honer zu Bentrup K, Munoz-Elias EJ, Miczak A, Chen B, et al. (2000) Persistence of *Mycobacterium tuberculosis* in macrophages and mice requires the glyoxylate shunt enzyme isocitrate lyase. *Nature* 406: 735-738.
268. Wall DM, Duffy PS, Dupont C, Prescott JF, Meijer WG (2005) Isocitrate lyase activity is required for virulence of the intracellular pathogen *Rhodococcus equi*. *Infect Immun* 73: 6736-6741.
269. Finn RD, Tate J, Mistry J, Coghill PC, Sammut SJ, et al. (2008) The Pfam protein families database. *Nucleic Acids Res* 36: D281-288.
270. Meroueh SO, Bencze KZ, Hesek D, Lee M, Fisher JF, et al. (2006) Three-dimensional structure of the bacterial cell wall peptidoglycan. *Proc Natl Acad Sci U S A* 103: 4404-4409.
271. Crocker PR, Paulson JC, Varki A (2007) Siglecs and their roles in the immune system. *Nat Rev Immunol* 7: 255-266.
272. Burne RA, Parsons DT, Marquis RE (1989) Cloning and expression in *Escherichia coli* of the genes of the arginine deiminase system of *Streptococcus sanguis* NCTC 10904. *Infect Immun* 57: 3540-3548.
273. Degnan BA, Palmer JM, Robson T, Jones CE, Fischer M, et al. (1998) Inhibition of human peripheral blood mononuclear cell proliferation by *Streptococcus pyogenes* cell extract is associated with arginine deiminase activity. *Infect Immun* 66: 3050-3058.
274. Makhlin J, Kofman T, Borovok I, Kohler C, Engelmann S, et al. (2007) *Staphylococcus aureus* ArcR controls expression of the arginine deiminase operon. *J Bacteriol* 189: 5976-5986.
275. Ansong C, Yoon H, Norbeck AD, Gustin JK, McDermott JE, et al. (2008) Proteomics analysis of the causative agent of typhoid fever. *J Proteome Res* 7: 546-557.
276. Sun-Waterhouse D, Melton LD, O'Connor CJ, Kilmartin PA, Smith BG (2008) Effect of apple cell walls and their extracts on the activity of dietary antioxidants. *J Agric Food Chem* 56: 289-295.

277. Keppler OT, Horstkorte R, Pawlita M, Schmidt C, Reutter W (2001) Biochemical engineering of the N-acyl side chain of sialic acid: biological implications. *Glycobiology* 11: 11R-18R.
278. Meng F, Ma G, Kong J (1998) [Part of biological activity of peptidoglycan from *Streptococcus lactis* SB900]. *Wei Sheng Wu Xue Bao* 38: 376-380.
279. Gruening P, Fulde M, Valentin-Weigand P, Goethe R (2006) Structure, regulation, and putative function of the arginine deiminase system of *Streptococcus suis*. *J Bacteriol* 188: 361-369.
280. Rivas E, Klein RJ, Jones TA, Eddy SR (2001) Computational identification of noncoding RNAs in *E. coli* by comparative genomics. *Curr Biol* 11: 1369-1373.