

References

- Aho, A. V., R. Sethi, et al. (1985). Compilers: Principles, Techniques, and Tools, Addison-Wesley.
- Alizadeh, A. A., M. B. Eisen, et al. (2000). "Distinct types of diffuse large B-cell lymphoma identified by gene expression profiling." Nature **403**(6769): 503-11.
- Altschul, S. F., W. Gish, et al. (1990). "Basic local alignment search tool." J Mol Biol **215**(3): 403-10.
- Asai, K., S. Hayamizu, et al. (1993). "Prediction of protein secondary structure by the hidden Markov model." Comput Appl Biosci **9**(2): 141-6.
- Bailey, T. L. and C. Elkan (1994). "Fitting a mixture model by expectation maximization to discover motifs in biopolymers." Proc Int Conf Intell Syst Mol Biol **2**: 28-36.
- Bairoch, A. (2000). "The ENZYME database in 2000." Nucleic Acids Res **28**(1): 304-5.
- Bateman, A., E. Birney, et al. (2000). "The Pfam protein families database." Nucleic Acids Res **28**(1): 263-6.
- Bates, M. D., C. R. Erwin, et al. (2002). "Novel genes and functional relationships in the adult mouse gastrointestinal tract identified by microarray analysis." Gastroenterology **122**(5): 1467-82.
- Baum, L. E., T. Petrie, et al. (1970). "A maximization technique occurring in the statistical analysis of probabilistic functions of Markov chains." The Annals of Mathematical Statistics **41**(1): 164171.
- Benson, D. A., I. Karsch-Mizrachi, et al. (2003). "GenBank." Nucleic Acids Res **31**(1): 23-7.
- Birney, E. and R. Durbin (1997). "Dynamite: a flexible code generating language for dynamic programming methods used in sequence comparison." Proc Int Conf Intell Syst Mol Biol **5**: 56-64.
- Birney, E. and R. Durbin (2000). "Using GeneWise in the Drosophila annotation experiment." Genome Res **10**(4): 547-8.
- Bishop, C. M. and T. M. E. (2000). Variational relevance vector machines. Proceedings of the 16th Conference on Uncertainty in Artificial Intelligence, Morgan Kaufmann.
- Boeckmann, B., A. Bairoch, et al. (2003). "The SWISS-PROT protein knowledgebase and its supplement TrEMBL in 2003." Nucleic Acids Res **31**(1): 365-70.
- Bowman, S., D. Lawson, et al. (1999). "The complete nucleotide sequence of chromosome 3 of Plasmodium falciparum." Nature **400**(6744): 532-8.
- Brenton, J. D., S. A. Aparicio, et al. (2001). "Molecular profiling of breast cancer: portraits but not physiognomy." Breast Cancer Res **3**(2): 77-80.
- Brown, M., R. Hughey, et al. (1993). "Using Dirichlet mixture priors to derive hidden Markov models for protein families." Proc Int Conf Intell Syst Mol Biol **1**: 47-55.
- Buck, K. J., R. A. Harris, et al. (1991). "A general method for quantitative PCR analysis of mRNA levels for members of gene families: application to GABAA receptor subunits." Biotechniques **11**(5): 636-41.
- Burge, C. and S. Karlin (1997). "Prediction of complete gene structures in human genomic DNA." J Mol Biol **268**(1): 78-94.

- Butte, A. J. and I. S. Kohane (2000). "Mutual information relevance networks: functional genomic clustering using pairwise entropy measurements." Pac Symp Biocomput: 418-29.
- Butte, A. J., J. Ye, et al. (2001). "Determining significant fold differences in gene expression analysis." Pac Symp Biocomput: 6-17.
- Chen, T., H. L. He, et al. (1999). "Modeling gene expression with differential equations." Pac Symp Biocomput: 29-40.
- Chu, S., J. DeRisi, et al. (1998). "The transcriptional program of sporulation in budding yeast." Science **282**(5389): 699-705.
- Churchill, G. A. (1989). "Stochastic models for heterogeneous DNA sequences." Bull Math Biol **51**(1): 79-94.
- Corcoran, L. M., J. K. Thompson, et al. (1988). "Homologous recombination within subtelomeric repeat sequences generates chromosome size polymorphisms in *P. falciparum*." Cell **53**(5): 807-13.
- Dawson, E., G. R. Abecasis, et al. (2002). "A first-generation linkage disequilibrium map of human chromosome 22." Nature **418**(6897): 544-8.
- Dib, C., S. Faure, et al. (1996). "A comprehensive genetic map of the human genome based on 5,264 microsatellites." Nature **380**(6570): 152-4.
- Dixon, D. A. and S. C. Kowalczykowski (1991). "Homologous pairing in vitro stimulated by the recombination hotspot, Chi." Cell **66**(2): 361-71.
- Dowell, R. D., R. M. Jokerst, et al. (2001). "The Distributed Annotation System." BMC Bioinformatics **2**(1): 7.
- Down, T. (2003). Genetics. Cambridge, Cambridge.
- Dunham, I., N. Shimizu, et al. (1999). "The DNA sequence of human chromosome 22." Nature **402**(6761): 489-95.
- Durbin, R., Eddy, E., Krogh A. and Mitchison, G. (1998). Biological Sequence Analysis. Cambridge, UK, Cambridge University Press.
- Eddy, S. R. (2001). "Profile hidden markov models for biological sequence analysis." Bioinformatics **14**: 755-763.
- Eisen, M. B., P. T. Spellman, et al. (1998). "Cluster analysis and display of genome-wide expression patterns." Proc Natl Acad Sci U S A **95**(25): 14863-8.
- Escalante, A. A., A. A. Lal, et al. (1998). "Genetic polymorphism and natural selection in the malaria parasite *Plasmodium falciparum*." Genetics **149**(1): 189-202.
- Falquet, L., M. Pagni, et al. (2002). "The PROSITE database, its status in 2002." Nucleic Acids Res **30**(1): 235-8.
- Figueiredo, L. M., L. H. Freitas-Junior, et al. (2002). "A central role for *Plasmodium falciparum* subtelomeric regions in spatial positioning and telomere length regulation." Embo J **21**(4): 815-24.
- Gamma, E., R. Helm, et al. (1994). Design Patterns: Elements of Reusable Object-Oriented Software, Addison Wesley Professional.
- Gardner, M. J., N. Hall, et al. (2002). "Genome sequence of the human malaria parasite *Plasmodium falciparum*." Nature **419**(6906): 498-511.
- Gardner, M. J., H. Tettelin, et al. (1999). "The malaria genome sequencing project: complete sequence of *Plasmodium falciparum* chromosome 2." Parassitologia **41**(1-3): 69-75.
- Gendrel, C. G., A. Boulet, et al. (2000). "(CA/GT)(n) microsatellites affect homologous recombination during yeast meiosis." Genes Dev **14**(10): 1261-8.
- Gilbert, S. F. (2003). Developmental Biology. Sunderland, MA, Sinauer Associates, Inc.

- Gosling, J., B. Joy, et al. (2000). The Java Language Specification, Addison-Wesley.
- Grandjean, F., L. Bremaud, et al. (2001). "Sequential gene expression of P-glycoprotein (P-gp), multidrug resistance-associated protein (MRP) and lung resistance protein: functional activity of P-gp and MRP present in the doxorubicin-resistant human K562 cell lines." Anticancer Drugs **12**(3): 247-58.
- Grundy, W. N., T. L. Bailey, et al. (1997). "Meta-MEME: motif-based hidden Markov models of protein families." Comput Appl Biosci **13**(4): 397-406.
- Guillouzic, S., I. I. L'Heureux, et al. (2000). "Rate processes in a delayed, stochastically driven, and overdamped system." Phys Rev E Stat Phys Plasmas Fluids Relat Interdiscip Topics **61**(5A): 4906-14.
- Guo, Z., R. A. Guilfoyle, et al. (1994). "Direct fluorescence analysis of genetic polymorphisms by hybridization with oligonucleotide arrays on glass supports." Nucleic Acids Res **22**(24): 5456-65.
- Hall, N., A. Pain, et al. (2002). "Sequence of Plasmodium falciparum chromosomes 1, 3-9 and 13." Nature **419**(6906): 527-31.
- Hasan, S. (2003). The Sanger Centre. Cambridge.
- Huang, A., D. Fuchs, et al. (2002). "Serum tryptophan decrease correlates with immune activation and impaired quality of life in colorectal cancer." Br J Cancer **86**(11): 1691-6.
- Hubbard, T., D. Barker, et al. (2002). "The Ensembl genome database project." Nucleic Acids Res **30**(1): 38-41.
- Hughes, T. R., M. Mao, et al. (2001). "Expression profiling using microarrays fabricated by an ink-jet oligonucleotide synthesizer." Nat Biotechnol **19**(4): 342-7.
- Hughey, R. and A. Krogh (1995). SAM: Sequence alignment and modeling software system. Santa Cruz, CA, University of California.
- Iwagaki, H., A. Hizuta, et al. (1995). "Decreased serum tryptophan in patients with cancer cachexia correlates with increased serum neopterin." Immunol Invest **24**(3): 467-78.
- Kihara, C., T. Tsunoda, et al. (2001). "Prediction of sensitivity of esophageal tumors to adjuvant chemotherapy by cDNA microarray analysis of gene-expression profiles." Cancer Res **61**(17): 6474-9.
- Krogh, A., M. Brown, et al. (1994). "Hidden Markov models in computational biology. Applications to protein modeling." J Mol Biol **235**(5): 1501-31.
- Lashkari, D. A., J. L. DeRisi, et al. (1997). "Yeast microarrays for genome wide parallel genetic and gene expression analysis." Proc Natl Acad Sci U S A **94**(24): 13057-62.
- Lawrence, T. S. (1988). "Reduction of doxorubicin cytotoxicity by ouabain: correlation with topoisomerase-induced DNA strand breakage in human and hamster cells." Cancer Res **48**(3): 725-30.
- Lawrence, T. S. and M. A. Davis (1990). "The influence of Na⁺,K⁽⁺⁾-pump blockade on doxorubicin-mediated cytotoxicity and DNA strand breakage in human tumor cells." Cancer Chemother Pharmacol **26**(3): 163-7.
- Li, Y., C. Campbell, et al. (2002). "Bayesian automatic relevance determination algorithms for classifying gene expression data." Bioinformatics **18**(10): 1332-9.
- Liefers, G. J. and R. A. Tollenaar (2002). "Cancer genetics and their application to individualised medicine." Eur J Cancer **38**(7): 872-9.

- Lindholm, T. and F. Yellin (1999). The Java Virtual Machine Specification, Addison-Wesley.
- Majewski, J. and J. Ott (2000). "GT repeats are associated with recombination on human chromosome 22." Genome Res **10**(8): 1108-14.
- Mody, M., Y. Cao, et al. (2001). "Genome-wide gene expression profiles of the developing mouse hippocampus." Proc Natl Acad Sci U S A **98**(15): 8862-7.
- Nedelman, J., P. Heagerty, et al. (1992). "Quantitative PCR with internal controls." Comput Appl Biosci **8**(1): 65-70.
- Nelder, J. A. and P. McCullagh (1983). Generalized Linear Models. London, Chapman and Hall.
- Ning, Z., A. J. Cox, et al. (2001). "SSAHA: a fast search method for large DNA databases." Genome Res **11**(10): 1725-9.
- O'Hagan, A. (1994). Bayesian Inference. London, Hodder Anold.
- Perou, C. M., T. Sorlie, et al. (2000). "Molecular portraits of human breast tumours." Nature **406**(6797): 747-52.
- Platt, J. (1998). Fast Training of Support Vector Machines using Sequential Minimal Optimization. Advances in Kernel Methods - Support Vector Learning. B. C. a. S. Scholkopf B., A., MIT Press.
- Pocock, M. R., T. Down, et al. (2000). "BioJava: Open Source Components for Bioinformatics." sigbio newsletter **20**(2): 10-12.
- Pollack, Y., A. L. Katzen, et al. (1982). "The genome of Plasmodium falciparum. I: DNA base composition." Nucleic Acids Res **10**(2): 539-46.
- Potmesil, M., Y. H. Hsiang, et al. (1988). "Resistance of human leukemic and normal lymphocytes to drug-induced DNA cleavage and low levels of DNA topoisomerase II." Cancer Res **48**(12): 3537-43.
- Pourquier, P., D. Montaudon, et al. (1998). "Doxorubicin-induced alterations of c-myc and c-jun gene expression in rat glioblastoma cells: role of c-jun in drug resistance and cell death." Biochem Pharmacol **55**(12): 1963-71.
- Rabiner, L. R. (1989). "A tutorial on Hidden Markov Models and selected applications in speech recognition." Proceedings of the IEEE **77**(2): 257-286.
- Ramaswamy, S., P. Tamayo, et al. (2001). "Multiclass cancer diagnosis using tumor gene expression signatures." Proc Natl Acad Sci U S A **98**(26): 15149-54.
- Rampone, S. (1998). "Recognition of splice junctions on DNA sequences by BRAIN learning algorithm." Bioinformatics **14**(8): 676-84.
- Reinhardt, A. and T. Hubbard (1998). "Using neural networks for prediction of the subcellular location of proteins." Nucleic Acids Res **26**(9): 2230-6.
- Rice, P., I. Longden, et al. (2000). "EMBOSS: the European Molecular Biology Open Software Suite." Trends Genet **16**(6): 276-7.
- Rooney, D. E. (2001). Human Cytogenetics: Constitutional Analysis, A Practical Approach. Oxford, Oxford University Press.
- Rost, B. and C. Sander (1994). "Combining evolutionary information and neural networks to predict protein secondary structure." Proteins **19**(1): 55-72.
- Schena, M., D. Shalon, et al. (1995). "Quantitative monitoring of gene expression patterns with a complementary DNA microarray." Science **270**(5235): 467-70.
- Shalon, D. (1998). "Gene expression micro-arrays: a new tool for genomic research." Pathol Biol (Paris) **46**(2): 107-9.
- Sjolander, K., K. Karplus, et al. (1996). "Dirichlet mixtures: a method for improved detection of weak but significant protein sequence homology." Comput Appl Biosci **12**(4): 327-45.

- Smith, T. F. and M. S. Waterman (1981). "Identification of common molecular subsequences." J Mol Biol **147**(1): 195-7.
- Smolen, P., D. A. Baxter, et al. (2001). "Modeling circadian oscillations with interlocking positive and negative feedback loops." J Neurosci **21**(17): 6644-56.
- Stajich, J. E., D. Block, et al. (2002). "The Bioperl toolkit: Perl modules for the life sciences." Genome Res **12**(10): 1611-8.
- Stoesser, G., W. Baker, et al. (2003). "The EMBL Nucleotide Sequence Database: major new developments." Nucleic Acids Res **31**(1): 17-22.
- Tewey, K. M., T. C. Rowe, et al. (1984). "Adriamycin-induced DNA damage mediated by mammalian DNA topoisomerase II." Science **226**(4673): 466-8.
- Tipping, M. E. (2000). The Relevance Vector Machine. Advances in Neural Information Processing Systems 12, MIT Press.
- van 't Veer, L. J., H. Dai, et al. (2002). "Gene expression profiling predicts clinical outcome of breast cancer." Nature **415**(6871): 530-6.
- Vapnik, V. N. (1995). The Nature of Statistical Learning Theory, Springer.
- Womble, D. D. (2000). "GCG: The Wisconsin Package of sequence analysis programs." Methods Mol Biol **132**: 3-22.