

# Chapter 9

---

## Bibliography

## Bibliography

**Arrate, M. P.**, Rodriguez, J. M., Tran, T. M., Brock, T. A. and Cunningham, S. A., 2001. Cloning of human junctional adhesion molecule 3 (JAM3) and its identification as the JAM2 counter-receptor. *Journal of Biological Chemistry* 276, 45826 – 45832.

**Artero, R. D.**, Castanon, I. and Baylies, M. K., 2001. The immunoglobulin-like protein Hibris functions as a dose-dependent regulator of myoblast fusion and is differentially controlled by Ras and Notch signaling. *Development* 128, 4251 – 4264.

**Aurrand-Lions, M.**, Duncan, L., Ballestrem, C. and Imhof, B. A., 2001. JAM-2, a novel immunoglobulin superfamily molecule, expressed by endothelial and lymphatic cells. *Journal of Biological Chemistry* 276, 2733 – 2741.

**Aurrand-Lions, M.**, Lamagna, C., Dangerfield, J. P., Wang, S., Herrera, P., Nourshargh, S. and Imhof, B. A., 2005. Junctional adhesion molecule-C regulates the early influx of leukocytes into tissues during inflammation. *Journal of Immunology* 174, 6406 – 6415.

**Bae, G. U.**, Yang, Y. J., Jiang, G., Hong, M., Lee, H. J., Tessier-Lavigne, M., Kang, J. S. and Krauss, R. S., 2009. Neogenin regulates skeletal myofiber size and focal adhesion kinase and extracellular signal-regulated kinase activities *in vivo* and *in vitro*. *Molecular Biology of the Cell* 20, 4920 – 4931.

**Bassett, D. I.**, Bryson-Richardson, R. J., Daggett, D. F., Gautier, P., Keenan, D. G. and Currie, P. D., 2003. Dystrophin is required for the formation of stable muscle attachments in the zebrafish embryo. *Development* 130, 5851 – 5860.

**Bate, M.**, 1990. The embryonic development of larval muscles in *Drosophila*. *Development* 110, 791 – 804.

**Baylies, M. K.**, Bate, M. and Ruiz-Gomez, M., 1998. Myogenesis: a view from *Drosophila*. *Cell* 93, 921 – 927.

**Beckett, K.** and Baylies, M. K., 2007. 3D analysis of founder cell and fusion competent myoblast arrangements outlines a new model of myoblast fusion. *Developmental Biology* 309, 113 – 125.

**Bendsten, J. D.**, Nielsen, H., von Heijne, G. and Brunak, S., 2004. Improved prediction of signal peptides: SignalP 3.0. *Journal of Molecular Biology* 340, 783 – 795.

**Bibikova, M.**, Golic, M., Golic, K. G. and Carroll, D., 2002. Targeted chromosomal cleavage and mutagenesis in *Drosophila* using zinc-finger nucleases. *Genetics* 161, 1169 – 1175.

**Bill, B. R.**, Petzold, A. M., Clark, K. J., Schimmenti, L. A. and Ekker, S. C., 2009. A primer for morpholino use in zebrafish. *Zebrafish* 6, 69 – 77.

**Bonanomi, D.** and Pfaff, S. L., 2010. Motor axon pathfinding. *Cold Spring Harbor Perspectives in Biology* 2, a001735.

**Bour, B. A.**, Chakravarti, M., West, J. M. and Abmayr, S. M., 2000. Drosophila SNS, a member of the immunoglobulin superfamily that is essential for myoblast fusion. *Genes and Development* 14, 1498 – 1511.

**Boussif, O.**, Lezoualc'h, F., Zanta, M. A., Mergny, M. D., Scherman, D., Demeneix, B. and Behr, J. P., 1995. A versatile vector for gene and oligonucleotide transfer into cells in culture and in vivo: polyethylenimine. *Proceedings of the National Academy of Sciences of the U. S. A.* 92, 7297 – 7301.

**Broadie, K.** and Bate, M., 1993. Muscle development is independent of innervation during *Drosophila* embryogenesis. *Development* 119, 533 – 543.

**Brown, M. H.** and Barclay, A. N., 1994. Expression of immunoglobulin and scavenger receptor superfamily domains as chimeric proteins with domains 3 and 4 of CD4 for ligand analysis. *Protein Engineering* 7, 515 – 521.

**Buas, M. F.**, Kadesch, T., 2010. Regulation of skeletal myogenesis by Notch. *Experimental Cell Research*, *in press*.

**Bushell, K. M.**, Söllner, C., Schuster-Boeckler, B, Bateman, A. and Wright, G. J., 2008. Large-scale screening for novel low-affinity extracellular protein interactions. *Genome Research* 18, 622 – 630.

**Capers, C. R.**, 1960. Multinucleation of skeletal muscle *in vitro*. *Journal of Biophysical and Biochemical Cytology* 7, 559 – 566.

**Carmena, A.**, Bate, M. and Jiménez, F., 1995. Lethal of scute, a proneural gene, participates in the specification of muscle progenitors during *Drosophila* embryogenesis. *Genes and Development* 9, 2372 – 2783.

**Cera, M. R.**, Del Prete, A., Vecchi, A., Corada, M., Martin-Padura, I., Motoike, T., Tonetti, P., Bazzoni, G., Vermi, W., Gentili, F., Bernasconi, S., Sato, T. N., Mantovani, A. and Dejana, E., 2004. Increased DC trafficking to lymph nodes and contact hypersensitivity in junctional adhesion molecule-A-deficient mice. *Journal of Clinical Investigation* 114, 729 – 738.

## Bibliography

**Charlton, C. A.**, Mohler, W. A., Radice, G. L., Hynes, R. O. and Blau, H. M., 1997. Fusion competence of myoblasts rendered genetically null for N-cadherin in culture. *Journal of Cell Biology* 138, 331 – 336.

**Charlton, C. A.**, Mohler, W. A. and Blau, H. M., 2000. Neural cell adhesion molecule (NCAM) and myoblast fusion. *Developmental Biology* 221, 112 – 119.

**Charrasse, S.**, Comunale, F., Fortier, M., Portales-Casamer, E., Debant, A. and Gauthier-Rouvière, C., 2007. M-cadherin activates Rac1 GTPase through the Rho-GEF trio during myoblast fusion. *Molecular Biology of the Cell* 18, 1734 – 1743

**Chavakis, T.**, Keiper, T., Matz-Westphal, R., Hersemeyer, K., Sachs, U. J., Nawroth, P. P., Preissner, K. T. and Santoso, S., 2004 The junctional adhesion molecule-C promotes neutrophil transendothelial migration in vitro and in vivo. *Journal of Biological Chemistry* 279, 55602 – 55608.

**Cole, F.**, Zhang, W., Geyra, A., Kang, J. S. and Krauss, R. S., 2004. Positive regulation of myogenic bHLH factors and skeletal muscle development by the cell surface receptor CDO. *Developmental Cell* 7, 843 – 854.

**Collins, R. T.**, Linker, C. and Lewis, J., 2010. MAZe: a toll for mosaic analysis of gene function in zebrafish. *Nature Methods* 7, 219 – 223.

**Condon, K.**, Silberstein, L., Blau, H. M. and Thompson, W. J., 1990. Differentiation of fiber types in aneural musculature of the prenatal rat hindlimb. *Developmental Biology* 138, 275 – 295.

**Conti, F. J.**, Monkley, S. J., Wood, M. R., Critchley, D. R., Müller U., 2009. Talin 1 and 2 are required for myoblast fusion, sarcomere assembly and the maintenance of myotendinous junctions. *Development* 136, 3597 – 3606.

**Cooke, V. G.**, Naik, M. U. and Naik, U. P., 2006. Fibroblast growth factor-2 failed to induce angiogenesis in junctional adhesion molecule-A-deficient mice. *Arteriosclerosis, Thrombosis and Vascular Biology* 26, 2005 – 2011.

**Cornelison, D. D.**, 2008. Context matters: *in vivo* and *in vitro* influences on muscle satellite cell activity. *Journal of Cellular Biochemistry* 105, 663 – 669.

**Cortés, F.**, Daggest, D., Bryson-Richardson, R. J., Neyt, C., Maule, J., Gautier, P., Hollway, G. E., Keenan, D. and Currie, P. D., 2003. Cadherin-mediated differential cell adhesion controls slow muscle cell migration in the developing zebrafish myotome. *Developmental Cell* 5, 865 – 876.

**Coutelle, O.**, Blagden, C. S., Hampson, R., Halai, C., Rigby, P. W. and Hughes, S. M., 2001. Hedgehog signalling is required for maintenance of myf5 and myoD expression and timely terminal differentiation in zebrafish adaxial myogenesis. *Developmental Biology* 236, 136 – 150.

**Cunningham, S. A.**, Arrate, M. P., Rodriguez, J. M., Bjercke, R. J., Vanderslice, P., Morris, A. P. and Brock, T. A., 2000. A novel protein with homology to the junctional adhesion molecule. Characterization of leukocyte interactions. *Journal of Biological Chemistry* 275, 34750 – 34756.

**Cunningham, S. A.**, Rodriguez, J. M., Arrate, M. P., Tran, T. M. and Brock, T. A., 2002. JAM2 interacts with alpha4beta1. Facilitation by JAM3. *Journal of Biological Chemistry* 277, 27589 – 27592.

**Dietrich, S.**, Abou-Rebyeh, F., Brohmann, H., Bladt, F., Sonnenberg-Riethmacher, E., Yamaai, T., Lumsden, A., Brand-Saberi, B. and Birchmeier, C., 1999. The role of SF/HGF and c-Met in the development of skeletal muscle. *Development* 126, 1621 – 1629.

**Devoto, S. H.**, Melançon, E., Eisen, J. S. and Westerfield, M., 1996. Identification of separate slow and fast muscle precursor cells in vivo, prior to somite formation. *Development* 122, 3371 – 3380.

**Doberstein, S. K.**, Fetter, R. D., Mehta, A. Y. and Goodman, C. S., 1997. Genetic analysis of myoblast fusion: blown fuse is required for progression beyond the prefusion complex. *Journal of Cell Biology* 136, 1249 – 1261.

**Donoviel, D. B.**, Freed, D. D., Vogel, H., Potter, D. G., Hawkins, E., Barrish, J. P., Mathur, B. N., Turner, C. A., Geske, R., Montgomery, C. A., Starbuck, M., Brandt, M., Gupta, A., Ramirez-Solis, R., Zambrowicz, B. P. and Powell, D. R., 2001. Proteinuria and perinatal lethality in mice lacking NEPH1, a novel protein with homology to NEPHRIN. *Molecular and Cellular Biology* 21, 4829 – 4836.

**Driever, W.**, Solnica-Krezel, L., Schier, A. F., Neuhauss, S. C. F., Malicki, J., Stemple, D. L., Stainier, D. Y. R., Zwartkuis, F., Abdelilah, S., Rangini, Z., Belak, J. and Boggs, C., 1996. A genetic screen for mutations affecting embryogenesis in zebrafish. *Development* 123, 37 – 46.

**Durocher, Y.**, Perret, S. and Kamen, A., 2002. High-level and high-throughput recombinant protein production by transient transfection of suspension-growing human 293-EBNA1 cells. *Nucleic Acids Research* 30, e9.

## Bibliography

**Ebnet, K.**, Aurrand-Lions, M., Kuhn, A., Kiefer, F., Butz, S., Zander, K., Meyer zu Brickwedde, M. K., Suzuki, A., Imhof, B. A. and Vestweber, D., 2003. The junctional adhesion molecule (JAM) family members JAM-2 and JAM-3 associate with the cell polarity protein PAR-3: a possible role for JAMs in endothelial cell polarity. *Journal of Cell Science* 116, 3879 – 3891.

**Ebnet, K.**, Suzuki, A., Ohno, S. and Vestweber, D., 2004. Junctional adhesion molecules (JAMs): more molecules with dual functions? *Journal of Cell Science* 117, 19 – 29.

**Eisen, J. S.**, 1991. Motoneuronal development in the embryonic zebrafish. *Development Supplement* 2, 141 – 147.

**Eisen, J. S.** and Smith, J. C., 2008. Controlling morpholino experiments: don't stop making antisense. *Development* 135, 1735 – 1743.

**Estrada, B.**, Maeland, A. D., Gisselbrecht, S. S., Bloor, J. W., Brown, N. H. and Michelson, A. M., 2007. The MARVEL domain protein, Singles Bar, is required for progression past the pre-fusion complex stage of myoblast fusion. *Developmental Biology* 307, 328 – 339.

**Fanning, A. S.**, Ma, T. Y. and Anderson, J. M., 2002. Isolation and functional characterization of the actin binding region in the tight junction protein ZO-1. *FASEB Journal* 16, 1835 – 1837.

**Feng, X.**, Adiarte, E. G. and Devoto, S. H., 2006. Hedgehog acts directly on the zebrafish dermomyotome to promote myogenic differentiation. *Developmental Biology* 300, 736 – 746.

**Galletta, B. J.**, Chakravarti, M., Banerjee, R. and Abmayr, S. M., 2004. SNS: Adhesive properties, localization requirements and ectodomain dependence in S2 cells and embryonic myoblasts. *Mechanisms of Development* 121, 1455 – 1468.

**Gautam, M.**, Noakes, P. G., Mudd, J., Nichol, M., Chu, G. C., Sanes, J. R. and Merlie, J. P., 1995. Failure of postsynaptic specialization to develop at neuromuscular junctions of rapsyn-deficient mice. *Nature* 377, 232 – 236.

**Geetha-Loganathan, P.**, Nimmagadda, S., Pröls, F., Patel, K., Scal, M., Huang, R. and Christ, B., 2005. Ectodermal Wnt-6 promotes Myf5-dependent avian limb myogenesis. *Developmental Biology* 288, 221 – 233.

**Gill, S. C.** and von Hippel, P. H., 1989. Calculation of protein extinction coefficients from amino acid sequence data. *Analytical Biochemistry* 182, 319 – 326.

**Gitton, Y.**, Dahmane, N., Baik, S., Ruiz i Altaba, A., Neidhardt, L., Scholze, M., Herrmann, B. G., Kahlem, P., Benkahl, A., Schrunner, S., Yildirimman, R., Herwig, R., Lehrach, H. and Yaspo, M. L.; HSA21 expression map initiative, 2002. A gene expression map of human chromosome 21 orthologues in the mouse. *Nature* 420, 586 – 590.

**Gliki, G.**, Ebnet, K., Aurrand-Lions, M., Imhof, B. A. and Adams, R. H., 2004. Spermatid differentiation requires the assembly of a cell polarity complex downstream of junctional adhesion molecule-C. *Nature* 431, 320 – 324.

**Granato, M.**, van Eeden, F. J., Schach, U., Trowe, T., Brand, M., Furutani-Seiki, M., Haffter, P., Hammerschmidt, M., Heisenberg, C. P., Jiang, Y. J., Kane, D. A., Kelsh, R. N., Mullins, M. C., Odenthal, J. and Nüsslein-Volhard, C., 1996. Genes controlling and mediating locomotion behavior of the zebrafish embryo and larva. *Development* 123, 399 – 413.

**Gros, J.**, Scaal, M. and Marcelle, C., 2004. A two-step mechanism for myotome formation in chick. *Developmental Cell* 6, 875 – 882.

**Gros, J.**, Serralbo, O. and Marcelle, C., 2009. WNT11 acts as a directional cue to organize the elongation of early muscle fibres. *Nature* 457, 589 – 593.

**Groves, J. A.**, Hammond, C. L. and Hughes, S. M., 2005. Fgf8 drives myogenic progression of a novel lateral fast muscle fibre population in zebrafish. *Development* 132, 4211 – 4222.

**Hagiwara, N.**, Ma, B. and Ly, A., 2005. Slow and fast fiber isoform gene expression is systematically altered in skeletal muscle of the Sox6 mutant, p100H. *Developmental Dynamics* 234, 301 – 311.

**Hall, T. E.**, Bryson-Richardson, R. J., Berger, S., Jacoby, A. S., Cole, N. J., Hollway, G. E., Berger, J. and Currie, P. D., 2007. The zebrafish candyfloss mutant implicates extracellular matrix adhesion failure in *laminin*  $\alpha 2$ -deficient congenital muscular dystrophy. *Proceedings of the National Academy of Sciences of the U. S. A.* 104, 7092 – 7097.

**Hämäläinen, N.** and Pette, D., 1995. Patterns of myosin isoforms in mammalian skeletal muscle fibres. *Microscopy Research and Technique* 30, 381 – 389.

**Hammond, C. L.**, Hinits, Y., Osborn, D. P. S., Minchin, J. E. N., Tettamenti, G. and Hughes, S. M., 2007. Signals and myogenic regulatory factors restrict *pax3* and *pax7*

## Bibliography

expression to dermomyotome-like tissue in zebrafish. *Developmental Biology* 302, 504 – 521.

**Haralalka, S.** and Abmayr, S. M., 2010. Myoblast fusion in *Drosophila*. *Experimental Cell Research*, *in press*.

**Hauser, P. V.**, Collino, F., Bussolati, B. and Camussi, G., 2009. Nephrin and endothelial injury. *Current Opinion in Nephrology and Hypertension* 18, 3 – 8.

**Henry, C. A.** and Amacher, S. L., 2004. Zebrafish slow muscle cell migration induces a wave of fast muscle morphogenesis. *Developmental Cell* 7, 917 – 923.

**Henry, C. A.**, McNulty, I. M., Durst, W. A., Munchel, S. E. and Amacher, S. L., 2005. Interactions between muscle fibers and segment boundaries in zebrafish. *Developmental Biology* 287, 346 – 360.

**Ho, R. K.**, Ball, E. E. and Goodman, C. S., 1983. Muscle pioneers: large mesodermal cells that erect a scaffold for developing muscles and motoneurons in grasshopper embryos. *Nature* 301, 66 – 69.

**Ho, R. K.** and Kane, D. A., 1990. Cell-autonomous action of zebrafish *spt-1* mutation in specific mesodermal precursors. *Nature* 348, 728 – 730.

**Hoffman, B. G.**, Zavaglia, B., Witzsche, J., Ruiz de Algora, T., Beach, M., Hoodless, P. A., Jones, S. J., Marra, M. A. and Helgason, C. D., 2008. Identification of transcripts with enriched expression in the developing and adult pancreas. *Genome Biology* 9, R99.

**Hollnagel, A.**, Grund, C., Franke, W. W. and Arnold, H. -H., 2002. The cell adhesion molecule M-cadherin is not essential for muscle development and regeneration. *Molecular and Cellular Biology* 22, 4760 – 4770.

**Hollway, G. E.**, Bryson-Richardson, R. J., Berger, S., Cole, N. J., Hall, T. E. and Currie, P. D., 2007. Whole-somite rotation generates muscle progenitor cell compartments in the developing zebrafish embryo. *Developmental Cell* 12, 207 – 219.

**Hubbard, T. J.**, Aken, B. L., Beal, K., Ballester, B., Caccamo, M., Chen, Y., Clarke, L., Coates, G., Cunningham, F., Cutts, T., Down, T., Dyer, S. C., Fitzgerald, S., Fernandez-Banet, J., Graf, S., Haider, S., Hammond, M., Herrero, J., Holland, R., Howe, K., Howe, K., Johnson, N., Kahari, A., Keefe, D., Kokocinski, F. *et al*, 2007. Ensembl 2007. *Nucleic Acids Research* 35, D610 – D617.



**Hughes, D. S.**, Schade, R. R. and Ontell M., 1992. Ablation of the fetal mouse spinal cord: the effect on soleus muscle cytoarchitecture. *Developmental Dynamics* 193, 164 – 174.

**Imhof, B. A.**, Zimmerli, C., Glikli, G., Ducrest-Gay, D., Juillard, P., Hammel, P., Adams, R. and Aurrand-Lions, M., 2007. Pulmonary dysfunction and impaired granulocyte homeostasis result in poor survival of *Jam-C*-deficient mice. *Journal of Pathology* 121, 198 – 208.

**Ingham, P. W.** and Kim, H. R., 2005. Hedgehog signalling and the specification of muscle cell identity in the zebrafish embryo. *Experimental Cell Research* 306, 336 – 342.

**Jing, L.**, Lefebvre, J. L., Gordon, L. R. and Granato, M., 2009. Wnt signals organize synaptic prepattern and axon guidance through the zebrafish unplugged/MuSK receptor. *Neuron* 61, 721 – 733.

**Johnson-Léger, C. A.**, Aurrand-Lions, M., Beltraminelli, N., Fasel, N. and Imhof, B. A., 2002. Junctional adhesion molecule-2 (JAM-2) promotes lymphocyte transendothelial migration. *Blood* 100, 2479 – 2486.

**Kahane, N.**, Cinnamon, Y. and Kalcheim, C., 2002. The roles of cell migration and myofiber intercalation in patterning formation of the postmitotic myotome. *Development* 129, 2675 – 2687.

**Kawakami, K.**, Takeda, H. Kawakami, N., Kobayashi, M., Matsuda, N. And Mishina, M., 2004. A transposon-mediated gene trap approach identifies developmentally regulated genes in zebrafish. *Developmental Cell* 7, 133 – 144.

**Kesper, D. A.**, Stute, C., Buttgereit, D., Kreisköther, N., Vishnu, S., Fischbach, K. F. and Renkawitz-Pohl, R., 2007. Myoblast fusion in *Drosophila melanogaster* is mediated through a fusion-restricted myogenic-adhesive structure (FuRMAS). *Developmental Dynamics* 236, 404 – 415.

**Kim, I. J.**, Zhang, Y., Yamagata, M., Meister, M. and Sanes, J. R., 2008. Molecular identification of a retinal cell type that responds to upward motion. *Nature* 452, 478 – 482.

**Kim, N.** and Burden, S. J., 2008. MuSK controls where motor axons grow and form synapses. *Nature Neuroscience* 11, 19 – 27.

**Kim, S.**, Shilagardi, K., Zhang, S., Hong, S. N., Sens, K. L., Bo, J., Gonzalez, G. A. and Chen, E. H., 2007. A critical function for the actin cytoskeleton in targeted

## Bibliography

exocytosis of prefusion vesicles during myoblast fusion. *Developmental Cell* 12, 571 – 586.

**Kimmel, C. B.**, Warga, R. M. and Schilling, T. F., 1990. Origin and organization of the zebrafish fate map. *Development* 108, 581 – 594.

**Kimmel, C. B.**, Ballard, W. W., Kimmel, S. R., Ullmann, B. and Schilling, T. F., 1995. Stages of embryonic development of the zebrafish. *Developmental Dynamics* 203, 253 – 310.

**Kostrewa, D.**, Brockhaus, M., D'Arcy, A., Dale, G. E., Nelboeck, P., Schmid, G., Mueller, F., Bazzoni, G., Dejana, E., Bartfai, T., Winkler, F. K. and Hennig, M., 2001. X-ray structure of junctional adhesion molecule: structural basis for homophilic adhesion via a novel dimerization motif. *EMBO Journal* 20, 4391 – 4398.

**Kramer, S. G.**, Kidd, T., Simpson, J. H. and Goodman, C. S., 2001. Switching repulsion to attraction: changing responses to slit during transition in mesoderm migration. *Science* 292, 737 – 740.

**Krauss, R. S.**, 2010. Regulation of promyogenic signal transduction by cell-cell contact and adhesion. *Experimental Cell Research*, *in press*.

**Krogh, A.**, Larsson, B., von Heijne, G. and Sonnhammer, E. L., 2001. Predicting transmembrane protein topology with a hidden Markov model: application to complete genomes. *Journal of Molecular Biology* 305, 567 – 580.

**Kudo, H.**, Amizuka, N., Araki, K., Inohaya, K. and Kudo, A., 2004. Zebrafish periostin is required for the adhesion of muscle fiber bundles to the myoseptum and for the differentiation of muscle fibers. *Developmental Biology* 267, 473 – 487.

**Kumar, S.**, Tamura, K. and Nei, M., 2004. MEGA3: integrated software for molecular evolutionary genetics analysis and sequence alignment. *Briefings in Bioinformatics* 5, 150 – 163.

**Lamagna, C.**, Hodivala-Dilke, K. M., Imhof, B. A. and Aurrand-Lions, M., 2005a. Antibody against junctional adhesion molecule-C inhibits angiogenesis and tumor growth. *Cancer Research* 65, 5703 – 5710.

**Lamagna, C.**, Meda, P., Mandicourt, G., Brown, J., Gilbert, R. J., Jones, E. Y., Kiefer, F., Ruga, P., Imhof, B. A. and Aurrand-Lions, M. 2005b. Dual interaction of JAM-C with JAM-B and alpha(M)beta2 integrin: function in junctional complexes and leukocyte adhesion. *Molecular Biology of the Cell*. 16, 4992 – 5003

- Laurin, M.**, Fradet, N., Blangy, A., Hall, A., Vuori, K. and Côté, J. -F., 2008. The atypical Rac activator Dock180 (Dock1) regulates myoblast fusion *in vivo*. Proceedings of the National Academy of Sciences of the U. S. A. 105, 15446 – 15451.
- Lennon, G.**, Auffray, C., Polymeropoulos, M. and Soares, M. B., 1996. The I.M.A.G.E. consortium: an integrated molecular analysis of genomes and their expression. Genomics 33, 151 – 152.
- Liang, T. W.**, Chiu, H. H., Gurney, A., Sidle, A., Tumas, D. B., Schow, P., Foster, J., Klassen, T., Dennis, K., DeMarco, R. A., Pham, T., Frantz, G. and Fong, S., 2002. Vascular endothelial-junctional adhesion molecule (VE-JAM)/JAM 2 interacts with T, NK, and dendritic cells through JAM 3. Journal of Immunology 168, 1618 – 1626.
- Ludwig, R. J.**, Zollner, T. M., Santoso, S., Hardt, K., Gille, J., Baatz, H., Johann, P. S., Pfeffer, J., Radeke, H. H., Schön, M. P., Kaufmann, R., Boehncke, W. H. and Podda, M., 2005. Junctional adhesion molecules (JAM)-B and -C contribute to leukocyte extravasation to the skin and mediate cutaneous inflammation. Journal of Investigative Dermatology 125, 969 – 976.
- Mandell, K. J.**, McCall, I. C. and Parkos, C. A., 2004. Involvement of the junctional adhesion molecule-1 (JAM1) homodimer interface in regulation of epithelial barrier function. Journal of Biological Chemistry 279, 16254 – 16262.
- Mandicourt, G.**, Iden, S., Ebnet, K., Aurrand-Lions, M. and Imhof, B. A., 2007. JAM-C regulates tight junctions and integrin-mediated cell adhesion and migration. Journal of Biological Chemistry 282, 1830 – 1837.
- Martin, B. L.** and Kimelman, D., 2008. Regulation of canonical wnt signaling by *brachyury* is essential for posterior mesoderm formation. Developmental Cell 15, 121 – 133.
- Martin, S.**, Söllner, C., Charoensawan, V., Adryan, B., Thisse, B., Thisse, C., Teichmann, S. A. and Wright, G. J., 2010. Construction of a large extracellular protein interaction network and its resolution by spatiotemporal expression profiling. Molecular and Cellular Proteomics, *in press*.
- Matsuda, M.** and Chitnis, A., 2009. Interaction with Notch determines endocytosis of specific Delta ligands in zebrafish neural tissue. Development 135, 197 – 206.
- McCallum, C. M.**, Comai, L., Greene, E. A. and Henikoff, S., 2000. Targeted screening for induced mutations. Nature Biotechnology 18, 455 – 457.

## Bibliography

**Mirza, M.**, Hreinsson, J., Strand, M. L., Hovatta, O., Söder, O., Philipson, L., Pettersson, R. F. and Sollerbrant, K., 2006. Coxsackievirus and adenovirus receptor (CAR) is expressed in male germ cells and forms a complex with the differentiation factor JAM-C in mouse testis. *Experimental Cell Research* 312, 817 – 830.

**Moore, C. A.**, Parkin, C. A., Bidet, Y. and Ingham, P. W., 2007. A role for *myoblast city* homologues *dock1* and *dock5* and the adaptor proteins *crk* and *crk-like* in zebrafish myoblast fusion. *Development* 134, 3145 – 3153.

**Muller, W. A.**, 2003. Leukocyte–endothelial-cell interactions in leukocyte transmigration and the inflammatory response. *Trends in Immunology* 24, 326 – 333.

**Murakami, M.**, Francavilla, C., Torselli, I., Corada, M., Maddaluno, L., Sica, A., Matteoli, G., Iliev, I. D., Mantovani, A., Rescigno, M., Cavallaro, U. and Dejana, E., 2010. Inactivation of junctional adhesion molecule-A enhances antitumoral immune response by promoting dendritic cell and T lymphocyte infiltration. *Cancer Research* 70, 1759 – 1765.

**Naik, U. P.**, Ehrlich, Y. H. and Kornecki, E., 1995. Mechanisms of platelet activation by a stimulatory antibody: cross-linking of a novel platelet receptor for monoclonal antibody F11 with the Fc gamma RII receptor. *Biochemical Journal* 310, 155 – 162.

**Ovcharenko, I.**, Loots, G. G., Hardison, R. C., Miller, W. and Stubbs, L., 2004. zPicture: dynamic alignment and visualization tool for analyzing conservation profiles. *Genome Research* 14, 472 – 477.

**Palmeri, D.**, van Zante, A., Huang, C. C., Hemmerich, S. and Rosen, S. D., 2000. Vascular endothelial junction-associated molecule, a novel member of the immunoglobulin superfamily, is localized to intercellular boundaries of endothelial cells. *Journal of Biological Chemistry* 275, 19139 – 19145.

**Parris, J. J.**, Cooke, V. G., Skarnes, W. C., Duncan, M. K. and Naik, U. P., 2005. JAM-A expression during embryonic development. *Developmental Dynamics* 233, 1517 – 1524.

**Peterson, M. T.** and Henry, C. A., 2010. Hedgehog signalling and laminin play unique and synergistic roles in muscle development. *Developmental Dynamics* 239, 905 – 913.

**Pickart, M. A.**, Klee, E. W., Nielsen, A. L., Sivasubbu, S., Mendenhall, E. M., Bill, B. R., Chen, E., Eckfeldt, C. E., Knowlton, M., Robu, M. E., Larson, J. D., Deng, Y., Schimmenti, L. A., Ellis, L. B. M., Verfaillie, C. M., Hammerschmidt, M., Farber, S. A.

and Ekker, S. C., 2006. Genome-wide reverse genetics framework to identify novel functions of the vertebrate secretome. *PLoS One* 1, e104.

**Pownall, M. E.**, Gustafsson, M. K. and Emerson, C. P. Jr., 2002. Myogenic regulatory factors and the specification of muscle progenitors in vertebrate embryos. *Annual Review of Cell and Developmental Biology* 18, 747 – 783.

**Praetor, A.**, McBride, J. M., Chiu, H., Rangell, L., Cabote, L., Lee, W. P., Cupp, J., Danilenko, D. M. and Fong, S., 2009. Genetic deletion of JAM-C reveals a role in myeloid progenitor generation. *Blood* 113, 1919 – 1928.

**Prota, A. E.**, Campbell, J. A., Schelling, P., Forrest, J. C., Watson, M. J., Peters, T. R., Aurrand-Lions, M., Imhof, B. A., Dermody, T. S. and Stehle, T., 2003. Crystal structure of human junctional adhesion molecule 1: implications for reovirus binding. *Proceedings of the National Academy of Sciences of the U. S. A.* 100, 5366 – 5371.

**Rabquer, B. J.**, Amin, M. A., Teegala, N., Shaheen, M. K., Tsou, P. S., Ruth, J. H., Lesch, C. A., Imhof, B. A. and Koch, A. E., 2010. Junctional adhesion molecule-C is a soluble mediator of angiogenesis. *Journal of Immunology* 185, 1777 – 1785.

**Ravi, V.** and Venkatesh, B., 2008. Rapidly evolving fish genomes and teleost diversity. *Current Opinion in Genetics and Development* 18, 544 – 550.

**Rehder, D.**, Iden, S., Nasdala, I., Wegener, J., Brickwedde, M. K., Vestweber, D. and Ebnet, K., 2006. Junctional adhesion molecule-a participates in the formation of apico-basal polarity through different domains. *Experimental Cell Research* 312, 3389 – 3403.

**Richardson, B. E.**, Beckett, K., Nowak, S. J. and Baylies, M. K., 2007. SCAR/WAVE and Arp2/3 are crucial for cytoskeletal remodeling at the site of myoblast fusion. *Development* 134, 4357 – 4367.

**Rochlin, K.**, Shanon, Y., Roy, S. and Baylies, M. K., 2009. Myoblast fusion: when it takes more to make one. *Developmental Biology* 341, 66 – 83.

**Ross, J. J.**, Duxson, M. J. and Harris, A. J., 1987. Neural determination of muscle fibre numbers in embryonic rat lumbrical muscles. *Development* 100, 395 – 409.

**Roy, S.**, Wolff, C. and Ingham, P. W., 2001. The *u-boot* mutation identifies a hedgehog-related myogenic switch for fiber-type diversification in the zebrafish embryo. *Genes and Development* 15, 1563 – 1576.

## Bibliography

**Ruiz-Gomez, M.**, Coutts, N., Price, A., Taylor, M. V. and Bate, M., 2000. *Drosophila dumbfounded*: a myoblast attractant essential for fusion. *Cell* 102, 189 – 198.

**Ruiz-Gomez, M.**, Coutts, N., Suster, M. L., Landgraf, M. and Bate, M., 2002. *myoblasts incompetent* encodes a zinc finger transcription factor required to specify fusion-competent myoblasts in *Drosophila*. *Development* 129, 133 – 141.

**Rushton, E.**, Drysdale, R., Abmayr, S. M., Michelson, A. M. and Bate, M., 1995. Mutations in a novel gene, *myoblast city*, provide evidence in support of the founder cell hypothesis for *Drosophila* muscle development. *Development* 121, 1979 – 1988.

**Sakaguchi, T.**, Nishimoto, M., Miyagi, S., Iwama, A., Morita, Y., Iwamori, N., Nakauchi, H., Kiyonari, H., Muramatsu, M. and Okuda, A., 2006. Putative "stemness" gene *jam-B* is not required for maintenance of stem cell state in embryonic, neural, or hematopoietic stem cells. *Molecular Cell Biology* 26, 6557 – 6570.

**Santoso, S.**, Sachs, U. J., Kroll, H., Linder, M., Ruf, A., Preissner, K. T. and Chavakis, T., 2002. The junctional adhesion molecule 3 (JAM-3) on human platelets is a counterreceptor for the leukocyte integrin Mac-1. *Journal of Experimental Medicine* 196, 679 – 691.

**Santoso, S.**, Orlova, V. V., Song, K., Sachs, U. J., Andrei-Selmer, C. L. and Chavakis, T. 2005. The homophilic binding of junctional adhesion molecule-C mediates tumor cell-endothelial cell interactions. *Journal of Biological Chemistry*, 280, 36326 – 36333.

**Scheiermann, C.**, Meda, P., Aurrand-Lions, M., Madani, R., Yiangou, Y., Coffey, P., Salt, T. E., Ducrest-Gay, D., Caille, D., Howell, O., Reynolds, R., Lobrinus, A., Adams, R. H., Yu, A. S., Anand, P., Imhof, B. A. and Nourshargh, S., 2007. Expression and function of junctional adhesion molecule-C in myelinated peripheral nerves. *Science* 318, 1472 – 1475.

**Schnorrer, F.**, and Dickson, B. J., 2004. Muscle building; mechanisms of myotube guidance and attachment site selection. *Developmental Cell* 7, 9 – 20.

**Schnorrer, F.**, Kalchauer, I. and Dickson, B. J., 2007. The transmembrane protein Kon-tiki couples to Dgrip to mediate myotube targeting in *Drosophila*. *Developmental Cell* 12, 751 – 766.

**Schwander, M.**, Leu, M., Stumm, M., Dorchies, O. M., Ruegg, U. T., Schittny, J. and Müller, U., 2003. Beta1 integrins regulate myoblast fusion and sarcomere assembly. *Developmental Cell* 4, 673 – 685.

- Scumpia, P. O.**, Kelly-Scumpia, K. M., Delano, M. J., Weinstein, J. S., Cuenca, A. G., Al-Quran, S., Bovio, I., Akira, S., Kumagai, Y. and Moldawer, L. L., 2010. Cutting edge: bacterial infection induces hematopoietic stem and progenitor cell expansion in the absence of TLR signaling. *Journal of Immunology* 184, 2247 – 2251.
- Shao, M.**, Ghosh, A., Cooke, V. G., Naik, U. P. and Martin-DeLeon, P. A., 2008. JAM-A is present in mammalian spermatozoa where it is essential for normal motility. *Developmental Biology* 313, 246 – 255.
- Shelton, C.**, Kocherlakota, K. S., Zhuang, S. and Abmayr, S. M., 2009. The immunoglobulin superfamily member Hbs functions redundantly with Sns in interactions between founder and fusion-competent myoblasts. *Development* 136, 1159 – 1168.
- Shiina, T.**, Shima, T., Wörl, J., Neuhuber, W. L. and Shimizu, Y., 2010. The neural regulation of the mammalian esophageal motility and its implication for esophageal diseases. *Pathophysiology* 17, 129 – 133.
- Shirasaki, R.**, Lewcock, J. W., Lettieri, K. and Pfaff, S. L., 2006. FGF as a target-derived chemoattractant for developing motor axons genetically programmed by the LIM code. *Neuron* 50, 841 – 853.
- Snow, C. J.**, Peterson, M. T., Khalil, A. and Henry, C. A., 2008a. Muscle development is disrupted in zebrafish embryos deficient for fibronectin. *Developmental Dynamics* 237, 2542 – 2553.
- Snow, C. J.**, Goody, M., Kelly, M. W., Oster, E. C., Jones, R., Khalil, A. and Henry, C. A., 2008b. Time-lapse analysis and mathematical characterization elucidate novel mechanisms underlying muscle morphogenesis. *PLoS Genetics* 4, e1000219.
- Sobocka, M. B.**, Sobocki, T., Banerjee, P., Weiss, C., Rushbrook, J. I., Norin, A. J., Harting, J., Salifu, M. O., Markell, M. S., Babinska, A., Ehrlich, Y. H. and Kornecki, E., 2000. Cloning of the human platelet F11 receptor: a cell adhesion molecule member of the immunoglobulin superfamily involved in platelet aggregation. *Blood* 95, 2600 – 2609.
- Sohn, R. L.**, Huang, P., Kawahara, G., Mitchell, M., Guyon, J., Kalluri, R., Kunkel, L. M. and Gussoni, E., 2009. A role for nephrin, a renal protein, in vertebrate skeletal muscle cell fusion. *Proceedings of the National Academy of Sciences of the U. S. A.* 106, 9274 – 9279.

## Bibliography

**Srinivas, B. P.**, Woo, J., Leong, W. Y. and Roy, S., 2007. A conserved molecular pathway mediates myoblast fusion in insects and vertebrates. *Nature Genetics* 39, 781 – 786.

**Steigemann, P.**, Molitor, A., Fellert, S., Jäckle, H. and Vorbrüggen, G., 2004. Heparan sulfate proteoglycan syndecan promotes axonal and myotube guidance by slit/robo signaling. *Current Biology* 14, 225 – 230.

**Stellabotte, F.**, Dobbs-McAuliffe, B., Fernández, D. A., Feng, X. and Devoto, S. H., 2007. Dynamic somite cell rearrangements lead to distinct waves of myotome growth. *Development* 134, 1253 – 1257.

**Stevenson, B. R.**, Siliciano, J. D., Mooseker, M. S. and Goodenough, D. A., 1986. Identification of ZO-1: a high molecular weight polypeptide associated with the tight junction (zonula occludens) in a variety of epithelia. *Journal of Cell Biology* 103, 755 – 766.

**Strükelberg, M.**, Bonengel, B., Moda, L. M., Hertenstein, A., de Couet, H. G., Ramos, R. G. and Fischbach, K. F., 2001. *rst* and its paralogue *kirre* act redundantly during embryonic muscle development in *Drosophila*. *Development* 128, 4229 – 4239.

**Tang, T.**, Li, L., Tang, J., Li, Y., Lin, W. Y., Martin, F., Grant, D., Solloway, M., Parker, L., Ye, W., Forrest, W., Ghilardi, N., Oravec, T., Platt, K. A., Rice, D. S., Hansen, G. M., Abuin, A., Eberhart, D. E., Godowski, P., Holt, K. H., Peterson, A., Zambrowicz, B. P. and de Sauvage, F. J., 2010. A mouse knockout library for secreted and transmembrane proteins. *Nature Biotechnology*, 28, 749 – 755.

**Tenan, M.**, Aurrand-Lions, M., Widmer, V., Alimenti, A., Burkhardt, K., Lazeyras, F., Belkouch, M. C., Hammel, P., Walker, P. R., Duchosal, M. A., Imhof, B. A. and Dietrich, P. Y., 2010. Co-operative expression of junctional adhesion molecule-C and -B supports growth and invasion of glioma. *Glia* 58, 524 – 537.

**Thisse, C.** and Thisse, B., 2008. High-resolution *in situ* hybridization to whole-mount zebrafish embryos. *Nature Protocols* 3, 59 – 69.

**Thomas, F. C.**, Sheth, B., Eckert, J. J., Bazzoni, G., Dejana, E. and Fleming, T. P., 2004. Contribution of JAM-1 to epithelial differentiation and tight-junction biogenesis in the mouse preimplantation embryo. *Journal of Cell Science* 117, 5599 – 5608.



- Urnov, F. D.**, Rebar, E. J., Holmes, M. C., Zhang, H. S. and Gregory, P. D., 2010. Genome editing with engineered zinc finger nucleases. *Nature Reviews Genetics* 11, 636 – 646.
- van der Merwe, P. A.** and Barclay, A. N., 1996. Analysis of cell-adhesion molecule interactions using surface plasmon resonance. *Current Opinion in Immunology* 8, 257 – 261.
- Vasyutina, E.**, Martarelli, B., Brakebusch, C., Wende, H. and Birchmeier, C., 2009. The small G-proteins Rac1 and Cdc42 are essential for myoblast fusion in the mouse. *Proceedings of the National Academy of Sciences of the U. S. A* 106, 8935 – 8940.
- Visel, A.**, Thaller, C. and Eichele, G., 2004. GenePaint.org: an atlas of gene expression patterns in the mouse embryo. *Nucleic Acids Research* 32, D552 – 556.
- Volff, J. –N.**, 2005. Genome evolution and biodiversity in teleost fish. *Heredity* 94, 280 – 294.
- von Hofsten, J.**, Elworthy, S., Gilchrist, M. J., Smith, J. C., Wardle, F. C. and Ingham, P. W., 2008. Prdm1- and Sox6-mediated transcriptional repression specifies muscle fibre type in the zebrafish embryo. *EMBO Reports* 9, 683 – 689.
- Vonlaufen, A.**, Aurrand-Lions, M., Pastor, C. M., Lamagna, C., Hadengue, A., Imhof, B. A. and Frossard, J. L., 2006. The role of junctional adhesion molecule C (JAM-C) in acute pancreatitis. *Journal of Pathology* 209, 540 – 548.
- Wang, D.**, Jao, L. E., Zheng, N., Dolan, K., Ivey, J., Zonies, S., Wu, X., Wu, K., Yang, H., Meng, Q., Zhu, Z., Zhang, B., Lin, S. and Burgess, S. M., 2007. Efficient genome-wide mutagenesis of zebrafish genes by retroviral insertions. *Proceedings of the National Academy of Sciences of the U. S. A.* 104, 12428 – 12433.
- Wang, Y.** and Lui, W. Y., 2009. Opposite effects of interleukin-1alpha and transforming growth factor-beta2 induce stage-specific regulation of junctional adhesion molecule-B gene in Sertoli cells. *Endocrinology* 150, 2404 – 2412.
- Weber, C.**, Fraemohs, L. and Dejana, E., 2007. The role of junctional adhesion molecules in vascular inflammation. *Nature Reviews Immunology* 7, 467 – 477.
- Weinberg, E. S.**, Allende, M. L., Kelly, C. S., Abdelhamid, A., Murakami, T., Andermann, P., Doerre, O. G., Grunwald, D. J. and Riggleman, B., 1996. Developmental regulation of zebrafish MyoD in wild-type, no tail and spadetail embryos. *Development* 122, 271 – 280.

## Bibliography

**Woo, K.**, Shih, J. and Fraser, S. E., 1995. Fate maps of the zebrafish embryo. *Current Opinion in Genetics and Development* 5, 439 – 443.

**Xu, Q.**, Stemple, D. and Joubin, K., 2008. Microinjection and cell transplantation in zebrafish embryos. *Methods in Molecular Biology* 461, 513 – 520.

**Yang, X.**, Arber, S., William, C., Li, L., Tanabe, Y., Jessell, T. M., Birchmeier, C. and Burden, S. J., 2001. Patterning of muscle acetylcholine receptor gene expression in the absence of motor innervation. *Neuron* 30, 399 – 410.

**Ye, M.**, Hamzeh, R., Geddis, A., Varki, N., Perryman, M. B. and Grossfeld, P., 2009. Deletion of JAM-C, a candidate gene for heart defects in Jacobsen syndrome, results in a normal cardiac phenotype in mice. *American Journal of Medical Genetics, Part A* 149A, 1438 – 1443.

**Zhang, J.**, Lefebvre, J. L., Zhao, S. and Granato, M., 2004. Zebrafish *unplugged* reveals a role for muscle-specific kinase homologs in axonal pathway choice. *Nature Neuroscience* 7, 1303 – 1309.

**Zimmerli, C.**, Lee, B. P., Palmer, G., Gabay, C., Adams, R., Aurrand-Lions, M. and Imhof, B. A., 2009. Adaptive immune response in JAM-C-deficient mice: normal initiation but reduced IgG memory. *Journal of Immunology* 182, 4728 – 4736.