

References

- Adams, J. C. and Watt, F. M.** (1993). Regulation of development and differentiation by the extracellular matrix. *Development* **117**, 1183-98.
- Agarkova, I. and Perriard, J. C.** (2005). The M-band: an elastic web that crosslinks thick filaments in the center of the sarcomere. *Trends Cell Biol* **15**, 477-85.
- Almenar-Queralt, A., Gregorio, C. C. and Fowler, V. M.** (1999). Tropomodulin assembles early in myofibrillogenesis in chick skeletal muscle: evidence that thin filaments rearrange to form striated myofibrils. *J Cell Sci* **112 (Pt 8)**, 1111-23.
- Alric, S., Froeschle, A., Piquemal, D., Carnac, G. and Bonniou, A.** (1998). Functional specificity of the two retinoic acid receptor RAR and RXR families in myogenesis. *Oncogene* **16**, 273-82.
- Amacher, S. L., Draper, B. W., Summers, B. R. and Kimmel, C. B.** (2002). The zebrafish T-box genes no tail and spadetail are required for development of trunk and tail mesoderm and medial floor plate. *Development* **129**, 3311-23.
- Amacher, S. L. and Kimmel, C. B.** (1998). Promoting notochord fate and repressing muscle development in zebrafish axial mesoderm. *Development* **125**, 1397-406.
- Amatruda, J. F., Gattermeir, D. J., Karpova, T. S. and Cooper, J. A.** (1992). Effects of null mutations and overexpression of capping protein on morphogenesis, actin distribution and polarized secretion in yeast. *J Cell Biol* **119**, 1151-62.
- Amsterdam, A., Nissen, R. M., Sun, Z., Swindell, E. C., Farrington, S. and Hopkins, N.** (2004). Identification of 315 genes essential for early zebrafish development. *Proc Natl Acad Sci U S A* **101**, 12792-7.

- Antin, P. B., Forry-Schaudies, S., Friedman, T. M., Tapscott, S. J. and Holtzer, H.** (1981). Taxol induces postmitotic myoblasts to assemble interdigitating microtubule-myosin arrays that exclude actin filaments. *J Cell Biol* **90**, 300-8.
- Appel, B., Korzh, V., Glasgow, E., Thor, S., Edlund, T., Dawid, I. B. and Eisen, J. S.** (1995). Motoneuron fate specification revealed by patterned LIM homeobox gene expression in embryonic zebrafish. *Development* **121**, 4117-25.
- Arber, S., Halder, G. and Caroni, P.** (1994). Muscle LIM protein, a novel essential regulator of myogenesis, promotes myogenic differentiation. *Cell* **79**, 221-31.
- Arber, S., Hunter, J. J., Ross, J., Jr., Hongo, M., Sansig, G., Borg, J., Perriard, J. C., Chien, K. R. and Caroni, P.** (1997). MLP-deficient mice exhibit a disruption of cardiac cytoarchitectural organization, dilated cardiomyopathy, and heart failure. *Cell* **88**, 393-403.
- Babcock, G. G. and Fowler, V. M.** (1994). Isoform-specific interaction of tropomodulin with skeletal muscle and erythrocyte tropomyosins. *J Biol Chem* **269**, 27510-8.
- Bahler, M., Eppenberger, H. M. and Wallimann, T.** (1985). Novel thick filament protein of chicken pectoralis muscle: the 86 kd protein. I. Purification and characterization. *J Mol Biol* **186**, 381-91.
- Balza, R. O., Jr. and Misra, R. P.** (2006). Role of the serum response factor in regulating contractile apparatus gene expression and sarcomeric integrity in cardiomyocytes. *J Biol Chem* **281**, 6498-510.
- Bang, M. L., Centner, T., Fornoff, F., Geach, A. J., Gotthardt, M., McNabb, M., Witt, C. C., Labeit, D., Gregorio, C. C., Granzier, H. et al.** (2001a). The complete gene sequence of titin, expression of an unusual approximately 700-kDa titin isoform, and its interaction with obscurin identify a novel Z-line to I-band linking system. *Circ Res* **89**, 1065-72.
- Bang, M. L., Gregorio, C. and Labeit, S.** (2002). Molecular dissection of the interaction of desmin with the C-terminal region of nebulin. *J Struct Biol* **137**, 119-27.

- Bang, M. L., Li, X., Littlefield, R., Bremner, S., Thor, A., Knowlton, K. U., Lieber, R. L. and Chen, J.** (2006). Nebulin-deficient mice exhibit shorter thin filament lengths and reduced contractile function in skeletal muscle. *J Cell Biol* **173**, 905-16.
- Bang, M. L., Mudry, R. E., McElhinny, A. S., Trombitas, K., Geach, A. J., Yamasaki, R., Sorimachi, H., Granzier, H., Gregorio, C. C. and Labeit, S.** (2001b). Myopalladin, a novel 145-kilodalton sarcomeric protein with multiple roles in Z-disc and I-band protein assemblies. *J Cell Biol* **153**, 413-27.
- Barden, J. A., Miki, M., Hambly, B. D. and Dos Remedios, C. G.** (1987). Localization of the phalloidin and nucleotide-binding sites on actin. *Eur J Biochem* **162**, 583-8.
- Barresi, M. J., Stickney, H. L. and Devoto, S. H.** (2000). The zebrafish slow-muscle-omitted gene product is required for Hedgehog signal transduction and the development of slow muscle identity. *Development* **127**, 2189-99.
- Bassett, D. I., Bryson-Richardson, R. J., Daggett, D. F., Gautier, P., Keenan, D. G. and Currie, P. D.** (2003). Dystrophin is required for the formation of stable muscle attachments in the zebrafish embryo. *Development* **130**, 5851-60.
- Bassett, D. I. and Currie, P. D.** (2003). The zebrafish as a model for muscular dystrophy and congenital myopathy. *Hum Mol Genet* **12 Spec No 2**, R265-70.
- Baxendale, S., Davison, C., Muxworthy, C., Wolff, C., Ingham, P. W. and Roy, S.** (2004). The B-cell maturation factor Blimp-1 specifies vertebrate slow-twitch muscle fiber identity in response to Hedgehog signaling. *Nat Genet* **36**, 88-93.
- Beall, C. J., Sepanski, M. A. and Fyrberg, E. A.** (1989). Genetic dissection of Drosophila myofibril formation: effects of actin and myosin heavy chain null alleles. *Genes Dev* **3**, 131-40.
- Beam, K. G.** (1988). Duchenne muscular dystrophy. Localizing the gene product. *Nature* **333**, 798-9.

- Beattie, C. E.** (2000). Control of motor axon guidance in the zebrafish embryo. *Brain Res Bull* **53**, 489-500.
- Bennett, A. J. and Bagshaw, C. R.** (1986). The mechanism of regulatory light chain dissociation from scallop myosin. *Biochem J* **233**, 179-86.
- Bilak, S. R., Sernett, S. W., Bilak, M. M., Bellin, R. M., Stromer, M. H., Huiatt, T. W. and Robson, R. M.** (1998). Properties of the novel intermediate filament protein synemin and its identification in mammalian muscle. *Arch Biochem Biophys* **355**, 63-76.
- Black, B. L. and Olson, E. N.** (1998). Transcriptional control of muscle development by myocyte enhancer factor-2 (MEF2) proteins. *Annu Rev Cell Dev Biol* **14**, 167-96.
- Blagden, C. S., Currie, P. D., Ingham, P. W. and Hughes, S. M.** (1997). Notochord induction of zebrafish slow muscle mediated by Sonic hedgehog. *Genes Dev* **11**, 2163-75.
- Blanchard, A., Ohanian, V. and Critchley, D.** (1989). The structure and function of alpha-actinin. *J Muscle Res Cell Motil* **10**, 280-9.
- Bodine, S. C., Latres, E., Baumhueter, S., Lai, V. K., Nunez, L., Clarke, B. A., Poueymirou, W. T., Panaro, F. J., Na, E., Dharmarajan, K. et al.** (2001). Identification of ubiquitin ligases required for skeletal muscle atrophy. *Science* **294**, 1704-8.
- Bouvard, D., Brakebusch, C., Gustafsson, E., Aszodi, A., Bengtsson, T., Berna, A. and Fassler, R.** (2001). Functional consequences of integrin gene mutations in mice. *Circ Res* **89**, 211-23.
- Broschat, K. O.** (1990). Tropomyosin prevents depolymerization of actin filaments from the pointed end. *J Biol Chem* **265**, 21323-9.
- Bulfield, G., Siller, W. G., Wight, P. A. and Moore, K. J.** (1984). X chromosome-linked muscular dystrophy (mdx) in the mouse. *Proc Natl Acad Sci U S A* **81**, 1189-92.

- Capetanaki, Y.** (2002). Desmin cytoskeleton: a potential regulator of muscle mitochondrial behavior and function. *Trends Cardiovasc Med* **12**, 339-48.
- Carlier, M. F.** (1998). Control of actin dynamics. *Curr Opin Cell Biol* **10**, 45-51.
- Carlsson, L., Li, Z., Paulin, D. and Thornell, L. E.** (1999). Nestin is expressed during development and in myotendinous and neuromuscular junctions in wild type and desmin knock-out mice. *Exp Cell Res* **251**, 213-23.
- Casella, J. F. and Torres, M. A.** (1994). Interaction of Cap Z with actin. The NH₂-terminal domains of the alpha 1 and beta subunits are not required for actin capping, and alpha 1 beta and alpha 2 beta heterodimers bind differentially to actin. *J Biol Chem* **269**, 6992-8.
- Centner, T., Yano, J., Kimura, E., McElhinny, A. S., Pelin, K., Witt, C. C., Bang, M. L., Trombitas, K., Granzier, H., Gregorio, C. C. et al.** (2001). Identification of muscle specific ring finger proteins as potential regulators of the titin kinase domain. *J Mol Biol* **306**, 717-26.
- Chen, E. H. and Olson, E. N.** (2004). Towards a molecular pathway for myoblast fusion in *Drosophila*. *Trends Cell Biol* **14**, 452-60.
- Chen, M. J., Shih, C. L. and Wang, K.** (1993). Nebulin as an actin zipper. A two-module nebulin fragment promotes actin nucleation and stabilizes actin filaments. *J Biol Chem* **268**, 20327-34.
- Chen, S. and Kimelman, D.** (2000). The role of the yolk syncytial layer in germ layer patterning in zebrafish. *Development* **127**, 4681-9.
- Chen, W., Burgess, S. and Hopkins, N.** (2001). Analysis of the zebrafish smoothed mutant reveals conserved and divergent functions of hedgehog activity. *Development* **128**, 2385-96.
- Choi, J., Costa, M. L., Mermelstein, C. S., Chagas, C., Holtzer, S. and Holtzer, H.** (1990). MyoD converts primary dermal fibroblasts, chondroblasts, smooth muscle, and retinal pigmented

epithelial cells into striated mononucleated myoblasts and multinucleated myotubes. *Proc Natl Acad Sci U S A* **87**, 7988-92.

Christiansen, J. H., Coles, E. G. and Wilkinson, D. G. (2000). Molecular control of neural crest formation, migration and differentiation. *Curr Opin Cell Biol* **12**, 719-24.

Clark, K. A., McElhinny, A. S., Beckerle, M. C. and Gregorio, C. C. (2002). Striated muscle cytoarchitecture: an intricate web of form and function. *Annu Rev Cell Dev Biol* **18**, 637-706.

Conley, C. A., Fritz-Six, K. L., Almenar-Queralt, A. and Fowler, V. M. (2001). Leiomodins: larger members of the tropomodulin (Tmod) gene family. *Genomics* **73**, 127-39.

Cooper, B. J., Winand, N. J., Stedman, H., Valentine, B. A., Hoffman, E. P., Kunkel, L. M., Scott, M. O., Fischbeck, K. H., Kornegay, J. N., Avery, R. J. et al. (1988). The homologue of the Duchenne locus is defective in X-linked muscular dystrophy of dogs. *Nature* **334**, 154-6.

Cooper, J. A. and Schafer, D. A. (2000). Control of actin assembly and disassembly at filament ends. *Curr Opin Cell Biol* **12**, 97-103.

Cortes, F., Daggett, D., Bryson-Richardson, R. J., Neyt, C., Maule, J., Gautier, P., Hollway, G. E., Keenan, D. and Currie, P. D. (2003). Cadherin-mediated differential cell adhesion controls slow muscle cell migration in the developing zebrafish myotome. *Dev Cell* **5**, 865-76.

Costa, M. L., Escaleira, R. C., Rodrigues, V. B., Manasfi, M. and Mermelstein, C. S. (2002). Some distinctive features of zebrafish myogenesis based on unexpected distributions of the muscle cytoskeletal proteins actin, myosin, desmin, alpha-actinin, troponin and titin. *Mech Dev* **116**, 95-104.

Coutelle, O., Blagden, C. S., Hampson, R., Halai, C., Rigby, P. W. and Hughes, S. M. (2001). Hedgehog signalling is required for maintenance of myf5 and myoD expression and timely terminal differentiation in zebrafish adaxial myogenesis. *Dev Biol* **236**, 136-50.

- Cox, P. R. and Zoghbi, H. Y.** (2000). Sequencing, expression analysis, and mapping of three unique human tropomodulin genes and their mouse orthologs. *Genomics* **63**, 97-107.
- Craig, R. and Lehman, W.** (2001). Crossbridge and tropomyosin positions observed in native, interacting thick and thin filaments. *J Mol Biol* **311**, 1027-36.
- Craig, R. and Offer, G.** (1976). Axial arrangement of crossbridges in thick filaments of vertebrate skeletal muscle. *J Mol Biol* **102**, 325-32.
- Craig, S. W. and Pardo, J. V.** (1983). Gamma actin, spectrin, and intermediate filament proteins colocalize with vinculin at costameres, myofibril-to-sarcolemma attachment sites. *Cell Motil* **3**, 449-62.
- Currie, P. D. and Ingham, P. W.** (1996). Induction of a specific muscle cell type by a hedgehog-like protein in zebrafish. *Nature* **382**, 452-5.
- Dabiri, G. A., Turnacioglu, K. K., Sanger, J. M. and Sanger, J. W.** (1997). Myofibrillogenesis visualized in living embryonic cardiomyocytes. *Proc Natl Acad Sci U S A* **94**, 9493-8.
- Dai, K. S. and Liew, C. C.** (2001). A novel human striated muscle RING zinc finger protein, SMRZ, interacts with SMT3b via its RING domain. *J Biol Chem* **276**, 23992-9.
- Danowski, B. A., Imanaka-Yoshida, K., Sanger, J. M. and Sanger, J. W.** (1992). Costameres are sites of force transmission to the substratum in adult rat cardiomyocytes. *J Cell Biol* **118**, 1411-20.
- Davies, K. E. and Nowak, K. J.** (2006). Molecular mechanisms of muscular dystrophies: old and new players. *Nat Rev Mol Cell Biol* **7**, 762-73.
- Davis, J. S.** (1988). Assembly processes in vertebrate skeletal thick filament formation. *Annu Rev Biophys Biophys Chem* **17**, 217-39.

- Davis, R. L., Weintraub, H. and Lassar, A. B.** (1987). Expression of a single transfected cDNA converts fibroblasts to myoblasts. *Cell* **51**, 987-1000.
- Delling, U., Tureckova, J., Lim, H. W., De Windt, L. J., Rotwein, P. and Molkentin, J. D.** (2000). A calcineurin-NFATc3-dependent pathway regulates skeletal muscle differentiation and slow myosin heavy-chain expression. *Mol Cell Biol* **20**, 6600-11.
- den Hertog, D., van Zante-de Fokkert, J. I., Sjamaar, S. A. and Beusmans, R.** (2005). Optimal working zone division for safe track maintenance in The Netherlands. *Accid Anal Prev* **37**, 890-3.
- Devoto, S. H., Melancon, E., Eisen, J. S. and Westerfield, M.** (1996). Identification of separate slow and fast muscle precursor cells in vivo, prior to somite formation. *Development* **122**, 3371-80.
- Devoto, S. H., Stoiber, W., Hammond, C. L., Steinbacher, P., Haslett, J. R., Barresi, M. J., Patterson, S. E., Adiarde, E. G. and Hughes, S. M.** (2006). Generality of vertebrate developmental patterns: evidence for a dermomyotome in fish. *Evol Dev* **8**, 101-10.
- Dickson, B. J.** (2002). Molecular mechanisms of axon guidance. *Science* **298**, 1959-64.
- Dlugosz, A. A., Antin, P. B., Nachmias, V. T. and Holtzer, H.** (1984). The relationship between stress fiber-like structures and nascent myofibrils in cultured cardiac myocytes. *J Cell Biol* **99**, 2268-78.
- Dome, J. S., Mittal, B., Pochapin, M. B., Sanger, J. M. and Sanger, J. W.** (1988). Incorporation of fluorescently labeled actin and tropomyosin into muscle cells. *Cell Differ* **23**, 37-52.
- Donner, K., Ollikainen, M., Ridanpaa, M., Christen, H. J., Goebel, H. H., de Visser, M., Pelin, K. and Wallgren-Pettersson, C.** (2002). Mutations in the beta-tropomyosin (TPM2) gene--a rare cause of nemaline myopathy. *Neuromuscul Disord* **12**, 151-8.

- dos Remedios, C. G., Chhabra, D., Kekic, M., Dedova, I. V., Tsubakihara, M., Berry, D. A. and Nosworthy, N. J.** (2003). Actin binding proteins: regulation of cytoskeletal microfilaments. *Physiol Rev* **83**, 433-73.
- Driever, W., Solnica-Krezel, L., Schier, A. F., Neuhauss, S. C., Malicki, J., Stemple, D. L., Stainier, D. Y., Zwartkruis, F., Abdelilah, S., Rangini, Z. et al.** (1996). A genetic screen for mutations affecting embryogenesis in zebrafish. *Development* **123**, 37-46.
- Du, A., Sanger, J. M., Linask, K. K. and Sanger, J. W.** (2003). Myofibrillogenesis in the first cardiomyocytes formed from isolated quail precardiac mesoderm. *Dev Biol* **257**, 382-94.
- Du, S. J., Devoto, S. H., Westerfield, M. and Moon, R. T.** (1997). Positive and negative regulation of muscle cell identity by members of the hedgehog and TGF-beta gene families. *J Cell Biol* **139**, 145-56.
- Edmondson, D. G. and Olson, E. N.** (1989). A gene with homology to the myc similarity region of MyoD1 is expressed during myogenesis and is sufficient to activate the muscle differentiation program. *Genes Dev* **3**, 628-40.
- Ehler, E., Horowitz, R., Zuppinger, C., Price, R. L., Perriard, E., Leu, M., Caroni, P., Sussman, M., Eppenberger, H. M. and Perriard, J. C.** (2001). Alterations at the intercalated disk associated with the absence of muscle LIM protein. *J Cell Biol* **153**, 763-72.
- Ekker, M., Wegner, J., Akimenko, M. A. and Westerfield, M.** (1992). Coordinate embryonic expression of three zebrafish engrailed genes. *Development* **116**, 1001-10.
- Ekker, S. C., Ungar, A. R., Greenstein, P., von Kessler, D. P., Porter, J. A., Moon, R. T. and Beachy, P. A.** (1995). Patterning activities of vertebrate hedgehog proteins in the developing eye and brain. *Curr Biol* **5**, 944-55.
- Ericson, J., Thor, S., Edlund, T., Jessell, T. M. and Yamada, T.** (1992). Early stages of motor neuron differentiation revealed by expression of homeobox gene Islet-1. *Science* **256**, 1555-60.

- Fallon, J. R. and Nachmias, V. T.** (1980). Localization of cytoplasmic and skeletal myosins in developing muscle cells by double-label immunofluorescence. *J Cell Biol* **87**, 237-47.
- Fassler, R., Rohwedel, J., Maltsev, V., Bloch, W., Lentini, S., Guan, K., Gullberg, D., Hescheler, J., Addicks, K. and Wobus, A. M.** (1996). Differentiation and integrity of cardiac muscle cells are impaired in the absence of beta 1 integrin. *J Cell Sci* **109** (Pt 13), 2989-99.
- Faulkner, G., Pallavicini, A., Comelli, A., Salamon, M., Bortoletto, G., Ievolella, C., Trevisan, S., Kojic, S., Dalla Vecchia, F., Laveder, P. et al.** (2000). FATZ, a filamin-, actinin-, and telethonin-binding protein of the Z-disc of skeletal muscle. *J Biol Chem* **275**, 41234-42.
- Faulstich, H., Zobeley, S., Heintz, D. and Drewes, G.** (1993). Probing the phalloidin binding site of actin. *FEBS Lett* **318**, 218-22.
- Felsenfeld, A. L., Walker, C., Westerfield, M., Kimmel, C. and Streisinger, G.** (1990). Mutations affecting skeletal muscle myofibril structure in the zebrafish. *Development* **108**, 443-59.
- Ferrari, M. B., Ribbeck, K., Hagler, D. J. and Spitzer, N. C.** (1998). A calcium signaling cascade essential for myosin thick filament assembly in *Xenopus* myocytes. *J Cell Biol* **141**, 1349-56.
- Fischer, R. S. and Fowler, V. M.** (2003). Tropomodulins: life at the slow end. *Trends Cell Biol* **13**, 593-601.
- Fowler, V. M.** (1990). Tropomodulin: a cytoskeletal protein that binds to the end of erythrocyte tropomyosin and inhibits tropomyosin binding to actin. *J Cell Biol* **111**, 471-81.
- Fowler, V. M.** (1996). Regulation of actin filament length in erythrocytes and striated muscle. *Curr Opin Cell Biol* **8**, 86-96.
- Fowler, V. M.** (1997). Capping actin filament growth: tropomodulin in muscle and nonmuscle cells. *Soc Gen Physiol Ser* **52**, 79-89.

- Fowler, V. M., Greenfield, N. J. and Moyer, J.** (2003). Tropomodulin contains two actin filament pointed end-capping domains. *J Biol Chem* **278**, 40000-9.
- Fowler, V. M., McKeown, C. R. and Fischer, R. S.** (2006). Nebulin: does it measure up as a ruler? *Curr Biol* **16**, R18-20.
- Frank, D., Kuhn, C., Katus, H. A. and Frey, N.** (2006). The sarcomeric Z-disc: a nodal point in signalling and disease. *J Mol Med* **84**, 446-68.
- Fritz-Six, K. L., Cox, P. R., Fischer, R. S., Xu, B., Gregorio, C. C., Zoghbi, H. Y. and Fowler, V. M.** (2003). Aberrant myofibril assembly in tropomodulin1 null mice leads to aborted heart development and embryonic lethality. *J Cell Biol* **163**, 1033-44.
- Fujigasaki, H., Song, S. Y., Kobayashi, T. and Yamakuni, T.** (1996). Murine central neurons express a novel member of the cdc10/SWI6 motif-containing protein superfamily. *Brain Res Mol Brain Res* **40**, 203-13.
- Fyrberg, C., Ketchum, A., Ball, E. and Fyrberg, E.** (1998). Characterization of lethal *Drosophila melanogaster* alpha-actinin mutants. *Biochem Genet* **36**, 299-310.
- Galbiati, F., Engelman, J. A., Volonte, D., Zhang, X. L., Minetti, C., Li, M., Hou, H., Jr., Kneitz, B., Edelmann, W. and Lisanti, M. P.** (2001). Caveolin-3 null mice show a loss of caveolae, changes in the microdomain distribution of the dystrophin-glycoprotein complex, and t-tubule abnormalities. *J Biol Chem* **276**, 21425-33.
- Geisler, R., Rauch, G. J., Geiger-Rudolph, S., Albrecht, A., van Bebber, F., Berger, A., Busch-Nentwich, E., Dahm, R., Dekens, M. P., Dooley, C. et al.** (2007). Large-scale mapping of mutations affecting zebrafish development. *BMC Genomics* **8**, 11.
- Gilbert, R., Kelly, M. G., Mikawa, T. and Fischman, D. A.** (1996). The carboxyl terminus of myosin binding protein C (MyBP-C, C-protein) specifies incorporation into the A-band of striated muscle. *J Cell Sci* **109** (Pt 1), 101-11.

- Goff, D. J., Galvin, K., Katz, H., Westerfield, M., Lander, E. S. and Tabin, C. J.** (1992). Identification of polymorphic simple sequence repeats in the genome of the zebrafish. *Genomics* **14**, 200-2.
- Gonsior, S. M., Gautel, M. and Hinssen, H.** (1998). A six-module human nebulin fragment bundles actin filaments and induces actin polymerization. *J Muscle Res Cell Motil* **19**, 225-35.
- Granato, M., van Eeden, F. J., Schach, U., Trowe, T., Brand, M., Furutani-Seiki, M., Haffter, P., Hammerschmidt, M., Heisenberg, C. P., Jiang, Y. J. et al.** (1996). Genes controlling and mediating locomotion behavior of the zebrafish embryo and larva. *Development* **123**, 399-413.
- Granger, B. L. and Lazarides, E.** (1980). Synemin: a new high molecular weight protein associated with desmin and vimentin filaments in muscle. *Cell* **22**, 727-38.
- Greenfield, N. J. and Fowler, V. M.** (2002). Tropomyosin requires an intact N-terminal coiled coil to interact with tropomodulin. *Biophys J* **82**, 2580-91.
- Gregorio, C. C., Trombitas, K., Centner, T., Kolmerer, B., Stier, G., Kunke, K., Suzuki, K., Obermayr, F., Herrmann, B., Granzier, H. et al.** (1998). The NH2 terminus of titin spans the Z-disc: its interaction with a novel 19-kD ligand (T-cap) is required for sarcomeric integrity. *J Cell Biol* **143**, 1013-27.
- Gregorio, C. C., Weber, A., Bondad, M., Pennise, C. R. and Fowler, V. M.** (1995). Requirement of pointed-end capping by tropomodulin to maintain actin filament length in embryonic chick cardiac myocytes. *Nature* **377**, 83-6.
- Gros, J., Manceau, M., Thome, V. and Marcelle, C.** (2005). A common somitic origin for embryonic muscle progenitors and satellite cells. *Nature* **435**, 954-8.
- Grove, B. K., Kurer, V., Lehner, C., Doetschman, T. C., Perriard, J. C. and Eppenberger, H. M.** (1984). A new 185,000-dalton skeletal muscle protein detected by monoclonal antibodies. *J Cell Biol* **98**, 518-24.

- Groves, J. A., Hammond, C. L. and Hughes, S. M.** (2005). Fgf8 drives myogenic progression of a novel lateral fast muscle fibre population in zebrafish. *Development* **132**, 4211-22.
- Gruen, M., Prinz, H. and Gautel, M.** (1999). cAPK-phosphorylation controls the interaction of the regulatory domain of cardiac myosin binding protein C with myosin-S2 in an on-off fashion. *FEBS Lett* **453**, 254-9.
- Guyon, J. R., Mosley, A. N., Jun, S. J., Montanaro, F., Steffen, L. S., Zhou, Y., Nigro, V., Zon, L. I. and Kunkel, L. M.** (2005). Delta-sarcoglycan is required for early zebrafish muscle organization. *Exp Cell Res* **304**, 105-15.
- Haffter, P., Granato, M., Brand, M., Mullins, M. C., Hammerschmidt, M., Kane, D. A., Odenthal, J., van Eeden, F. J., Jiang, Y. J., Heisenberg, C. P. et al.** (1996). The identification of genes with unique and essential functions in the development of the zebrafish, *Danio rerio*. *Development* **123**, 1-36.
- Hagiwara, Y., Sasaoka, T., Araishi, K., Imamura, M., Yorifuji, H., Nonaka, I., Ozawa, E. and Kikuchi, T.** (2000). Caveolin-3 deficiency causes muscle degeneration in mice. *Hum Mol Genet* **9**, 3047-54.
- Halpern, M. E., Thisse, C., Ho, R. K., Thisse, B., Riggleman, B., Trevarrow, B., Weinberg, E. S., Postlethwait, J. H. and Kimmel, C. B.** (1995). Cell-autonomous shift from axial to paraxial mesodermal development in zebrafish floating head mutants. *Development* **121**, 4257-64.
- Hamade, A., Deries, M., Begemann, G., Bally-Cuif, L., Genet, C., Sabatier, F., Bonnieu, A. and Cousin, X.** (2006). Retinoic acid activates myogenesis in vivo through Fgf8 signalling. *Dev Biol* **289**, 127-40.
- Hart, M. C. and Cooper, J. A.** (1999). Vertebrate isoforms of actin capping protein beta have distinct functions In vivo. *J Cell Biol* **147**, 1287-98.

- Hart, M. C., Korshunova, Y. O. and Cooper, J. A.** (1997a). Mapping of the mouse actin capping protein alpha subunit genes and pseudogenes. *Genomics* **39**, 264-70.
- Hart, M. C., Korshunova, Y. O. and Cooper, J. A.** (1997b). Vertebrates have conserved capping protein alpha isoforms with specific expression patterns. *Cell Motil Cytoskeleton* **38**, 120-32.
- Hatta, K.** (1992). Role of the floor plate in axonal patterning in the zebrafish CNS. *Neuron* **9**, 629-42.
- Hatta, K., Bremiller, R., Westerfield, M. and Kimmel, C. B.** (1991). Diversity of expression of engrailed-like antigens in zebrafish. *Development* **112**, 821-32.
- Hein, S., Kostin, S., Heling, A., Maeno, Y. and Schaper, J.** (2000). The role of the cytoskeleton in heart failure. *Cardiovasc Res* **45**, 273-8.
- Henry, C. A. and Amacher, S. L.** (2004). Zebrafish slow muscle cell migration induces a wave of fast muscle morphogenesis. *Dev Cell* **7**, 917-23.
- Higashijima, S., Hotta, Y. and Okamoto, H.** (2000). Visualization of cranial motor neurons in live transgenic zebrafish expressing green fluorescent protein under the control of the islet-1 promoter/enhancer. *J Neurosci* **20**, 206-18.
- Himits, Y. and Hughes, S. M.** (2007). Mef2s are required for thick filament formation in nascent muscle fibres. *Development* **134**, 2511-9.
- Hirsinger, E., Stellabotte, F., Devoto, S. H. and Westerfield, M.** (2004). Hedgehog signaling is required for commitment but not initial induction of slow muscle precursors. *Dev Biol* **275**, 143-57.
- Ho, R. K.** (1992). Cell movements and cell fate during zebrafish gastrulation. *Dev Suppl*, 65-73.

- Hoffman, E. P., Monaco, A. P., Feener, C. C. and Kunkel, L. M.** (1987). Conservation of the Duchenne muscular dystrophy gene in mice and humans. *Science* **238**, 347-50.
- Hollway, G. E. and Currie, P. D.** (2003). Myotome meanderings. Cellular morphogenesis and the making of muscle. *EMBO Rep* **4**, 855-60.
- Holtzer, H., Hijikata, T., Lin, Z. X., Zhang, Z. Q., Holtzer, S., Protasi, F., Franzini-Armstrong, C. and Sweeney, H. L.** (1997). Independent assembly of 1.6 microns long bipolar MHC filaments and I-Z-I bodies. *Cell Struct Funct* **22**, 83-93.
- Hopmann, R., Cooper, J. A. and Miller, K. G.** (1996). Actin organization, bristle morphology, and viability are affected by actin capping protein mutations in *Drosophila*. *J Cell Biol* **133**, 1293-305.
- Horowitz, R., Luo, G., Zhang, J. Q. and Herrera, A. H.** (1996). Nebulin and nebulin-related proteins in striated muscle. *Adv Biophys* **33**, 143-50.
- Hubbard, T. J., Aken, B. L., Beal, K., Ballester, B., Caccamo, M., Chen, Y., Clarke, L., Coates, G., Cunningham, F., Cutts, T. et al.** (2007). Ensembl 2007. *Nucleic Acids Res* **35**, D610-7.
- Hug, C., Jay, P. Y., Reddy, I., McNally, J. G., Bridgman, P. C., Elson, E. L. and Cooper, J. A.** (1995). Capping protein levels influence actin assembly and cell motility in dictyostelium. *Cell* **81**, 591-600.
- Hug, C., Miller, T. M., Torres, M. A., Casella, J. F. and Cooper, J. A.** (1992). Identification and characterization of an actin-binding site of CapZ. *J Cell Biol* **116**, 923-31.
- Huxley, A. F. and Niedergerke, R.** (1954). Structural changes in muscle during contraction; interference microscopy of living muscle fibres. *Nature* **173**, 971-3.
- Huxley, H. and Hanson, J.** (1954). Changes in the cross-striations of muscle during contraction and stretch and their structural interpretation. *Nature* **173**, 973-6.

Ingham, P. W. and McMahon, A. P. (2001). Hedgehog signaling in animal development: paradigms and principles. *Genes Dev* **15**, 3059-87.

Ivanenkov, V. V., Jamieson, G. A., Jr., Gruenstein, E. and Dimlich, R. V. (1995). Characterization of S-100b binding epitopes. Identification of a novel target, the actin capping protein, CapZ. *J Biol Chem* **270**, 14651-8.

Jin, J. P. and Wang, K. (1991). Cloning, expression, and protein interaction of human nebulin fragments composed of varying numbers of sequence modules. *J Biol Chem* **266**, 21215-23.

Johnson, S. L., Midson, C. N., Ballinger, E. W. and Postlethwait, J. H. (1994). Identification of RAPD primers that reveal extensive polymorphisms between laboratory strains of zebrafish. *Genomics* **19**, 152-6.

Johnston, J. J., Kelley, R. I., Crawford, T. O., Morton, D. H., Agarwala, R., Koch, T., Schaffer, A. A., Francomano, C. A. and Biesecker, L. G. (2000). A novel nemaline myopathy in the Amish caused by a mutation in troponin T1. *Am J Hum Genet* **67**, 814-21.

Kanki, J. P. and Ho, R. K. (1997). The development of the posterior body in zebrafish. *Development* **124**, 881-93.

Karpati, G. (2002). Structural and Molecular Basis of Skeletal Muscle Disease. Uppsala, Sweden: ISN Neuropath press.

Kazmierski, S. T., Antin, P. B., Witt, C. C., Huebner, N., McElhinny, A. S., Labeit, S. and Gregorio, C. C. (2003). The complete mouse nebulin gene sequence and the identification of cardiac nebulin. *J Mol Biol* **328**, 835-46.

Kilby, P. M., Van Eldik, L. J. and Roberts, G. C. (1997). Identification of the binding site on S100B protein for the actin capping protein CapZ. *Protein Sci* **6**, 2494-503.

Kimmel, C. B., Ballard, W. W., Kimmel, S. R., Ullmann, B. and Schilling, T. F. (1995). Stages of embryonic development of the zebrafish. *Dev Dyn* **203**, 253-310.

- Kimmel, C. B., Kane, D. A., Walker, C., Warga, R. M. and Rothman, M. B.** (1989). A mutation that changes cell movement and cell fate in the zebrafish embryo. *Nature* **337**, 358-62.
- Kimmel, C. B. and Law, R. D.** (1985). Cell lineage of zebrafish blastomeres. II. Formation of the yolk syncytial layer. *Dev Biol* **108**, 86-93.
- Kimmel, C. B., Warga, R. M. and Schilling, T. F.** (1990). Origin and organization of the zebrafish fate map. *Development* **108**, 581-94.
- Knapik, E. W., Goodman, A., Atkinson, O. S., Roberts, C. T., Shiozawa, M., Sim, C. U., Weksler-Zangen, S., Trolliet, M. R., Futrell, C., Innes, B. A. et al.** (1996). A reference cross DNA panel for zebrafish (*Danio rerio*) anchored with simple sequence length polymorphisms. *Development* **123**, 451-60.
- Knapik, E. W., Goodman, A., Ekker, M., Chevrette, M., Delgado, J., Neuhaus, S., Shimoda, N., Driever, W., Fishman, M. C. and Jacob, H. J.** (1998). A microsatellite genetic linkage map for zebrafish (*Danio rerio*). *Nat Genet* **18**, 338-43.
- Knappeis, G. G. and Carlsen, F.** (1968). The ultrastructure of the M line in skeletal muscle. *J Cell Biol* **38**, 202-11.
- Knudsen, K. A.** (1992). Fusion of myoblasts. In *Membrane fusion*, (ed. J. Wilschut and D. Hoekstra), pp. 601-626: Marcel Decker.
- Kong, Y., Flick, M. J., Kudla, A. J. and Konieczny, S. F.** (1997). Muscle LIM protein promotes myogenesis by enhancing the activity of MyoD. *Mol Cell Biol* **17**, 4750-60.
- Koretz, J. F.** (1979). Effects of C-protein on synthetic myosin filament structure. *Biophys J* **27**, 433-46.
- Kostyukova, A. S., Choy, A. and Rapp, B. A.** (2006). Tropomodulin binds two tropomyosins: a novel model for actin filament capping. *Biochemistry* **45**, 12068-75.

Kostyukova, A. S. and Hitchcock-DeGregori, S. E. (2004). Effect of the structure of the N terminus of tropomyosin on tropomodulin function. *J Biol Chem* **279**, 5066-71.

LaBonne, C. and Bronner-Fraser, M. (1999). Molecular mechanisms of neural crest formation. *Annu Rev Cell Dev Biol* **15**, 81-112.

Laing, N. G., Wilton, S. D., Akkari, P. A., Dorosz, S., Boundy, K., Kneebone, C., Blumbergs, P., White, S., Watkins, H., Love, D. R. et al. (1995). A mutation in the alpha tropomyosin gene TPM3 associated with autosomal dominant nemaline myopathy NEM1. *Nat Genet* **10**, 249.

Lassar, A. B., Buskin, J. N., Lockshon, D., Davis, R. L., Apone, S., Hauschka, S. D. and Weintraub, H. (1989). MyoD is a sequence-specific DNA binding protein requiring a region of myc homology to bind to the muscle creatine kinase enhancer. *Cell* **58**, 823-31.

Lazarides, E. (1980). Desmin and intermediate filaments in muscle cells. *Results Probl Cell Differ* **11**, 124-31.

Lazarides, E. (1982). Intermediate filaments: a chemically heterogeneous, developmentally regulated class of proteins. *Annu Rev Biochem* **51**, 219-50.

Le Dourain, N. and Kalcheim, C. (1999). The neural crest. New York: Cambridge University Press.

Lewis, K. E., Currie, P. D., Roy, S., Schauerte, H., Haffter, P. and Ingham, P. W. (1999). Control of muscle cell-type specification in the zebrafish embryo by Hedgehog signalling. *Dev Biol* **216**, 469-80.

Li, Z., Mericskay, M., Agbulut, O., Butler-Browne, G., Carlsson, L., Thornell, L. E., Babinet, C. and Paulin, D. (1997). Desmin is essential for the tensile strength and integrity of myofibrils but not for myogenic commitment, differentiation, and fusion of skeletal muscle. *J Cell Biol* **139**, 129-44.

- Littlefield, R., Almenar-Queralt, A. and Fowler, V. M.** (2001). Actin dynamics at pointed ends regulates thin filament length in striated muscle. *Nat Cell Biol* **3**, 544-51.
- Littlefield, R. and Fowler, V. M.** (1998). Defining actin filament length in striated muscle: rulers and caps or dynamic stability? *Annu Rev Cell Dev Biol* **14**, 487-525.
- Loh, S. H., Chan, W. T., Gong, Z., Lim, T. M. and Chua, K. L.** (2000). Characterization of a zebrafish (*Danio rerio*) desmin cDNA: an early molecular marker of myogenesis. *Differentiation* **65**, 247-54.
- Lukoyanova, N., VanLoock, M. S., Orlova, A., Galkin, V. E., Wang, K. and Egelman, E. H.** (2002). Each actin subunit has three nebulin binding sites: implications for steric blocking. *Curr Biol* **12**, 383-8.
- Luther, P. and Squire, J.** (1978). Three-dimensional structure of the vertebrate muscle M-region. *J Mol Biol* **125**, 313-24.
- Machesky, L. M., Atkinson, S. J., Ampe, C., Vandekerckhove, J. and Pollard, T. D.** (1994). Purification of a cortical complex containing two unconventional actins from *Acanthamoeba* by affinity chromatography on profilin-agarose. *J Cell Biol* **127**, 107-15.
- Makita, R., Mizuno, T., Koshida, S., Kuroiwa, A. and Takeda, H.** (1998). Zebrafish wnt11: pattern and regulation of the expression by the yolk cell and No tail activity. *Mech Dev* **71**, 165-76.
- Mardahl-Dumesnil, M. and Fowler, V. M.** (2001). Thin filaments elongate from their pointed ends during myofibril assembly in *Drosophila* indirect flight muscle. *J Cell Biol* **155**, 1043-53.
- Markwald, R. R.** (1973). Distribution and relationship of precursor Z material to organizing myofibrillar bundles in embryonic rat and hamster ventricular myocytes. *J Mol Cell Cardiol* **5**, 341-50.

- Maruyama, K., Kimura, S., Kuroda, M. and Handa, S.** (1977). Connectin, an elastic protein of muscle. Its abundance in cardiac myofibrils. *J Biochem (Tokyo)* **82**, 347-50.
- Masaki, T. and Takaiti, O.** (1974). M-protein. *J Biochem (Tokyo)* **75**, 367-80.
- McElhinny, A. S., Kazmierski, S. T., Labeit, S. and Gregorio, C. C.** (2003). Nebulin: the nebulous, multifunctional giant of striated muscle. *Trends Cardiovasc Med* **13**, 195-201.
- McElhinny, A. S., Kolmerer, B., Fowler, V. M., Labeit, S. and Gregorio, C. C.** (2001). The N-terminal end of nebulin interacts with tropomodulin at the pointed ends of the thin filaments. *J Biol Chem* **276**, 583-92.
- McElhinny, A. S., Schwach, C., Valichnac, M., Mount-Patrick, S. and Gregorio, C. C.** (2005). Nebulin regulates the assembly and lengths of the thin filaments in striated muscle. *J Cell Biol* **170**, 947-57.
- McKay, R. T., Tripet, B. P., Hodges, R. S. and Sykes, B. D.** (1997). Interaction of the second binding region of troponin I with the regulatory domain of skeletal muscle troponin C as determined by NMR spectroscopy. *J Biol Chem* **272**, 28494-500.
- McKenna, N., Meigs, J. B. and Wang, Y. L.** (1985). Identical distribution of fluorescently labeled brain and muscle actins in living cardiac fibroblasts and myocytes. *J Cell Biol* **100**, 292-6.
- McKenna, N. M., Johnson, C. S. and Wang, Y. L.** (1986). Formation and alignment of Z lines in living chick myotubes microinjected with rhodamine-labeled alpha-actinin. *J Cell Biol* **103**, 2163-71.
- McNally, E. M., de Sa Moreira, E., Duggan, D. J., Bonnemann, C. G., Lisanti, M. P., Lidov, H. G., Vainzof, M., Passos-Bueno, M. R., Hoffman, E. P., Zatz, M. et al.** (1998). Caveolin-3 in muscular dystrophy. *Hum Mol Genet* **7**, 871-7.
- Melby, A. E., Warga, R. M. and Kimmel, C. B.** (1996). Specification of cell fates at the dorsal margin of the zebrafish gastrula. *Development* **122**, 2225-37.

- Milligan, R. A.** (1996). Protein-protein interactions in the rigor actomyosin complex. *Proc Natl Acad Sci U S A* **93**, 21-6.
- Mizuno, T., Yamaha, E., Kuroiwa, A. and Takeda, H.** (1999). Removal of vegetal yolk causes dorsal deficiencies and impairs dorsal-inducing ability of the yolk cell in zebrafish. *Mech Dev* **81**, 51-63.
- Molkentin, J. D., Black, B. L., Martin, J. F. and Olson, E. N.** (1995). Cooperative activation of muscle gene expression by MEF2 and myogenic bHLH proteins. *Cell* **83**, 1125-36.
- Morris, G. E.** (2001). The role of the nuclear envelope in Emery-Dreifuss muscular dystrophy. *Trends Mol Med* **7**, 572-7.
- Mues, A., van der Ven, P. F., Young, P., Furst, D. O. and Gautel, M.** (1998). Two immunoglobulin-like domains of the Z-disc portion of titin interact in a conformation-dependent way with telethonin. *FEBS Lett* **428**, 111-4.
- Mullins, R. D., Heuser, J. A. and Pollard, T. D.** (1998). The interaction of Arp2/3 complex with actin: nucleation, high affinity pointed end capping, and formation of branching networks of filaments. *Proc Natl Acad Sci U S A* **95**, 6181-6.
- Munsterberg, A. E., Kitajewski, J., Bumcrot, D. A., McMahon, A. P. and Lassar, A. B.** (1995). Combinatorial signaling by Sonic hedgehog and Wnt family members induces myogenic bHLH gene expression in the somite. *Genes Dev* **9**, 2911-22.
- Nave, R., Furst, D. O. and Weber, K.** (1989). Visualization of the polarity of isolated titin molecules: a single globular head on a long thin rod as the M band anchoring domain? *J Cell Biol* **109**, 2177-87.
- Newey, S. E., Howman, E. V., Ponting, C. P., Benson, M. A., Nawrotzki, R., Loh, N. Y., Davies, K. E. and Blake, D. J.** (2001). Syncoilin, a novel member of the intermediate filament superfamily that interacts with alpha-dystrobrevin in skeletal muscle. *J Biol Chem* **276**, 6645-55.

- Nigro, V., de Sa Moreira, E., Piluso, G., Vainzof, M., Belsito, A., Politano, L., Puca, A. A., Passos-Bueno, M. R. and Zatz, M.** (1996). Autosomal recessive limb-girdle muscular dystrophy, LGMD2F, is caused by a mutation in the delta-sarcoglycan gene. *Nat Genet* **14**, 195-8.
- Nixon, S. J., Wegner, J., Ferguson, C., Mery, P. F., Hancock, J. F., Currie, P. D., Key, B., Westerfield, M. and Parton, R. G.** (2005). Zebrafish as a model for caveolin-associated muscle disease; caveolin-3 is required for myofibril organization and muscle cell patterning. *Hum Mol Genet* **14**, 1727-43.
- Noguchi, T. and Tanaka, T.** (1982). The M1 and M2 subunits of rat pyruvate kinase are encoded by different messenger RNAs. *J Biol Chem* **257**, 1110-3.
- Norris, W., Neyt, C., Ingham, P. W. and Currie, P. D.** (2000). Slow muscle induction by Hedgehog signalling in vitro. *J Cell Sci* **113** (Pt 15), 2695-703.
- Nowak, K. J. and Davies, K. E.** (2004). Duchenne muscular dystrophy and dystrophin: pathogenesis and opportunities for treatment. *EMBO Rep* **5**, 872-6.
- Nowak, K. J., Wattanasirichaigoon, D., Goebel, H. H., Wilce, M., Pelin, K., Donner, K., Jacob, R. L., Hubner, C., Oexle, K., Anderson, J. R. et al.** (1999). Mutations in the skeletal muscle alpha-actin gene in patients with actin myopathy and nemaline myopathy. *Nat Genet* **23**, 208-12.
- Nusslein-Volhard, C.** (1994). Of flies and fishes. *Science* **266**, 572-4.
- Nusslein-Volhard, C. and Wieschaus, E.** (1980). Mutations affecting segment number and polarity in *Drosophila*. *Nature* **287**, 795-801.
- O'Neill, A., Williams, M. W., Resneck, W. G., Milner, D. J., Capetanaki, Y. and Bloch, R. J.** (2002). Sarcolemmal organization in skeletal muscle lacking desmin: evidence for cytokeratins associated with the membrane skeleton at costameres. *Mol Biol Cell* **13**, 2347-59.

- Ober, E. A. and Schulte-Merker, S.** (1999). Signals from the yolk cell induce mesoderm, neuroectoderm, the trunk organizer, and the notochord in zebrafish. *Dev Biol* **215**, 167-81.
- Obermann, W. M., Gautel, M., Steiner, F., van der Ven, P. F., Weber, K. and Furst, D. O.** (1996). The structure of the sarcomeric M band: localization of defined domains of myomesin, M-protein, and the 250-kD carboxy-terminal region of titin by immunoelectron microscopy. *J Cell Biol* **134**, 1441-53.
- Obermann, W. M., Gautel, M., Weber, K. and Furst, D. O.** (1997). Molecular structure of the sarcomeric M band: mapping of titin and myosin binding domains in myomesin and the identification of a potential regulatory phosphorylation site in myomesin. *Embo J* **16**, 211-20.
- Ohtsuka, H., Yajima, H., Maruyama, K. and Kimura, S.** (1997). The N-terminal Z repeat 5 of connectin/titin binds to the C-terminal region of alpha-actinin. *Biochem Biophys Res Commun* **235**, 1-3.
- Ojima, K., Lin, Z. X., Zhang, Z. Q., Hijikata, T., Holtzer, S., Labeit, S., Sweeney, H. L. and Holtzer, H.** (1999). Initiation and maturation of I-Z-I bodies in the growth tips of transfected myotubes. *J Cell Sci* **112** (Pt 22), 4101-12.
- Ono, Y., Schwach, C., Antin, P. B. and Gregorio, C. C.** (2005). Disruption in the tropomodulin1 (Tmod1) gene compromises cardiomyocyte development in murine embryonic stem cells by arresting myofibril maturation. *Dev Biol* **282**, 336-48.
- Oppenheimer, J. M.** (1936). Transplantation experiments on developing teleosts (fundulus and perca). *Journal of Experimental Zoology* **72**, 409-437.
- Palaisa, K. A. and Granato, M.** (2007). Analysis of zebrafish sidetracked mutants reveals a novel role for Plexin A3 in intraspinal motor axon guidance. *Development* **134**, 3251-7.
- Palmgren, S., Ojala, P. J., Wear, M. A., Cooper, J. A. and Lappalainen, P.** (2001). Interactions with PIP2, ADP-actin monomers, and capping protein regulate the activity and localization of yeast twinfilin. *J Cell Biol* **155**, 251-60.

- Papa, I., Astier, C., Kwiatek, O., Raynaud, F., Bonnal, C., Lebart, M. C., Roustan, C. and Benyamin, Y.** (1999). Alpha actinin-CapZ, an anchoring complex for thin filaments in Z-line. *J Muscle Res Cell Motil* **20**, 187-97.
- Pardo, J. V., Siliciano, J. D. and Craig, S. W.** (1983). A vinculin-containing cortical lattice in skeletal muscle: transverse lattice elements ("costameres") mark sites of attachment between myofibrils and sarcolemma. *Proc Natl Acad Sci U S A* **80**, 1008-12.
- Parsons, M. J., Campos, I., Hirst, E. M. and Stemple, D. L.** (2002). Removal of dystroglycan causes severe muscular dystrophy in zebrafish embryos. *Development* **129**, 3505-12.
- Pashmforoush, M., Pomies, P., Peterson, K. L., Kubalak, S., Ross, J., Jr., Hefti, A., Aebi, U., Beckerle, M. C. and Chien, K. R.** (2001). Adult mice deficient in actinin-associated LIM-domain protein reveal a developmental pathway for right ventricular cardiomyopathy. *Nat Med* **7**, 591-7.
- Pelin, K., Hilpela, P., Donner, K., Sewry, C., Akkari, P. A., Wilton, S. D., Wattanasirichaigoon, D., Bang, M. L., Centner, T., Hanefeld, F. et al.** (1999). Mutations in the nebulin gene associated with autosomal recessive nemaline myopathy. *Proc Natl Acad Sci U S A* **96**, 2305-10.
- Perry, S. V.** (2001). Vertebrate tropomyosin: distribution, properties and function. *J Muscle Res Cell Motil* **22**, 5-49.
- Person, V., Kostin, S., Suzuki, K., Labeit, S. and Schaper, J.** (2000). Antisense oligonucleotide experiments elucidate the essential role of titin in sarcomerogenesis in adult rat cardiomyocytes in long-term culture. *J Cell Sci* **113 Pt 21**, 3851-9.
- Peterson, R. T., Shaw, S. Y., Peterson, T. A., Milan, D. J., Zhong, T. P., Schreiber, S. L., MacRae, C. A. and Fishman, M. C.** (2004). Chemical suppression of a genetic mutation in a zebrafish model of aortic coarctation. *Nat Biotechnol* **22**, 595-9.

- Petrof, B. J., Shrager, J. B., Stedman, H. H., Kelly, A. M. and Sweeney, H. L.** (1993). Dystrophin protects the sarcolemma from stresses developed during muscle contraction. *Proc Natl Acad Sci U S A* **90**, 3710-4.
- Porter, G. A., Dmytrenko, G. M., Winkelmann, J. C. and Bloch, R. J.** (1992). Dystrophin colocalizes with beta-spectrin in distinct subsarcolemmal domains in mammalian skeletal muscle. *J Cell Biol* **117**, 997-1005.
- Porter, G. A., Scher, M. G., Resneck, W. G., Porter, N. C., Fowler, V. M. and Bloch, R. J.** (1997). Two populations of beta-spectrin in rat skeletal muscle. *Cell Motil Cytoskeleton* **37**, 7-19.
- Postlethwait, J. H., Johnson, S. L., Midson, C. N., Talbot, W. S., Gates, M., Ballinger, E. W., Africa, D., Andrews, R., Carl, T., Eisen, J. S. et al.** (1994). A genetic linkage map for the zebrafish. *Science* **264**, 699-703.
- Pourquie, O.** (2001). Vertebrate somitogenesis. *Annu Rev Cell Dev Biol* **17**, 311-50.
- Pourquie, O.** (2003). Vertebrate somitogenesis: a novel paradigm for animal segmentation? *Int J Dev Biol* **47**, 597-603.
- Pownall, M. E., Gustafsson, M. K. and Emerson, C. P., Jr.** (2002). Myogenic regulatory factors and the specification of muscle progenitors in vertebrate embryos. *Annu Rev Cell Dev Biol* **18**, 747-83.
- Pyle, W. G., Hart, M. C., Cooper, J. A., Sumandea, M. P., de Tombe, P. P. and Solaro, R. J.** (2002). Actin capping protein: an essential element in protein kinase signaling to the myofilaments. *Circ Res* **90**, 1299-306.
- Pyle, W. G., La Rotta, G., de Tombe, P. P., Sumandea, M. P. and Solaro, R. J.** (2006). Control of cardiac myofilament activation and PKC-betaII signaling through the actin capping protein, CapZ. *J Mol Cell Cardiol* **41**, 537-43.

- Raeker, M. O., Su, F., Geisler, S. B., Borisov, A. B., Kontrogianni-Konstantopoulos, A., Lyons, S. E. and Russell, M. W.** (2006). Obscurin is required for the lateral alignment of striated myofibrils in zebrafish. *Dev Dyn* **235**, 2018-29.
- Rayment, I., Rypniewski, W. R., Schmidt-Base, K., Smith, R., Tomchick, D. R., Benning, M. M., Winkelmann, D. A., Wesenberg, G. and Holden, H. M.** (1993). Three-dimensional structure of myosin subfragment-1: a molecular motor. *Science* **261**, 50-8.
- Relaix, F., Rocancourt, D., Mansouri, A. and Buckingham, M.** (2005). A Pax3/Pax7-dependent population of skeletal muscle progenitor cells. *Nature* **435**, 948-53.
- Rhee, D., Sanger, J. M. and Sanger, J. W.** (1994). The premyofibril: evidence for its role in myofibrillogenesis. *Cell Motil Cytoskeleton* **28**, 1-24.
- Rhodes, S. J. and Konieczny, S. F.** (1989). Identification of MRF4: a new member of the muscle regulatory factor gene family. *Genes Dev* **3**, 2050-61.
- Robu, M. E., Larson, J. D., Nasevicius, A., Beiraghi, S., Brenner, C., Farber, S. A. and Ekker, S. C.** (2007). p53 activation by knockdown technologies. *PLoS Genet* **3**, e78.
- Rodaway, A., Takeda, H., Koshida, S., Broadbent, J., Price, B., Smith, J. C., Patient, R. and Holder, N.** (1999). Induction of the mesendoderm in the zebrafish germ ring by yolk cell-derived TGF-beta family signals and discrimination of mesoderm and endoderm by FGF. *Development* **126**, 3067-78.
- Root, D. D. and Wang, K.** (2001). High-affinity actin-binding nebulin fragments influence the actoS1 complex. *Biochemistry* **40**, 1171-86.
- Roy, S., Wolff, C. and Ingham, P. W.** (2001). The u-boot mutation identifies a Hedgehog-regulated myogenic switch for fiber-type diversification in the zebrafish embryo. *Genes Dev* **15**, 1563-76.

- Ruiz-Gomez, M., Coutts, N., Price, A., Taylor, M. V. and Bate, M.** (2000). *Drosophila* dumbfounded: a myoblast attractant essential for fusion. *Cell* **102**, 189-98.
- Saitoh, T., Hansen, L. A., Dobkins, K. R. and Terry, R. D.** (1988). Increased Mr 60,000 protein phosphorylation is correlated with neocortical neurofibrillary tangles in Alzheimer's disease. *J Neuropathol Exp Neurol* **47**, 1-8.
- Saude, L., Woolley, K., Martin, P., Driever, W. and Stemple, D. L.** (2000). Axis-inducing activities and cell fates of the zebrafish organizer. *Development* **127**, 3407-17.
- Schafer, D. A., Hug, C. and Cooper, J. A.** (1995). Inhibition of CapZ during myofibrillogenesis alters assembly of actin filaments. *J Cell Biol* **128**, 61-70.
- Schafer, D. A., Jennings, P. B. and Cooper, J. A.** (1996). Dynamics of capping protein and actin assembly in vitro: uncapping barbed ends by polyphosphoinositides. *J Cell Biol* **135**, 169-79.
- Schafer, D. A., Korshunova, Y. O., Schroer, T. A. and Cooper, J. A.** (1994). Differential localization and sequence analysis of capping protein beta-subunit isoforms of vertebrates. *J Cell Biol* **127**, 453-65.
- Schafer, D. A., Mooseker, M. S. and Cooper, J. A.** (1992). Localization of capping protein in chicken epithelial cells by immunofluorescence and biochemical fractionation. *J Cell Biol* **118**, 335-46.
- Schafer, D. A., Waddle, J. A. and Cooper, J. A.** (1993). Localization of CapZ during myofibrillogenesis in cultured chicken muscle. *Cell Motil Cytoskeleton* **25**, 317-35.
- Schultheiss, T., Lin, Z. X., Lu, M. H., Murray, J., Fischman, D. A., Weber, K., Masaki, T., Imamura, M. and Holtzer, H.** (1990). Differential distribution of subsets of myofibrillar proteins in cardiac nonstriated and striated myofibrils. *J Cell Biol* **110**, 1159-72.

- Seiler, S. H., Fischman, D. A. and Leinwand, L. A.** (1996). Modulation of myosin filament organization by C-protein family members. *Mol Biol Cell* **7**, 113-27.
- Sellers, J. R.** (2000). Myosins: a diverse superfamily. *Biochim Biophys Acta* **1496**, 3-22.
- Shih, J. and Fraser, S. E.** (1996). Characterizing the zebrafish organizer: microsurgical analysis at the early-shield stage. *Development* **122**, 1313-22.
- Shimada, T., Sasaki, N., Ohkura, R. and Sutoh, K.** (1997). Alanine scanning mutagenesis of the switch I region in the ATPase site of Dictyostelium discoideum myosin II. *Biochemistry* **36**, 14037-43.
- Shimoda, N., Knapik, E. W., Ziniti, J., Sim, C., Yamada, E., Kaplan, S., Jackson, D., de Sauvage, F., Jacob, H. and Fishman, M. C.** (1999). Zebrafish genetic map with 2000 microsatellite markers. *Genomics* **58**, 219-32.
- Shyy, J. Y. and Chien, S.** (1997). Role of integrins in cellular responses to mechanical stress and adhesion. *Curr Opin Cell Biol* **9**, 707-13.
- Sicinski, P., Geng, Y., Ryder-Cook, A. S., Barnard, E. A., Darlison, M. G. and Barnard, P. J.** (1989). The molecular basis of muscular dystrophy in the mdx mouse: a point mutation. *Science* **244**, 1578-80.
- Sizonenko, G. I., Karpova, T. S., Gattermeir, D. J. and Cooper, J. A.** (1996). Mutational analysis of capping protein function in Saccharomyces cerevisiae. *Mol Biol Cell* **7**, 1-15.
- Smith, M., Hickman, A., Amanze, D., Lumsden, A. and Thorogood, P.** (1994). Trunk neural crest origin of caudal fin mesenchyme in the zebrafish Brachdanio rerio. *Proceedings: Biological Sciences* **256**, 137-145.
- Sorimachi, H., Freiburg, A., Kolmerer, B., Ishiura, S., Stier, G., Gregorio, C. C., Labeit, D., Linke, W. A., Suzuki, K. and Labeit, S.** (1997). Tissue-specific expression and alpha-actinin

binding properties of the Z-disc titin: implications for the nature of vertebrate Z-discs. *J Mol Biol* **270**, 688-95.

Sparrow, J. C., Nowak, K. J., Durling, H. J., Beggs, A. H., Wallgren-Pettersson, C., Romero, N., Nonaka, I. and Laing, N. G. (2003). Muscle disease caused by mutations in the skeletal muscle alpha-actin gene (*ACTA1*). *Neuromuscul Disord* **13**, 519-31.

Spemann, H. a. M., H. (1924). Induction of embryonic primordia by implantation of organizers from a different species. . New York: Hafner

Squire, J. M. (1997). Architecture and function in the muscle sarcomere. *Curr Opin Struct Biol* **7**, 247-57.

Srinivas, B. P., Woo, J., Leong, W. Y. and Roy, S. (2007). A conserved molecular pathway mediates myoblast fusion in insects and vertebrates. *Nat Genet* **39**, 781-6.

Steinbacher, P., Haslett, J. R., Six, M., Gollmann, H. P., Sanger, A. M. and Stoiber, W. (2006). Phases of myogenic cell activation and possible role of dermomyotome cells in teleost muscle formation. *Dev Dyn* **235**, 3132-43.

Steinmetz, M. O., Stoffler, D., Muller, S. A., Jahn, W., Wolpensinger, B., Goldie, K. N., Engel, A., Faulstich, H. and Aebi, U. (1998). Evaluating atomic models of F-actin with an undecagold-tagged phalloidin derivative. *J Mol Biol* **276**, 1-6.

Stellabotte, F., Dobbs-McAuliffe, B., Fernandez, D. A., Feng, X. and Devoto, S. H. (2007). Dynamic somite cell rearrangements lead to distinct waves of myotome growth. *Development* **134**, 1253-7.

Stern, H. M., Murphey, R. D., Shepard, J. L., Amatruda, J. F., Straub, C. T., Pfaff, K. L., Weber, G., Tallarico, J. A., King, R. W. and Zon, L. I. (2005). Small molecules that delay S phase suppress a zebrafish *bmyb* mutant. *Nat Chem Biol* **1**, 366-70.

- Stickney, H. L., Barresi, M. J. and Devoto, S. H.** (2000). Somite development in zebrafish. *Dev Dyn* **219**, 287-303.
- Strunkelberg, M., Bonengel, B., Moda, L. M., Hertenstein, A., de Couet, H. G., Ramos, R. G. and Fischbach, K. F.** (2001). *rst* and its paralogue *kirre* act redundantly during embryonic muscle development in *Drosophila*. *Development* **128**, 4229-39.
- Sussman, M. A., Baque, S., Uhm, C. S., Daniels, M. P., Price, R. L., Simpson, D., Terracio, L. and Kedes, L.** (1998). Altered expression of tropomodulin in cardiomyocytes disrupts the sarcomeric structure of myofibrils. *Circ Res* **82**, 94-105.
- Takada, F., Vander Woude, D. L., Tong, H. Q., Thompson, T. G., Watkins, S. C., Kunkel, L. M. and Beggs, A. H.** (2001). Myozenin: an alpha-actinin- and gamma-filamin-binding protein of skeletal muscle Z lines. *Proc Natl Acad Sci U S A* **98**, 1595-600.
- Tang, Z., Scherer, P. E., Okamoto, T., Song, K., Chu, C., Kohtz, D. S., Nishimoto, I., Lodish, H. F. and Lisanti, M. P.** (1996). Molecular cloning of caveolin-3, a novel member of the caveolin gene family expressed predominantly in muscle. *J Biol Chem* **271**, 2255-61.
- Taoka, M., Ichimura, T., Wakamiya-Tsuruta, A., Kubota, Y., Araki, T., Obinata, T. and Isobe, T.** (2003). V-1, a protein expressed transiently during murine cerebellar development, regulates actin polymerization via interaction with capping protein. *J Biol Chem* **278**, 5864-70.
- Taoka, M., Isobe, T., Okuyama, T., Watanabe, M., Kondo, H., Yamakawa, Y., Ozawa, F., Hishinuma, F., Kubota, M., Minegishi, A. et al.** (1994). Murine cerebellar neurons express a novel gene encoding a protein related to cell cycle control and cell fate determination proteins. *J Biol Chem* **269**, 9946-51.
- Taoka, M., Yamakuni, T., Song, S. Y., Yamakawa, Y., Seta, K., Okuyama, T. and Isobe, T.** (1992). A rat cerebellar protein containing the *cdc10/SWI6* motif. *Eur J Biochem* **207**, 615-20.
- Tapscott, S. J.** (2005). The circuitry of a master switch: Myod and the regulation of skeletal muscle gene transcription. *Development* **132**, 2685-95.

- Taylor, R. G., Papa, I., Astier, C., Ventre, F., Benyamin, Y. and Ouali, A.** (1997). Fish muscle cytoskeleton integrity is not dependent on intact thin filaments. *J Muscle Res Cell Motil* **18**, 285-94.
- Thisse, C., Thisse, B., Schilling, T. F. and Postlethwait, J. H.** (1993). Structure of the zebrafish snail1 gene and its expression in wild-type, spadetail and no tail mutant embryos. *Development* **119**, 1203-15.
- Thomas, G. H.** (2001). Spectrin: the ghost in the machine. *Bioessays* **23**, 152-60.
- Tidball, J. G.** (1991). Force transmission across muscle cell membranes. *J Biomech* **24 Suppl 1**, 43-52.
- Tullio, A. N., Accili, D., Ferrans, V. J., Yu, Z. X., Takeda, K., Grinberg, A., Westphal, H., Preston, Y. A. and Adelstein, R. S.** (1997). Nonmuscle myosin II-B is required for normal development of the mouse heart. *Proc Natl Acad Sci U S A* **94**, 12407-12.
- Ursitti, J. A. and Fowler, V. M.** (1994). Immunolocalization of tropomodulin, tropomyosin and actin in spread human erythrocyte skeletons. *J Cell Sci* **107 (Pt 6)**, 1633-9.
- van der Ven, P. F., Bartsch, J. W., Gautel, M., Jockusch, H. and Furst, D. O.** (2000). A functional knock-out of titin results in defective myofibril assembly. *J Cell Sci* **113 (Pt 8)**, 1405-14.
- Van Der Ven, P. F., Obermann, W. M., Weber, K. and Furst, D. O.** (1996). Myomesin, M-protein and the structure of the sarcomeric M-band. *Adv Biophys* **33**, 91-9.
- Vera, C., Sood, A., Gao, K. M., Yee, L. J., Lin, J. J. and Sung, L. A.** (2000). Tropomodulin-binding site mapped to residues 7-14 at the N-terminal heptad repeats of tropomyosin isoform 5. *Arch Biochem Biophys* **378**, 16-24.
- Vigoreaux, J. O.** (1994). The muscle Z band: lessons in stress management. *J Muscle Res Cell Motil* **15**, 237-55.

- Volonte, D., Peoples, A. J. and Galbiati, F.** (2003). Modulation of myoblast fusion by caveolin-3 in dystrophic skeletal muscle cells: implications for Duchenne muscular dystrophy and limb-girdle muscular dystrophy-1C. *Mol Biol Cell* **14**, 4075-88.
- von Bulow, M., Rackwitz, H. R., Zimbelmann, R. and Franke, W. W.** (1997). CP beta3, a novel isoform of an actin-binding protein, is a component of the cytoskeletal calyx of the mammalian sperm head. *Exp Cell Res* **233**, 216-24.
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., van de Lee, T., Hornes, M., Frijters, A., Pot, J., Peleman, J., Kuiper, M. et al.** (1995). AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Res* **23**, 4407-14.
- Wakelam, M. J.** (1985). The fusion of myoblasts. *Biochem J* **228**, 1-12.
- Wang, K.** (1996). Titin/connectin and nebulin: giant protein rulers of muscle structure and function. *Adv Biophys* **33**, 123-34.
- Wang, K., McClure, J. and Tu, A.** (1979). Titin: major myofibrillar components of striated muscle. *Proc Natl Acad Sci U S A* **76**, 3698-702.
- Wang, K. and Wright, J.** (1988). Architecture of the sarcomere matrix of skeletal muscle: immunoelectron microscopic evidence that suggests a set of parallel inextensible nebulin filaments anchored at the Z line. *J Cell Biol* **107**, 2199-212.
- Warga, R. M. and Kimmel, C. B.** (1990). Cell movements during epiboly and gastrulation in zebrafish. *Development* **108**, 569-80.
- Warga, R. M. and Nusslein-Volhard, C.** (1999). Origin and development of the zebrafish endoderm. *Development* **126**, 827-38.
- Watchko, J. F., O'Day, T. L. and Hoffman, E. P.** (2002). Functional characteristics of dystrophic skeletal muscle: insights from animal models. *J Appl Physiol* **93**, 407-17.

- Way, M. and Parton, R. G.** (1995). M-caveolin, a muscle-specific caveolin-related protein. *FEBS Lett* **376**, 108-12.
- Wear, M. A., Yamashita, A., Kim, K., Maeda, Y. and Cooper, J. A.** (2003). How capping protein binds the barbed end of the actin filament. *Curr Biol* **13**, 1531-7.
- Wegner, A.** (1982). Kinetic analysis of actin assembly suggests that tropomyosin inhibits spontaneous fragmentation of actin filaments. *J Mol Biol* **161**, 217-27.
- Weinberg, E. S., Allende, M. L., Kelly, C. S., Abdelhamid, A., Murakami, T., Andermann, P., Doerre, O. G., Grunwald, D. J. and Riggleman, B.** (1996). Developmental regulation of zebrafish MyoD in wild-type, no tail and spadetail embryos. *Development* **122**, 271-80.
- Weintraub, H., Davis, R., Tapscott, S., Thayer, M., Krause, M., Benezra, R., Blackwell, T. K., Turner, D., Rupp, R., Hollenberg, S. et al.** (1991). The myoD gene family: nodal point during specification of the muscle cell lineage. *Science* **251**, 761-6.
- Williams, M. W. and Bloch, R. J.** (1999). Differential distribution of dystrophin and beta-spectrin at the sarcolemma of fast twitch skeletal muscle fibers. *J Muscle Res Cell Motil* **20**, 383-93.
- Williams, M. W., Resneck, W. G., Kaysser, T., Ursitti, J. A., Birkenmeier, C. S., Barker, J. E. and Bloch, R. J.** (2001). Na,K-ATPase in skeletal muscle: two populations of beta-spectrin control localization in the sarcolemma but not partitioning between the sarcolemma and the transverse tubules. *J Cell Sci* **114**, 751-62.
- Winegrad, S.** (1999). Cardiac myosin binding protein C. *Circ Res* **84**, 1117-26.
- Witt, C. C., Burkart, C., Labeit, D., McNabb, M., Wu, Y., Granzier, H. and Labeit, S.** (2006). Nebulin regulates thin filament length, contractility, and Z-disk structure in vivo. *Embo J* **25**, 3843-55.

- Wolff, C., Roy, S. and Ingham, P. W.** (2003). Multiple muscle cell identities induced by distinct levels and timing of hedgehog activity in the zebrafish embryo. *Curr Biol* **13**, 1169-81.
- Wolff, C., Roy, S., Lewis, K. E., Schauerte, H., Joerg-Rauch, G., Kirn, A., Weiler, C., Geisler, R., Haffter, P. and Ingham, P. W.** (2004). iguana encodes a novel zinc-finger protein with coiled-coil domains essential for Hedgehog signal transduction in the zebrafish embryo. *Genes Dev* **18**, 1565-76.
- Wright, W. E., Sassoon, D. A. and Lin, V. K.** (1989). Myogenin, a factor regulating myogenesis, has a domain homologous to MyoD. *Cell* **56**, 607-17.
- Yamashita, A., Maeda, K. and Maeda, Y.** (2003). Crystal structure of CapZ: structural basis for actin filament barbed end capping. *Embo J* **22**, 1529-38.
- Yang, C., Pring, M., Wear, M. A., Huang, M., Cooper, J. A., Svitkina, T. M. and Zigmund, S. H.** (2005). Mammalian CARMIL inhibits actin filament capping by capping protein. *Dev Cell* **9**, 209-21.
- Zhang, J. and King, M. L.** (1996). Xenopus VegT RNA is localized to the vegetal cortex during oogenesis and encodes a novel T-box transcription factor involved in mesodermal patterning. *Development* **122**, 4119-29.
- Zhou, Q., Chu, P. H., Huang, C., Cheng, C. F., Martone, M. E., Knoll, G., Shelton, G. D., Evans, S. and Chen, J.** (2001). Ablation of Cypher, a PDZ-LIM domain Z-line protein, causes a severe form of congenital myopathy. *J Cell Biol* **155**, 605-12.