

8. References

- Abu Kwaik, Y., Gag, L. Y., Stone, B. J., Venkataraman, C. & Harb, O. S. Invasion of protozoa by *Legionella pneumophila* and its role in bacterial ecology and pathogenesis. *Applied and Environmental Microbiology* **64**, 3127-3133 (1998).
- Addiss, D. G. et al. Community-acquired Legionnaires' disease associated with a cooling tower - evidence for longer-distance transport of *Legionella pneumophila*. *American Journal of Epidemiology* **130**, 557-568 (1989).
- Aguero-Rosenfeld, M. E. & Edelstein, P. H. Retrospective evaluation of the Du Pont radioimmunoassay kit for detection of *Legionella pneumophila* serogroup 1 antigenuria in humans. *Journal of Clinical Microbiology* **26**, 1775-1778 (1988).
- Akermi, M. et al. Characterization of the *Legionella anisa* population structure by pulsed-field gel electrophoresis. *FEMS Microbiology Letters* **258**, 204-207 (2006).
- Albert-Weissenberger, C., Cazalet, C. & Buchrieser, C. *Legionella pneumophila* - a human pathogen that co-evolved with fresh water protozoa. *Cellular and Molecular Life Sciences* **64**, 432-448 (2007).
- Alexiou, S. D., Antoniadis, A., Papapaganagiotou, J. & Stefanou, T. Isolation of *Legionella pneumophila* from hotels of Greece. *European Journal of Epidemiology* **5**, 47-50 (1989).
- Alleron, L., Merlet, N., Lacombe, C. & Frere, J. Long-term survival of *Legionella pneumophila* in the viable but nonculturable state after monochloramine treatment. *Current Microbiology* **57**, 497-502 (2008).
- Amaro, F., Gilbert, J. A., Owens, S., Trimble, W., Shuman, H. A. Whole-genome sequence of the human pathogen *Legionella pneumophila* serogroup 12 strain 570-CO-H. *Journal of Bacteriology* **194**, 1613-1614 (2012).
- Amemura-Maekawa, J. et al. Distribution of monoclonal antibody subgroups and sequence-based types among *Legionella pneumophila* serogroup 1 isolates derived from cooling tower water, bathwater, and soil in Japan. *Applied and Environmental Microbiology* **78**, 4263-4270 (2012).
- Amemura-Maekawa, J. et al. Characterization of *Legionella pneumophila* isolates from patients in Japan according to serogroups, monoclonal antibody subgroups and sequence types. *Journal of Medical Microbiology* **59**, 653-659 (2010).
- Arnow, P. M., Chou, T., Weil, D., Shapiro, E. N. & Kretzschmar, C. Nosocomial Legionnaires' disease caused by aerosolized tap water from respiratory devices. *Journal of Infectious Diseases* **146**, 460-467 (1982).
- Atlas, R. M. *Legionella*: from environmental habitats to disease pathology, detection and control. *Environmental Microbiology* **1**, 283-293 (1999).
- Baele, G. et al. Improving the accuracy of demographic and molecular clock model comparison while accommodating phylogenetic uncertainty. *Molecular Biology and Evolution* **29**, 2157-2167 (2012).
- Bangsborg, J. M., Jensen, B. N., Friismoller, A. & Bruun, B. Legionellosis in patients with HIV infection. *Infection* **18**, 342-346 (1990).

CHAPTER 8

- Bartley, P. B. *et al.* Hospital-wide eradication of a nosocomial *Legionella pneumophila* serogroup 1 outbreak. *Clinical Infectious Diseases* **62**, 273-279 (2016).
- Beaute, J., Zucs, P., de Jong, B. & European Legionnaires' Disease Surveillance Network. Legionnaires' disease in Europe, 2009-2010. *Eurosurveillance* **18**, 6-12 (2013).
- Bencini, M. A. *et al.* A case of Legionnaires' disease caused by aspiration of ice water. *Archives of Environmental & Occupational Health* **60**, 302-306 (2005).
- Bennett, E. *et al.* Barrow-in-Furness: a large community legionellosis outbreak in the UK. *Epidemiology and Infection* **142**, 1763-1777 (2014).
- Beres, S. B. *et al.* Molecular complexity of successive bacterial epidemics deconvoluted by comparative pathogenomics. *Proceedings of the National Academy of Sciences of the United States of America* **107**, 4371-4376 (2010).
- Bertelli, C. & Greub, G. Rapid bacterial genome sequencing: methods and applications in clinical microbiology. *Clinical Microbiology and Infection* **19**, 803-813 (2013).
- Beyrer, K. *et al.* Legionnaires' disease outbreak associated with a cruise liner, August 2003: epidemiological and microbiological findings. *Epidemiology and Infection* **135**, 802-810 (2007).
- Birtles, R. J., Harrison, T. G., Samuel, D. & Taylor, A. G. Evaluation of urinary antigen ELISA for diagnosing *Legionella pneumophila* serogroup 1 infection. *Journal of Clinical Pathology* **43**, 685-690 (1990).
- Blatny, J. M. *et al.* Dispersion of *Legionella*-containing aerosols from a biological treatment plant, Norway. *Frontiers in Bioscience* **3**, 1300-1309 (2011).
- Blatt, S. P. *et al.* Nosocomial Legionnaires' disease - aspiration as a primary mode of disease acquisition. *American Journal of Medicine* **95**, 16-22 (1993).
- Blazquez Garrido, R. M. *et al.* Antimicrobial chemotherapy for Legionnaires disease: Levofloxacin versus macrolides. *Clinical Infectious Diseases* **40**, 800-806 (2005).
- Boetzer, M., Henkel, C. V., Jansen, H. J., Butler, D. & Pirovano, W. Scaffolding pre-assembled contigs using SSPACE. *Bioinformatics* **27**, 578-579 (2011).
- Boetzer, M. & Pirovano, W. Toward almost closed genomes with GapFiller. *Genome Biology* **13** (2012).
- Borchardt, J., Helbig, J. H. & Lueck, P. C. Occurrence and distribution of sequence types among *Legionella pneumophila* strains isolated from patients in Germany: common features and differences to other regions of the world. *European Journal of Clinical Microbiology & Infectious Diseases* **27**, 29-36 (2008).
- Borella, P. *et al.* *Legionella* contamination in hot water of Italian hotels. *Applied and Environmental Microbiology* **71**, 5805-5813 (2005).
- Bosch, T. *et al.* High resolution typing by whole genome mapping enables discrimination of LA-MRSA (CC398) strains and identification of transmission events. *PLOS ONE* **8** (2013).
- Boshuizen, H. C. *et al.* Subclinical *Legionella* infection in workers near the source of a large outbreak of Legionnaires' disease. *Journal of Infectious Diseases* **184**, 515-518 (2001).
- Bou, R. & Ramos, P. Outbreak of nosocomial Legionnaires' disease caused by a contaminated oxygen humidifier. *Journal of Hospital Infection* **71**, 381-383 (2009).

- Brenner, D. J. *et al.* *Legionella pneumophila* serogroup Lansing 3 isolated from a patient with fatal pneumonia, and descriptions of *Legionella pneumophila* subsp. *pneumophila* subsp. nov., *Legionella pneumophila* subsp. *fraseri* subsp. nov., and *Legionella pneumophila* subsp. *pascullei* subsp. nov. *Journal of Clinical Microbiology* **26**, 1695-1703 (1988).
- Bruggemann, H. *et al.* Virulence strategies for infecting phagocytes deduced from the *in vivo* transcriptional program of *Legionella pneumophila*. *Cellular Microbiology* **8**, 1228-1240 (2006).
- Bryant, J. M. *et al.* Whole-genome sequencing to identify transmission of *Mycobacterium abscessus* between patients with cystic fibrosis: a retrospective cohort study. *Lancet* **381**, 1551-1560 (2013).
- Burstein, D. *et al.* Genomic analysis of 38 *Legionella* species identifies large and diverse effector repertoires. *Nature Genetics* **48**, 167-175 (2016).
- Camacho, C. *et al.* BLAST plus: architecture and applications. *BMC Bioinformatics* **10** (2009).
- Carver, T., Harris, S. R., Berriman, M., Parkhill, J. & McQuillan, J. A. Artemis: an integrated platform for visualization and analysis of high-throughput sequence-based experimental data. *Bioinformatics* **28** (2012).
- Cassier, P. *et al.* Epidemiologic characteristics associated with ST23 clones compared to ST1 and ST47 clones of Legionnaires' disease cases in France. *New Microbes and New Infections* **3**, 29-33 (2015).
- Castillo-Ramirez, S. *et al.* The impact of recombination of dN/dS within recently emerged bacterial clones. *PLOS Pathogens* **7** (2011).
- Cazalet, C. *et al.* Evidence in the *Legionella pneumophila* genome for exploitation of host cell functions and high genome plasticity. *Nature Genetics* **36**, 1165-1173 (2004).
- C. elegans* Sequencing Consortium. Genome sequence of the nematode *C. elegans*: A platform for investigating biology. *Science* **282**, 2012-2018 (1998).
- Chao, Y. *et al.* Metagenomic analysis reveals significant changes of microbial compositions and protective functions during drinking water treatment. *Scientific Reports* **3** (2013).
- Chen, J. *et al.* *Legionella* effectors that promote nonlytic release from protozoa. *Science* **303**, 1358-1361 (2004).
- Cheng, L., Connor, T. R., Siren, J., Aanensen, D. M. & Corander, J. Hierarchical and spatially explicit clustering of DNA sequences with BAPS software. *Molecular Biology and Evolution* **30**, 1224-1228 (2013).
- Cherry, W. B. *et al.* Detection of Legionnaires' disease bacteria by direct immunofluorescent staining. *Journal of Clinical Microbiology* **8**, 329-338 (1978).
- Chewapreecha, C. *et al.* Dense genomic sampling identifies highways of pneumococcal recombination. *Nature Genetics* **46**, 305-309 (2014).
- Chien, M. C. *et al.* The genomic sequence of the accidental pathogen *Legionella pneumophila*. *Science* **305**, 1966-1968 (2004).
- Christie, P. J., Atmakuri, K., Krishnamoorthy, V., Jakubowski, S. & Cascales, E. Biogenesis, architecture, and function of bacterial type IV secretion systems. *Annual Review*

- of Microbiology* **59**, 451-485 (2005).
- Ciesielski, C. A., Blaser, M. J. & Wang, W. L. L. Serogroup specificity of *Legionella pneumophila* is related to lipopolysaccharide characteristics. *Infection and Immunity* **51**, 397-404 (1986).
- Cirillo, S. L. G., Lum, J. & Cirillo, J. D. Identification of novel loci involved in entry by *Legionella pneumophila*. *Microbiology* **146**, 1345-1359 (2000).
- Coetzee, N. *et al.* An outbreak of Legionnaires' disease associated with a display spa pool in retail premises, Stoke-on-Trent, United Kingdom, July 2012. *Eurosurveillance* **17**, 6-8 (2012).
- Cordes, L. G. *et al.* Isolation of *Legionella pneumophila* from hospital shower heads. *Annals of Internal Medicine* **94**, 195-197 (1981).
- Correia, A. M. *et al.* Probable person-to-person transmission of Legionnaires' disease. *New England Journal of Medicine* **374**, 497-498 (2016).
- Coscolla, M., Comas, I. & Gonzalez-Candelas, F. Quantifying nonvertical inheritance in the evolution of *Legionella pneumophila*. *Molecular Biology and Evolution* **28**, 985-1001 (2011).
- Coscolla, M., Fernandez, C., Colomina, J., Sanchez-Buso, L. & Gonzalez-Candelas, F. Mixed infection by *Legionella pneumophila* in outbreak patients. *International Journal of Medical Microbiology* **304**, 307-313 (2014).
- Cristino, S., Legnani, P. P. & Leoni, E. Plan for the control of *Legionella* infections in long-term care facilities: role of environmental monitoring. *International Journal of Hygiene and Environmental Health* **215**, 279-285 (2012).
- Croucher, N. J., Harris, S. R., Barquist, L., Parkhill, J. & Bentley, S. D. A high-resolution view of genome-wide pneumococcal transformation. *PLOS Pathogens* **8** (2012).
- Croucher, N. J. *et al.* Rapid pneumococcal evolution in response to clinical interventions. *Science* **331**, 430-434 (2011).
- Croucher, N. J. *et al.* Rapid phylogenetic analysis of large samples of recombinant bacterial whole genome sequences using Gubbins. *Nucleic Acids Research* **43** (2015).
- Currie, S. L., Beattie, T. K., Knapp, C. W. & Lindsay, D. S. J. *Legionella spp.* in UK composts - a potential public health issue? *Clinical Microbiology and Infection* **20**, O224-O229 (2014).
- D'Auria, G., Jimenez-Hernandez, N., Peris-Bondia, F., Moya, A., Latorre, A. *Legionella pneumophila* pangenome reveals strain-specific virulence factors. *BMC Genomics* **11** (2010).
- Dallman, T. J. *et al.* An investigation of the diversity of strains of enteroaggregative *Escherichia coli* isolated from cases associated with a large multi-pathogen foodborne outbreak in the UK. *PLOS One* **9** (2014).
- de Been, M. *et al.* Core genome multilocus sequence typing scheme for high-resolution typing of *Enterococcus faecium*. *Journal of Clinical Microbiology* **53**, 3788-3797 (2015).
- de Felipe, K. S. *et al.* Evidence for acquisition of *Legionella* type IV secretion substrates via interdomain horizontal gene transfer. *Journal of Bacteriology* **187**, 7716-7726 (2005).

- Dennis, P. J. L. Isolation of *Legionella* from environmental specimens in *A laboratory manual for Legionella* (ed. Harrison, T. G. & Taylor, A. G.) 31-44 (Wiley & Sons Ltd, 1988).
- De Zoysa, A. S. & Harrison, T. G. Molecular typing of *Legionella pneumophila* serogroup 1 by pulsed-field gel electrophoresis with SfiI and comparison of this method with restriction fragment-length polymorphism analysis. *Journal of Medical Microbiology* **48**, 269-278 (1999).
- Den Boer, J. W., Nijhof, J. & Friesema, I. Risk factors for sporadic community-acquired Legionnaires' disease. A 3-year national case-control study. *Public Health* **120**, 566-571 (2006).
- Den Boer, J. W. *et al.* A large outbreak of Legionnaires' disease at a flower show, the Netherlands, 1999. *Emerging Infectious Diseases* **8**, 37-43 (2002).
- Desai, R., Welsh, C., Summy, M., Farone, M. & Newsome, A. L. The potential of *in situ* hybridization and an immunogold assay to identify *Legionella* associations with other microorganisms. *Journal of Microbiological Methods* **37**, 155-164 (1999).
- Didelot, X., Bowden, R., Wilson, D. J., Peto, T. E. A. & Crook, D. W. Transforming clinical microbiology with bacterial genome sequencing. *Nature Reviews Genetics* **13**, 601-612 (2012).
- Didelot, X., Meric, G., Falush, D. & Darling, A. E. Impact of homologous and non-homologous recombination in the genomic evolution of *Escherichia coli*. *BMC Genomics* **13** (2012).
- Diederens, B. M. W. *Legionella spp.* and Legionnaires' disease. *Journal of Infection* **56**, 1-12 (2008).
- Dominguez, A. *et al.* Factors influencing the case-fatality rate of Legionnaires' disease. *International Journal of Tuberculosis and Lung Disease* **13**, 407-412 (2009).
- Dominguez, J. *et al.* Evaluation of a rapid immunochromatographic assay for the detection of *Legionella* antigen in urine samples. *European Journal of Clinical Microbiology & Infectious Diseases* **18**, 896-898 (1999).
- Dominguez, J. A. *et al.* Comparison of the Binax *Legionella* urinary antigen enzyme immunoassay (EIA) with the biotest *Legionella Urin Antigen* EIA for detection of *Legionella* antigen in both concentrated and nonconcentrated urine samples. *Journal of Clinical Microbiology* **36**, 2718-2722 (1998).
- Dreyfus, L. A. & Iglewski, B. H. Conjugation-mediated genetic exchange in *Legionella pneumophila*. *Journal of Bacteriology* **161**, 80-84 (1985).
- Drummond, A. J., Suchard, M. A., Xie, D. & Rambaut, A. Bayesian phylogenetics with BEAUti and the BEAST 1.7. *Molecular Biology and Evolution* **29**, 1969-1973 (2012).
- Ducret, A., Chabalier, M. & Dukan, S. Characterization and resuscitation of 'non-culturable' cells of *Legionella pneumophila*. *BMC Microbiology* **14** (2014).
- Edelstein, P. H. Comparative study of selective media for isolation of *Legionella pneumophila* from potable water. *Journal of Clinical Microbiology* **16**, 697-699 (1982).
- Edelstein, P. H. Laboratory diagnosis of infections caused by Legionellae. *European Journal of Clinical Microbiology & Infectious Diseases* **6**, 4-10 (1987).

CHAPTER 8

- Edelstein, P. H. Laboratory diagnosis of Legionnaires' disease - An update from 1984, in *Legionella: Current Status and Emerging Perspectives* (ed. Barbaree, J. M., Breiman, R. F. & Dufour, A. P.) 7-11 (American Society for Microbiology, 1993).
- Edelstein, P. H., Snitzer, J. B. & Bridge, J. A. Enhancement of recovery of *Legionella pneumophila* from contaminated respiratory tract specimens by heat. *Journal of Clinical Microbiology* **16**, 1061-1065 (1982).
- Eickhoff, T. C. Epidemiology of Legionnaires' disease. *Annals of Internal Medicine* **90**, 499-502 (1979).
- Eid, J. *et al.* Real-time DNA sequencing from single polymerase molecules. *Science* **323**, 133-138 (2009).
- Eitrem, R., Forsgren, A. & Nilsson, C. Pneumonia and acute pancreatitis most probably caused by a *Legionella longbeachae* infection. *Scandinavian Journal of Infectious Diseases* **19**, 381-382 (1987).
- Elliott, T. S. J. & Rodgers, F. G. Morphological response and growth characteristics of *Legionella pneumophila* exposed to ampicillin and erythromycin. *Journal of Medical Microbiology* **19**, 383-390 (1985).
- Ensminger, A. W. *Legionella pneumophila*, armed to the hilt: justifying the largest arsenal of effectors in the bacterial world. *Current Opinion in Microbiology* **29**, 74-80 (2016).
- Ensminger, A. W., Yassin, Y., Miron, A. & Isberg, R. R. Experimental evolution of *Legionella pneumophila* in mouse macrophages leads to strains with altered determinants of environmental survival. *PLOS Pathogens* **8** (2012).
- Epalle, T. *et al.* Viable but not culturable forms of *Legionella pneumophila* generated after heat shock treatment are infectious for macrophage-like and alveolar epithelial cells after resuscitation on *Acanthamoeba polyphaga*. *Microbial Ecology* **69**, 215-224 (2015).
- European Centre for Disease Prevention and Control. Legionnaires' disease in Europe, 2013 (2015).
- European Working Group for *Legionella* Infections (EWGLI). Sequence-based typing (SBT) database. Available at: http://www.hpa-bioinformatics.org.uk/legionella/legionella_sbt/php/sbt_homepage.php.
- Euser, S. M. *et al.* *Legionella* prevention in the Netherlands: an evaluation using genotype distribution. *European Journal of Clinical Microbiology & Infectious Diseases* **32**, 1017-1022 (2013).
- Farris, J. S. Methods for computing Wagner trees. *Systematic Zoology* **19**, 83-92 (1970).
- Feil, E. J. *et al.* Recombination within natural populations of pathogenic bacteria: Short-term empirical estimates and long-term phylogenetic consequences. *Proceedings of the National Academy of Sciences of the United States of America* **98**, 4276-4276 (2001).
- Feldman, M., Zusman, T., Hagag, S. & Segal, G. Coevolution between nonhomologous but functionally similar proteins and their conserved partners in the *Legionella* pathogenesis system. *Proceedings of the National Academy of Sciences of the United States of America* **102**, 12206-12211 (2005).
- Ferhat, M. *et al.* The TolC protein of *Legionella pneumophila* plays a major role in multi-

- drug resistance and the early steps of host invasion. *PLOS One* **4** (2009).
- Fields, B. S. The molecular ecology of legionellae. *Trends in Microbiology* **4**, 286-290 (1996).
- Fields, B. S., Benson, R. F. & Besser, R. E. *Legionella* and Legionnaires' disease: 25 years of investigation. *Clinical Microbiology Reviews* **15**, 506-526 (2002).
- Fields, B. S. *et al.* Pontiac fever due to *Legionella micdadei* from a whirlpool spa: Possible role of bacterial endotoxin. *Journal of Infectious Diseases* **184**, 1289-1292 (2001).
- Fields, B. S., Shotts, E. B., Feeley, J. C., Gorman, G. W. & Martin, W. T. Proliferation of *Legionella pneumophila* as an intracellular parasite of the ciliated protozoan *Tetrahymena pyriformis*. *Applied and Environmental Microbiology* **47**, 467-471 (1984).
- Fisman, D. N. *et al.* It's not the heat, it's the humidity: Wet weather increases legionellosis risk in the greater Philadelphia metropolitan area. *Journal of Infectious Diseases* **192**, 2066-2073 (2005).
- Fleischmann, R. D. *et al.* Whole genome random sequencing and assembly of *Haemophilus influenzae* Rd. *Science* **269**, 496-512 (1995).
- Fliermans, C. B. *et al.* Ecological distribution of *Legionella pneumophila*. *Applied and Environmental Microbiology* **41**, 9-16 (1981).
- Fliermans, C. B., Cherry, W. B., Orrison, L. H. & Thacker, L. Isolation of *Legionella pneumophila* from nonepidemic-related aquatic habitats. *Applied and Environmental Microbiology* **37**, 1239-1242 (1979).
- Flournoy, D. J., Belobraydic, K. A., Silberg, S. L., Lawrence, C. H. & Guthrie, P. J. False positive *Legionella pneumophila* direct immunofluorescent monoclonal antibody test caused by *Bacillus cereus* spores. *Diagnostic Microbiology and Infectious Disease* **9**, 123-125 (1988).
- Ford, C. B. *et al.* *Mycobacterium tuberculosis* mutation rate estimates from different lineages predict substantial differences in the emergence of drug-resistant tuberculosis. *Nature Genetics* **45**, 784-790 (2013).
- Fraser, D. W., Deubner, D. C., Hill, D. L. & Gilliam, D. K. Nonpneumonic, short incubation period legionellosis (Pontiac fever) in men who cleaned a steam turbine condenser. *Science* **205**, 690-691 (1979).
- Fraser, D. W. *et al.* Legionnaires' disease - Description of an epidemic of pneumonia. *New England Journal of Medicine* **297**, 1189-1197 (1977).
- Friedman, S., Spitalny, K., Barbaree, J., Faur, Y. & McKinney, R. Pontiac fever outbreak associated with a cooling tower. *American Journal of Public Health* **77**, 568-572 (1987).
- Fry, N. K. *et al.* A multicenter evaluation of genotypic methods for the epidemiologic typing of *Legionella pneumophila* serogroup 1: results of a pan-European study. *Clinical Microbiology & Infection* **5**, 462-477 (1999).
- Fry, N. K. *et al.* Designation of the European Working Group on *Legionella* Infection (EWGLI) amplified fragment length polymorphism types of *Legionella pneumophila* serogroup 1 and results of intercentre proficiency testing using a standard protocol. *European Journal of Clinical Microbiology & Infectious Diseases*

- 21**, 722-728 (2002).
- Fry, N. K. *et al.* Assessment of intercentre reproducibility and epidemiological concordance of *Legionella pneumophila* serogroup 1 genotyping by amplified fragment length polymorphism analysis. *European Journal of Clinical Microbiology & Infectious Diseases* **19**, 773-780 (2000).
- Gaia, V. *et al.* Consensus sequence-based scheme for epidemiological typing of clinical and environmental isolates of *Legionella pneumophila*. *Journal of Clinical Microbiology* **43**, 2047-2052 (2005).
- Gaia, V., Fry, N. K., Harrison, T. G. & Peduzzi, R. Sequence-based typing of *Legionella pneumophila* serogroup 1 offers the potential for true portability in legionellosis outbreak investigation. *Journal of Clinical Microbiology* **41**, 2932-2939 (2003).
- Gao, L. Y., Harb, O. S. & Abu Kwaik, Y. Utilization of similar mechanisms by *Legionella pneumophila* to parasitize two evolutionarily distant host cells, mammalian macrophages and protozoa. *Infection and Immunity* **65**, 4738-4746 (1997).
- Garau, J., Fritsch, A., Arvis, P. & Read, R. C. Clinical efficacy of moxifloxacin versus comparator therapies for community-acquired pneumonia caused by *Legionella* spp. *Journal of Chemotherapy* **22**, 264-266 (2010).
- Garcia, M. T., Jones, S., Pelaz, C., Millar, R. D. & Abu Kwaik, Y. *Acanthamoeba polyphaga* resuscitates viable non-culturable *Legionella pneumophila* after disinfection. *Environmental Microbiology* **9**, 1267-1277 (2007).
- Gardy, J. L. *et al.* Whole-genome sequencing and social-network analysis of a tuberculosis outbreak. *New England Journal of Medicine* **364**, 730-739 (2011).
- Ginevra, C. *et al.* Lorraine strain of *Legionella pneumophila* serogroup 1, France. *Emerging Infectious Diseases* **14**, 673-675 (2008).
- Ginevra, C. *et al.* *Legionella pneumophila* sequence type 1/Paris pulsotype subtyping by spoligotyping. *Journal of Clinical Microbiology* **50**, 696-701 (2012).
- Ginevra, C. *et al.* Evaluation of a nested-PCR-derived sequence-based typing method applied directly to respiratory samples from patients with Legionnaires' disease. *Journal of Clinical Microbiology* **47**, 981-987 (2009).
- Girod, J. C. *et al.* Pneumonic and non-pneumonic forms of legionellosis - the result of a common-source exposure to *Legionella pneumophila*. *Archives of Internal Medicine* **142**, 545-547 (1982).
- Gladman, S. & Seemann, T. Velvet Optimiser. Available at: <http://bioinformatics.net.au/software.velvetoptimiser.shtml>
- Glick, T. H. *et al.* Pontiac fever - an epidemic of unknown etiology in a health department: I. Clinical and epidemiologic aspects. *American Journal of Epidemiology* **107**, 149-160 (1978).
- Gloeckner, G. *et al.* Identification and characterization of a new conjugation/type IVA secretion system (*trb/tra*) of *Legionella pneumophila* Corby localized on two mobile genomic islands. *International Journal of Medical Microbiology* **298**, 411-428 (2008).
- Goffeau, A. *et al.* Life with 6000 genes. *Science* **274**, 563-567 (1996).
- Golubchik, T. *et al.* Pneumococcal genome sequencing tracks a vaccine escape variant formed through a multi-fragment recombination event. *Nature Genetics* **44**, 352-

- 355 (2012).
- Gomez-Alvarez, V., Revetta, R. P. & Santo Domingo, J. W. Metagenomic analyses of drinking water receiving different disinfection treatments. *Applied and Environmental Microbiology* **78**, 6095-6102 (2012).
- Gomez-Valero, L. et al. Extensive recombination events and horizontal gene transfer shaped the *Legionella pneumophila* genomes. *BMC Genomics* **12** (2011).
- Gomgnimbou, M. K. et al. Validation of a microbead-based format for spoligotyping of *Legionella pneumophila*. *Journal of Clinical Microbiology* **52**, 2410-2415 (2014).
- Graham, R. M. A., Doyle, C. J. & Jennison, A. V. Real-time investigation of a *Legionella pneumophila* outbreak using whole genome sequencing. *Epidemiology and Infection* **142**, 2347-2351 (2014).
- Graman, P. S., Quinlan, G. A. & Rank, J. A. Nosocomial legionellosis traced to a contaminated ice machine. *Infection Control and Hospital Epidemiology* **18**, 637-640 (1997).
- Green, E. D. Strategies for the systematic sequencing of complex genomes. *Nature Reviews Genetics* **2**, 573-583 (2001).
- Green, P. N. Efficacy of biocides on laboratory-generated *Legionella* biofilms. *Letters in Applied Microbiology* **17**, 158-161 (1993).
- Griffin, A. T., Peyrani, P., Wiemken, T. & Arnold, F. Macrolides versus quinolones in *Legionella* pneumonia: results from the Community-Acquired Pneumonia Organization international study. *International Journal of Tuberculosis and Lung Disease* **14**, 495-499 (2010).
- Guiguet, M. et al. Epidemiologic survey of a major outbreak of nosocomial legionellosis. *International Journal of Epidemiology* **16**, 466-471 (1987).
- Habyarimana, F. et al. Role for the ankyrin eukaryotic-like genes of *Legionella pneumophila* in parasitism of protozoan hosts and human macrophages. *Environmental Microbiology* **10**, 1460-1474 (2008).
- Haldane, D. J., Peppard, R. & Sumarah, R. K. Direct immunofluorescence for the diagnosis of legionellosis. *The Canadian Journal of Infectious Diseases* **4**, 101-104 (1993).
- Haranaga, S. et al. Intravenous ciprofloxacin versus erythromycin in the treatment of *Legionella* pneumonia. *Internal Medicine* **46**, 352-356 (2007).
- Harding, C. R. et al. The Dot/Icm effector SdhA is necessary for virulence of *Legionella pneumophila* in *Galleria mellonella* and A/J mice. *Infection and Immunity* **81**, 2598-2605 (2013).
- Harris, S. R. et al. Whole-genome analysis of diverse *Chlamydia trachomatis* strains identifies phylogenetic relationships masked by current clinical typing. *Nature Genetics* **44**, 413-419 (2012).
- Harris, S. R. et al. Evolution of MRSA during hospital transmission and intercontinental spread. *Science* **327**, 469-474 (2010).
- Harrison, T. G., Afshar, B., Doshi, N., Fry, N. K. & Lee, J. V. Distribution of *Legionella pneumophila* serogroups, monoclonal antibody subgroups and DNA sequence types in recent clinical and environmental isolates from England and Wales (2000-2008). *European Journal of Clinical Microbiology & Infectious Diseases* **28**,

CHAPTER 8

- 781-791 (2009).
- Harrison, T. G. & Doshi, N. Evaluation of the Bartels *Legionella* urinary antigen enzyme immunoassay. *European Journal of Clinical Microbiology & Infectious Diseases* **20**, 738-740 (2001).
- Harrison, T. G. & Taylor, A. G. *A Laboratory Manual for Legionella*. (Wiley & Sons Ltd, 1988).
- Hatem, A., Bozdag, D., Toland, A. E. & Catalyuerek, U. V. Benchmarking short sequence mapping tools. *BMC Bioinformatics* **14** (2013).
- Hay, J., Seal, D. V., Billcliffe, B. & Freer, J. H. Non-culturable *Legionella pneumophila* associated with *Acanthamoeba castellanii* - detection of the bacterium using DNA amplification and hybridization. *Journal of Applied Bacteriology* **78**, 61-65 (1995).
- Health and Safety Executive (HSE). *Legionnaires' disease. The control of legionella bacteria in water systems* (2013).
- Helbig, J. H., Luck, P. C., Knirel, Y. A., Witzleb, W. & Zahringer, U. Molecular characterization of a virulence-associated epitope on the lipopolysaccharide of *Legionella pneumophila* serogroup 1. *Epidemiology and Infection* **115**, 71-78 (1995).
- Helbig, J. H. *et al.* Pan-European study on culture-proven Legionnaires' disease: Distribution of *Legionella pneumophila* serogroups and monoclonal subgroups. *European Journal of Clinical Microbiology & Infectious Diseases* **21**, 710-716 (2002).
- Helbig, J. H., Kurtz, J. B., Pastoris, M. C., Pelaz, C. & Luck, P. C. Antigenic lipopolysaccharide components of *Legionella pneumophila* recognized by monoclonal antibodies: Possibilities and limitations for division of the species into serogroups. *Journal of Clinical Microbiology* **35**, 2841-2845 (1997).
- Heller, R., Holler, C., Sussmuth, R. & Gundermann, K. O. Effect of salt concentration and temperature on survival of *Legionella pneumophila*. *Letters in Applied Microbiology* **26**, 64-68 (1998).
- Hiller, N. L. *et al.* Generation of genic diversity among *Streptococcus pneumoniae* strains via horizontal gene transfer during a chronic polyclonal pediatric infection. *PLOS Pathogens* **6** (2010).
- Hlady, W. G. *et al.* Outbreak of Legionnaires' disease linked to a decorative fountain by molecular epidemiology. *American Journal of Epidemiology* **138**, 555-562 (1993).
- Holden, E. P., Winkler, H. H., Wood, D. O. & Leinbach, E. D. Intracellular growth of *Legionella pneumophila* within *Acanthamoeba castellani* Neff. *Infection and Immunity* **45**, 18-24 (1984).
- Horwitz, M. A. Formation of a novel phagosome by the Legionnaires' disease bacterium (*Legionella pneumophila*) in human monocytes. *Journal of Experimental Medicine* **158**, 1319-1331 (1983).
- Horwitz, M. A. & Maxfield, F. R. *Legionella pneumophila* inhibits acidification of its phagosome in human monocytes. *Journal of Cell Biology* **99**, 1936-1943 (1984).
- Hubber, A. & Roy, C. R. Modulation of host cell function by *Legionella pneumophila* type

- IV effectors. *Annual Review of Cell and Developmental Biology* **26**, 261-283 (2010).
- Hunter, P. R. & Gaston, M. A. Numerical index of the discriminatory ability of typing systems - an application of Simpson's index of diversity *Journal of Clinical Microbiology* **26**, 2465-2466 (1988).
- Huson, D. H. & Bryant, D. Application of phylogenetic networks in evolutionary studies. *Molecular Biology and Evolution* **23**, 254-267 (2006).
- Hussong, D. et al. Viable *Legionella pneumophila* not detectable by culture on agar media. *Nature Biotechnology* **5**, 947-950 (1987).
- Isberg, R. R., O'Connor, T. J. & Heidtman, M. The *Legionella pneumophila* replication vacuole: making a cosy niche inside host cells. *Nature Reviews Microbiology* **7**, 12-24 (2009).
- Ito, I. et al. Hot spring bath and *Legionella pneumonia*: an association confirmed by genomic identification. *Internal Medicine* **41**, 859-863 (2002).
- Jernigan, D. B. et al. Outbreak of Legionnaires' disease among cruise ship passengers exposed to a contaminated whirlpool spa. *Lancet* **347**, 494-499 (1996).
- Johnson, J. D., Raff, M. J. & Vanarsdall, J. A. Neurologic manifestations of Legionnaires' disease. *Medicine* **63**, 303-310 (1984).
- Jolley, K. A. et al. Ribosomal multilocus sequence typing: universal characterization of bacteria from domain to strain. *Microbiology* **158**, 1005-1015 (2012).
- Jolley, K. A. & Maiden, M. C. J. BIGSdb: Scalable analysis of bacterial genome variation at the population level. *BMC Bioinformatics* **11** (2010).
- Joly, J. R. et al. Ecological distribution of Legionellaceae in the Quebec city area. *Canadian Journal of Microbiology* **30**, 63-67 (1984).
- Joly, J. R. et al. Development of a standardised subgrouping scheme for *Legionella pneumophila* serogroup 1 using monoclonal antibodies. *Journal of Clinical Microbiology* **23**, 768-771 (1986).
- Judge, K., Harris, S. R., Reuter, S., Parkhill, J. & Peacock, S. J. Early insights into the potential of the Oxford Nanopore MinION for the detection of antimicrobial resistance genes. *Journal of Antimicrobial Chemotherapy* **70**, 2775-2778 (2015).
- Karagiannis, I., Brandsema, P. & Van der Sande, M. Warm, wet weather associated with increased Legionnaires' disease incidence in The Netherlands. *Epidemiology and Infection* **137**, 181-187 (2009).
- Kashuba, A. D. M. & Ballow, C. H. *Legionella* urinary antigen testing: Potential impact on diagnosis and antibiotic therapy. *Diagnostic Microbiology and Infectious Disease* **24**, 129-139 (1996).
- Kaufmann, A. F. et al. Pontiac fever - Isolation of the etiologic agent (*Legionella pneumophila*) and demonstration of its mode of transmission. *American Journal of Epidemiology* **114**, 337-347 (1981).
- Keller, D. W. et al. Community outbreak of Legionnaires' disease: An investigation confirming the potential for cooling towers to transmit *Legionella* species. *Clinical Infectious Diseases* **22**, 257-261 (1996).
- Khan, M. A. et al. Comparative genomics reveal that host-innate immune responses influence the clinical prevalence of *Legionella pneumophila* serogroups. *PLOS*

CHAPTER 8

- ONE 8 (2013).
- Khemiri, A. et al. Outer-membrane proteomic maps and surface-exposed proteins of *Legionella pneumophila* using cellular fractionation and fluorescent labelling. *Analytical and Bioanalytical Chemistry* **390**, 1861-1871 (2008).
- Kim, B. R., Anderson, J. E., Mueller, S. A., Gaines, W. A. & Kendall, A. M. Literature review - efficacy of various disinfectants against *Legionella* in water systems. *Water Research* **36**, 4433-4444 (2002).
- Koeser, C. U. et al. Rapid whole-genome sequencing for investigation of a neonatal MRSA outbreak. *New England Journal of Medicine* **366**, 2267-2275 (2012).
- Kohl, T. A. et al. Whole-genome-based *Mycobacterium tuberculosis* surveillance: a standardized, portable, and expandable approach. *Journal of Clinical Microbiology* **52**, 2479-2486 (2014).
- Kohler, R. B., Winn, W. C. & Wheat, L. J. Onset and duration of urinary antigen excretion in Legionnaires' disease. *Journal of Clinical Microbiology* **20**, 605-607 (1984).
- Kong, Y. et al. Homologous recombination drives both sequence diversity and gene content variation in *Neisseria meningitidis*. *Genome Biology and Evolution* **5**, 1611-1627 (2013).
- Kool, J. L., Carpenter, J. C. & Fields, B. S. Effect of monochloramine disinfection of municipal drinking water on risk of nosocomial Legionnaires' disease. *Lancet* **353**, 272-277 (1999).
- Kool, J. L. et al. More than 10 years of unrecognized nosocomial transmission of Legionnaires' disease among transplant patients. *Infection Control and Hospital Epidemiology* **19**, 898-904 (1998).
- Koren, S. et al. Reducing assembly complexity of microbial genomes with single-molecule sequencing. *Genome Biology* **14** (2013).
- Koren, S. & Phillippy, A. M. One chromosome, one contig: complete microbial genomes from long-read sequencing and assembly. *Current Opinion in Microbiology* **23**, 110-120 (2015).
- Kozak, N. A. et al. Distribution of *lag-1* alleles and sequence-based types among *Legionella pneumophila* serogroup 1 clinical and environmental isolates in the United States. *Journal of Clinical Microbiology* **47**, 2525-2535 (2009).
- Kozak-Muiznieks, N. et al. Prevalence of sequence types among clinical and environmental isolates of *Legionella pneumophila* serogroup 1 in the United States from 1982 to 2012. *Journal of Clinical Microbiology* **52**, 201-211 (2014).
- Kubori, T., Hyakutake, A. & Nagai, H. *Legionella* translocates an E3 ubiquitin ligase that has multiple U-boxes with distinct functions. *Molecular Microbiology* **67**, 1307-1319 (2008).
- Kurtz, S. et al. Versatile and open software for comparing large genomes. *Genome Biology* **5** (2004).
- Kwong, J. C., McCallum, N., Sintchenko, V. & Howden, B. P. Whole genome sequencing in clinical and public health microbiology. *Pathology* **47**, 199-210 (2015).
- Lander, E. S. Initial impact of the sequencing of the human genome. *Nature* **470**, 187-197 (2011).
- Lander, E. S. et al. Initial sequencing and analysis of the human genome. *Nature* **409**,

- 860-921 (2001).
- Langille, M. G. I. & Brinkman, F. S. L. IslandViewer: an integrated interface for computational identification and visualization of genomic islands. *Bioinformatics* **25**, 664-665 (2009).
- Laver, T. *et al.* Assessing the performance of the Oxford Nanopore Technologies MinION. *Biomolecular Detection and Quantification* **3**, 1-8 (2015).
- Lawrence, C. *et al.* Single clonal origin of a high proportion of *Legionella pneumophila* serogroup 1 isolates from patients and the environment in the area of Paris, France, over a 10-year period. *Journal of Clinical Microbiology* **37**, 2652-2655 (1999).
- Lechat, P., Souche, E. & Moszer, I. SynTView - an interactive multi-view genome browser for next-generation comparative microorganism genomics. *BMC Bioinformatics* **14** (2013).
- Leekitcharoenphon, P., Nielsen, E. M., Kaas, R. S., Lund, O. & Aarestrup, F. M. Evaluation of whole genome sequencing for outbreak detection of *Salmonella enterica*. *PLOS ONE* **9** (2014).
- Leoni, E. *et al.* *Legionella* waterline colonization: detection of *Legionella* species in domestic, hotel and hospital hot water systems. *Journal of Applied Microbiology* **98**, 373-379 (2005).
- Leopold, S. R., Goering, R. V., Witten, A., Harmsen, D. & Mellmann, A. Bacterial whole-genome sequencing revisited: Portable, scalable, and standardized analysis for typing and detection of virulence and antibiotic resistance genes. *Journal of Clinical Microbiology* **52**, 2365-2370 (2014).
- Lepine, L. A. *et al.* A recurrent outbreak of nosocomial Legionnaires' disease detected by urinary antigen testing: Evidence for long-term colonization of a hospital plumbing system. *Infection Control and Hospital Epidemiology* **19**, 905-910 (1998).
- Lettinga, K. D. *et al.* Legionnaires' disease at a Dutch flower show: Prognostic factors and impact of therapy. *Emerging Infectious Diseases* **8**, 1448-1454 (2002).
- Levesque, S. *et al.* Genomic characterization of a large outbreak of *Legionella pneumophila* serogroup 1 strains in Quebec City, 2012. *PLOS ONE* **9** (2014).
- Lewis, T. *et al.* High-throughput whole-genome sequencing to dissect the epidemiology of *Acinetobacter baumannii* isolates from a hospital outbreak. *Journal of Hospital Infection* **75**, 37-41 (2010).
- Li, H. & Durbin, R. Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics* **25**, 1754-1760 (2009).
- Li, H. *et al.* The sequence alignment/map format and SAMtools. *Bioinformatics* **25**, 2078-2079 (2009).
- Li, L., Mendis, N., Trigui, H. & Faucher, S. P. Transcriptomic changes of *Legionella pneumophila* in water. *BMC Genomics* **16** (2015).
- Lim, W. S. *et al.* Study of community acquired pneumonia aetiology (SCAPA) in adults admitted to hospital: implications for management guidelines. *Thorax* **56**, 296-301 (2001).
- Lin, Y. E., Lu, W. M., Huang, H. I. & Huang, W. K. Environmental survey of *Legionella*

- pneumophila* in hot springs in Taiwan. *Journal of Toxicology and Environmental Health* **70**, 84-87 (2007).
- Lin, Y. E., Stout, J. E. & Yu, V. L. Controlling *Legionella* in hospital drinking water: An evidence-based review of disinfection methods. *Infection Control and Hospital Epidemiology* **32**, 166-173 (2011).
- Lin, Y. E., Stout, J. E. & Yu, V. L. Prevention of hospital-acquired legionellosis. *Current Opinion in Infectious Diseases* **24**, 350-356 (2011).
- Liu, L. et al. Comparison of next-generation sequencing systems. *Journal of Biomedicine and Biotechnology* (2012).
- Liu, M. et al. The *Legionella pneumophila* EnhC protein interferes with immunostimulatory muramyl peptide production to evade innate immunity. *Cell Host & Microbe* **12**, 166-176 (2012).
- Liu, M. F. & Taylor, D. E. Characterization of Gram-positive tellurite resistance encoded by the *Streptococcus pneumoniae* *tehB* gene. *FEMS Microbiology Letters* **174**, 385-392 (1999).
- Loman, N. J., Quick, J. & Simpson, J. T. A complete bacterial genome assembled *de novo* using only nanopore sequencing data. *Nature Methods* **12**, 733-735 (2015).
- Lowry, P. W., Blankenship, R. J., Gridley, W., Troup, N. J. & Tompkins, L. S. A cluster of *Legionella* sternal wound infections due to postoperative topical exposure to contaminated tap water. *New England Journal of Medicine* **324**, 109-113 (1991).
- Lowry, P. W. & Tompkins, L. S. Nosocomial legionellosis - A review of pulmonary and extrapulmonary syndromes. *American Journal of Infection Control* **21**, 21-27 (1993).
- LPSN. List of prokaryotic names with standing in nomenclature: Genus *Legionella*. Available at: <http://www.bacterio.net/legionella.html>
- Lück, C., Fry, N. K., Helbig, J. H., Jarraud, S. & Harrison, T. G. Typing methods for *Legionella* in *Legionella: Methods and Protocols* (ed. Buchrieser, C. & Hilbi, H.) 119-148 (Humana Press, 2013).
- Lück, P. C., Bender, L., Ott, M., Helbig, J. H. & Hacker, J. Analysis of *Legionella pneumophila* serogroup 6 strains isolated from a hospital warm water supply over a 3-year period by using genomic long-range mapping techniques and monoclonal antibodies. *Applied and Environmental Microbiology* **57**, 3226-3231 (1991).
- Lück, P. C. et al. Epidemiologic investigation by macrorestriction analysis and by using monoclonal antibodies of nosocomial pneumonia caused by *Legionella pneumophila* serogroup 10. *Journal of Clinical Microbiology* **32**, 2692-2697 (1994).
- Lück, P. C., Kohler, J., Maiwald, M. & Helbig, J. H. DNA polymorphisms in strains of *Legionella pneumophila* serogroup 3 and serogroup 4 detected by macrorestriction analysis and their use for epidemiologic investigation of nosocomial legionellosis. *Applied and Environmental Microbiology* **61**, 2000-2003 (1995).
- Lueneberg, E. et al. Cloning and functional characterization of a 30kb gene locus required for lipopolysaccharide biosynthesis in *Legionella pneumophila*.

- International Journal of Medical Microbiology* **290**, 37-49 (2000).
- Luo, T. et al. Whole-genome sequencing to detect recent transmission of *Mycobacterium tuberculosis* in settings with a high burden of tuberculosis. *Tuberculosis* **94**, 434-440 (2014).
- Lurie-Weinberger, M. N. et al. The origins of eukaryotic-like proteins in *Legionella pneumophila*. *International Journal of Medical Microbiology* **300**, 470-481 (2010).
- Ma, J., He, Y., Hu, B., Luo, Z-Q. Genome sequence of an environmental isolate of the bacterial pathogen *Legionella pneumophila*. *Genome Announcements* **1** (2013).
- Maiwald, M., Helbig, J. H. & Luck, P. C. Laboratory methods for the diagnosis of *Legionella* infections. *Journal of Microbiological Methods* **33**, 59-79 (1998).
- Majewski, J. & Cohan, F. M. The effect of mismatch repair and heteroduplex formation on sexual isolation in *Bacillus*. *Genetics* **148**, 13-18 (1998).
- Mandell, L. A. et al. Infectious Diseases Society of America/American Thoracic Society consensus guidelines on the management of community-acquired pneumonia in adults. *Clinical Infectious Diseases* **44**, S27-S72 (2007).
- Marchesi, I. et al. Effectiveness of different methods to control *Legionella* in the water supply: ten-year experience in an Italian university hospital. *Journal of Hospital Infection* **77**, 47-51 (2010).
- Margulies, M. et al. Genome sequencing in microfabricated high-density picolitre reactors. *Nature* **437**, 376-380 (2005).
- Marrao, G., Verissimo, A., Bowker, R. G. & Dacosta, M. S. Biofilms as major sources of *Legionella spp* in hydrothermal areas and their dispersion into stream water. *FEMS Microbiology Ecology* **12**, 25-33 (1993).
- Marston, B. J., Lipman, H. B. & Breiman, R. F. Surveillance for Legionnaires' disease - risk factors for morbidity and mortality. *Archives of Internal Medicine* **154**, 2417-2422 (1994).
- Marttinen, P. et al. Detection of recombination events in bacterial genomes from large population samples. *Nucleic Acids Research* **40** (2012).
- Matsui, M. et al. Isolation of *Legionella rubrilucens* from a pneumonia patient co-infected with *Legionella pneumophila*. *Journal of Medical Microbiology* **59**, 1242-1246 (2010).
- Maxam, A. M. & Gilbert, W. A new method for sequencing DNA. *Proceedings of the National Academy of Sciences of the United States of America* **74**, 560-564 (1977).
- McAdam, P. R. et al. Gene flow in environmental *Legionella pneumophila* leads to genetic and pathogenic heterogeneity within a Legionnaires' disease outbreak. *Genome Biology* **15** (2014).
- McDade, J. E. et al. Legionnaires' disease - Isolation of a bacterium and demonstration of its role in other respiratory disease. *New England Journal of Medicine* **297**, 1197-1203 (1977).
- Mellmann, A. et al. Prospective genomic characterization of the German enterohemorrhagic *Escherichia coli* O104:H4 outbreak by rapid next generation sequencing technology. *PLOS ONE* **6** (2011).
- Mentasti, M. et al. Application of *Legionella pneumophila*-specific quantitative real-time

CHAPTER 8

- PCR combined with direct amplification and sequence-based typing in the diagnosis and epidemiological investigation of Legionnaires' disease. *European Journal of Clinical Microbiology & Infectious Diseases* **31**, 2017-2028 (2012).
- Mentasti, M. et al. Extension of the *Legionella pneumophila* sequence-based typing scheme to include strains carrying a variant of the *N-acylneuraminate cytidylyltransferase* gene. *Clinical Microbiology and Infection* **20**, 0435-0441 (2014).
- Mentasti, M. & Fry, N. K. Nested sequence-based typing (SBT) protocol for epidemiological typing of *Legionella pneumophila* directly from clinical samples. Available at: http://bioinformatics.phe.org.uk/legionella/legionella_sbt/php/protocols/ESGL_I%20NESTED%20SBT%20GUIDELINE%20v2.0.pdf
- Mercante, J. W. & Winchell, J. M. Current and emerging *Legionella* diagnostics for laboratory and outbreak investigations. *Clinical Microbiology Reviews* **28**, 95-133 (2015).
- Michod, R. E., Bernstein, H. & Nedelcu, A. M. Adaptive value of sex in microbial pathogens. *Infection Genetics and Evolution* **8**, 267-285 (2008).
- Mintz, C. S. & Shuman, H. A. Transposition of bacteriophage mu in the Legionnaires' disease bacterium. *Proceedings of the National Academy of Sciences of the United States of America* **84**, 4645-4649 (1987).
- Molmeret, M. & Abu Kwaik, Y. How does *Legionella pneumophila* exit the host cell? *Trends in Microbiology* **10**, 258-260 (2002).
- Molmeret, M., Horn, M., Wagner, M., Santic, M. & Abu Kwaik, Y. Amoebae as training grounds for intracellular bacterial pathogens. *Applied and Environmental Microbiology* **71**, 20-28 (2005).
- Molofsky, A. B. & Swanson, M. S. Differentiate to thrive: lessons from the *Legionella pneumophila* life cycle. *Molecular Microbiology* **53**, 29-40 (2004).
- Moran-Gilad, J. et al. Molecular epidemiology of Legionnaires' disease in Israel. *Clinical Microbiology and Infection* **20**, 690-696 (2014).
- Moran-Gilad, J. et al. Design and application of a core genome multilocus sequence typing scheme for investigation of Legionnaires' disease incidents. *Eurosurveillance* **20** (2015).
- Mouchtouri, V. A., Goutziana, G., Kremastinou, J. & Hadjichristodoulou, C. *Legionella* species colonization in cooling towers: Risk factors and assessment of control measures. *American Journal of Infection Control* **38**, 50-55 (2010).
- Muder, R. R. & Yu, V. L. Infection due to *Legionella* species other than *L. pneumophila*. *Clinical Infectious Diseases* **35**, 990-998 (2002).
- Muder, R. R., Yu, V. L. & Woo, A. H. Mode of transmission of *Legionella pneumophila* - A critical review. *Archives of Internal Medicine* **146**, 1607-1612 (1986).
- Munro, R., Neville, S., Daley, D. & Mercer, J. Microbiological aspects of an outbreak of Legionnaires' disease in South Western Sydney. *Pathology* **26**, 48-51 (1994).
- Muraca, P. W., Yu, V. L. & Goetz, A. Disinfection of water distribution systems for *Legionella* - a review of application procedures and methodologies. *Infection Control and Hospital Epidemiology* **11**, 79-88 (1990).

- Murdoch, D. R. Diagnosis of *Legionella* infection. *Clinical Infectious Diseases* **36**, 64-69 (2003).
- Murga, R. *et al.* Role of biofilms in the survival of *Legionella pneumophila* in a model potable-water system. *Microbiology* **147**, 3121-3126 (2001).
- Musso, D. & Raoult, D. Serological cross-reactions between *Coxiella burnetii* and *Legionella micdadei*. *Clinical and Diagnostic Laboratory Immunology* **4**, 208-212 (1997).
- Mutreja, A. *et al.* Evidence for several waves of global transmission in the seventh cholera pandemic. *Nature* **477**, 462-465 (2011).
- Mykietiuk, A. *et al.* Clinical outcomes for hospitalized patients with *Legionella pneumonia* in the antigenuria era: The influence of Levofloxacin therapy. *Clinical Infectious Diseases* **40**, 794-799 (2005).
- Nakamura, K. *et al.* Sequence-specific error profile of Illumina sequencers. *Nucleic Acids Research* **39** (2011).
- Narra, H. P. & Ochman, H. Of what use is sex to bacteria? *Current Biology* **16**, R705-R710 (2006).
- Naylor, J. & Cianciotto, N. P. Cytochrome c maturation proteins are critical for *in vivo* growth of *Legionella pneumophila*. *FEMS Microbiology Letters* **241**, 249-256 (2004).
- Nei, M. & Li, W. H. Mathematical model for studying genetic variation in terms of restriction endonucleases. *Proceedings of the National Academy of Sciences of the United States of America* **76**, 5269-5273 (1979).
- Nelson, D. P., Rensimer, E. R. & Raffin, T. A. *Legionella pneumophila* pericarditis without pneumonia. *Archives of Internal Medicine* **145**, 926-926 (1985).
- Newton, H. J., Ang, D. K. Y., van Driel, I. R. & Hartland, E. L. Molecular pathogenesis of infections caused by *Legionella pneumophila*. *Clinical Microbiology Reviews* **23**, 274-298 (2010).
- Ng, V. *et al.* Going with the flow: Legionellosis risk in Toronto, Canada is strongly associated with local watershed hydrology. *Ecohealth* **5**, 482-490 (2008).
- Nguyen, T. M. N. *et al.* A community-wide outbreak of Legionnaires' disease linked to industrial cooling towers - How far can contaminated aerosols spread? *Journal of Infectious Diseases* **193**, 102-111 (2006).
- Nygard, K. *et al.* An outbreak of Legionnaires' disease caused by long-distance spread from an industrial air scrubber in Sarpsborg, Norway. *Clinical Infectious Diseases* **46**, 61-69 (2008).
- O'Loughlin, R. E. *et al.* Restaurant outbreak of Legionnaires' disease associated with a decorative fountain: an environmental and case-control study. *BMC Infectious Diseases* **7** (2007).
- Orsi, G. B. *et al.* *Legionella* control in the water system of antiquated hospital buildings by shock and continuous hyperchlorination: 5 years experience. *BMC Infectious Diseases* **14** (2014).
- Ortiz-Roque, C. M. & Hazen, T. C. Abundance and distribution of Legionellaceae in Puerto-Rican waters. *Applied and Environmental Microbiology* **53**, 2231-2236 (1987).

CHAPTER 8

- Osawa, K. *et al.* A case of nosocomial *Legionella pneumonia* associated with a contaminated hospital cooling tower. *Journal of Infection and Chemotherapy* **20**, 68-70 (2014).
- Osterholm, M. T. *et al.* A 1957 outbreak of Legionnaires' disease associated with a meat packing plant. *American Journal of Epidemiology* **117**, 60-67 (1983).
- Ott, M., Bender, L., Marre, R. & Hacker, J. Pulsed field electrophoresis of genomic restriction fragments for the detection of nosocomial *Legionella pneumophila* in hospital water supplies. *Journal of Clinical Microbiology* **29**, 813-815 (1991).
- Page, A. J. *et al.* Roary: rapid large-scale prokaryote pan genome analysis. *Bioinformatics* **31**, 3691-3693 (2015).
- Palmer, C. J., Tsai, Y. L., Paszkokolva, C., Mayer, C. & Sangermano, L. R. Detection of *Legionella* species in sewage and ocean water by polymerase chain reaction, direct fluorescent antibody, and plate culture methods. *Applied and Environmental Microbiology* **59**, 3618-3624 (1993).
- Palmore, T. N. *et al.* A cluster of cases of nosocomial Legionnaires' disease linked to a contaminated hospital decorative water fountain. *Infection Control and Hospital Epidemiology* **30**, 764-768 (2009).
- Pan, X., Luhrmann, A., Satoh, A., Laskowski-Arce, M. A. & Roy, C. R. Ankyrin repeat proteins comprise a diverse family of bacterial type IV effectors. *Science* **320**, 1651-1654 (2008).
- Pancer, K., Matuszewska, R., Bartosik, M., Kacperski, K. & Krogulska, B. Persistent colonization of 2 hospital water supplies by *L. pneumophila* strains through 7 years - Sequence-based typing and serotyping as useful tools for complex risk analysis. *Annals of Agricultural and Environmental Medicine* **20**, 687-694 (2013).
- Pastoris, M. C. *et al.* Legionnaires' disease on a cruise ship linked to the water supply system: Clinical and public health implications. *Clinical Infectious Diseases* **28**, 33-38 (1999).
- Pastoris, M. C., Passi, C. & Maroli, M. Evidence of *Legionella pneumophila* in some arthropods and related natural aquatic habitats. *FEMS Microbiology Ecology* **62**, 259-263 (1989).
- Perez-Losada, M. *et al.* Population genetics of microbial pathogens estimated from multilocus sequence typing (MLST) data. *Infection Genetics and Evolution* **6**, 97-112 (2006).
- Perola, O. *et al.* Persistent *Legionella pneumophila* colonization of a hospital water supply: efficacy of control methods and a molecular epidemiological analysis. *APMIS* **113**, 45-53 (2005).
- Petzold, M. *et al.* A structural comparison of lipopolysaccharide biosynthesis loci of *Legionella pneumophila* serogroup 1 strains. *BMC Microbiology* **13** (2013).
- PHE. Health Technical Memorandum 04-01 Safe water in healthcare premises. Available at: https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/524880/DHHTM_0401_PART_A_acc.pdf
- Phin, N. *et al.* Epidemiology and clinical management of Legionnaires' disease. *Lancet Infectious Diseases* **14**, 1011-1021 (2014).

- Pop, M. & Salzberg, S. L. Bioinformatics challenges of new sequencing technology. *Trends in Genetics* **24**, 142-149 (2008).
- Ponstingl, H. SMALT. Available at: <http://www.sanger.ac.uk/science/tools/smalt-0>
- Quail, M. A. *et al.* Optimal enzymes for amplifying sequencing libraries. *Nature Methods* **9**, 10-11 (2012).
- Quail, M. A. *et al.* A tale of three next generation sequencing platforms: comparison of Ion Torrent, Pacific Biosciences and Illumina MiSeq sequencers. *BMC Genomics* **13** (2012).
- Quaranta, G. *et al.* *Legionella* on board trains: effectiveness of environmental surveillance and decontamination. *BMC Public Health* **12** (2012).
- Rambaut, A. FigTree. Available at: <http://tree.bio.ed.ac.uk/software/figtree/>
- Rambaut, A. Tracer. Available at: <http://tree.bio.ed.ac.uk/software/tracer>
- Rambaut, A., Lam, T. T., Carvalho, L. & Pybus, O. G. Exploring the temporal structure of heterochronous sequences using TempEst (formerly Path-O-Gen). *Virus Evolution*, doi:10.1093/ve/vew007 (2016).
- Ramirez, J. A. & Summersgill, J. T. Rapid tests for the diagnosis of *Legionella* infections. *Journal of the Kentucky Medical Association* **92**, 62-65 (1994).
- Rangel-Frausto, M. S. *et al.* Persistence of *Legionella pneumophila* in a hospital's water system: A 13-year survey. *Infection Control and Hospital Epidemiology* **20**, 793-797 (1999).
- Ratzow, S., Gaia, V., Helbig, J. H., Fry, N. K. & Lueck, P. C. Addition of *neuA*, the gene encoding N-acylneuraminate cytidylyl transferase, increases the discriminatory ability of the consensus sequence-based scheme for typing *Legionella pneumophila* serogroup 1 strains. *Journal of Clinical Microbiology* **45**, 1965-1968 (2007).
- R Core Team. R: A language and environment for statistical computing. R Foundation for Statistical Computing (2013).
- Redfield, R. J. Genes for breakfast - the have-your-cake-and-eat-it-too of bacterial transformation. *Journal of Heredity* **84**, 400-404 (1993).
- Reischl, U. *et al.* Direct detection and differentiation of *Legionella spp.* and *Legionella pneumophila* in clinical specimens by dual-color real-time PCR and melting curve analysis. *Journal of Clinical Microbiology* **40**, 3814-3817 (2002).
- Reuter, S. *et al.* A pilot study of rapid whole-genome sequencing for the investigation of a *Legionella* outbreak. *BMJ Open* **3** (2013).
- Rhoads, A. & Au, K. F. PacBio sequencing and its applications. *Genomics Proteomics Bioinformatics* **5**, 278-289 (2015).
- Ricketts, K. D. *et al.* Weather patterns and Legionnaires' disease: a meteorological study. *Epidemiology and Infection* **137**, 1003-1012 (2009).
- Rodgers, F. G. Ultrastructure of *Legionella pneumophila*. *Journal of Clinical Pathology* **32**, 1195-1202 (1979).
- Rodgers, F. G., Greaves, P. W., Macrae, A. D. & Lewis, M. J. Electron microscopic evidence of flagella and pili on *Legionella pneumophila*. *Journal of Clinical Pathology* **33**,

CHAPTER 8

- 1184-1188 (1980).
- Rosmini, F. et al. Febrile illness in successive cohorts of tourists at a hotel on the Italian Adriatic coast - evidence for a persistent focus of *Legionella* infection. *American Journal of Epidemiology* **119**, 124-134 (1984).
- Rota, M. C., Caporali, M. G. & Massari, M. European guidelines for control and prevention of travel-associated Legionnaires' disease: the Italian experience. *Eurosurveillance* **9** (2004).
- Rowbotham, T. J. Preliminary report on the pathogenicity of *Legionella pneumophila* for freshwater and soil amoebas. *Journal of Clinical Pathology* **33**, 1179-1183 (1980).
- Rowbotham, T. J. Current views on the relationships between amoebas, legionellae and man. *Israel Journal of Medical Sciences* **22**, 678-689 (1986).
- Rowbotham, T. J. Isolation of *Legionella pneumophila* serogroup 1 from human feces with use of amebic cocultures. *Clinical Infectious Diseases* **26**, 502-503 (1998).
- Roy, T. M., Fleming, D. & Anderson, W. H. Tularemic pneumonia mimicking Legionnaires' disease with false positive direct fluorescent antibody stains for *Legionella*. *Southern Medical Journal* **82**, 1429-1431 (1989).
- Ruffalo, M., LaFramboise, T. & Koyutuerk, M. Comparative analysis of algorithms for next-generation sequencing read alignment. *Bioinformatics* **27**, 2790-2796 (2011).
- Rusin, P. A., Rose, J. B., Haas, C. N. & Gerba, C. P. Risk assessment of opportunistic bacterial pathogens in drinking water. *Reviews of Environmental Contamination and Toxicology* **152**, 57-83 (1997).
- Sabria, M. et al. A community outbreak of Legionnaires' disease: evidence of a cooling tower as the source. *Clinical Microbiology and Infection* **12**, 642-647 (2006).
- Sahr, T. et al. Deep sequencing defines the transcriptional map of *L. pneumophila* and identifies growth phase-dependent regulated ncRNAs implicated in virulence. *RNA Biology* **9**, 503-519 (2012).
- Salipante, S. J. et al. Application of whole-genome sequencing for bacterial strain typing in molecular epidemiology. *Journal of Clinical Microbiology* **53**, 1072-1079 (2015).
- Sánchez-Busó, L., Comas, I., Jorques, G. & Gonzalez-Candelas, F. Recombination drives genome evolution in outbreak-related *Legionella pneumophila* isolates. *Nature Genetics* **46**, 1205-1211 (2014).
- Sánchez-Busó, L. et al. Genomic investigation of a legionellosis outbreak in a persistently colonized hotel. *Frontiers in Microbiology* **6** (2016).
- Sanger, F., Nicklen, S. & Coulson, A. R. DNA sequencing with chain-terminating inhibitors. *Proceedings of the National Academy of Sciences of the United States of America* **74**, 5463-5467 (1977).
- Sanger, F. & Coulson, A. R. A rapid method for determining sequences in DNA by primed synthesis with DNA polymerase. *Journal of Molecular Biology* **94**, 441-448 (1975).
- Sauer, J. D., Bachman, M. A. & Swanson, M. S. The phagosomal transporter A couples threonine acquisition to differentiation and replication of *Legionella*.

- pneumophila* in macrophages. *Proceedings of the National Academy of Sciences of the United States of America* **102**, 9924-9929 (2005).
- Schadt, E. E., Turner, S. & Kasarskis, A. A window into third generation sequencing. *Human Molecular Genetics* **20**, 853-853 (2010).
- Schaefer, U. KmerID. Available at: <https://github.com/phe-bioinformatics/kmerid>
- Schroeder, G. N. et al. *Legionella pneumophila* strain 130b possesses a unique combination of type IV secretion systems and novel Dot/Icm secretion system effector proteins. *Journal of Bacteriology* **192**, 6001-6016 (2010).
- Seemann, T. Prokka: rapid prokaryotic genome annotation. *Bioinformatics* **30**, 2068-2069 (2014).
- Selander, R. K. et al. Genetic structure of populations of *Legionella pneumophila*. *Journal of Bacteriology* **163**, 1021-1037 (1985).
- Shands, K. N. et al. Potable water as a source of Legionnaires' disease. *Jama-Journal of the American Medical Association* **253**, 1412-1416 (1985).
- Shang, J. et al. Evaluation and comparison of multiple aligners for next-generation sequencing data analysis. *BioMed Research International* (2014).
- Shelburne, S. A., Kielhofner, M. A. & Tiwari, P. S. Cerebellar involvement in legionellosis. *Southern Medical Journal* **97**, 61-64 (2004).
- Shendure, J. & Ji, H. Next-generation DNA sequencing. *Nature Biotechnology* **26**, 1135-1145 (2008).
- Silk, B. J. et al. Eight years of Legionnaires' disease transmission in travellers to a condominium complex in Las Vegas, Nevada. *Epidemiology and Infection* **140**, 1993-2002 (2012).
- Smalley, D. L., Jaquess, P. A., Ourth, D. D. & Layne, J. S. Antibiotic-induced filament formation of *Legionella pneumophila*. *American Journal of Clinical Pathology* **74**, 852-852 (1980).
- Snipen, L. & Liland, K. H. Micropan: an R-package for microbial pan-genomics. *BMC Bioinformatics* **16** (2015).
- Stamatakis, A. RAxML-VI-HPC: Maximum likelihood-based phylogenetic analyses with thousands of taxa and mixed models. *Bioinformatics* **22**, 2688-2690 (2006).
- Stanek, G. et al. Indirect immunofluorescence assay (IFA), microagglutination test (MA) and enzyme-linked immunosorbent assay (ELISA) in diagnosis of legionellosis. *Medical Microbiology Infectious Diseases Virology Parasitology* **255**, 108-114 (1983).
- Steinert, M., Emody, L., Amann, R. & Hacker, J. Resuscitation of viable but nonculturable *Legionella pneumophila* Philadelphia JR32 by *Acanthamoeba castellanii*. *Applied and Environmental Microbiology* **63**, 2047-2053 (1997).
- Stone, B. J. & Abu Kwaik, Y. Natural competence for DNA transformation by *Legionella pneumophila* and its association with expression of type IV pili. *Journal of Bacteriology* **181**, 1395-1402 (1999).
- Stout, J. E. & Yu, V. L. Legionellosis. *New England Journal of Medicine* **337**, 682-687 (1997).
- Stout, J. E., Yu, V. L. & Best, M. G. Ecology of *Legionella pneumophila* within water distribution systems. *Applied and Environmental Microbiology* **49**, 221-228

CHAPTER 8

- (1985).
- Straus, W. L. *et al.* Risk factors for domestic acquisition of Legionnaires' disease. *Archives of Internal Medicine* **156**, 1685-1692 (1996).
- Sturgill-Koszycki, S. & Swanson, M. S. *Legionella pneumophila* replication vacuoles mature into acidic, endocytic organelles. *Journal of Experimental Medicine* **192**, 1261-1272 (2000).
- Taylor, D. E. Bacterial tellurite resistance. *Trends in Microbiology* **7**, 111-115 (1999).
- Tijet, N. *et al.* New endemic *Legionella pneumophila* serogroup I clones, Ontario, Canada. *Emerging Infectious Diseases* **16**, 447-454 (2010).
- Tilney, L. G., Harb, O. S., Connelly, P. S., Robinson, C. G. & Roy, C. R. How the parasitic bacterium *Legionella pneumophila* modifies its phagosome and transforms it into rough ER: implications for conversion of plasma membrane to the ER membrane. *Journal of Cell Science* **114**, 4637-4650 (2001).
- Tommassen, J. Assembly of outer-membrane proteins in bacteria and mitochondria. *Microbiology* **156**, 2587-2596 (2010).
- Tompkins, L. S., Roessler, B. J., Redd, S. C., Markowitz, L. E. & Cohen, M. L. *Legionella* prosthetic valve endocarditis. *New England Journal of Medicine* **318**, 530-535 (1988).
- Tossa, P., Deloge-Abarkan, M., Zmirou-Navier, D., Hartemann, P. & Mathieu, L. Pontiac fever: an operational definition for epidemiological studies. *BMC Public Health* **6** (2006).
- Tripp, S. & Grueber, M. Economic Impact of the Human Genome Project. Battelle Memorial Institute. (2011).
- Tsai, T. F. *et al.* Legionnaires' disease - clinical features of the epidemic in Philadelphia. *Annals of Internal Medicine* **90**, 509-517 (1979).
- Underwood, A. P., Jones, G., Mentasti, M., Fry, N. K. & Harrison, T. G. Comparison of the *Legionella pneumophila* population structure as determined by sequence-based typing and whole genome sequencing. *BMC Microbiology* **13** (2013).
- Valouev, A. *et al.* A high-resolution, nucleosome position map of *C. elegans* reveals a lack of universal sequence-dictated positioning. *Genome Research* **18**, 1051-1063 (2008).
- Valsangiacomo, C. *et al.* Use of amplified fragment length polymorphism in molecular typing of *Legionella pneumophila* and application to epidemiologic studies. *Journal of Clinical Microbiology* **33**, 1716-1719 (1995).
- van Belkum, A. *et al.* Guidelines for the validation and application of typing methods for use in bacterial epidemiology. *Clinical Microbiology and Infection* **13**, 1-46 (2007).
- van Dijk, E. L., Auger, H., Jaszczyzyn, Y. & Thermes, C. Ten years of next-generation sequencing technology. *Trends in Genetics* **30**, 418-426 (2014).
- van Heijnsbergen, E. *et al.* Viable *Legionella pneumophila* bacteria in natural soil and rainwater puddles. *Journal of Applied Microbiology* **117**, 882-890 (2014).
- Vekens, E. *et al.* Sequence-based typing of *Legionella pneumophila* serogroup 1 clinical isolates from Belgium between 2000 and 2010. *Eurosurveillance* **17**, 9-14 (2012).

- Venezia, R. A., Agresta, M. D., Hanley, E. M., Urquhart, K. & Schoonmaker, D. Nosocomial legionellosis associated with aspiration of nasogastric feedings diluted in tap water. *Infection Control and Hospital Epidemiology* **15**, 529-533 (1994).
- Verissimo, A., Marrao, G., Dasilva, F. G. & Dacosta, M. S. Distribution of *Legionella* spp in hydrothermal areas in continental Portugal and the island of Sao-Miguel, Azores. *Applied and Environmental Microbiology* **57**, 2921-2927 (1991).
- Vernikos, G. S. & Parkhill, J. Interpolated variable order motifs for identification of horizontally acquired DNA: revisiting the *Salmonella* pathogenicity islands. *Bioinformatics* **22**, 2196-2203 (2006).
- Viswanathan, V. K. et al. The cytochrome c maturation locus of *Legionella pneumophila* promotes iron assimilation and intracellular infection and contains a strain-specific insertion sequence element. *Infection and Immunity* **70**, 1842-1852 (2002).
- Vogel, J. P. & Isberg, R. R. Cell biology of *Legionella pneumophila*. *Current Opinion in Microbiology* **2**, 30-34 (1999).
- von Baum, H. et al. Community-acquired *Legionella pneumonia*: new insights from the German Competence Network for Community Acquired Pneumonia. *Clinical Infectious Diseases* **46**, 1356-1364 (2008).
- Vos, M. Why do bacteria engage in homologous recombination? *Trends in Microbiology* **17**, 226-232 (2009).
- Wadowsky, R. M., Wolford, R., McNamara, A. M. & Yee, R. B. Effect of temperature, pH, and oxygen level on the multiplication of naturally-occurring *Legionella pneumophila* in potable water. *Applied and Environmental Microbiology* **49**, 1197-1205 (1985).
- Wadowsky, R. M. & Yee, R. B. Glycine-containing selective medium for isolation of Legionellaceae from environmental specimens. *Applied and Environmental Microbiology* **42**, 768-772 (1981).
- Wallis, L. & Robinson, P. Soil as a source of *Legionella pneumophila* serogroup 1 (Lp1). *Australian and New Zealand Journal of Public Health* **29**, 518-520 (2005).
- Weissenmayer, B. A., Prendergast, J. G. D., Lohan, A. J. & Loftus, B. J. Sequencing illustrates the transcriptional response of *Legionella pneumophila* during infection and identifies seventy novel small non-coding RNAs. *PLOS ONE* **6** (2011).
- Whiley, H. & Bentham, R. *Legionella longbeachae* and legionellosis. *Emerging Infectious Diseases* **17**, 579-583 (2011).
- Wilkinson, H. W., Farshy, C. E., Fikes, B. J., Cruce, D. D. & Yealy, L. P. Measure of immunoglobulin G-specific, M-specific and A-specific titers against *Legionella pneumophila* and inhibition of titers against nonspecific, Gram-negative bacterial antigens in the indirect immunofluorescence test for legionellosis. *Journal of Clinical Microbiology* **10**, 685-689 (1979).
- Xu, L. & Luo, Z. Q. Cell biology of infection by *Legionella pneumophila*. *Microbes and Infection* **15**, 157-167 (2013).
- Yang, Z. PAML 4: Phylogenetic analysis by maximum likelihood. *Molecular Biology and Evolution* **24**, 1586-1591 (2007).

CHAPTER 8

- Yiallouros, P. K. *et al.* First outbreak of nosocomial *Legionella* infection in term neonates caused by a cold mist ultrasonic humidifier. *Clinical Infectious Diseases* **57**, 48-56 (2013).
- Yu, V. L. Could aspiration be the major mode of transmission for *Legionella*? *American Journal of Medicine* **95**, 13-15 (1993).
- Yu, V. L., Liu, Z. M., Stout, J. E. & Goetz, A. *Legionella* disinfection of water distribution systems - principles, problems and practice. *Infection Control and Hospital Epidemiology* **14**, 567-570 (1993).
- Yzerman, E. P. F. *et al.* Sensitivity of three urinary antigen tests associated with clinical severity in a large outbreak of Legionnaires' disease in the Netherlands. *Journal of Clinical Microbiology* **40**, 3232-3236 (2002).
- Zacheus, O. M. & Martikainen, P. J. Occurrence of legionellae in hot water distribution systems of Finnish apartment buildings. *Canadian Journal of Microbiology* **40**, 993-999 (1994).
- Zacheus, O. M. & Martikainen, P. J. Effect of heat flushing on the concentrations of *Legionella pneumophila* and other heterotrophic microbes in hot water systems of apartment buildings. *Canadian Journal of Microbiology* **42**, 811-818 (1996).
- Zerbino, D. R. & Birney, E. Velvet: Algorithms for *de novo* short read assembly using de Bruijn graphs. *Genome Research* **18**, 821-829 (2008).
- Zumla, A., Weyell, R. & Tettmar, R. E. Legionnaires' disease – early lessons from 1988 London outbreak. *Lancet* **1**, 1275 (1988).