

References

- Adams, M.D., Celniker, S.E., Holt, R.A., Evans, C.A., Gocayne, J.D., Amanatides, P.G., Scherer, S.E., Li, P.W., Hoskins, R.A., Galle, R.F., George, R.A., Lewis, S.E., Richards, S., Ashburner, M., Henderson, S.N., Sutton, G.G., Wortman, J.R., Yandell, M.D., Zhang, Q., Chen, L.X., Brandon, R.C., Rogers, Y.H., Blazej, R.G., Champe, M., Pfeiffer, B.D., Wan, K.H., Doyle, C., Baxter, E.G., Helt, G., Nelson, C.R., Gabor, G.L., Abril, J.F., Agbayani, A., An, H.J., Andrews-Pfannkoch, C., Baldwin, D., Ballew, R.M., Basu, A., Baxendale, J., Bayraktaroglu, L., Beasley, E.M., Beeson, K.Y., Benos, P.V., Berman, B.P., Bhandari, D., Bolshakov, S., Borkova, D., Botchan, M.R., Bouck, J., Brokstein, P., Brottier, P., Burtis, K.C., Busam, D.A., Butler, H., Cadieu, E., Center, A., Chandra, I., Cherry, J.M., Cawley, S., Dahlke, C., Davenport, L.B., Davies, P., de Pablos, B., Delcher, A., Deng, Z., Mays, A.D., Dew, I., Dietz, S.M., Dodson, K., Doup, L.E., Downes, M., Dugan-Rocha, S., Dunkov, B.C., Dunn, P., Durbin, K.J., Evangelista, C.C., Ferraz, C., Ferriera, S., Fleischmann, W., Fosler, C., Gabrielian, A.E., Garg, N.S., Gelbart, W.M., Glasser, K., Glodek, A., Gong, F., Gorrell, J.H., Gu, Z., Guan, P., Harris, M., Harris, N.L., Harvey, D., Heiman, T.J., Hernandez, J.R., Houck, J., Hostin, D., Houston, K.A., Howland, T.J., Wei, M.H., Ibegwam, C., Jalali, M., Kalush, F., Karpen, G.H., Ke, Z., Kennison, J.A., Ketchum, K.A., Kimmel, B.E., Kodira, C.D., Kraft, C., Kravitz, S., Kulp, D., Lai, Z., Lasko, P., Lei, Y., Levitsky, A.A., Li, J., Li, Z., Liang, Y., Lin, X., Liu, X., Mattei, B., McIntosh, T.C., McLeod, M.P., McPherson, D., Merkulov, G., Milshina, N.V., Mobarry, C., Morris, J., Moshrefi, A., Mount, S.M., Moy, M., Murphy, B., Murphy, L., Muzny, D.M., Nelson, D.L., Nelson, D.R., Nelson, K.A., Nixon, K., Nusskern, D.R., Pacleb, J.M., Palazzolo, M., Pittman, G.S., Pan, S., Pollard, J., Puri, V., Reese, M.G., Reinert, K., Remington, K., Saunders, R.D., Scheeler, F., Shen, H., Shue, B.C., Siden-Kiamos, I., Simpson, M., Skupski, M.P., Smith, T., Spier, E., Spradling, A.C., Stapleton, M., Strong, R., Sun, E., Svirskas, R., Tector, C., Turner, R., Venter, E., Wang, A.H., Wang, X., Wang, Z.Y., Wassarman, D.A., Weinstock, G.M., Weissenbach, J., Williams, S.M., Woodage, T., Worley, K.C., Wu, D., Yang, S., Yao, Q.A., Ye, J., Yeh, R.F., Zaveri, J.S., Zhan, M., Zhang, G., Zhao, Q., Zheng, L., Zheng, X.H., Zhong, F.N., Zhong, W., Zhou, X., Zhu, S., Zhu, X., Smith, H.O., Gibbs, R.A., Myers, E.W., Rubin, G.M. and Venter, J.C. (2000) The genome sequence of *Drosophila melanogaster*. *Science*, **287**, 2185-2195.
- Ashburner, M., Ball, C.A., Blake, J.A., Botstein, D., Butler, H., Cherry, J.M., Davis, A.P., Dolinski, K., Dwight, S.S., Eppig, J.T., Harris, M.A., Hill, D.P., Issel-Tarver, L., Kasarskis, A., Lewis, S., Matese, J.C., Richardson, J.E., Ringwald, M., Rubin, G.M. and Sherlock, G. (2000) Gene ontology: tool for the unification of biology. The Gene Ontology Consortium. *Nat Genet*, **25**, 25-29.
- Avery, L. and Wasserman, S. (1992) Ordering gene function: the interpretation of epistasis in regulatory hierarchies. *Trends Genet*, **8**, 312-316.
- Badano, J.L. and Katsanis, N. (2002) Beyond Mendel: an evolving view of human genetic disease transmission. *Nat Rev Genet*, **3**, 779-789.

- Bader, G.D., Heilbut, A., Andrews, B., Tyers, M., Hughes, T. and Boone, C. (2003) Functional genomics and proteomics: charting a multidimensional map of the yeast cell. *Trends Cell Biol*, **13**, 344-356.
- Baudin, A., Ozier-Kalogeropoulos, O., Denouel, A., Lacroute, F. and Cullin, C. (1993) A simple and efficient method for direct gene deletion in *Saccharomyces cerevisiae*. *Nucleic Acids Res*, **21**, 3329-3330.
- Baugh, L.R., Wen, J.C., Hill, A.A., Slonim, D.K., Brown, E.L. and Hunter, C.P. (2005) Synthetic lethal analysis of *Caenorhabditis elegans* posterior embryonic patterning genes identifies conserved genetic interactions. *Genome Biol*, **6**, R45.
- Bjorklund, M., Taipale, M., Varjosalo, M., Saharinen, J., Lahdenpera, J. and Taipale, J. (2006) Identification of pathways regulating cell size and cell-cycle progression by RNAi. *Nature*, **439**, 1009-1013.
- Boone, C., Bussey, H. and Andrews, B.J. (2007) Exploring genetic interactions and networks with yeast. *Nat Rev Genet*, **8**, 437-449.
- Boutros, M., Kiger, A.A., Armknecht, S., Kerr, K., Hild, M., Koch, B., Haas, S.A., Paro, R. and Perrimon, N. (2004) Genome-wide RNAi analysis of growth and viability in *Drosophila* cells. *Science*, **303**, 832-835.
- Brenner, S. (1974) The genetics of *Caenorhabditis elegans*. *Genetics*, **77**, 71-94.
- Castillo-Davis, C.I. and Hartl, D.L. (2002) Genome evolution and developmental constraint in *Caenorhabditis elegans*. *Mol Biol Evol*, **19**, 728-735.
- Chang, M., Bellaoui, M., Boone, C. and Brown, G.W. (2002) A genome-wide screen for methyl methanesulfonate-sensitive mutants reveals genes required for S phase progression in the presence of DNA damage. *Proc Natl Acad Sci U S A*, **99**, 16934-16939.
- Chen, L., McCloskey, T. and Rothman, J.H. (2004) Functional Characterization of a Putative Apoptotic Suppressor, tfg-1, in *C. elegans*. *West Coast Worm Meeting*
- Chervitz, S.A., Aravind, L., Sherlock, G., Ball, C.A., Koonin, E.V., Dwight, S.S., Harris, M.A., Dolinski, K., Mohr, S., Smith, T., Weng, S., Cherry, J.M. and Botstein, D. (1998) Comparison of the complete protein sets of worm and yeast: orthology and divergence. *Science*, **282**, 2022-2028.
- Clemens, J.C., Worby, C.A., Simonson-Leff, N., Muda, M., Maehama, T., Hemmings, B.A. and Dixon, J.E. (2000) Use of double-stranded RNA interference in *Drosophila* cell lines to dissect signal transduction pathways. *Proc Natl Acad Sci U S A*, **97**, 6499-6503.

- Collins, S.R., Miller, K.M., Maas, N.L., Roguev, A., Fillingham, J., Chu, C.S., Schuldiner, M., Gebbia, M., Recht, J., Shales, M., Ding, H., Xu, H., Han, J., Ingvarsdottir, K., Cheng, B., Andrews, B., Boone, C., Berger, S.L., Hieter, P., Zhang, Z., Brown, G.W., Ingles, C.J., Emili, A., Allis, C.D., Toczyski, D.P., Weissman, J.S., Greenblatt, J.F. and Krogan, N.J. (2007) Functional dissection of protein complexes involved in yeast chromosome biology using a genetic interaction map. *Nature*, **446**, 806-810.
- Conant, G.C. and Wagner, A. (2004) Duplicate genes and robustness to transient gene knock-downs in *Caenorhabditis elegans*. *Proc Biol Sci*, **271**, 89-96.
- Crosby, M.A., Goodman, J.L., Strelets, V.B., Zhang, P. and Gelbart, W.M. (2007) FlyBase: genomes by the dozen. *Nucleic Acids Res*, **35**, D486-491.
- Cuschieri, L., Miller, R. and Vogel, J. (2006) Gamma-tubulin is required for proper recruitment and assembly of Kar9-Bim1 complexes in budding yeast. *Mol Biol Cell*, **17**, 4420-4434.
- Davierwala, A.P., Haynes, J., Li, Z., Brost, R.L., Robinson, M.D., Yu, L., Mnaimneh, S., Ding, H., Zhu, H., Chen, Y., Cheng, X., Brown, G.W., Boone, C., Andrews, B.J. and Hughes, T.R. (2005) The synthetic genetic interaction spectrum of essential genes. *Nat Genet*, **37**, 1147-1152.
- Davies, A.G., Spike, C.A., Shaw, J.E. and Herman, R.K. (1999) Functional overlap between the *mec-8* gene and five *sym* genes in *Caenorhabditis elegans*. *Genetics*, **153**, 117-134.
- Davis-Kaplan, S.R., Ward, D.M., Shiflett, S.L. and Kaplan, J. (2004) Genome-wide analysis of iron-dependent growth reveals a novel yeast gene required for vacuolar acidification. *J Biol Chem*, **279**, 4322-4329.
- de Carvalho, F., Gheysen, G., Kushnir, S., Van Montagu, M., Inze, D. and Castresana, C. (1992) Suppression of beta-1,3-glucanase transgene expression in homozygous plants. *Embo J*, **11**, 2595-2602.
- Deutschbauer, A.M., Jaramillo, D.F., Proctor, M., Kumm, J., Hillenmeyer, M.E., Davis, R.W., Nislow, C. and Giaever, G. (2005) Mechanisms of haploinsufficiency revealed by genome-wide profiling in yeast. *Genetics*, **169**, 1915-1925.
- Dobzhansky, T. (1946) Genetics of Natural Populations. Xiii. Recombination and Variability in Populations of *Drosophila Pseudoobscura*. *Genetics*, **31**, 269-290.
- Dohmen, R.J. and Varshavsky, A. (2005) Heat-inducible degron and the making of conditional mutants. *Methods Enzymol*, **399**, 799-822.

- Dolinski, K. and Botstein, D. (2007) Changing perspectives in yeast research nearly a decade after the genome sequence *Genome Research*, **15**, 1611-1619.
- Dudley, A.M., Janse, D.M., Tanay, A., Shamir, R. and Church, G.M. (2005) A global view of pleiotropy and phenotypically derived gene function in yeast. *Mol Syst Biol*, **1**, 2005 0001.
- Enyenihi, A.H. and Saunders, W.S. (2003) Large-scale functional genomic analysis of sporulation and meiosis in *Saccharomyces cerevisiae*. *Genetics*, **163**, 47-54.
- Ferguson, E.L. and Horvitz, H.R. (1989) The multivulva phenotype of certain *Caenorhabditis elegans* mutants results from defects in two functionally redundant pathways. *Genetics*, **123**, 109-121.
- Fire, A., Albertson, D., Harrison, S.W. and Moerman, D.G. (1991) Production of antisense RNA leads to effective and specific inhibition of gene expression in *C. elegans* muscle. *Development*, **113**, 503-514.
- Fire, A., Xu, S., Montgomery, M.K., Kostas, S.A., Driver, S.E. and Mello, C.C. (1998) Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*. *Nature*, **391**, 806-811.
- Fisher, R.A. (1918) The correlations between relatives on the supposition of Mendelian inheritance. *Transactions of the Royal Society of Edinburgh*, **52**, 399-433.
- Force, A., Lynch, M., Pickett, F.B., Amores, A., Yan, Y.L. and Postlethwait, J. (1999) Preservation of duplicate genes by complementary, degenerative mutations. *Genetics*, **151**, 1531-1545.
- Fraser, A.G., Kamath, R.S., Zipperlen, P., Martinez-Campos, M., Sohrmann, M. and Ahringer, J. (2000) Functional genomic analysis of *C. elegans* chromosome I by systematic RNA interference. *Nature*, **408**, 325-330.
- Giaever, G., Chu, A.M., Ni, L., Connelly, C., Riles, L., Veronneau, S., Dow, S., Luca-Danila, A., Anderson, K., Andre, B., Arkin, A.P., Astromoff, A., El-Bakkoury, M., Bangham, R., Benito, R., Brachat, S., Campanaro, S., Curtiss, M., Davis, K., Deutschbauer, A., Entian, K.D., Flaherty, P., Foury, F., Garfinkel, D.J., Gerstein, M., Gotte, D., Guldener, U., Hegemann, J.H., Hempel, S., Herman, Z., Jaramillo, D.F., Kelly, D.E., Kelly, S.L., Kotter, P., LaBonte, D., Lamb, D.C., Lan, N., Liang, H., Liao, H., Liu, L., Luo, C., Lussier, M., Mao, R., Menard, P., Ooi, S.L., Revuelta, J.L., Roberts, C.J., Rose, M., Ross-Macdonald, P., Scherens, B., Schimmack, G., Shafer, B., Shoemaker, D.D., Sookhai-Mahadeo, S., Storms, R.K., Strathern, J.N., Valle, G., Voet, M., Volckaert, G., Wang, C.Y., Ward, T.R., Wilhelmy, J., Winzeler, E.A., Yang, Y., Yen, G., Youngman, E., Yu, K., Bussey, H., Boeke, J.D., Snyder, M., Philippsen, P., Davis, R.W. and Johnston, M. (2002)

- Functional profiling of the *Saccharomyces cerevisiae* genome. *Nature*, **418**, 387-391.
- Glasner, J.D., Liss, P., Plunkett, G., 3rd, Darling, A., Prasad, T., Rusch, M., Byrnes, A., Gilson, M., Biehl, B., Blattner, F.R. and Perna, N.T. (2003) ASAP, a systematic annotation package for community analysis of genomes. *Nucleic Acids Res*, **31**, 147-151.
- Goldman, N. and Yang, Z. (1994) A codon-based model of nucleotide substitution for protein-coding DNA sequences. *Mol Biol Evol*, **11**, 725-736.
- Gonczy, P., Echeverri, C., Oegema, K., Coulson, A., Jones, S.J., Copley, R.R., Duperon, J., Oegema, J., Brehm, M., Cassin, E., Hannak, E., Kirkham, M., Pichler, S., Flohrs, K., Goessen, A., Leidel, S., Alleaume, A.M., Martin, C., Ozlu, N., Bork, P. and Hyman, A.A. (2000) Functional genomic analysis of cell division in *C. elegans* using RNAi of genes on chromosome III. *Nature*, **408**, 331-336.
- Gotta, M. and Ahringer, J. (2001) Distinct roles for Galpha and Gbetagamma in regulating spindle position and orientation in *Caenorhabditis elegans* embryos. *Nat Cell Biol*, **3**, 297-300.
- Gu, Z., Steinmetz, L.M., Gu, X., Scharfe, C., Davis, R.W. and Li, W.H. (2003) Role of duplicate genes in genetic robustness against null mutations. *Nature*, **421**, 63-66.
- Guarente, L. (1993) Synthetic enhancement in gene interaction: a genetic tool come of age. *Trends Genet*, **9**, 362-366.
- Guo, S. and Kemphues, K.J. (1995) par-1, a gene required for establishing polarity in *C. elegans* embryos, encodes a putative Ser/Thr kinase that is asymmetrically distributed. *Cell*, **81**, 611-620.
- Hammond, S.M., Bernstein, E., Beach, D. and Hannon, G.J. (2000) An RNA-directed nuclease mediates post-transcriptional gene silencing in *Drosophila* cells. *Nature*, **404**, 293-296.
- Hannon, G.J. (2002) RNA interference. *Nature*, **418**, 244-251.
- Harrison, R., Papp, B., Pal, C., Oliver, S.G. and Delneri, D. (2007) Plasticity of genetic interactions in metabolic networks of yeast. *Proc Natl Acad Sci U S A*, **104**, 2307-2312.
- Hartman, J.L.4th., Garvik, B. and Hartwell, L. (2001) Principles for the buffering of genetic variation. *Science*, **291**, 1001-1004.
- Hartwell, L.H., Hopfield, J.J., Leibler, S. and Murray, A.W. (1999) From molecular to modular cell biology. *Nature*, **402**, C47-52.

- Hensel, M., Shea, J.E., Gleeson, C., Jones, M.D., Dalton, E. and Holden, D.W. (1995) Simultaneous identification of bacterial virulence genes by negative selection. *Science*, **269**, 400-403.
- Ideker, T., Galitski, T. and Hood, L. (2001) A new approach to decoding life: systems biology. *Annu Rev Genomics Hum Genet*, **2**, 343-372.
- Ihmels, J., Collins, S.R., Schuldiner, M., Krogan, N.J. and Weissman, J.S. (2007) Backup without redundancy: genetic interactions reveal the cost of duplicate gene loss. *Mol Syst Biol*, **3**, 86.
- Jones, L., Ratcliff, F. and Baulcombe, D.C. (2001) RNA-directed transcriptional gene silencing in plants can be inherited independently of the RNA trigger and requires Met1 for maintenance. *Curr Biol*, **11**, 747-757.
- Jorgensen, E.M. and Mango, S.E. (2002) The art and design of genetic screens: *Caenorhabditis elegans*. *Nat Rev Genet*, **3**, 356-369.
- Joshua-Tor, L. (2006) The Argonautes. *Cold Spring Harb Symp Quant Biol*, **71**, 67-72.
- Kaelin, W.G., Jr. (2005) The concept of synthetic lethality in the context of anticancer therapy. *Nat Rev Cancer*, **5**, 689-698.
- Kamath, R.S. and Ahringer, J. (2003) Genome-wide RNAi screening in *Caenorhabditis elegans*. *Methods*, **30**, 313-321.
- Kamath, R.S., Fraser, A.G., Dong, Y., Poulin, G., Durbin, R., Gotta, M., Kanapin, A., Le Bot, N., Moreno, S., Sohrmann, M., Welchman, D.P., Zipperlen, P. and Ahringer, J. (2003) Systematic functional analysis of the *Caenorhabditis elegans* genome using RNAi. *Nature*, **421**, 231-237.
- Kanemaki, M., Sanchez-Diaz, A., Gambus, A. and Labib, K. (2003) Functional proteomic identification of DNA replication proteins by induced proteolysis in vivo. *Nature*, **423**, 720-724.
- Kelley, R. and Ideker, T. (2005) Systematic interpretation of genetic interactions using protein networks. *Nat Biotechnol*, **23**, 561-566.
- Kennerdell, J.R. and Carthew, R.W. (1998) Use of dsRNA-mediated genetic interference to demonstrate that frizzled and frizzled 2 act in the wingless pathway. *Cell*, **95**, 1017-1026.
- Kiger, A.A., Baum, B., Jones, S., Jones, M.R., Coulson, A., Echeverri, C. and Perrimon, N. (2003) A functional genomic analysis of cell morphology using RNA interference. *J Biol*, **2**, 27.

- Kimura, M. and King, J.L. (1979) Fixation of a deleterious allele at one of two "duplicate" loci by mutation pressure and random drift. *Proc Natl Acad Sci U S A*, **76**, 2858-2861.
- Kitano, H. (2002a) Looking beyond the details: a rise in system-oriented approaches in genetics and molecular biology. *Curr Genet*, **41**, 1-10.
- Kitano, H. (2002b) Systems biology: a brief overview. *Science*, **295**, 1662-1664.
- Kitano, H. (2004) Biological robustness. *Nat Rev Genet*, **5**, 826-837.
- Koh, K., Peyrot, S.M., Wood, C.G., Wagmaister, J.A., Maduro, M.F., Eisenmann, D.M. and Rothman, J.H. (2002) Cell fates and fusion in the *C. elegans* vulval primordium are regulated by the EGL-18 and ELT-6 GATA factors -- apparent direct targets of the LIN-39 Hox protein. *Development*, **129**, 5171-5180.
- Kondrashov, F.A., Rogozin, I.B., Wolf, Y.I. and Koonin, E.V. (2002) Selection in the evolution of gene duplications. *Genome Biol*, **3**, RESEARCH0008.
- Koonin, E.V., Fedorova, N.D., Jackson, J.D., Jacobs, A.R., Krylov, D.M., Makarova, K.S., Mazumder, R., Mekhedov, S.L., Nikolskaya, A.N., Rao, B.S., Rogozin, I.B., Smirnov, S., Sorokin, A.V., Sverdlov, A.V., Vasudevan, S., Wolf, Y.I., Yin, J.J. and Natale, D.A. (2004) A comprehensive evolutionary classification of proteins encoded in complete eukaryotic genomes. *Genome Biol*, **5**, R7.
- Kuepfer, L., Sauer, U. and Blank, L.M. (2005) Metabolic functions of duplicate genes in *Saccharomyces cerevisiae*. *Genome Res*, **15**, 1421-1430.
- Lambie, E.J. and Kimble, J. (1991) Two homologous regulatory genes, *lin-12* and *glp-1*, have overlapping functions. *Development*, **112**, 231-240.
- Lehner, B., Crombie, C., Tischler, J., Fortunato, A. and Fraser, A.G. (2006) Systematic mapping of genetic interactions in *Caenorhabditis elegans* identifies common modifiers of diverse signaling pathways. *Nat Genet*, **38**, 896-903.
- Lorenz, M.C., Muir, R.S., Lim, E., McElver, J., Weber, S.C. and Heitman, J. (1995) Gene disruption with PCR products in *Saccharomyces cerevisiae*. *Gene*, **158**, 113-117.
- Lu, X. and Horvitz, H.R. (1998) *lin-35* and *lin-53*, two genes that antagonize a *C. elegans* Ras pathway, encode proteins similar to Rb and its binding protein RbAp48. *Cell*, **95**, 981-991.
- Lynch, M. and Conery, J.S. (2000) The evolutionary fate and consequences of duplicate genes. *Science*, **290**, 1151-1155.

- Lynch, M. and Force, A. (2000) The probability of duplicate gene preservation by subfunctionalization. *Genetics*, **154**, 459-473.
- Lynch, M. and Walsh, J.B. (1998) *Genetics and Analysis of Quantitative Traits*.
- Maeda, I., Kohara, Y., Yamamoto, M. and Sugimoto, A. (2001) Large-scale analysis of gene function in *Caenorhabditis elegans* by high-throughput RNAi. *Curr Biol*, **11**, 171-176.
- Martinez, M.J., Roy, S., Archuletta, A.B., Wentzell, P.D., Anna-Arriola, S.S., Rodriguez, A.L., Aragon, A.D., Quinones, G.A., Allen, C. and Werner-Washburne, M. (2004) Genomic analysis of stationary-phase and exit in *Saccharomyces cerevisiae*: gene expression and identification of novel essential genes. *Mol Biol Cell*, **15**, 5295-5305.
- Maslov, S., Sneppen, K., Eriksen, K.A. and Yan, K.K. (2004) Upstream plasticity and downstream robustness in evolution of molecular networks. *BMC Evol Biol*, **4**, 9.
- Matthews, L.R., Vaglio, P., Reboul, J., Ge, H., Davis, B.P., Garrels, J., Vincent, S. and Vidal, M. (2001) Identification of potential interaction networks using sequence-based searches for conserved protein-protein interactions or "interologs". *Genome Res*, **11**, 2120-2126.
- Matzke, M.A. and Birchler, J.A. (2005) RNAi-mediated pathways in the nucleus. *Nat Rev Genet*, **6**, 24-35.
- Mewes, H.W., Albermann, K., Heumann, K., Liebl, S. and Pfeiffer, F. (1997) MIPS: a database for protein sequences, homology data and yeast genome information. *Nucleic Acids Res*, **25**, 28-30.
- Mnaimneh, S., Davierwala, A.P., Haynes, J., Moffat, J., Peng, W.T., Zhang, W., Yang, X., Pootoolal, J., Chua, G., Lopez, A., Trochesset, M., Morse, D., Krogan, N.J., Hiley, S.L., Li, Z., Morris, Q., Grigull, J., Mitsakakis, N., Roberts, C.J., Greenblatt, J.F., Boone, C., Kaiser, C.A., Andrews, B.J. and Hughes, T.R. (2004) Exploration of essential gene functions via titratable promoter alleles. *Cell*, **118**, 31-44.
- Moffat, J. and Sabatini, D.M. (2006) Building mammalian signalling pathways with RNAi screens. *Nat Rev Mol Cell Biol*, **7**, 177-187.
- Muse, S.V. and Gaut, B.S. (1994) A likelihood approach for comparing synonymous and nonsynonymous nucleotide substitution rates, with application to the chloroplast genome. *Mol Biol Evol*, **11**, 715-724.

- Mushegian, A.R., Garey, J.R., Martin, J. and Liu, L.X. (1998) Large-scale taxonomic profiling of eukaryotic model organisms: a comparison of orthologous proteins encoded by the human, fly, nematode, and yeast genomes. *Genome Res*, **8**, 590-598.
- Nollen, E.A., Garcia, S.M., van Haaften, G., Kim, S., Chavez, A., Morimoto, R.I. and Plasterk, R.H. (2004) Genome-wide RNA interference screen identifies previously undescribed regulators of polyglutamine aggregation. *Proc Natl Acad Sci U S A*, **101**, 6403-6408.
- Nowak, M.A., Boerlijst, M.C., Cooke, J. and Smith, J.M. (1997) Evolution of genetic redundancy. *Nature*, **388**, 167-171.
- Odom, D.T., Dowell, R.D., Jacobsen, E.S., Gordon, W., Danford, T.W., MacIsaac, K.D., Rolfe, P.A., Conboy, C.M., Gifford, D.K. and Fraenkel, E. (2007) Tissue-specific transcriptional regulation has diverged significantly between human and mouse. *Nat Genet*, **39**, 730-732.
- Ogawa, S., Matsubayashi, Y. and Nishida, E. (2004) An evolutionarily conserved gene required for proper microtubule architecture in *Caenorhabditis elegans*. *Genes Cells*, **9**, 83-93.
- Ohno, S. (1970) Evolution by gene duplication.
- Pan, X., Ye, P., Yuan, D.S., Wang, X., Bader, J.S. and Boeke, J.D. (2006) A DNA integrity network in the yeast *Saccharomyces cerevisiae*. *Cell*, **124**, 1069-1081.
- Pan, X., Yuan, D.S., Xiang, D., Wang, X., Sookhai-Mahadeo, S., Bader, J.S., Hieter, P., Spencer, F. and Boeke, J.D. (2004) A robust toolkit for functional profiling of the yeast genome. *Mol Cell*, **16**, 487-496.
- Papp, B., Pal, C. and Hurst, L.D. (2004) Metabolic network analysis of the causes and evolution of enzyme dispensability in yeast. *Nature*, **429**, 661-664.
- Paradis, S. and Ruvkun, G. (1998) *Caenorhabditis elegans* Akt/PKB transduces insulin receptor-like signals from AGE-1 PI3 kinase to the DAF-16 transcription factor. *Genes Dev*, **12**, 2488-2498.
- Parrish, S., Fleenor, J., Xu, S., Mello, C. and Fire, A. (2000) Functional anatomy of a dsRNA trigger: differential requirement for the two trigger strands in RNA interference. *Mol Cell*, **6**, 1077-1087.
- Pennisi, E. (2003) Systems biology. Tracing life's circuitry. *Science*, **302**, 1646-1649.

- Phillips, P.C., Otto, S.P. and Whitlock, M.C. (2000) Beyond the average: the Evolutionary Importance of Gene Interactions and Variability of Epistatic Effects in *Epistasis and Evolutionary Process*, 20-38, *Oxford University Press*, Oxford, England.
- Pocock, R., Ahringer, J., Mitsch, M., Maxwell, S. and Woollard, A. (2004) A regulatory network of T-box genes and the even-skipped homologue *vab-7* controls patterning and morphogenesis in *C. elegans*. *Development*, **131**, 2373-2385.
- Poulin, G., Dong, Y., Fraser, A.G., Hopper, N.A. and Ahringer, J. (2005) Chromatin regulation and sumoylation in the inhibition of Ras-induced vulval development in *Caenorhabditis elegans*. *Embo J*, **24**, 2613-2623.
- Puniyani, A., Liberman, U. and Feldman, M.W. (2004) On the meaning of non-epistatic selection. *Theor Popul Biol*, **66**, 317-321.
- Remm, M., Storm, C.E. and Sonnhammer, E.L. (2001) Automatic clustering of orthologs and in-paralogs from pairwise species comparisons. *J Mol Biol*, **314**, 1041-1052.
- Rubin, G.M., Yandell, M.D., Wortman, J.R., Gabor Miklos, G.L., Nelson, C.R., Hariharan, I.K., Fortini, M.E., Li, P.W., Apweiler, R., Fleischmann, W., Cherry, J.M., Henikoff, S., Skupski, M.P., Misra, S., Ashburner, M., Birney, E., Boguski, M.S., Brody, T., Brokstein, P., Celniker, S.E., Chervitz, S.A., Coates, D., Cravchik, A., Gabrielian, A., Galle, R.F., Gelbart, W.M., George, R.A., Goldstein, L.S., Gong, F., Guan, P., Harris, N.L., Hay, B.A., Hoskins, R.A., Li, J., Li, Z., Hynes, R.O., Jones, S.J., Kuehl, P.M., Lemaitre, B., Littleton, J.T., Morrison, D.K., Mungall, C., O'Farrell, P.H., Pickeral, O.K., Shue, C., Vossball, L.B., Zhang, J., Zhao, Q., Zheng, X.H. and Lewis, S. (2000) Comparative genomics of the eukaryotes. *Science*, **287**, 2204-2215.
- Ruiz, M.T., Voinnet, O. and Baulcombe, D.C. (1998) Initiation and maintenance of virus-induced gene silencing. *Plant Cell*, **10**, 937-946.
- Schuldiner, M., Collins, S.R., Thompson, N.J., Denic, V., Bhamidipati, A., Punna, T., Ihmels, J., Andrews, B., Boone, C., Greenblatt, J.F., Weissman, J.S. and Krogan, N.J. (2005) Exploration of the function and organization of the yeast early secretory pathway through an epistatic miniarray profile. *Cell*, **123**, 507-519.
- Segre, D., Deluna, A., Church, G.M. and Kishony, R. (2005) Modular epistasis in yeast metabolism. *Nat Genet*, **37**, 77-83.
- Shoemaker, D.D., Lashkari, D.A., Morris, D., Mittmann, M. and Davis, R.W. (1996) Quantitative phenotypic analysis of yeast deletion mutants using a highly parallel molecular bar-coding strategy. *Nat Genet*, **14**, 450-456.

- Simmer, F., Moorman, C., van der Linden, A.M., Kuijk, E., van den Berghe, P.V., Kamath, R.S., Fraser, A.G., Ahringer, J. and Plasterk, R.H. (2003) Genome-wide RNAi of *C. elegans* using the hypersensitive rrf-3 strain reveals novel gene functions. *PLoS Biol*, **1**, E12.
- Simmer, F., Tijsterman, M., Parrish, S., Koushika, S.P., Nonet, M.L., Fire, A., Ahringer, J. and Plasterk, R.H. (2002) Loss of the putative RNA-directed RNA polymerase RRF-3 makes *C. elegans* hypersensitive to RNAi. *Curr Biol*, **12**, 1317-1319.
- Smith, J.J., Sydorsky, Y., Marelli, M., Hwang, D., Bolouri, H., Rachubinski, R.A. and Aitchison, J.D. (2006) Expression and functional profiling reveal distinct gene classes involved in fatty acid metabolism. *Mol Syst Biol*, **2**, 2006 0009.
- Solari, F., Bateman, A. and Ahringer, J. (1999) The *Caenorhabditis elegans* genes egl-27 and egr-1 are similar to MTA1, a member of a chromatin regulatory complex, and are redundantly required for embryonic patterning. *Development*, **126**, 2483-2494.
- St Onge, R.P., Mani, R., Oh, J., Proctor, M., Fung, E., Davis, R.W., Nislow, C., Roth, F.P. and Giaever, G. (2007) Systematic pathway analysis using high-resolution fitness profiling of combinatorial gene deletions. *Nat Genet*, **39**, 199-206.
- Stark, C., Breitkreutz, B.J., Reguly, T., Boucher, L., Breitkreutz, A. and Tyers, M. (2006) BioGRID: a general repository for interaction datasets. *Nucleic Acids Res*, **34**, D535-539.
- Stein, L.D., Bao, Z., Blasiar, D., Blumenthal, T., Brent, M.R., Chen, N., Chinwalla, A., Clarke, L., Clee, C., Coghlan, A., Coulson, A., D'Eustachio, P., Fitch, D.H., Fulton, L.A., Fulton, R.E., Griffiths-Jones, S., Harris, T.W., Hillier, L.W., Kamath, R., Kuwabara, P.E., Mardis, E.R., Marra, M.A., Miner, T.L., Minx, P., Mullikin, J.C., Plumb, R.W., Rogers, J., Schein, J.E., Sohrmann, M., Spieth, J., Stajich, J.E., Wei, C., Willey, D., Wilson, R.K., Durbin, R. and Waterston, R.H. (2003) The genome sequence of *Caenorhabditis briggsae*: a platform for comparative genomics. *PLoS Biol*, **1**, E45.
- Strange, K. (2006) *C. elegans*: Methods and Applications. *Humana Press*, **1 edition**, 1-308.
- Sturtevant, A.H. (1956) A Highly Specific Complementary Lethal System in *Drosophila Melanogaster*. *Genetics*, **41**, 118-123.
- Sulston, J.E. and Horvitz, H.R. (1977) Post-embryonic cell lineages of the nematode, *Caenorhabditis elegans*. *Dev Biol*, **56**, 110-156.
- Sulston, J.E., Schierenberg, E., White, J.G. and Thomson, J.N. (1983) The embryonic cell lineage of the nematode *Caenorhabditis elegans*. *Dev Biol*, **100**, 64-119.

- Tabara, H., Grishok, A. and Mello, C.C. (1998) RNAi in *C. elegans*: soaking in the genome sequence. *Science*, **282**, 430-431.
- The *C. elegans* Sequencing Consortium, e.a. (1998) Genome sequence of the nematode *C. elegans*: a platform for investigating biology. *Science*, **282**, 2012-2018.
- Thomas, J.H. (1993) Thinking about genetic redundancy. *Trends Genet*, **9**, 395-399.
- Thompson, J.D., Higgins, D.G. and Gibson, T.J. (1994) CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res*, **22**, 4673-4680.
- Timmons, L., Court, D.L. and Fire, A. (2001) Ingestion of bacterially expressed dsRNAs can produce specific and potent genetic interference in *Caenorhabditis elegans*. *Gene*, **263**, 103-112.
- Timmons, L. and Fire, A. (1998) Specific interference by ingested dsRNA. *Nature*, **395**, 854.
- Tischler, J., Lehner, B., Chen, N. and Fraser, A.G. (2006) Combinatorial RNA interference in *Caenorhabditis elegans* reveals that redundancy between gene duplicates can be maintained for more than 80 million years of evolution. *Genome Biol*, **7**, R69.
- Tong, A.H., Evangelista, M., Parsons, A.B., Xu, H., Bader, G.D., Page, N., Robinson, M., Raghibizadeh, S., Hogue, C.W., Bussey, H., Andrews, B., Tyers, M. and Boone, C. (2001) Systematic genetic analysis with ordered arrays of yeast deletion mutants. *Science*, **294**, 2364-2368.
- Tong, A.H., Lesage, G., Bader, G.D., Ding, H., Xu, H., Xin, X., Young, J., Berriz, G.F., Brost, R.L., Chang, M., Chen, Y., Cheng, X., Chua, G., Friesen, H., Goldberg, D.S., Haynes, J., Humphries, C., He, G., Hussein, S., Ke, L., Krogan, N., Li, Z., Levinson, J.N., Lu, H., Menard, P., Munyana, C., Parsons, A.B., Ryan, O., Tonikian, R., Roberts, T., Sdicu, A.M., Shapiro, J., Sheikh, B., Suter, B., Wong, S.L., Zhang, L.V., Zhu, H., Burd, C.G., Munro, S., Sander, C., Rine, J., Greenblatt, J., Peter, M., Bretscher, A., Bell, G., Roth, F.P., Brown, G.W., Andrews, B., Bussey, H. and Boone, C. (2004) Global mapping of the yeast genetic interaction network. *Science*, **303**, 808-813.
- Tuschl, T., Zamore, P.D., Lehmann, R., Bartel, D.P. and Sharp, P.A. (1999) Targeted mRNA degradation by double-stranded RNA in vitro. *Genes Dev*, **13**, 3191-3197.

- van Haafden, G., Vastenhouw, N.L., Nollen, E.A., Plasterk, R.H. and Tijsterman, M. (2004) Gene interactions in the DNA damage-response pathway identified by genome-wide RNA-interference analysis of synthetic lethality. *Proc Natl Acad Sci U S A*, **101**, 12992-12996.
- von Dassow, G., Meir, E., Munro, E.M. and Odell, G.M. (2000) The segment polarity network is a robust developmental module. *Nature*, **406**, 188-192.
- Wach, A., Brachat, A., Pohlmann, R. and Philippsen, P. (1994) New heterologous modules for classical or PCR-based gene disruptions in *Saccharomyces cerevisiae*. *Yeast*, **10**, 1793-1808.
- Wagner, A. (2000a) Robustness against mutations in genetic networks of yeast. *Nat Genet*, **24**, 355-361.
- Wagner, A. (2000b) The role of population size, pleiotropy and fitness effects of mutations in the evolution of overlapping gene functions. *Genetics*, **154**, 1389-1401.
- Wagner, A. (2002) Selection and gene duplication: a view from the genome. *Genome Biol*, **3**, reviews1012.
- Wagner, A. (2005) Robustness and Evolvability in Living Systems. *Princeton University Press*, Princeton, New Jersey, USA.
- Wheelan, S.J., Boguski, M.S., Duret, L. and Makalowski, W. (1999) Human and nematode orthologs--lessons from the analysis of 1800 human genes and the proteome of *Caenorhabditis elegans*. *Gene*, **238**, 163-170.
- White, J.G., Southgate, E., Thomson, J.N. and Brenner, S. (1986) The structure of the nervous system of the nematode *C. elegans* *Philos. Trans. R. Soc. Lond. B. Biol. Sci.*, **314**, 1-340.
- Winzler, E.A., Shoemaker, D.D., Astromoff, A., Liang, H., Anderson, K., Andre, B., Bangham, R., Benito, R., Boeke, J.D., Bussey, H., Chu, A.M., Connelly, C., Davis, K., Dietrich, F., Dow, S.W., El Bakkoury, M., Foury, F., Friend, S.H., Gentalen, E., Giaever, G., Hegemann, J.H., Jones, T., Laub, M., Liao, H., Liebundguth, N., Lockhart, D.J., Lucau-Danila, A., Lussier, M., M'Rabet, N., Menard, P., Mittmann, M., Pai, C., Rebischung, C., Revuelta, J.L., Riles, L., Roberts, C.J., Ross-MacDonald, P., Scherens, B., Snyder, M., Sookhai-Mahadeo, S., Storms, R.K., Veronneau, S., Voet, M., Volckaert, G., Ward, T.R., Wysocki, R., Yen, G.S., Yu, K., Zimmermann, K., Philippsen, P., Johnston, M. and Davis, R.W. (1999) Functional characterization of the *S. cerevisiae* genome by gene deletion and parallel analysis. *Science*, **285**, 901-906.

- Wong, S.L., Zhang, L.V., Tong, A.H., Li, Z., Goldberg, D.S., King, O.D., Lesage, G., Vidal, M., Andrews, B., Bussey, H., Boone, C. and Roth, F.P. (2004) Combining biological networks to predict genetic interactions. *Proc Natl Acad Sci U S A*, **101**, 15682-15687.
- Ye, P., Peyser, B.D., Pan, X., Boeke, J.D., Spencer, F.A. and Bader, J.S. (2005) Gene function prediction from congruent synthetic lethal interactions in yeast. *Mol Syst Biol*, **1**, 2005 0026.
- Yuan, Y.P., Eulenstein, O., Vingron, M. and Bork, P. (1998) Towards detection of orthologues in sequence databases. *Bioinformatics*, **14**, 285-289.
- Zamore, P.D. and Haley, B. (2005) Ribo-gnome: the big world of small RNAs. *Science*, **309**, 1519-1524.
- Zhang, H. and Emmons, S.W. (2001) The novel *C. elegans* gene *sop-3* modulates Wnt signaling to regulate Hox gene expression. *Development*, **128**, 767-777.