

## Bibliography

- Achtman, M., Zurth, K., Morelli, G., Torrea, G., Guiyoule, A. and Carniel, E. (1999) Yersinia pestis, the cause of plague, is a recently emerged clone of Yersinia pseudotuberculosis, *Proc Natl Acad Sci U S A*, **96**, 14043-14048.
- Ahmed, A.M., Hussein, A.I. and Shimamoto, T. (2007) Proteus mirabilis clinical isolate harbouring a new variant of Salmonella genomic island 1 containing the multiple antibiotic resistance region, *J Antimicrob Chemother*, **59**, 184-190.
- Ahmer, B.M., van Reeuwijk, J., Watson, P.R., Wallis, T.S. and Heffron, F. (1999) Salmonella SirA is a global regulator of genes mediating enteropathogenesis, *Mol Microbiol*, **31**, 971-982.
- Alonso, A. and Martinez, J.L. (2000) Cloning and characterization of SmeDEF, a novel multidrug efflux pump from Stenotrophomonas maltophilia, *Antimicrob Agents Chemother*, **44**, 3079-3086.
- Altschul, S.F., Madden, T.L., Schaffer, A.A., Zhang, J., Zhang, Z., Miller, W. and Lipman, D.J. (1997) Gapped BLAST and PSI-BLAST: a new generation of protein database search programs, *Nucleic Acids Res*, **25**, 3389-3402.
- Anderson, N.G. (1970) Evolutionary significance of virus infection, *Nature*, **227**, 1346-1347.
- Andersson, J.O. and Andersson, S.G. (1999) Insights into the evolutionary process of genome degradation, *Curr Opin Genet Dev*, **9**, 664-671.
- Andersson, J.O., Doolittle, W.F. and Nesbo, C.L. (2001) Genomics. Are there bugs in our genome?, *Science*, **292**, 1848-1850.
- Anthony, K.G., Sherburne, C., Sherburne, R. and Frost, L.S. (1994) The role of the pilus in recipient cell recognition during bacterial conjugation mediated by F-like plasmids, *Mol Microbiol*, **13**, 939-953.

- Antonenka, U., Nolting, C., Heesemann, J. and Rakin, A. (2005) Horizontal transfer of *Yersinia* high-pathogenicity island by the conjugative RP4 attB target-presenting shuttle plasmid, *Mol Microbiol*, **57**, 727-734.
- Arora, S.K., Bangera, M., Lory, S. and Ramphal, R. (2001) A genomic island in *Pseudomonas aeruginosa* carries the determinants of flagellin glycosylation, *Proc Natl Acad Sci USA*, **98**, 9342-9347.
- Azad, R.K. and Lawrence, J.G. (2005) Use of Artificial Genomes in Assessing Methods for Atypical Gene Detection, *PLoS Comput Biol*, **1**, e56.
- Bach, S., de Almeida, A. and Carniel, E. (2000) The *Yersinia* high-pathogenicity island is present in different members of the family Enterobacteriaceae, *FEMS Microbiol Lett*, **183**, 289-294.
- Bajaj, V., Lucas, R.L., Hwang, C. and Lee, C.A. (1996) Co-ordinate regulation of *Salmonella typhimurium* invasion genes by environmental and regulatory factors is mediated by control of hilA expression, *Mol Microbiol*, **22**, 703-714.
- Baldwin, A., Sokol, P.A., Parkhill, J. and Mahenthiralingam, E. (2004) The *Burkholderia cepacia* epidemic strain marker is part of a novel genomic island encoding both virulence and metabolism-associated genes in *Burkholderia cenocepacia*, *Infect Immun*, **72**, 1537-1547.
- Banks, D.J., Lei, B. and Musser, J.M. (2003) Prophage induction and expression of prophage-encoded virulence factors in group A *Streptococcus* serotype M3 strain MGAS315, *Infect Immun*, **71**, 7079-7086.
- Baum, L.E. (1972) An inequality and associated maximization technique in statistical estimation of probabilistic functions of a Markov process, *Inequalities*, **627**, 1-8.
- Baumler, A.J. (1997) The record of horizontal gene transfer in *Salmonella*, *Trends Microbiol*, **5**, 318-322.

- Beaber, J.W., Hochhut, B. and Waldor, M.K. (2002) Genomic and functional analyses of SXT, an integrating antibiotic resistance gene transfer element derived from *Vibrio cholerae*, *J Bacteriol*, **184**, 4259-4269.
- Behr, M.A., Wilson, M.A., Gill, W.P., Salamon, H., Schoolnik, G.K., Rane, S. and Small, P.M. (1999) Comparative genomics of BCG vaccines by whole-genome DNA microarray, *Science*, **284**, 1520-1523.
- Bennetzen, J.L. and Hall, B.D. (1982) Codon selection in yeast, *J Biol Chem*, **257**, 3026-3031.
- Bentley, S.D., Aanensen, D.M., Mavroidi, A., Saunders, D., Rabbinowitsch, E., Collins, M., Donohoe, K., Harris, D., Murphy, L., Quail, M.A., Samuel, G., Skovsted, I.C., Kaltoft, M.S., Barrell, B., Reeves, P.R., Parkhill, J. and Spratt, B.G. (2006) Genetic analysis of the capsular biosynthetic locus from all 90 pneumococcal serotypes, *PLoS Genet*, **2**, e31.
- Bentley, S.D., Vernikos, G.S., Snyder, L.A., Churcher, C., Arrowsmith, C., Chillingworth, T., Cronin, A., Davis, P.H., Holroyd, N.E., Jagels, K., Maddison, M., Moule, S., Rabbinowitsch, E., Sharp, S., Unwin, L., Whitehead, S., Quail, M.A., Achtman, M., Barrell, B., Saunders, N.J. and Parkhill, J. (2007) Meningococcal Genetic Variation Mechanisms Viewed through Comparative Analysis of Serogroup C Strain FAM18, *PLoS Genet*, **3**, e23.
- Beres, S.B., Richter, E.W., Nagiec, M.J., Sumby, P., Porcella, S.F., DeLeo, F.R. and Musser, J.M. (2006) Molecular genetic anatomy of inter- and intraserotype variation in the human bacterial pathogen group A Streptococcus, *Proc Natl Acad Sci U S A*, **103**, 7059-7064.
- Bergthorsson, U. and Ochman, H. (1998) Distribution of chromosome length variation in natural isolates of *Escherichia coli*, *Mol Biol Evol*, **15**, 6-16.

- Bjorkholm, B., Sjolund, M., Falk, P.G., Berg, O.G., Engstrand, L. and Andersson, D.I. (2001) Mutation frequency and biological cost of antibiotic resistance in *Helicobacter pylori*, *Proc Natl Acad Sci USA*, **98**, 14607-14612.
- Blanc-Potard, A.B., Solomon, F., Kayser, J. and Groisman, E.A. (1999) The SPI-3 pathogenicity island of *Salmonella enterica*, *J Bacteriol*, **181**, 998-1004.
- Blattner, F.R., Plunkett, G., 3rd, Bloch, C.A., Perna, N.T., Burland, V., Riley, M., Collado-Vides, J., Glasner, J.D., Rode, C.K., Mayhew, G.F., Gregor, J., Davis, N.W., Kirkpatrick, H.A., Goeden, M.A., Rose, D.J., Mau, B. and Shao, Y. (1997) The complete genome sequence of *Escherichia coli* K-12, *Science*, **277**, 1453-1474.
- Blum, G., Ott, M., Lischewski, A., Ritter, A., Imrich, H., Tschape, H. and Hacker, J. (1994) Excision of large DNA regions termed pathogenicity islands from tRNA-specific loci in the chromosome of an *Escherichia coli* wild-type pathogen, *Infect Immun*, **62**, 606-614.
- Bohr, N. (1913) On the constitution of atoms and molecules, *Philosophical magazine*, **26**, 1-25.
- Bolotin, A., Quinquis, B., Renault, P., Sorokin, A., Ehrlich, S.D., Kulakauskas, S., Lapidus, A., Goltsman, E., Mazur, M., Pusch, G.D., Fonstein, M., Overbeek, R., Kyprides, N., Purnelle, B., Prozzi, D., Ngui, K., Masuy, D., Hancy, F., Burteau, S., Boutry, M., Delcour, J., Goffeau, A. and Hols, P. (2004) Complete sequence and comparative genome analysis of the dairy bacterium *Streptococcus thermophilus*, *Nat Biotechnol*, **22**, 1554-1558.
- Bolotin, A., Wincker, P., Mauger, S., Jaillon, O., Malarme, K., Weissenbach, J., Ehrlich, S.D. and Sorokin, A. (2001) The complete genome sequence of the lactic acid bacterium *Lactococcus lactis* ssp. *lactis* IL1403, *Genome Res*, **11**, 731-753.

- Boucher, Y., Douady, C.J., Papke, R.T., Walsh, D.A., Boudreau, M.E., Nesbo, C.L., Case, R.J. and Doolittle, W.F. (2003) Lateral gene transfer and the origins of prokaryotic groups, *Annu Rev Genet*, **37**, 283-328.
- Bourzac, K.M. and Guillemin, K. (2005) Helicobacter pylori-host cell interactions mediated by type IV secretion, *Cell Microbiol*, **7**, 911-919.
- Boyd, D., Cloeckaert, A., Chaslus-Dancla, E. and Mulvey, M.R. (2002) Characterization of variant *Salmonella* genomic island 1 multidrug resistance regions from serovars Typhimurium DT104 and Agona, *Antimicrob Agents Chemother*, **46**, 1714-1722.
- Boyd, D., Peters, G.A., Cloeckaert, A., Boumedine, K.S., Chaslus-Dancla, E., Imberechts, H. and Mulvey, M.R. (2001) Complete nucleotide sequence of a 43-kilobase genomic island associated with the multidrug resistance region of *Salmonella enterica* serovar Typhimurium DT104 and its identification in phage type DT120 and serovar Agona, *J Bacteriol*, **183**, 5725-5732.
- Brochier, C., Philippe, H. and Moreira, D. (2000) The evolutionary history of ribosomal protein RpS14: horizontal gene transfer at the heart of the ribosome, *Trends Genet*, **16**, 529-533.
- Broker, G. and Spellerberg, B. (2004) Surface proteins of *Streptococcus agalactiae* and horizontal gene transfer, *Int J Med Microbiol*, **294**, 169-175.
- Broudy, T.B., Pancholi, V. and Fischetti, V.A. (2001) Induction of lysogenic bacteriophage and phage-associated toxin from group a streptococci during coculture with human pharyngeal cells, *Infect Immun*, **69**, 1440-1443.
- Brussow, H. and Hendrix, R.W. (2002) Phage Genomics: Small Is Beautiful, *Cell*, **108**, 13-16.
- Buchanan-Wollaston, V., Passiatore, J.E. and Cannon, F. (1987) The mob and oriT mobilization functions of a bacterial plasmid promote its transfer to plants, *Nature*, **328**, 172-175.

- Buchrieser, C., Brosch, R., Bach, S., Guiyoule, A. and Carniel, E. (1998) The high-pathogenicity island of *Yersinia pseudotuberculosis* can be inserted into any of the three chromosomal asn tRNA genes, *Mol Microbiol*, **30**, 965-978.
- Bueno, S.M., Santiviago, C.A., Murillo, A.A., Fuentes, J.A., Trombert, A.N., Rodas, P.I., Youderian, P. and Mora, G.C. (2004) Precise excision of the large pathogenicity island, SPI7, in *Salmonella enterica* serovar Typhi, *J Bacteriol*, **186**, 3202-3213.
- Burge, C. and Karlin, S. (1997) Prediction of complete gene structures in human genomic DNA, *J Mol Biol*, **268**, 78-94.
- Burrus, V., Marrero, J. and Waldor, M.K. (2006) The current ICE age: biology and evolution of SXT-related integrating conjugative elements, *Plasmid*, **55**, 173-183.
- Burrus, V., Pavlovic, G., Decaris, B. and Guedon, G. (2002) Conjugative transposons: the tip of the iceberg, *Mol Microbiol*, **46**, 601-610.
- Burrus, V. and Waldor, M.K. (2003) Control of SXT integration and excision, *J Bacteriol*, **185**, 5045-5054.
- Burrus, V. and Waldor, M.K. (2004) Shaping bacterial genomes with integrative and conjugative elements, *Res Microbiol*, **155**, 376-386.
- Canchaya, C., Fournous, G., Chibani-Chennoufi, S., Dillmann, M.L. and Brussow, H. (2003) Phage as agents of lateral gene transfer, *Curr Opin Microbiol*, **6**, 417-424.
- Carattoli, A., Filetici, E., Villa, L., Dionisi, A.M., Ricci, A. and Luzzi, I. (2002) Antibiotic resistance genes and *Salmonella* genomic island 1 in *Salmonella enterica* serovar Typhimurium isolated in Italy, *Antimicrob Agents Chemother*, **46**, 2821-2828.
- Carniel, E. (1999) The *Yersinia* high-pathogenicity island, *Int Microbiol*, **2**, 161-167.

- Carniel, E. (2001) The *Yersinia* high-pathogenicity island: an iron-uptake island, *Microbes Infect*, **3**, 561-569.
- Carniel, E., Guilvout, I. and Prentice, M. (1996) Characterization of a large chromosomal "high-pathogenicity island" in biotype 1B *Yersinia enterocolitica*, *J Bacteriol*, **178**, 6743-6751.
- Carter, D. and Durbin, R. (2006) Vertebrate gene finding from multiple-species alignments using a two-level strategy, *Genome Biol*, **7 Suppl 1**, S6 1-12.
- Carver, T.J., Rutherford, K.M., Berriman, M., Rajandream, M.A., Barrell, B.G. and Parkhill, J. (2005) ACT: the Artemis Comparison Tool, *Bioinformatics*, **21**, 3422-3423.
- Censini, S., Lange, C., Xiang, Z., Crabtree, J.E., Ghiara, P., Borodovsky, M., Rappuoli, R. and Covacci, A. (1996) cag, a pathogenicity island of *Helicobacter pylori*, encodes type I-specific and disease-associated virulence factors, *Proc Natl Acad Sci USA*, **93**, 14648-14653.
- Chakravortty, D., Hansen-Wester, I. and Hensel, M. (2002) *Salmonella* pathogenicity island 2 mediates protection of intracellular *Salmonella* from reactive nitrogen intermediates, *J Exp Med*, **195**, 1155-1166.
- Chen, I. and Dubnau, D. (2004) DNA uptake during bacterial transformation, *Nat Rev Microbiol*, **2**, 241-249.
- Chi, C.H., Tang, P., Chu, C., Hu, S., Bao, Q., Yu, J., Chou, Y.Y., Wang, H.S. and Lee, Y.S. (2005) The genome sequence of *Salmonella enterica* serovar Choleraesuis, a highly invasive and resistant zoonotic pathogen, *Nucleic Acids Res*, **33**, 1690-1698.
- Choi, J., Shin, D. and Ryu, S. (2007) Implication of quorum sensing in *Salmonella enterica* serovar typhimurium virulence: the luxS gene is necessary for expression of genes in pathogenicity island 1, *Infect Immun*, **75**, 4885-4890.
- Chua, K.Y., Pankhurst, C.E., Macdonald, P.E., Hopcroft, D.H., Jarvis, B.D. and Scott, D.B. (1985) Isolation and characterization of transposon

- Tn5-induced symbiotic mutants of *Rhizobium loti*, *J Bacteriol*, **162**, 335-343.
- Cloeckaert, A., Praud, K., Doublet, B., Demartin, M. and Weill, F.X. (2006) Variant *Salmonella* genomic island 1-L antibiotic resistance gene cluster in *Salmonella enterica* serovar Newport, *Antimicrob Agents Chemother*, **50**, 3944-3946.
- Cloeckaert, A., Sidi Boumedine, K., Flaujac, G., Imberechts, H., D'Hooghe, I. and Chaslus-Dancla, E. (2000) Occurrence of a *Salmonella enterica* serovar *typhimurium* DT104-like antibiotic resistance gene cluster including the floR gene in *S. enterica* serovar agona, *Antimicrob Agents Chemother*, **44**, 1359-1361.
- Coetzee, J.N., Datta, N. and Hedges, R.W. (1972) R factors from *Proteus rettgeri*, *J Gen Microbiol*, **72**, 543-552.
- Couturier, M.R., Tasca, E., Montecucco, C. and Stein, M. (2006) Interaction with CagF is required for translocation of CagA into the host via the *Helicobacter pylori* type IV secretion system, *Infect Immun*, **74**, 273-281.
- Crabtree, J.E., Covacci, A., Farmery, S.M., Xiang, Z., Tompkins, D.S., Perry, S., Lindley, I.J. and Rappuoli, R. (1995) *Helicobacter pylori* induced interleukin-8 expression in gastric epithelial cells is associated with CagA positive phenotype, *J Clin Pathol*, **48**, 41-45.
- Darling, A.C., Mau, B., Blattner, F.R. and Perna, N.T. (2004) Mauve: multiple alignment of conserved genomic sequence with rearrangements, *Genome Res*, **14**, 1394-1403.
- Darwin, C. (1859) *On the origin of species by means of natural selection*. J. Murray, London.
- Daubin, V., Moran, N.A. and Ochman, H. (2003) Phylogenetics and the cohesion of bacterial genomes, *Science*, **301**, 829-832.
- Daubin, V. and Ochman, H. (2004) Bacterial genomes as new gene homes: the genealogy of ORFans in *E. coli*, *Genome Res*, **14**, 1036-1042.

- Dayhoff, M.O., Schwartz, R.M. and Orcutt, B.C. (1978) A model of evolutionary change in proteins. In Dayhoff, M.O. (ed), *Atlas of protein sequence and structure*. National Biomedical Research Foundation, Washington DC, 345-352.
- Deng, W., Li, Y., Vallance, B.A. and Finlay, B.B. (2001) Locus of enterocyte effacement from *Citrobacter rodentium*: sequence analysis and evidence for horizontal transfer among attaching and effacing pathogens, *Infect Immun*, **69**, 6323-6335.
- Deng, W., Liou, S.R., Plunkett, G., 3rd, Mayhew, G.F., Rose, D.J., Burland, V., Kodoyianni, V., Schwartz, D.C. and Blattner, F.R. (2003) Comparative genomics of *Salmonella enterica* serovar Typhi strains Ty2 and CT18, *J Bacteriol*, **185**, 2330-2337.
- Denton, M. and Kerr, K.G. (1998) Microbiological and clinical aspects of infection associated with *Stenotrophomonas maltophilia*, *Clin Microbiol Rev*, **11**, 57-80.
- Deppenmeier, U., Johann, A., Hartsch, T., Merkl, R., Schmitz, R.A., Martinez-Arias, R., Henne, A., Wiezer, A., Baumer, S., Jacobi, C., Bruggemann, H., Lienard, T., Christmann, A., Bomeke, M., Steckel, S., Bhattacharyya, A., Lykidis, A., Overbeek, R., Klenk, H.P., Gunsalus, R.P., Fritz, H.J. and Gottschalk, G. (2002) The genome of *Methanosarcina mazei*: evidence for lateral gene transfer between bacteria and archaea, *J Mol Microbiol Biotechnol*, **4**, 453-461.
- Didelot, X., Achtman, M., Parkhill, J., Thomson, N.R. and Falush, D. (2007) A bimodal pattern of relatedness between the *Salmonella* Paratyphi A and Typhi genomes: convergence or divergence by homologous recombination?, *Genome Res*, **17**, 61-68.
- Diep, B.A., Gill, S.R., Chang, R.F., Phan, T.H., Chen, J.H., Davidson, M.G., Lin, F., Lin, J., Carleton, H.A., Mongodin, E.F., Sensabaugh, G.F. and Perdreau-Remington, F. (2006) Complete genome sequence of

- USA300, an epidemic clone of community-acquired meticillin-resistant *Staphylococcus aureus*, *Lancet*, **367**, 731-739.
- Dimopoulou, I.D., Kraak, W.A., Anderson, E.C., Nichols, W.W., Slack, M.P. and Crook, D.W. (1992) Molecular epidemiology of unrelated clusters of multiresistant strains of *Haemophilus influenzae*, *J Infect Dis*, **165**, 1069-1075.
- Dirac, P.A.M. (1958) *The Principles of Quantum Mechanics*. Oxford University Press, New York.
- Donnenberg, M.S., Tzipori, S., McKee, M.L., O'Brien, A.D., Alroy, J. and Kaper, J.B. (1993) The role of the eae gene of enterohemorrhagic *Escherichia coli* in intimate attachment in vitro and in a porcine model, *J Clin Invest*, **92**, 1418-1424.
- Doolittle, R.F., Feng, D.F., Anderson, K.L. and Alberro, M.R. (1990) A naturally occurring horizontal gene transfer from a eukaryote to a prokaryote, *J Mol Evol*, **31**, 383-388.
- Doolittle, R.F., Feng, D.F., Tsang, S., Cho, G. and Little, E. (1996) Determining divergence times of the major kingdoms of living organisms with a protein clock, *Science*, **271**, 470-477.
- Doolittle, W.F. (1999) Lateral genomics, *Trends Cell Biol*, **9**, M5-8.
- Doolittle, W.F. (1999) Phylogenetic classification and the universal tree, *Science*, **284**, 2124-2129.
- Doolittle, W.F. and Papke, R.T. (2006) Genomics and the bacterial species problem, *Genome Biol*, **7**, 116.
- Doublet, B., Boyd, D., Mulvey, M.R. and Cloeckaert, A. (2005) The *Salmonella* genomic island 1 is an integrative mobilizable element, *Mol Microbiol*, **55**, 1911-1924.
- Doublet, B., Lailler, R., Meunier, D., Brisabois, A., Boyd, D., Mulvey, M.R., Chaslus-Dancla, E. and Cloeckaert, A. (2003) Variant *Salmonella*

- genomic island 1 antibiotic resistance gene cluster in *Salmonella enterica* serovar Albany, *Emerg Infect Dis*, **9**, 585-591.
- Down, T., Leong, B. and Hubbard, T.J. (2006) A machine learning strategy to identify candidate binding sites in human protein-coding sequence, *BMC Bioinformatics*, **7**, 419.
- Down, T.A. and Hubbard, T.J. (2002) Computational detection and location of transcription start sites in mammalian genomic DNA, *Genome Res*, **12**, 458-461.
- Down, T.A. and Hubbard, T.J. (2003) Relevance vector machines for classifying points and regions in biological sequences, *Quantitative Biology Archive*, [<http://arxiv.org/abs/q-bio.GN/0312006>].
- Dubnau, D. (1999) DNA uptake in bacteria, *Annu Rev Microbiol*, **53**, 217-244.
- Dunn, B.E., Cohen, H. and Blaser, M.J. (1997) *Helicobacter pylori*, *Clin Microbiol Rev*, **10**, 720-741.
- Durbin, R., Eddy, S.R., Krogh, A. and Mitchison, G. (1998) *Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids*. Cambridge University Press, Cambridge, UK.
- Dykhuizen, D.E. and Green, L. (1991) Recombination in *Escherichia coli* and the definition of biological species, *J Bacteriol*, **173**, 7257-7268.
- Ebner, P., Garner, K. and Mathew, A. (2004) Class 1 integrons in various *Salmonella enterica* serovars isolated from animals and identification of genomic island SGI1 in *Salmonella enterica* var. Meleagridis, *J Antimicrob Chemother*, **53**, 1004-1009.
- Edgar, R.C. (2004) MUSCLE: multiple sequence alignment with high accuracy and high throughput, *Nucl. Acids Res.*, **32**, 1792-1797.
- Eisen, J.A., Heidelberg, J.F., White, O. and Salzberg, S.L. (2000) Evidence for symmetric chromosomal inversions around the replication origin in bacteria, *Genome Biol*, **1**, RESEARCH0011.

- Elliott, S.J., Wainwright, L.A., McDaniel, T.K., Jarvis, K.G., Deng, Y.K., Lai, L.C., McNamara, B.P., Donnenberg, M.S. and Kaper, J.B. (1998) The complete sequence of the locus of enterocyte effacement (LEE) from enteropathogenic Escherichia coli E2348/69, *Mol Microbiol*, **28**, 1-4.
- Feil, E.J., Holmes, E.C., Bessen, D.E., Chan, M.S., Day, N.P., Enright, M.C., Goldstein, R., Hood, D.W., Kalia, A., Moore, C.E., Zhou, J. and Spratt, B.G. (2001) Recombination within natural populations of pathogenic bacteria: short-term empirical estimates and long-term phylogenetic consequences, *Proc Natl Acad Sci U S A*, **98**, 182-187.
- Felsenstein, J. (1978) The Number of Evolutionary Trees, *Systematic Zoology*, **27**, 27-33.
- Felsenstein, J. (1981) Evolutionary trees from DNA sequences: a maximum likelihood approach, *J Mol Evol*, **17**, 368-376.
- Felsenstein, J. (1989) PHYLIP - Phylogeny Inference Package (version 3.2), *Cladistics*, **5**, 164-166.
- Felsenstein, J. and Churchill, G.A. (1996) A Hidden Markov Model approach to variation among sites in rate of evolution, *Mol Biol Evol*, **13**, 93-104.
- Fetherston, J.D., Schuetze, P. and Perry, R.D. (1992) Loss of the pigmentation phenotype in *Yersinia pestis* is due to the spontaneous deletion of 102 kb of chromosomal DNA which is flanked by a repetitive element, *Mol Microbiol*, **6**, 2693-2704.
- Fischetti, V.A. (2007) In vivo acquisition of prophage in *Streptococcus pyogenes*, *Trends Microbiol*, **15**, 297-300.
- Fitch, W.M. (1971) Toward defining the course of evolution: Minimum change for a specified tree topology, *Systematic Zoology*, **20**, 406-416.
- Fitz-Gibbon, S.T. and House, C.H. (1999) Whole genome-based phylogenetic analysis of free-living microorganisms, *Nucleic Acids Res*, **27**, 4218-4222.

- Fitzgerald, J.R., Sturdevant, D.E., Mackie, S.M., Gill, S.R. and Musser, J.M. (2001) Evolutionary genomics of *Staphylococcus aureus*: insights into the origin of methicillin-resistant strains and the toxic shock syndrome epidemic, *Proc Natl Acad Sci U S A*, **98**, 8821-8826.
- Forsdyke, D.R. (1996) Different biological species "broadcast" their DNAs at different (G+C)% "wavelengths", *J Theor Biol*, **178**, 405-417.
- Freire-Picos, M.A., Gonzalez-Siso, M.I., Rodriguez-Belmonte, E., Rodriguez-Torres, A.M., Ramil, E. and Cerdan, M.E. (1994) Codon usage in *Kluyveromyces lactis* and in yeast cytochrome c-encoding genes, *Gene*, **139**, 43-49.
- Friebel, A., Ilchmann, H., Aepfelbacher, M., Ehrbar, K., Machleidt, W. and Hardt, W.D. (2001) SopE and SopE2 from *Salmonella typhimurium* activate different sets of RhoGTPases of the host cell, *J Biol Chem*, **276**, 34035-34040.
- Fujita, J., Yamadori, I., Xu, G., Hojo, S., Negayama, K., Miyawaki, H., Yamaji, Y. and Takahara, J. (1996) Clinical features of *Stenotrophomonas maltophilia* pneumonia in immunocompromised patients, *Respir Med*, **90**, 35-38.
- Fuqua, W.C. and Winans, S.C. (1994) A LuxR-LuxI type regulatory system activates *Agrobacterium* Ti plasmid conjugal transfer in the presence of a plant tumor metabolite, *J Bacteriol*, **176**, 2796-2806.
- Fuxelius, H.H., Darby, A.C., Cho, N.H. and Andersson, S.G. (2008) Visualization of pseudogenes in intracellular bacteria reveals the different tracks to gene destruction, *Genome Biol*, **9**, R42.
- Gal-Mor, O. and Finlay, B.B. (2006) Pathogenicity islands: a molecular toolbox for bacterial virulence, *Cell Microbiol*, **8**, 1707-1719.
- Galan, J.E. (1996) Molecular genetic bases of *Salmonella* entry into host cells, *Mol Microbiol*, **20**, 263-271.

- Garcia-Vallve, S., Guzman, E., Montero, M.A. and Romeu, A. (2003) HGT-DB: a database of putative horizontally transferred genes in prokaryotic complete genomes., *Nucleic Acids Res.*, **31**, 187-189.
- Gerlach, R.G., Jackel, D., Geymeier, N. and Hensel, M. (2007) Salmonella pathogenicity island 4-mediated adhesion is coregulated with invasion genes in *Salmonella enterica*, *Infect Immun*, **75**, 4697-4709.
- Gevers, D., Cohan, F.M., Lawrence, J.G., Spratt, B.G., Coenye, T., Feil, E.J., Stackebrandt, E., Van de Peer, Y., Vandamme, P., Thompson, F.L. and Swings, J. (2005) Opinion: Re-evaluating prokaryotic species, *Nat Rev Microbiol*, **3**, 733-739.
- Ginocchio, C.C., Rahn, K., Clarke, R.C. and Galan, J.E. (1997) Naturally occurring deletions in the centisome 63 pathogenicity island of environmental isolates of *Salmonella* spp, *Infect Immun*, **65**, 1267-1272.
- Glaser, P., Frangeul, L., Buchrieser, C., Rusniok, C., Amend, A., Baquero, F., Berche, P., Bloecker, H., Brandt, P., Chakraborty, T., Charbit, A., Chetouani, F., Couve, E., de Daruvar, A., Dehoux, P., Domann, E., Dominguez-Bernal, G., Duchaud, E., Durant, L., Dussurget, O., Entian, K.D., Fsihi, H., Garcia-del Portillo, F., Garrido, P., Gautier, L., Goebel, W., Gomez-Lopez, N., Hain, T., Hauf, J., Jackson, D., Jones, L.M., Kaerst, U., Kreft, J., Kuhn, M., Kunst, F., Kurapkat, G., Madueno, E., Maitournam, A., Vicente, J.M., Ng, E., Nedjari, H., Nordsiek, G., Novella, S., de Pablos, B., Perez-Diaz, J.C., Purcell, R., Remmel, B., Rose, M., Schlueter, T., Simoes, N., Tierrez, A., Vazquez-Boland, J.A., Voss, H., Wehland, J. and Cossart, P. (2001) Comparative genomics of *Listeria* species, *Science*, **294**, 849-852.
- Glaser, P., Rusniok, C., Buchrieser, C., Chevalier, F., Frangeul, L., Msadek, T., Zouine, M., Couve, E., Lalioui, L., Poyart, C., Trieu-Cuot, P. and Kunst, F. (2002) Genome sequence of *Streptococcus agalactiae*, a pathogen causing invasive neonatal disease, *Mol Microbiol*, **45**, 1499-1513.

- Gogarten, J.P. and Townsend, J.P. (2005) Horizontal gene transfer, genome innovation and evolution, *Nat Rev Microbiol*, **3**, 679-687.
- Goldman, B.S. and Kranz, R.G. (1998) Evolution and horizontal transfer of an entire biosynthetic pathway for cytochrome c biogenesis: Helicobacter, Deinococcus, Archaea and more, *Mol Microbiol*, **27**, 871-873.
- Gomez-Valero, L., Rocha, E.P., Latorre, A. and Silva, F.J. (2007) Reconstructing the ancestor of Mycobacterium leprae: the dynamics of gene loss and genome reduction, *Genome Res*, **17**, 1178-1185.
- Goodman, S.D. and Scocca, J.J. (1988) Identification and arrangement of the DNA sequence recognized in specific transformation of Neisseria gonorrhoeae, *Proc Natl Acad Sci USA*, **85**, 6982-6986.
- Gould, V.C., Okazaki, A. and Avison, M.B. (2006) Beta-lactam resistance and beta-lactamase expression in clinical Stenotrophomonas maltophilia isolates having defined phylogenetic relationships, *J Antimicrob Chemother*, **57**, 199-203.
- Gould, V.C., Okazaki, A., Howe, R.A. and Avison, M.B. (2004) Analysis of sequence variation among smeDEF multi drug efflux pump genes and flanking DNA from defined 16S rRNA subgroups of clinical Stenotrophomonas maltophilia isolates, *J Antimicrob Chemother*, **54**, 348-353.
- Gouy, M. and Gautier, C. (1982) Codon usage in bacteria: correlation with gene expressivity, *Nucleic Acids Res*, **10**, 7055-7074.
- Gribaldo, S., Lumia, V., Creti, R., de Macario, E.C., Sanangelantoni, A. and Cammarano, P. (1999) Discontinuous occurrence of the hsp70 (dnaK) gene among Archaea and sequence features of HSP70 suggest a novel outlook on phylogenies inferred from this protein, *J Bacteriol*, **181**, 434-443.
- Griffith, F. (1928) The significance of pneumococcal types, *J Hyg*, **27**, 113-159.

- Griffiths-Jones, S., Bateman, A., Marshall, M., Khanna, A. and Eddy, S.R. (2003) Rfam: an RNA family database, *Nucleic Acids Res.*, **31**, 439-441.
- Groisman, E.A. (2001) The pleiotropic two-component regulatory system PhoP-PhoQ, *J Bacteriol.*, **183**, 1835-1842.
- Groisman, E.A. and Ochman, H. (1996) Pathogenicity islands: bacterial evolution in quantum leaps, *Cell*, **87**, 791-794.
- Guan, S., Bastin, D.A. and Verma, N.K. (1999) Functional analysis of the O antigen glucosylation gene cluster of *Shigella flexneri* bacteriophage SfX, *Microbiology*, **145 ( Pt 5)**, 1263-1273.
- Hacker, J. (1990) Genetic determinants coding for fimbriae and adhesins of extraintestinal *Escherichia coli*, *Curr Top Microbiol Immunol*, **151**, 1-27.
- Hacker, J., Bender, L., Ott, M., Wingender, J., Lund, B., Marre, R. and Goebel, W. (1990) Deletions of chromosomal regions coding for fimbriae and hemolysins occur in vitro and in vivo in various extraintestinal *Escherichia coli* isolates, *Microb Pathog*, **8**, 213-225.
- Hacker, J., Blum-Oehler, G., Muhldorfer, I. and Tschepe, H. (1997) Pathogenicity islands of virulent bacteria: structure, function and impact on microbial evolution, *Mol Microbiol*, **23**, 1089-1097.
- Hacker, J. and Carniel, E. (2001) Ecological fitness, genomic islands and bacterial pathogenicity. A Darwinian view of the evolution of microbes, *EMBO Rep*, **2**, 376-381.
- Hacker, J. and Kaper, J.B. (2002) *Pathogenicity Islands and the Evolution of Pathogenic Microbes*. Springer-Verlag, Berlin.
- Hacker, J. and Kaper, J.B. (2000) Pathogenicity islands and the evolution of microbes, *Annu Rev Microbiol*, **54**, 641-679.
- Hardt, W.D., Urlaub, H. and Galan, J.E. (1998) A substrate of the centisome 63 type III protein secretion system of *Salmonella*

- typhimurium is encoded by a cryptic bacteriophage, *Proc Natl Acad Sci USA*, **95**, 2574-2579.
- Hasegawa, M., Kishino, H. and Yano, T. (1985) Dating of the human-ape splitting by a molecular clock of mitochondrial DNA, *J Mol Evol*, **22**, 160-174.
- Hashimoto, Y., Li, N., Yokoyama, H. and Ezaki, T. (1993) Complete nucleotide sequence and molecular characterization of ViaB region encoding Vi antigen in *Salmonella typhi*, *J Bacteriol*, **175**, 4456-4465.
- Hastings, W.K. (1970) Monte Carlo sampling methods using Markov chains and their applications, *Biometrika*, **57**, 97-109.
- He, J., Baldini, R.L., Deziel, E., Saucier, M., Zhang, Q., Liberati, N.T., Lee, D., Urbach, J., Goodman, H.M. and Rahme, L.G. (2004) The broad host range pathogen *Pseudomonas aeruginosa* strain PA14 carries two pathogenicity islands harboring plant and animal virulence genes, *Proc Natl Acad Sci USA*, **101**, 2530-2535.
- Henderson, I.R., Navarro-Garcia, F. and Nataro, J.P. (1998) The great escape: structure and function of the autotransporter proteins, *Trends Microbiol*, **6**, 370-378.
- Hensel, M. (2004) Evolution of pathogenicity islands of *Salmonella enterica*, *Int J Med Microbiol*, **294**, 95-102.
- Hensel, M., Hinsley, A.P., Nikolaus, T., Sawers, G. and Berks, B.C. (1999) The genetic basis of tetrathionate respiration in *Salmonella typhimurium*, *Mol Microbiol*, **32**, 275-287.
- Hensel, M., Nikolaus, T. and Egelseer, C. (1999) Molecular and functional analysis indicates a mosaic structure of *Salmonella* pathogenicity island 2, *Mol Microbiol*, **31**, 489-498.
- Hensel, M., Shea, J.E., Baumler, A.J., Gleeson, C., Blattner, F. and Holden, D.W. (1997) Analysis of the boundaries of *Salmonella* pathogenicity island 2 and the corresponding chromosomal region of *Escherichia coli* K-12, *J Bacteriol*, **179**, 1105-1111.

- Hensel, M., Shea, J.E., Raupach, B., Monack, D., Falkow, S., Gleeson, C., Kubo, T. and Holden, D.W. (1997) Functional analysis of ssaJ and the ssaK/U operon, 13 genes encoding components of the type III secretion apparatus of *Salmonella* Pathogenicity Island 2, *Mol Microbiol*, **24**, 155-167.
- Hensel, M., Shea, J.E., Waterman, S.R., Mundy, R., Nikolaus, T., Banks, G., Vazquez-Torres, A., Gleeson, C., Fang, F.C. and Holden, D.W. (1998) Genes encoding putative effector proteins of the type III secretion system of *Salmonella* pathogenicity island 2 are required for bacterial virulence and proliferation in macrophages, *Mol Microbiol*, **30**, 163-174.
- Hentschel, U. and Hacker, J. (2001) Pathogenicity islands: the tip of the iceberg., *Microbes Infect*, **3**, 545-548.
- Herron-Olson, L., Fitzgerald, J.R., Musser, J.M. and Kapur, V. (2007) Molecular Correlates of Host Specialization in *Staphylococcus aureus*, *PLoS ONE*, **2**, e1120.
- High, N.J., Hales, B.A., Jann, K. and Boulnois, G.J. (1988) A block of urovirulence genes encoding multiple fimbriae and hemolysin in *Escherichia coli* O4:K12:H, *Infect Immun*, **56**, 513-517.
- Hilario, E. and Gogarten, J.P. (1993) Horizontal transfer of ATPase genes-the tree of life becomes a net of life, *Biosystems*, **31**, 111-119.
- Hochhut, B., Beaber, J.W., Woodgate, R. and Waldor, M.K. (2001) Formation of chromosomal tandem arrays of the SXT element and R391, two conjugative chromosomally integrating elements that share an attachment site, *J Bacteriol*, **183**, 1124-1132.
- Hochhut, B. and Waldor, M.K. (1999) Site-specific integration of the conjugal *Vibrio cholerae* SXT element into prfC, *Mol Microbiol*, **32**, 99-110.
- Hofreuter, D., Odenbreit, S. and Haas, R. (2001) Natural transformation competence in *Helicobacter pylori* is mediated by the basic components of a type IV secretion system, *Mol Microbiol*, **41**, 379-391.

- Holden, M.T., Feil, E.J., Lindsay, J.A., Peacock, S.J., Day, N.P., Enright, M.C., Foster, T.J., Moore, C.E., Hurst, L., Atkin, R., Barron, A., Bason, N., Bentley, S.D., Chillingworth, C., Chillingworth, T., Churcher, C., Clark, L., Corton, C., Cronin, A., Doggett, J., Dowd, L., Feltwell, T., Hance, Z., Harris, B., Hauser, H., Holroyd, S., Jagels, K., James, K.D., Lennard, N., Line, A., Mayes, R., Moule, S., Mungall, K., Ormond, D., Quail, M.A., Rabbinowitsch, E., Rutherford, K., Sanders, M., Sharp, S., Simmonds, M., Stevens, K., Whitehead, S., Barrell, B.G., Spratt, B.G. and Parkhill, J. (2004) Complete genomes of two clinical *Staphylococcus aureus* strains: evidence for the rapid evolution of virulence and drug resistance, *Proc Natl Acad Sci U S A*, **101**, 9786-9791.
- Holder, M. and Lewis, P.O. (2003) Phylogeny estimation: traditional and Bayesian approaches, *Nat Rev Genet*, **4**, 275-284.
- Hornick, R.B., Greisman, S.E., Woodward, T.E., DuPont, H.L., Dawkins, A.T. and Snyder, M.J. (1970) Typhoid fever: pathogenesis and immunologic control, *N Engl J Med*, **283**, 686-691.
- Hoskins, J., Alborn, W.E., Jr., Arnold, J., Blaszczak, L.C., Burgett, S., DeHoff, B.S., Estrem, S.T., Fritz, L., Fu, D.J., Fuller, W., Geringer, C., Gilmour, R., Glass, J.S., Khoja, H., Kraft, A.R., Lagace, R.E., LeBlanc, D.J., Lee, L.N., Lefkowitz, E.J., Lu, J., Matsushima, P., McAhren, S.M., McHenney, M., McLeaster, K., Mundy, C.W., Nicas, T.I., Norris, F.H., O'Gara, M., Peery, R.B., Robertson, G.T., Rockey, P., Sun, P.M., Winkler, M.E., Yang, Y., Young-Bellido, M., Zhao, G., Zook, C.A., Baltz, R.H., Jaskunas, S.R., Rosteck, P.R., Jr., Skatrud, P.L. and Glass, J.I. (2001) Genome of the bacterium *Streptococcus pneumoniae* strain R6, *J Bacteriol*, **183**, 5709-5717.
- Hotopp, J.C., Clark, M.E., Oliveira, D.C., Foster, J.M., Fischer, P., Torres, M.C., Giebel, J.D., Kumar, N., Ishmael, N., Wang, S., Ingram, J., Nene, R.V., Shepard, J., Tomkins, J., Richards, S., Spiro, D.J., Ghedin, E., Slatko, B.E., Tettelin, H. and Werren, J.H. (2007) Widespread lateral

- gene transfer from intracellular bacteria to multicellular eukaryotes, *Science*, **317**, 1753-1756.
- Hou, Y.M. (1999) Transfer RNAs and pathogenicity islands, *Trends Biochem Sci*, **24**, 295-298.
- Hsiao, W., Wan, I., Jones, S.J. and Brinkman, F.S. (2003) IslandPath: aiding detection of genomic islands in prokaryotes, *Bioinformatics*, **19**, 418-420.
- Huelsenbeck, J.P. (1995) The robustness of two phylogenetic methods: four-taxon simulations reveal a slight superiority of maximum likelihood over neighbor joining, *Mol Biol Evol*, **12**, 843-849.
- Huelsenbeck, J.P., Ronquist, F., Nielsen, R. and Bollback, J.P. (2001) Bayesian inference of phylogeny and its impact on evolutionary biology, *Science*, **294**, 2310-2314.
- Huson, D.H. and Bryant, D. (2006) Application of phylogenetic networks in evolutionary studies, *Mol Biol Evol*, **23**, 254-267.
- Ikemura, T. (1981) Correlation between the abundance of Escherichia coli transfer RNAs and the occurrence of the respective codons in its protein genes, *J Mol Biol*, **146**, 1-21.
- Jain, R., Rivera, M.C. and Lake, J.A. (1999) Horizontal gene transfer among genomes: the complexity hypothesis., *Proc Natl Acad Sci U S A*, **96**, 3801-3806.
- Jerse, A.E., Yu, J., Tall, B.D. and Kaper, J.B. (1990) A genetic locus of enteropathogenic Escherichia coli necessary for the production of attaching and effacing lesions on tissue culture cells, *Proc Natl Acad Sci USA*, **87**, 7839-7843.
- Jin, Q., Yuan, Z., Xu, J., Wang, Y., Shen, Y., Lu, W., Wang, J., Liu, H., Yang, J., Yang, F., Zhang, X., Zhang, J., Yang, G., Wu, H., Qu, D., Dong, J., Sun, L., Xue, Y., Zhao, A., Gao, Y., Zhu, J., Kan, B., Ding, K., Chen, S., Cheng, H., Yao, Z., He, B., Chen, R., Ma, D., Qiang, B., Wen, Y., Hou, Y. and Yu, J. (2002) Genome sequence of Shigella flexneri 2a: insights

- into pathogenicity through comparison with genomes of *Escherichia coli* K12 and O157, *Nucleic Acids Res*, **30**, 4432-4441.
- Jones, D.T., Taylor, W.R. and Thornton, J.M. (1992) The rapid generation of mutation data matrices from protein sequences, *Comput Appl Biosci*, **8**, 275-282.
- Jukes, T.H. and Cantor, C.R. (1969) Evolution of protein molecules. In, *Mammalian protein metabolism*. Academic Press, New York, 21-132.
- Kaper, J.B. and Hacker, J. (1999) *Pathogenicity Islands and Other Mobile Virulence Elements*. American Society for Microbiology Press, Washington DC.
- Karlin, S. (1998) Global dinucleotide signatures and analysis of genomic heterogeneity, *Curr Opin Microbiol*, **1**, 598-610.
- Karlin, S. (2001) Detecting anomalous gene clusters and pathogenicity islands in diverse bacterial genomes, *Trends Microbiol*, **9**, 335-343.
- Karlin, S. and Mrazek, J. (2000) Predicted highly expressed genes of diverse prokaryotic genomes, *J Bacteriol*, **182**, 5238-5250.
- Karlin, S., Mrazek, J. and Campbell, A.M. (1998) Codon usages in different gene classes of the *Escherichia coli* genome, *Mol Microbiol*, **29**, 1341-1355.
- Kenny, B., DeVinney, R., Stein, M., Reinscheid, D.J., Frey, E.A. and Finlay, B.B. (1997) Enteropathogenic *E. coli* (EPEC) transfers its receptor for intimate adherence into mammalian cells, *Cell*, **91**, 511-520.
- Kent, W.J. (2002) BLAT--the BLAST-like alignment tool, *Genome Res*, **12**, 656-664.
- Khan, S.A. (1997) Rolling-circle replication of bacterial plasmids, *Microbiol Mol Biol Rev*, **61**, 442-455.
- Kidgell, C., Reichard, U., Wain, J., Linz, B., Torpdahl, M., Dougan, G. and Achtman, M. (2002) *Salmonella typhi*, the causative agent of typhoid fever, is approximately 50,000 years old, *Infect Genet Evol*, **2**, 39-45.

- Kimura, M. (1980) A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences, *J Mol Evol*, **16**, 111-120.
- Kimura, M. (1983) *The Neutral Theory of Molecular Evolution*. Cambridge University Press, Cambridge.
- Kishino, H. and Hasegawa, M. (1989) Evaluation of the maximum likelihood estimate of the evolutionary tree topologies from DNA sequence data, and the branching order in hominoidea, *J Mol Evol*, **29**, 170-179.
- Kleerebezem, M., Boekhorst, J., van Kranenburg, R., Molenaar, D., Kuipers, O.P., Leer, R., Tarchini, R., Peters, S.A., Sandbrink, H.M., Fiers, M.W., Stiekema, W., Lankhorst, R.M., Bron, P.A., Hoffer, S.M., Groot, M.N., Kerkhoven, R., de Vries, M., Ursing, B., de Vos, W.M. and Siezen, R.J. (2003) Complete genome sequence of *Lactobacillus plantarum* WCFS1, *Proc Natl Acad Sci U S A*, **100**, 1990-1995.
- Klockgether, J., Reva, O., Larbig, K. and Tummler, B. (2004) Sequence analysis of the mobile genome island pKLC102 of *Pseudomonas aeruginosa* C, *J Bacteriol*, **186**, 518-534.
- Knapp, S., Hacker, J., Jarchau, T. and Goebel, W. (1986) Large, unstable inserts in the chromosome affect virulence properties of uropathogenic *Escherichia coli* O6 strain 536, *J Bacteriol*, **168**, 22-30.
- Kuhle, V., Abrahams, G.L. and Hensel, M. (2006) Intracellular *Salmonella enterica* redirect exocytic transport processes in a *Salmonella* pathogenicity island 2-dependent manner, *Traffic*, **7**, 716-730.
- Kunin, V., Goldovsky, L., Darzentas, N. and Ouzounis, C.A. (2005) The net of life: reconstructing the microbial phylogenetic network, *Genome Res*, **15**, 954-959.
- Kunst, F., Ogasawara, N., Moszer, I., Albertini, A.M., Alloni, G., Azevedo, V., Bertero, M.G., Bessieres, P., Bolotin, A., Borchert, S., Borriss, R., Boursier, L., Brans, A., Braun, M., Brignell, S.C., Bron, S., Brouillet, S.,

- Bruschi, C.V., Caldwell, B., Capuano, V., Carter, N.M., Choi, S.K., Codani, J.J., Connerton, I.F., Danchin, A. and et al. (1997) The complete genome sequence of the gram-positive bacterium *Bacillus subtilis*, *Nature*, **390**, 249-256.
- Kurland, C.G. (2000) Something for everyone. Horizontal gene transfer in evolution, *EMBO Rep*, **1**, 92-95.
- Kurland, C.G., Canback, B. and Berg, O.G. (2003) Horizontal gene transfer: a critical view, *Proc Natl Acad Sci USA*, **100**, 9658-9662.
- Kurtz, S. and Schleiermacher, C. (1999) REPuter: fast computation of maximal repeats in complete genomes, *Bioinformatics*, **15**, 426-427.
- Kutsukake, K., Ohya, Y. and Iino, T. (1990) Transcriptional analysis of the flagellar regulon of *Salmonella typhimurium*, *J Bacteriol*, **172**, 741-747.
- Lawrence, J.G. and Ochman, H. (1997) Amelioration of bacterial genomes: rates of change and exchange, *J Mol Evol*, **44**, 383-397.
- Lawrence, J.G. (1999) Gene transfer, speciation, and the evolution of bacterial genomes, *Curr Opin Microbiol*, **2**, 519-523.
- Lawrence, J.G. (2001) Catalyzing bacterial speciation: correlating lateral transfer with genetic headroom, *Syst Biol*, **50**, 479-496.
- Lawrence, J.G. (2002) Gene transfer in bacteria: speciation without species?, *Theor Popul Biol*, **61**, 449-460.
- Lawrence, J.G. and Hendrickson, H. (2003) Lateral gene transfer: when will adolescence end?, *Mol Microbiol*, **50**, 739-749.
- Lawrence, J.G., Hendrix, R.W. and Casjens, S. (2001) Where are the pseudogenes in bacterial genomes?, *Trends Microbiol*, **9**, 535-540.
- Lawrence, J.G. and Ochman, H. (1998) Molecular archaeology of the *Escherichia coli* genome, *Proc Natl Acad Sci USA*, **95**, 9413-9417.
- Lawrence, J.G. and Roth, J.R. (1995) The cobalamin (coenzyme B12) biosynthetic genes of *Escherichia coli*, *J Bacteriol*, **177**, 6371-6380.

- Lawrence, J.G. and Roth, J.R. (1996) Evolution of coenzyme B12 synthesis among enteric bacteria: evidence for loss and reacquisition of a multigene complex, *Genetics*, **142**, 11-24.
- Lederberg, J. and Tatum, E.L. (1946) Gene recombination in *E. coli*, *Nature*, **158**, 558.
- Lerat, E., Daubin, V., Ochman, H. and Moran, N.A. (2005) Evolutionary origins of genomic repertoires in bacteria, *PLoS Biol*, **3**, e130.
- Lessl, M. and Lanka, E. (1994) Common mechanisms in bacterial conjugation and Ti-mediated T-DNA transfer to plant cells, *Cell*, **77**, 321-324.
- Levings, R.S., Lightfoot, D., Partridge, S.R., Hall, R.M. and Djordjevic, S.P. (2005) The genomic island SGI1, containing the multiple antibiotic resistance region of *Salmonella enterica* serovar Typhimurium DT104 or variants of it, is widely distributed in other *S. enterica* serovars, *J Bacteriol*, **187**, 4401-4409.
- Levings, R.S., Partridge, S.R., Djordjevic, S.P. and Hall, R.M. (2007) SGI1-K, a variant of the SGI1 genomic island carrying a mercury resistance region, in *Salmonella enterica* serovar Kentucky, *Antimicrob Agents Chemother*, **51**, 317-323.
- Lewenza, S., Conway, B., Greenberg, E.P. and Sokol, P.A. (1999) Quorum sensing in *Burkholderia cepacia*: identification of the LuxRI homologs CepRI, *J Bacteriol*, **181**, 748-756.
- Libanore, M., Bicocchi, R., Pantaleoni, M. and Ghinelli, F. (2004) Community-acquired infection due to *Stenotrophomonas maltophilia*: a rare cause of meningitis, *Int J Infect Dis*, **8**, 317-319.
- Lindsay, J.A., Ruzin, A., Ross, H.F., Kurepina, N. and Novick, R.P. (1998) The gene for toxic shock toxin is carried by a family of mobile pathogenicity islands in *Staphylococcus aureus*, *Mol Microbiol*, **29**, 527-543.

- Linehan, S.A., Rytkonen, A., Yu, X.J., Liu, M. and Holden, D.W. (2005) SlyA regulates function of *Salmonella* pathogenicity island 2 (SPI-2) and expression of SPI-2-associated genes., *Infect Immun*, **73**, 4354-4362.
- Lio, P. and Vannucci, M. (2000) Finding pathogenicity islands and gene transfer events in genome data, *Bioinformatics*, **16**, 932-940.
- Liu, S.L. and Sanderson, K.E. (1995) Rearrangements in the genome of the bacterium *Salmonella typhi*, *Proc Natl Acad Sci U S A*, **92**, 1018-1022.
- Lober, S., Jackel, D., Kaiser, N. and Hensel, M. (2006) Regulation of *Salmonella* pathogenicity island 2 genes by independent environmental signals, *Int J Med Microbiol*, **296**, 435-447.
- Lorenz, M.G. and Wackernagel, W. (1994) Bacterial gene transfer by natural genetic transformation in the environment, *Microbiol Rev*, **58**, 563-602.
- Low, D., David, V., Lark, D., Schoolnik, G. and Falkow, S. (1984) Gene clusters governing the production of hemolysin and mannose-resistant hemagglutination are closely linked in *Escherichia coli* serotype O4 and O6 isolates from urinary tract infections, *Infect Immun*, **43**, 353-358.
- MacQueen, J.B. (1967) Some Methods for classification and Analysis of Multivariate Observations. In, *Proceedings of 5th Berkeley Symposium on Mathematical Statistics and Probability*. University of California Press, Berkeley, 281-297.
- Maeda, S., Akanuma, M., Mitsuno, Y., Hirata, Y., Ogura, K., Yoshida, H., Shiratori, Y. and Omata, M. (2001) Distinct mechanism of *Helicobacter pylori*-mediated NF-kappa B activation between gastric cancer cells and monocytic cells, *J Biol Chem*, **276**, 44856-44864.
- Mahenthiralingam, E., Simpson, D.A. and Speert, D.P. (1997) Identification and characterization of a novel DNA marker associated with epidemic *Burkholderia cepacia* strains recovered from patients with cystic fibrosis, *J Clin Microbiol*, **35**, 808-816.

- Maiden, M.C., Bygraves, J.A., Feil, E., Morelli, G., Russell, J.E., Urwin, R., Zhang, Q., Zhou, J., Zurth, K., Caugant, D.A., Feavers, I.M., Achtman, M. and Spratt, B.G. (1998) Multilocus sequence typing: a portable approach to the identification of clones within populations of pathogenic microorganisms, *Proc Natl Acad Sci USA*, **95**, 3140-3145.
- Maione, D., Margarit, I., Rinaudo, C.D., Massignani, V., Mora, M., Scarselli, M., Tettelin, H., Brettoni, C., Iacobini, E.T., Rosini, R., D'Agostino, N., Miorin, L., Buccato, S., Mariani, M., Galli, G., Nogarotto, R., Nardi Dei, V., Vegni, F., Fraser, C., Mancuso, G., Teti, G., Madoff, L.C., Paoletti, L.C., Rappuoli, R., Kasper, D.L., Telford, J.L. and Grandi, G. (2005) Identification of a universal Group B streptococcus vaccine by multiple genome screen, *Science*, **309**, 148-150.
- Maiques, E., Ubeda, C., Tormo, M.A., Ferrer, M.D., Lasa, I., Novick, R.P. and Penades, J.R. (2007) Role of staphylococcal phage and SaPI integrase in intra- and interspecies SaPI transfer, *J Bacteriol*, **189**, 5608-5616.
- Mantri, Y. and Williams, K.P. (2004) Islander: a database of integrative islands in prokaryotic genomes, the associated integrases and their DNA site specificities, *Nucleic Acids Res*, **32**, D55-58.
- Martin, W. (1999) Mosaic bacterial chromosomes: a challenge en route to a tree of genomes, *Bioessays*, **21**, 99-104.
- Mavris, M., Manning, P.A. and Morona, R. (1997) Mechanism of bacteriophage SfII-mediated serotype conversion in *Shigella flexneri*, *Mol Microbiol*, **26**, 939-950.
- Mayr, E. (1942) *Systematics and the Origin of Species*. Columbia University Press, New York.
- McClelland, M., Sanderson, K.E., Clifton, S.W., Latreille, P., Porwollik, S., Sabo, A., Meyer, R., Bieri, T., Ozersky, P., McLellan, M., Harkins, C.R., Wang, C., Nguyen, C., Berghoff, A., Elliott, G., Kohlberg, S., Strong, C., Du, F., Carter, J., Kremizki, C., Layman, D., Leonard, S., Sun, H.,

- Fulton, L., Nash, W., Miner, T., Minx, P., Delehaunty, K., Fronick, C., Magrini, V., Nhan, M., Warren, W., Florea, L., Spieth, J. and Wilson, R.K. (2004) Comparison of genome degradation in Paratyphi A and Typhi, human-restricted serovars of *Salmonella enterica* that cause typhoid, *Nat Genet*, **36**, 1268-1274.
- McClelland, M., Sanderson, K.E., Spieth, J., Clifton, S.W., Latreille, P., Courtney, L., Porwollik, S., Ali, J., Dante, M., Du, F., Hou, S., Layman, D., Leonard, S., Nguyen, C., Scott, K., Holmes, A., Grewal, N., Mulvaney, E., Ryan, E., Sun, H., Florea, L., Miller, W., Stoneking, T., Nhan, M., Waterston, R. and Wilson, R.K. (2001) Complete genome sequence of *Salmonella enterica* serovar Typhimurium LT2, *Nature*, **413**, 852-856.
- McCullagh, P. and Nelder, J.A. (1989) *Generalized linear models*. Chapman and Hall, London.
- McDaniel, T.K., Jarvis, K.G., Donnenberg, M.S. and Kaper, J.B. (1995) A genetic locus of enterocyte effacement conserved among diverse enterobacterial pathogens, *Proc Natl Acad Sci U S A*, **92**, 1664-1668.
- McDaniel, T.K. and Kaper, J.B. (1997) A cloned pathogenicity island from enteropathogenic *Escherichia coli* confers the attaching and effacing phenotype on *E. coli* K-12, *Mol Microbiol*, **23**, 399-407.
- McGillivray, G., Tomaras, A.P., Rhodes, E.R. and Actis, L.A. (2005) Cloning and sequencing of a genomic island found in the Brazilian purpuric fever clone of *Haemophilus influenzae* biogroup aegyptius, *Infect Immun*, **73**, 1927-1938.
- Medini, D., Donati, C., Tettelin, H., Massignani, V. and Rappuoli, R. (2005) The microbial pan-genome, *Curr Opin Genet Dev*, **15**, 589-594.
- Medini, D., Serruto, D., Parkhil, J., Relman, D.A., Donati, C., Moxon, R., Falkow, S. and Rappuoli, R. (in press) Microbiology in the post-genomic era, *Nat Rev Microbiol*.

- Mehta, N.J., Khan, I.A., Mehta, R.N. and Gulati, A. (2000) Stenotrophomonas maltophilia endocarditis of prosthetic aortic valve: report of a case and review of literature, *Heart Lung*, **29**, 351-355.
- Merkl, R. (2004) SIGI: score-based identification of genomic islands, *BMC Bioinformatics*, **5**, 22.
- Metropolis, N., Rosenbluth, A.W., Rosenbluth, M.N., Teller, A.H. and Teller, E. (1953) Equation of State Calculations by Fast Computing Machines, *The Journal of Chemical Physics*, **21**, 1087-1092.
- Meunier, D., Boyd, D., Mulvey, M.R., Baucheron, S., Mammina, C., Nastasi, A., Chaslus-Dancla, E. and Cloeckaert, A. (2002) Salmonella enterica serotype Typhimurium DT 104 antibiotic resistance genomic island I in serotype paratyphi B, *Emerg Infect Dis*, **8**, 430-433.
- Michener, C.D. and Sokal, R.R. (1957) A Quantitative Approach to a Problem in Classification, *Evolution*, **11**, 130-162.
- Mietzner, T.A. and Morse, S.A. (1994) The role of iron-binding proteins in the survival of pathogenic bacteria, *Annu Rev Nutr*, **14**, 471-493.
- Mirkin, B.G., Fenner, T.I., Galperin, M.Y. and Koonin, E.V. (2003) Algorithms for computing parsimonious evolutionary scenarios for genome evolution, the last universal common ancestor and dominance of horizontal gene transfer in the evolution of prokaryotes, *BMC Evol Biol*, **3**, 2.
- Mirold, S., Rabsch, W., Rohde, M., Stender, S., Tschape, H., Russmann, H., Igwe, E. and Hardt, W.D. (1999) Isolation of a temperate bacteriophage encoding the type III effector protein SopE from an epidemic *Salmonella typhimurium* strain, *Proc Natl Acad Sci U S A*, **96**, 9845-9850.
- Mohd-Zain, Z., Turner, S.L., Cerdeno-Tarraga, A.M., Lilley, A.K., Inzana, T.J., Duncan, A.J., Harding, R.M., Hood, D.W., Peto, T.E. and Crook, D.W. (2004) Transferable antibiotic resistance elements in *Haemophilus*

influenzae share a common evolutionary origin with a diverse family of syntenic genomic islands, *J Bacteriol*, **186**, 8114-8122.

Morgan, E., Bowen, A.J., Carnell, S.C., Wallis, T.S. and Stevens, M.P. (2007) SiiE is secreted by the *Salmonella enterica* serovar Typhimurium pathogenicity island 4-encoded secretion system and contributes to intestinal colonization in cattle, *Infect Immun*, **75**, 1524-1533.

Morse, M.L., Lederberg, E.M. and Lederberg, J. (1956) Transduction in *Escherichia Coli* K-12, *Genetics*, **41**, 142-156.

Muder, R.R., Harris, A.P., Muller, S., Edmond, M., Chow, J.W., Papadakis, K., Wagener, M.W., Bodey, G.P. and Steckelberg, J.M. (1996) Bacteremia due to *Stenotrophomonas (Xanthomonas) maltophilia*: a prospective, multicenter study of 91 episodes, *Clin Infect Dis*, **22**, 508-512.

Mulvey, M.R., Boyd, D., Cloeckaert, A., Ahmed, R. and Ng, L.K. (2004) Emergence of multidrug-resistant *Salmonella Paratyphi* B dT+, Canada, *Emerg Infect Dis*, **10**, 1307-1310.

Mulvey, M.R., Boyd, D.A., Olson, A.B., Doublet, B. and Cloeckaert, A. (2006) The genetics of *Salmonella* genomic island 1, *Microbes Infect*, **8**, 1915-1922.

Muto, A. and Osawa, S. (1987) The guanine and cytosine content of genomic DNA and bacterial evolution, *Proc Natl Acad Sci U S A*, **84**, 166-169.

Nair, S., Alokam, S., Kothapalli, S., Porwollik, S., Proctor, E., Choy, C., McClelland, M., Liu, S.L. and Sanderson, K.E. (2004) *Salmonella enterica* serovar Typhi strains from which SPI7, a 134-kilobase island with genes for Vi exopolysaccharide and other functions, has been deleted, *J Bacteriol*, **186**, 3214-3223.

Navarre, W.W., Porwollik, S., Wang, Y., McClelland, M., Rosen, H., Libby, S.J. and Fang, F.C. (2006) Selective silencing of foreign DNA with low GC content by the H-NS protein in *Salmonella*, *Science*, **313**, 236-238.

- Nelson, K.E., Clayton, R.A., Gill, S.R., Gwinn, M.L., Dodson, R.J., Haft, D.H., Hickey, E.K., Peterson, J.D., Nelson, W.C., Ketchum, K.A., McDonald, L., Utterback, T.R., Malek, J.A., Linher, K.D., Garrett, M.M., Stewart, A.M., Cotton, M.D., Pratt, M.S., Phillips, C.A., Richardson, D., Heidelberg, J., Sutton, G.G., Fleischmann, R.D., Eisen, J.A., White, O., Salzberg, S.L., Smith, H.O., Venter, J.C. and Fraser, C.M. (1999) Evidence for lateral gene transfer between Archaea and bacteria from genome sequence of *Thermotoga maritima*, *Nature*, **399**, 323-329.
- Nomura, M. (1999) Engineering of bacterial ribosomes: replacement of all seven *Escherichia coli* rRNA operons by a single plasmid-encoded operon, *Proc Natl Acad Sci U S A*, **96**, 1820-1822.
- Novick, R.P. (2003) Mobile genetic elements and bacterial toxinoses: the superantigen-encoding pathogenicity islands of *Staphylococcus aureus*, *Plasmid*, **49**, 93-105.
- Novick, R.P., Schlievert, P. and Ruzin, A. (2001) Pathogenicity and resistance islands of staphylococci, *Microbes Infect*, **3**, 585-594.
- Novick, R.P. and Subedi, A. (2007) The SaPIs: Mobile Pathogenicity Islands of *Staphylococcus*, *Chem Immunol Allergy*, **93**, 42-57.
- Ochman, H. and Groisman, E.A. (1996) Distribution of pathogenicity islands in *Salmonella* spp, *Infect Immun*, **64**, 5410-5412.
- Ochman, H., Lawrence, J.G. and Groisman, E.A. (2000) Lateral gene transfer and the nature of bacterial innovation, *Nature*, **405**, 299-304.
- Ochman, H. and Wilson, A.C. (1987) Evolution in bacteria: evidence for a universal substitution rate in cellular genomes, *J Mol Evol*, **26**, 74-86.
- Ohnishi, M., Kurokawa, K. and Hayashi, T. (2001) Diversification of *Escherichia coli* genomes: are bacteriophages the major contributors?, *Trends Microbiol*, **9**, 481-485.
- Osborn, A.M. and Boltner, D. (2002) When phage, plasmids, and transposons collide: genomic islands, and conjugative- and mobilizable-transposons as a mosaic continuum, *Plasmid*, **48**, 202-212.

- Ou, H.Y., He, X., Harrison, E.M., Kulasekara, B.R., Thani, A.B., Kadioglu, A., Lory, S., Hinton, J.C., Barer, M.R., Deng, Z. and Rajakumar, K. (2007) MobilomeFINDER: web-based tools for in silico and experimental discovery of bacterial genomic islands, *Nucleic Acids Res*, **35**, W97-W104.
- Parkhill, J., Achtman, M., James, K.D., Bentley, S.D., Churcher, C., Klee, S.R., Morelli, G., Basham, D., Brown, D., Chillingworth, T., Davies, R.M., Davis, P., Devlin, K., Feltwell, T., Hamlin, N., Holroyd, S., Jagels, K., Leather, S., Moule, S., Mungall, K., Quail, M.A., Rajandream, M.A., Rutherford, K.M., Simmonds, M., Skelton, J., Whitehead, S., Spratt, B.G. and Barrell, B.G. (2000) Complete DNA sequence of a serogroup A strain of *Neisseria meningitidis* Z2491, *Nature*, **404**, 502-506.
- Parkhill, J., Dougan, G., James, K.D., Thomson, N.R., Pickard, D., Wain, J., Churcher, C., Mungall, K.L., Bentley, S.D., Holden, M.T., Sebaihia, M., Baker, S., Basham, D., Brooks, K., Chillingworth, T., Connerton, P., Cronin, A., Davis, P., Davies, R.M., Dowd, L., White, N., Farrar, J., Feltwell, T., Hamlin, N., Haque, A., Hien, T.T., Holroyd, S., Jagels, K., Krogh, A., Larsen, T.S., Leather, S., Moule, S., O'Gaora, P., Parry, C., Quail, M., Rutherford, K., Simmonds, M., Skelton, J., Stevens, K., Whitehead, S. and Barrell, B.G. (2001) Complete genome sequence of a multiple drug resistant *Salmonella enterica* serovar Typhi CT18, *Nature*, **413**, 848-852.
- Parkhill, J., Wren, B.W., Thomson, N.R., Titball, R.W., Holden, M.T., Prentice, M.B., Sebaihia, M., James, K.D., Churcher, C., Mungall, K.L., Baker, S., Basham, D., Bentley, S.D., Brooks, K., Cerdeno-Tarraga, A.M., Chillingworth, T., Cronin, A., Davies, R.M., Davis, P., Dougan, G., Feltwell, T., Hamlin, N., Holroyd, S., Jagels, K., Karlyshev, A.V., Leather, S., Moule, S., Oyston, P.C., Quail, M., Rutherford, K., Simmonds, M., Skelton, J., Stevens, K., Whitehead, S. and Barrell, B.G. (2001) Genome sequence of *Yersinia pestis*, the causative agent of plague, *Nature*, **413**, 523-527.

- Parry, C.M., Hien, T.T., Dougan, G., White, N.J. and Farrar, J.J. (2002) Typhoid fever, *N Engl J Med*, **347**, 1770-1782.
- Patel, J.C. and Galan, J.E. (2005) Manipulation of the host actin cytoskeleton by Salmonella--all in the name of entry, *Curr Opin Microbiol*, **8**, 10-15.
- Paulsen, I.T., Banerjee, L., Myers, G.S., Nelson, K.E., Seshadri, R., Read, T.D., Fouts, D.E., Eisen, J.A., Gill, S.R., Heidelberg, J.F., Tettelin, H., Dodson, R.J., Umayam, L., Brinkac, L., Beanan, M., Daugherty, S., DeBoy, R.T., Durkin, S., Kolonay, J., Madupu, R., Nelson, W., Vamathevan, J., Tran, B., Upton, J., Hansen, T., Shetty, J., Khouri, H., Utterback, T., Radune, D., Ketchum, K.A., Dougherty, B.A. and Fraser, C.M. (2003) Role of mobile DNA in the evolution of vancomycin-resistant Enterococcus faecalis, *Science*, **299**, 2071-2074.
- Pearson, W.R. (1990) Rapid and sensitive sequence comparison with FASTP and FASTA, *Methods Enzymol*, **183**, 63-98.
- Perna, N.T., Mayhew, G.F., Posfai, G., Elliott, S., Donnenberg, M.S., Kaper, J.B. and Blattner, F.R. (1998) Molecular evolution of a pathogenicity island from enterohemorrhagic Escherichia coli O157:H7, *Infect Immun*, **66**, 3810-3817.
- Perna, N.T., Plunkett, G., 3rd, Burland, V., Mau, B., Glasner, J.D., Rose, D.J., Mayhew, G.F., Evans, P.S., Gregor, J., Kirkpatrick, H.A., Posfai, G., Hackett, J., Klink, S., Boutin, A., Shao, Y., Miller, L., Grotbeck, E.J., Davis, N.W., Lim, A., Dimalanta, E.T., Potamousis, K.D., Apodaca, J., Anantharaman, T.S., Lin, J., Yen, G., Schwartz, D.C., Welch, R.A. and Blattner, F.R. (2001) Genome sequence of enterohaemorrhagic Escherichia coli O157:H7, *Nature*, **409**, 529-533.
- Perry, R.D. and Fetherston, J.D. (1997) Yersinia pestis--etiologic agent of plague, *Clin Microbiol Rev*, **10**, 35-66.
- Pickard, D., Wain, J., Baker, S., Line, A., Chohan, S., Fookes, M., Barron, A., Gaora, P.O., Chabalgoity, J.A., Thanky, N., Scholes, C., Thomson, N.,

- Quail, M., Parkhill, J. and Dougan, G. (2003) Composition, acquisition, and distribution of the Vi exopolysaccharide-encoding *Salmonella enterica* pathogenicity island SPI-7, *J Bacteriol*, **185**, 5055-5065.
- Pizza, M., Scarlato, V., Massignani, V., Giuliani, M.M., Arico, B., Comanducci, M., Jennings, G.T., Baldi, L., Bartolini, E., Capecchi, B., Galeotti, C.L., Luzzi, E., Manetti, R., Marchetti, E., Mora, M., Nuti, S., Ratti, G., Santini, L., Savino, S., Scarselli, M., Storni, E., Zuo, P., Broeker, M., Hundt, E., Knapp, B., Blair, E., Mason, T., Tettelin, H., Hood, D.W., Jeffries, A.C., Saunders, N.J., Granoff, D.M., Venter, J.C., Moxon, E.R., Grandi, G. and Rappuoli, R. (2000) Identification of vaccine candidates against serogroup B meningococcus by whole-genome sequencing, *Science*, **287**, 1816-1820.
- Pridmore, R.D., Berger, B., Desiere, F., Vilanova, D., Barretto, C., Pittet, A.C., Zwahlen, M.C., Rouvet, M., Altermann, E., Barrangou, R., Mollet, B., Mercenier, A., Klaenhammer, T., Arigoni, F. and Schell, M.A. (2004) The genome sequence of the probiotic intestinal bacterium *Lactobacillus johnsonii* NCC 533, *Proc Natl Acad Sci USA*, **101**, 2512-2517.
- Rabiner, L.R. (1989) A tutorial on hidden Markov models and selected applications in speech recognition, *Proceedings of the IEEE*, **77**, 257-286.
- Rakin, A. and Heesemann, J. (1995) Virulence-associated fyuA/irp2 gene cluster of *Yersinia enterocolitica* biotype 1B carries a novel insertion sequence IS1328, *FEMS Microbiol Lett*, **129**, 287-292.
- Ramsay, J.P., Sullivan, J.T., Stuart, G.S., Lamont, I.L. and Ronson, C.W. (2006) Excision and transfer of the *Mesorhizobium loti* R7A symbiosis island requires an integrase IntS, a novel recombination directionality factor RdfS, and a putative relaxase RlxS, *Mol Microbiol*, **62**, 723-734.
- Ramsden, A.E., Mota, L.J., Munter, S., Shorte, S.L. and Holden, D.W. (2007) The SPI-2 type III secretion system restricts motility of *Salmonella*-containing vacuoles, *Cell Microbiol*, **9**, 2517-2529.

- Raphael, C. (1999) Automatic Segmentation of Acoustic Musical Signals Using Hidden Markov Models, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **21**, 360-370.
- Rappuoli, R. (2000) Reverse vaccinology, *Curr Opin Microbiol*, **3**, 445-450.
- Rappuoli, R. and Covacci, A. (2003) Reverse vaccinology and genomics, *Science*, **302**, 602.
- Ravatn, R., Studer, S., Zehnder, A.J. and van der Meer, J.R. (1998) Int-B13, an unusual site-specific recombinase of the bacteriophage P4 integrase family, is responsible for chromosomal insertion of the 105-kilobase clc element of *Pseudomonas* sp. Strain B13, *J Bacteriol*, **180**, 5505-5514.
- Recchia, G.D. and Hall, R.M. (1995) Gene cassettes: a new class of mobile element, *Microbiology*, **141 ( Pt 12)**, 3015-3027.
- Reiter, W.D., Palm, P. and Yeats, S. (1989) Transfer RNA genes frequently serve as integration sites for prokaryotic genetic elements, *Nucleic Acids Res*, **17**, 1907-1914.
- Ritter, A., Blum, G., Emody, L., Kerenyi, M., Bock, A., Neuhierl, B., Rabsch, W., Scheutz, F. and Hacker, J. (1995) tRNA genes and pathogenicity islands: influence on virulence and metabolic properties of uropathogenic *Escherichia coli*, *Mol Microbiol*, **17**, 109-121.
- Ritter, A., Gally, D.L., Olsen, P.B., Dobrindt, U., Friedrich, A., Klemm, P. and Hacker, J. (1997) The Pai-associated leuX specific tRNA<sub>5</sub>(Leu) affects type 1 fimbriation in pathogenic *Escherichia coli* by control of FimB recombinase expression, *Mol Microbiol*, **25**, 871-882.
- Robbins, J.D. and Robbins, J.B. (1984) Reexamination of the protective role of the capsular polysaccharide (Vi antigen) of *Salmonella typhi*, *J Infect Dis*, **150**, 436-449.
- Rosini, R., Rinaudo, C.D., Soriani, M., Lauer, P., Mora, M., Maione, D., Taddei, A., Santi, I., Ghezzo, C., Brettoni, C., Buccato, S., Margarit, I., Grandi, G. and Telford, J.L. (2006) Identification of novel genomic

- islands coding for antigenic pilus-like structures in *Streptococcus agalactiae*, *Mol Microbiol*, **61**, 126-141.
- Roumagnac, P., Weill, F.X., Dolecek, C., Baker, S., Brisson, S., Chinh, N.T., Le, T.A., Acosta, C.J., Farrar, J., Dougan, G. and Achtman, M. (2006) Evolutionary history of *Salmonella typhi*, *Science*, **314**, 1301-1304.
- Rozen, S. and Skaletsky, H. (2000) Primer3 on the WWW for general users and for biologist programmers, *Methods Mol Biol*, **132**, 365-386.
- Rutherford, K., Parkhill, J., Crook, J., Horsnell, T., Rice, P., Rajandream, M.A. and Barrell, B. (2000) Artemis: sequence visualization and annotation, *Bioinformatics*, **16**, 944-945.
- Rzhetsky, A. and Nei, M. (1993) Theoretical foundation of the minimum-evolution method of phylogenetic inference, *Mol Biol Evol*, **10**, 1073-1095.
- Sacchi, C.T., Whitney, A.M., Reeves, M.W., Mayer, L.W. and Popovic, T. (2002) Sequence diversity of *Neisseria meningitidis* 16S rRNA genes and use of 16S rRNA gene sequencing as a molecular subtyping tool, *J Clin Microbiol*, **40**, 4520-4527.
- Saino, Y., Kobayashi, F., Inoue, M. and Mitsuhashi, S. (1982) Purification and properties of inducible penicillin beta-lactamase isolated from *Pseudomonas maltophilia*, *Antimicrob Agents Chemother*, **22**, 564-570.
- Saitou, N. and Imanishi, T. (1989) Relative Efficiencies of the Fitch-Margoliash, Maximum-Parsimony, Maximum-Likelihood, Minimum-Evolution, and Neighbor-joining Methods of Phylogenetic Tree, *Mol Biol Evol*, **6**, 514-525.
- Saitou, N. and Nei, M. (1987) The neighbor-joining method: a new method for reconstructing phylogenetic trees, *Mol Biol Evol*, **4**, 406-425.
- Salzberg, S.L., Delcher, A.L., Kasif, S. and White, O. (1998) Microbial gene identification using interpolated Markov models, *Nucleic Acids Res*, **26**, 544-548.

- Sanchez, P., Alonso, A. and Martinez, J.L. (2002) Cloning and characterization of SmeT, a repressor of the *Stenotrophomonas maltophilia* multidrug efflux pump SmeDEF, *Antimicrob Agents Chemother*, **46**, 3386-3393.
- Sandberg, R., Winberg, G., Branden, C.I., Kaske, A., Ernberg, I. and Coster, J. (2001) Capturing whole-genome characteristics in short sequences using a naive Bayesian classifier., *Genome Res*, **11**, 1404-1409.
- Schmidt, H. and Hensel, M. (2004) Pathogenicity islands in bacterial pathogenesis, *Clin Microbiol Rev*, **17**, 14-56.
- Schmidt, H.A., Strimmer, K., Vingron, M. and von Haeseler, A. (2002) TREE-PUZZLE: maximum likelihood phylogenetic analysis using quartets and parallel computing, *Bioinformatics*, **18**, 502-504.
- Schölkopf, B., Burges, C.J.C. and Smola, A.J. (eds) (1999) *Advances in Kernel Methods - Support Vector Learning*. MIT Press, Cambridge, Massachusetts.
- Schubert, S., Rakin, A., Karch, H., Carniel, E. and Heesemann, J. (1998) Prevalence of the "high-pathogenicity island" of *Yersinia* species among *Escherichia coli* strains that are pathogenic to humans, *Infect Immun*, **66**, 480-485.
- Segal, E.D., Cha, J., Lo, J., Falkow, S. and Tompkins, L.S. (1999) Altered states: involvement of phosphorylated CagA in the induction of host cellular growth changes by *Helicobacter pylori*, *Proc Natl Acad Sci U S A*, **96**, 14559-14564.
- Shah, D.H., Lee, M.J., Park, J.H., Lee, J.H., Eo, S.K., Kwon, J.T. and Chae, J.S. (2005) Identification of *Salmonella gallinarum* virulence genes in a chicken infection model using PCR-based signature-tagged mutagenesis, *Microbiology*, **151**, 3957-3968.
- Sharma, S.A., Tummuru, M.K., Blaser, M.J. and Kerr, L.D. (1998) Activation of IL-8 gene expression by *Helicobacter pylori* is regulated by

- transcription factor nuclear factor-kappa B in gastric epithelial cells, *J Immunol*, **160**, 2401-2407.
- Sharp, P.M. and Li, W.H. (1986) Codon usage in regulatory genes in *Escherichia coli* does not reflect selection for 'rare' codons, *Nucleic Acids Res*, **14**, 7737-7749.
- Sharp, P.M. and Li, W.H. (1987) The codon Adaptation Index--a measure of directional synonymous codon usage bias, and its potential applications, *Nucleic Acids Res*, **15**, 1281-1295.
- Sherburne, C.K., Lawley, T.D., Gilmour, M.W., Blattner, F.R., Burland, V., Grotbeck, E., Rose, D.J. and Taylor, D.E. (2000) The complete DNA sequence and analysis of R27, a large IncHI plasmid from *Salmonella typhi* that is temperature sensitive for transfer, *Nucleic Acids Res*, **28**, 2177-2186.
- Shields, D.C. and Sharp, P.M. (1987) Synonymous codon usage in *Bacillus subtilis* reflects both translational selection and mutational biases, *Nucleic Acids Res*, **15**, 8023-8040.
- Smith, J.M., Smith, N.H., O'Rourke, M. and Spratt, B.G. (1993) How clonal are bacteria?, *Proc Natl Acad Sci U S A*, **90**, 4384-4388.
- Snavely, M.D., Miller, C.G. and Maguire, M.E. (1991) The mgtB Mg<sup>2+</sup> transport locus of *Salmonella typhimurium* encodes a P-type ATPase, *J Biol Chem*, **266**, 815-823.
- Snel, B., Bork, P. and Huynen, M.A. (1999) Genome phylogeny based on gene content, *Nat Genet*, **21**, 108-110.
- Sokol, P.A., Sajjan, U., Visser, M.B., Gingues, S., Forstner, J. and Kooi, C. (2003) The CepIR quorum-sensing system contributes to the virulence of *Burkholderia cenocepacia* respiratory infections, *Microbiology*, **149**, 3649-3658.
- Sonnhammer, E.L., Eddy, S.R., Birney, E., Bateman, A. and Durbin, R. (1998) Pfam: multiple sequence alignments and HMM-profiles of protein domains, *Nucleic Acids Res*, **26**, 320-322.

- Southern, E.M. (1975) Detection of specific sequences among DNA fragments separated by gel electrophoresis, *J Mol Biol*, **98**, 503-517.
- Stanhope, M.J., Lupas, A., Italia, M.J., Koretke, K.K., Volker, C. and Brown, J.R. (2001) Phylogenetic analyses do not support horizontal gene transfers from bacteria to vertebrates, *Nature*, **411**, 940-944.
- Strimmer, K. and von Haeseler, A. (1996) Quartet Puzzling: A Quartet Maximum-Likelihood Method for Reconstructing Tree Topologies, *Mol Biol Evol*, **13**, 964-969.
- Suerbaum, S. and Achtman, M. (1999) Evolution of Helicobacter pylori: the role of recombination, *Trends Microbiol*, **7**, 182-184.
- Sullivan, J.T., Patrick, H.N., Lowther, W.L., Scott, D.B. and Ronson, C.W. (1995) Nodulating strains of Rhizobium loti arise through chromosomal symbiotic gene transfer in the environment, *Proc Natl Acad Sci U S A*, **92**, 8985-8989.
- Sullivan, J.T. and Ronson, C.W. (1998) Evolution of rhizobia by acquisition of a 500-kb symbiosis island that integrates into a phe-tRNA gene, *Proc Natl Acad Sci U S A*, **95**, 5145-5149.
- Syvanen, M. (1985) Cross-species gene transfer; implications for a new theory of evolution, *J Theor Biol*, **112**, 333-343.
- Takeuchi, F., Watanabe, S., Baba, T., Yuzawa, H., Ito, T., Morimoto, Y., Kuroda, M., Cui, L., Takahashi, M., Ankai, A., Baba, S., Fukui, S., Lee, J.C. and Hiramatsu, K. (2005) Whole-genome sequencing of staphylococcus haemolyticus uncovers the extreme plasticity of its genome and the evolution of human-colonizing staphylococcal species, *J Bacteriol*, **187**, 7292-7308.
- Tamas, I., Klasson, L., Canback, B., Naslund, A.K., Eriksson, A.S., Wernegreen, J.J., Sandstrom, J.P., Moran, N.A. and Andersson, S.G. (2002) 50 million years of genomic stasis in endosymbiotic bacteria, *Science*, **296**, 2376-2379.

- Tateno, Y., Takezaki, N. and Nei, M. (1994) Relative efficiencies of the maximum-likelihood, neighbor-joining, and maximum-parsimony methods when substitution rate varies with site, *Mol Biol Evol*, **11**, 261-277.
- Tatusov, R.L., Natale, D.A., Garkavtsev, I.V., Tatusova, T.A., Shankavaram, U.T., Rao, B.S., Kiryutin, B., Galperin, M.Y., Fedorova, N.D. and Koonin, E.V. (2001) The COG database: new developments in phylogenetic classification of proteins from complete genomes, *Nucleic Acids Res*, **29**, 22-28.
- Tettelin, H., Masignani, V., Cieslewicz, M.J., Donati, C., Medini, D., Ward, N.L., Angiuoli, S.V., Crabtree, J., Jones, A.L., Durkin, A.S., Deboy, R.T., Davidsen, T.M., Mora, M., Scarselli, M., Margarit y Ros, I., Peterson, J.D., Hauser, C.R., Sundaram, J.P., Nelson, W.C., Madupu, R., Brinkac, L.M., Dodson, R.J., Rosovitz, M.J., Sullivan, S.A., Daugherty, S.C., Haft, D.H., Selengut, J., Gwinn, M.L., Zhou, L., Zafar, N., Khouri, H., Radune, D., Dimitrov, G., Watkins, K., O'Connor, K.J., Smith, S., Utterback, T.R., White, O., Rubens, C.E., Grandi, G., Madoff, L.C., Kasper, D.L., Telford, J.L., Wessels, M.R., Rappuoli, R. and Fraser, C.M. (2005) Genome analysis of multiple pathogenic isolates of *Streptococcus agalactiae*: implications for the microbial "pan-genome", *Proc Natl Acad Sci U S A*, **102**, 13950-13955.
- Tettelin, H., Nelson, K.E., Paulsen, I.T., Eisen, J.A., Read, T.D., Peterson, S., Heidelberg, J., DeBoy, R.T., Haft, D.H., Dodson, R.J., Durkin, A.S., Gwinn, M., Kolonay, J.F., Nelson, W.C., Peterson, J.D., Umayam, L.A., White, O., Salzberg, S.L., Lewis, M.R., Radune, D., Holtzapple, E., Khouri, H., Wolf, A.M., Utterback, T.R., Hansen, C.L., McDonald, L.A., Feldblyum, T.V., Angiuoli, S., Dickinson, T., Hickey, E.K., Holt, I.E., Loftus, B.J., Yang, F., Smith, H.O., Venter, J.C., Dougherty, B.A., Morrison, D.A., Hollingshead, S.K. and Fraser, C.M. (2001) Complete genome sequence of a virulent isolate of *Streptococcus pneumoniae*, *Science*, **293**, 498-506.

- Thompson, J.D., Higgins, D.G. and Gibson, T.J. (1994) CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice, *Nucleic Acids Res*, **22**, 4673-4680.
- Thomson, N., Baker, S., Pickard, D., Fookes, M., Anjum, M., Hamlin, N., Wain, J., House, D., Bhutta, Z., Chan, K., Falkow, S., Parkhill, J., Woodward, M., Ivens, A. and Dougan, G. (2004) The role of prophage-like elements in the diversity of *Salmonella enterica* serovars, *J Mol Biol*, **339**, 279-300.
- Thomson, N.R., Holden, M.T., Carder, C., Lennard, N., Lockey, S.J., Marsh, P., Skipp, P., O'Connor, C.D., Goodhead, I., Norbertzcak, H., Harris, B., Ormond, D., Rance, R., Quail, M.A., Parkhill, J., Stephens, R.S. and Clarke, I.N. (2008) Chlamydia trachomatis: genome sequence analysis of lymphogranuloma venereum isolates, *Genome Res*, **18**, 161-171.
- Thomson, N.R., Howard, S., Wren, B.W., Holden, M.T., Crossman, L., Challis, G.L., Churcher, C., Mungall, K., Brooks, K., Chillingworth, T., Feltwell, T., Abdellah, Z., Hauser, H., Jagels, K., Maddison, M., Moule, S., Sanders, M., Whitehead, S., Quail, M.A., Dougan, G., Parkhill, J. and Prentice, M.B. (2006) The Complete Genome Sequence and Comparative Genome Analysis of the High Pathogenicity *Yersinia enterocolitica* Strain 8081, *PLoS Genet*, **2**, e206.
- Threlfall, E.J. (2000) Epidemic salmonella typhimurium DT 104--a truly international multiresistant clone, *J Antimicrob Chemother*, **46**, 7-10.
- Tillier, E.R. and Collins, R.A. (2000) Genome rearrangement by replication-directed translocation, *Nat Genet*, **26**, 195-197.
- Tipping, M.E. (2001) Sparse Bayesian Learning and the Relevance Vector Machine, *Journal of Machine Learning Research*, **1**, 211-244.
- Toussaint, A. and Merlin, C. (2002) Mobile elements as a combination of functional modules, *Plasmid*, **47**, 26-35.

- Towers, R.J., Gal, D., McMillan, D., Sripakash, K.S., Currie, B.J., Walker, M.J., Chhatwal, G.S. and Fagan, P.K. (2004) Fibronectin-binding protein gene recombination and horizontal transfer between group A and G streptococci, *J Clin Microbiol*, **42**, 5357-5361.
- Tsirigos, A. and Rigoutsos, I. (2005) A new computational method for the detection of horizontal gene transfer events, *Nucleic Acids Res*, **33**, 922-933.
- Tsirigos, A. and Rigoutsos, I. (2005) A sensitive, support-vector-machine method for the detection of horizontal gene transfers in viral, archaeal and bacterial genomes, *Nucleic Acids Res*, **33**, 3699-3707.
- Tummuru, M.K., Sharma, S.A. and Blaser, M.J. (1995) Helicobacter pylori picB, a homologue of the *Bordetella pertussis* toxin secretion protein, is required for induction of IL-8 in gastric epithelial cells, *Mol Microbiol*, **18**, 867-876.
- Ubeda, C., Maiques, E., Knecht, E., Lasa, I., Novick, R.P. and Penades, J.R. (2005) Antibiotic-induced SOS response promotes horizontal dissemination of pathogenicity island-encoded virulence factors in staphylococci, *Mol Microbiol*, **56**, 836-844.
- Uchiya, K., Barbieri, M.A., Funato, K., Shah, A.H., Stahl, P.D. and Groisman, E.A. (1999) A *Salmonella* virulence protein that inhibits cellular trafficking, *Embo J*, **18**, 3924-3933.
- Vazquez-Torres, A., Xu, Y., Jones-Carson, J., Holden, D.W., Lucia, S.M., Dinauer, M.C., Mastroeni, P. and Fang, F.C. (2000) *Salmonella* pathogenicity island 2-dependent evasion of the phagocyte NADPH oxidase, *Science*, **287**, 1655-1658.
- Vernikos, G.S. (2008) Genome watch: Overtake in reverse gear, *Nat Rev Microbiol*, **advanced online publication**.
- Vernikos, G.S. and Parkhill, J. (2006) Interpolated variable order motifs for identification of horizontally acquired DNA: revisiting the *Salmonella* pathogenicity islands, *Bioinformatics*, **22**, 2196-2203.

- Vernikos, G.S. and Parkhill, J. (2008) Resolving the structural features of genomic islands: A machine learning approach, *Genome Res.*, **18**, 331-342.
- Vernikos, G.S., Thomson, N.R. and Parkhill, J. (2007) Genetic flux over time in the *Salmonella* lineage, *Genome Biol.*, **8**, R100.
- Viterbi, A.J. (1967) Error bounds for convolutional codes and an asymptotically optimum decoding algorithm, *IEEE Transactions on Information Theory*, **IT-13**, 260-269.
- Wales, A.D., Woodward, M.J. and Pearson, G.R. (2005) Attaching-effacing bacteria in animals, *J Comp Pathol.*, **132**, 1-26.
- Walker, J.E., Saraste, M., Runswick, M.J. and Gay, N.J. (1982) Distantly related sequences in the alpha- and beta-subunits of ATP synthase, myosin, kinases and other ATP-requiring enzymes and a common nucleotide binding fold, *Embo J.*, **1**, 945-951.
- Ward, J.E., Akiyoshi, D.E., Regier, D., Datta, A., Gordon, M.P. and Nester, E.W. (1988) Characterization of the virB operon from an *Agrobacterium tumefaciens* Ti plasmid, *J Biol Chem.*, **263**, 5804-5814.
- Waterhouse, J.C. and Russell, R.R. (2006) Dispensable genes and foreign DNA in *Streptococcus mutans*, *Microbiology*, **152**, 1777-1788.
- Weiss, A.A., Johnson, F.D. and Burns, D.L. (1993) Molecular characterization of an operon required for pertussis toxin secretion, *Proc Natl Acad Sci USA*, **90**, 2970-2974.
- Welch, R.A., Burland, V., Plunkett, G., 3rd, Redford, P., Roesch, P., Rasko, D., Buckles, E.L., Liou, S.R., Boutin, A., Hackett, J., Stroud, D., Mayhew, G.F., Rose, D.J., Zhou, S., Schwartz, D.C., Perna, N.T., Mobley, H.L., Donnenberg, M.S. and Blattner, F.R. (2002) Extensive mosaic structure revealed by the complete genome sequence of uropathogenic *Escherichia coli*, *Proc Natl Acad Sci USA*, **99**, 17020-17024.
- Williams, K.P. (2003) Traffic at the tmRNA gene, *J Bacteriol.*, **185**, 1059-1070.

- Williams, K.P. (2002) Integration sites for genetic elements in prokaryotic tRNA and tmRNA genes: sublocation preference of integrase subfamilies, *Nucleic Acids Res.*, **30**, 866-875.
- Winans, S.C., Burns, D.L. and Christie, P.J. (1996) Adaptation of a conjugal transfer system for the export of pathogenic macromolecules, *Trends Microbiol.*, **4**, 64-68.
- Woese, C.R. (1987) Bacterial evolution, *Microbiol Rev*, **51**, 221-271.
- Woese, C.R. (2000) Interpreting the universal phylogenetic tree, *Proc Natl Acad Sci USA*, **97**, 8392-8396.
- Wolf, Y.I., Aravind, L., Grishin, N.V. and Koonin, E.V. (1999) Evolution of aminoacyl-tRNA synthetases--analysis of unique domain architectures and phylogenetic trees reveals a complex history of horizontal gene transfer events, *Genome Res.*, **9**, 689-710.
- Wong, K.K., McClelland, M., Stillwell, L.C., Sisk, E.C., Thurston, S.J. and Saffer, J.D. (1998) Identification and sequence analysis of a 27-kilobase chromosomal fragment containing a *Salmonella* pathogenicity island located at 92 minutes on the chromosome map of *Salmonella enterica* serovar typhimurium LT2, *Infect Immun*, **66**, 3365-3371.
- Wood, M.W., Jones, M.A., Watson, P.R., Hedges, S., Wallis, T.S. and Galyov, E.E. (1998) Identification of a pathogenicity island required for *Salmonella enteropathogenicity*, *Mol Microbiol*, **29**, 883-891.
- Wood, M.W., Rosqvist, R., Mullan, P.B., Edwards, M.H. and Galyov, E.E. (1996) SopE, a secreted protein of *Salmonella dublin*, is translocated into the target eukaryotic cell via a sip-dependent mechanism and promotes bacterial entry, *Mol Microbiol*, **22**, 327-338.
- Worley, M.J., Ching, K.H. and Heffron, F. (2000) *Salmonella* SsrB activates a global regulon of horizontally acquired genes, *Mol Microbiol*, **36**, 749-761.
- Wright, F. (1990) The 'effective number of codons' used in a gene, *Gene*, **87**, 23-29.

- Wu, T.J., Huang, Y.H. and Li, L.A. (2005) Optimal word sizes for dissimilarity measures and estimation of the degree of dissimilarity between DNA sequences, *Bioinformatics*, **21**, 4125-4132.
- Wyborn, N.R., Stapleton, M.R., Norte, V.A., Roberts, R.E., Grafton, J. and Green, J. (2004) Regulation of Escherichia coli hemolysin E expression by H-NS and Salmonella SlyA, *J Bacteriol*, **186**, 1620-1628.
- Yang, Z. (1994) Maximum likelihood phylogenetic estimation from DNA sequences with variable rates over sites: approximate methods, *J Mol Evol*, **39**, 306-314.
- Yang, Z. (1996) Statistical properties of a DNA sample under the finite-sites model, *Genetics*, **144**, 1941-1950.
- Yap, W.H., Zhang, Z. and Wang, Y. (1999) Distinct types of rRNA operons exist in the genome of the actinomycete Thermomonospora chromogena and evidence for horizontal transfer of an entire rRNA operon, *J Bacteriol*, **181**, 5201-5209.
- Yoon, S.H., Hur, C.G., Kang, H.Y., Kim, Y.H., Oh, T.K. and Kim, J.F. (2005) A computational approach for identifying pathogenicity islands in prokaryotic genomes, *BMC Bioinformatics*, **6**, 184.
- Yoon, S.H., Park, Y.K., Lee, S., Choi, D., Oh, T.K., Hur, C.G. and Kim, J.F. (2007) Towards pathogenomics: a web-based resource for pathogenicity islands, *Nucleic Acids Res*, **35**, D395-400.
- Zhang, L., Radziejewska-Lebrecht, J., Krajewska-Pietrasik, D., Toivanen, P. and Skurnik, M. (1997) Molecular and chemical characterization of the lipopolysaccharide O-antigen and its role in the virulence of Yersinia enterocolitica serotype O:8, *Mol Microbiol*, **23**, 63-76.
- Zhang, S., Kingsley, R.A., Santos, R.L., Andrews-Polymenis, H., Raffatellu, M., Figueiredo, J., Nunes, J., Tsolis, R.M., Adams, L.G. and Baumler, A.J. (2003) Molecular pathogenesis of *Salmonella enterica* serotype typhimurium-induced diarrhea, *Infect Immun*, **71**, 1-12.

Zhang, X.L., Morris, C. and Hackett, J. (1997) Molecular cloning, nucleotide sequence, and function of a site-specific recombinase encoded in the major 'pathogenicity island' of *Salmonella typhi*, *Gene*, **202**, 139-146.

Zhang, X.L., Tsui, I.S., Yip, C.M., Fung, A.W., Wong, D.K., Dai, X., Yang, Y., Hackett, J. and Morris, C. (2000) *Salmonella enterica* serovar typhi uses type IVB pili to enter human intestinal epithelial cells, *Infect Immun*, **68**, 3067-3073.