

## References

---

1. The Deciphering Developmental Disorders S. Large-scale discovery of novel genetic causes of developmental disorders. *Nature*. 2015;519(7542):223-8.
2. Wright CF, Fitzgerald TW, Jones WD, Clayton S, McRae JF, van Kogelenberg M, et al. Genetic diagnosis of developmental disorders in the DDD study: a scalable analysis of genome-wide research data. *Lancet*. 2015;385(9975):1305-14.
3. Al Turki S, Manickaraj AK, Mercer CL, Gerety SS, Hitz MP, Lindsay S, et al. Rare variants in NR2F2 cause congenital heart defects in humans. *American journal of human genetics*. 2014;94(4):574-85.
4. Association AP. Desk Reference to the Diagnostic Criteria From DSM-IV-TR. Washington2000.
5. Topper S, Ober C, Das S. Exome sequencing and the genetics of intellectual disability. *Clinical genetics*. 2011;80(2):117-26.
6. Cooper DN, Chen JM, Ball EV, Howells K, Mort M, Phillips AD, et al. Genes, mutations, and human inherited disease at the dawn of the age of personalized genomics. *Human mutation*. 2010;31(6):631-55.
7. EUROADIS. Survey of the delay in diagnosis for 8 rare diseases in Europe ('EurordisCare2'). 2007
- .
8. Commission of the European Communities. Communication from the commission to the European Parliament, the council, the European economic and social committee and the committee of the regions. On Rare Diseases: Europe's challenges. 2008.
9. European Commission. Rare Diseases [Available from: [https://ec.europa.eu/health/rare\\_diseases/policy\\_en](https://ec.europa.eu/health/rare_diseases/policy_en)].
10. Orphanet. Prevalence of rare diseases: Bibliographic data. Orphanet Reports Series 2014; Rare Diseases collection.
11. Stewart DL, Hersh JH. The impact of major congenital malformations on mortality in a neonatal intensive care unit. *J Ky Med Assoc*. 1995;93(8):329-32.
12. Synnes AR, Berry M, Jones H, Pendray M, Stewart S, Lee SK, et al. Infants with congenital anomalies admitted to neonatal intensive care units. *Am J Perinatol*. 2004;21(4):199-207.
13. Scriver CR, Neal JL, Saginur R, Clow A. The frequency of genetic disease and congenital malformation among patients in a pediatric hospital. *Can Med Assoc J*. 1973;108(9):1111-5.
14. Polder JJ, Meerding WJ, Bonneux L, van der Maas PJ. Healthcare costs of intellectual disability in the Netherlands: a cost-of-illness perspective. *J Intellect Disabil Res*. 2002;46(Pt 2):168-78.
15. Centers for Disease C, Prevention. Economic costs associated with mental retardation, cerebral palsy, hearing loss, and vision impairment--United States, 2003. *MMWR Morb Mortal Wkly Rep*. 2004;53(3):57-9.
16. Arvio M, Salokivi T, Tiitinen A, Haataja L. Mortality in individuals with intellectual disabilities in Finland. *Brain Behav*. 2016;6(2):e00431.
17. Iafrate AJ, Feuk L, Rivera MN, Listewnik ML, Donahoe PK, Qi Y, et al. Detection of large-scale variation in the human genome. *Nature genetics*. 2004;36(9):949-51.
18. Redon R, Ishikawa S, Fitch KR, Feuk L, Perry GH, Andrews TD, et al. Global variation in copy number in the human genome. *Nature*. 2006;444(7118):444-54.
19. Itsara A, Cooper GM, Baker C, Girirajan S, Li J, Absher D, et al. Population analysis of large copy number variants and hotspots of human genetic disease. *American journal of human genetics*. 2009;84(2):148-61.

20. Lejeune J, Gauthier M, Turpin R. [Human chromosomes in tissue cultures]. Comptes rendus hebdomadaires des séances de l'Academie des sciences. 1959;248(4):602-3.
21. Tjio HJL, A. The chromosome numbers of man. Hereditas. 1956;42:1-6.
22. Biesecker LG, Spinner NB. A genomic view of mosaicism and human disease. Nat Rev Genet. 2013;14(5):307-20.
23. Hirschhorn K, Decker WH, Cooper HL. Human intersex with chromosome mosaicism of type XY/XO. Report of a case. N Engl J Med. 1960;263:1044-8.
24. Lamb J, Wilkie AO, Harris PC, Buckle VJ, Lindenbaum RH, Barton NJ, et al. Detection of breakpoints in submicroscopic chromosomal translocation, illustrating an important mechanism for genetic disease. Lancet. 1989;2(8667):819-24.
25. Rudd MK. Structural variation in subtelomeres. Methods Mol Biol. 2012;838:137-49.
26. Ravnan JB, Tepperberg JH, Papenhausen P, Lamb AN, Hedrick J, Eash D, et al. Subtelomere FISH analysis of 11 688 cases: an evaluation of the frequency and pattern of subtelomere rearrangements in individuals with developmental disabilities. Journal of medical genetics. 2006;43(6):478-89.
27. Knight SJ, Regan R, Nicod A, Horsley SW, Kearney L, Homfray T, et al. Subtle chromosomal rearrangements in children with unexplained mental retardation. Lancet. 1999;354(9191):1676-81.
28. Teague B, Waterman MS, Goldstein S, Potamousis K, Zhou S, Reslewic S, et al. High-resolution human genome structure by single-molecule analysis. Proceedings of the National Academy of Sciences. 2010;107(24):10848-53.
29. Ray M, Goldstein S, Zhou S, Potamousis K, Sarkar D, Newton MA, et al. Discovery of structural alterations in solid tumor oligodendrogloma by single molecule analysis. BMC Genomics. 2013;14(1):505.
30. Schwartz DC, Li X, Hernandez LI, Ramnarain SP, Huff EJ, Wang YK. Ordered restriction maps of *Saccharomyces cerevisiae* chromosomes constructed by Optical Mapping. Science. 1993;262.
31. Miller DT, Adam MP, Aradhya S, Biesecker LG, Brothman AR, Carter NP, et al. Consensus Statement: Chromosomal Microarray Is a First-Tier Clinical Diagnostic Test for Individuals with Developmental Disabilities or Congenital Anomalies. The American Journal of Human Genetics. 2010;86(5):749-64.
32. Aradhya S, Lewis R, Bonaga T, Nwokekeh N, Stafford A, Boggs B, et al. Exon-level array CGH in a large clinical cohort demonstrates increased sensitivity of diagnostic testing for Mendelian disorders. Genet Med. 2012;14(6):594-603.
33. Sanger F, Nicklen S, Coulson AR. DNA sequencing with chain-terminating inhibitors. Proceedings of the National Academy of Sciences of the United States of America. 1977;74(12):5463-7.
34. Saiki RK, Scharf S, Faloona F, Mullis KB, Horn GT, Erlich HA, et al. Enzymatic amplification of beta-globin genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. Science. 1985;230(4732):1350-4.
35. Mullis KB, Faloona FA. Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction. Methods in enzymology. 1987;155:335-50.
36. Verkerk AJ, Pieretti M, Sutcliffe JS, Fu YH, Kuhl DP, Pizzuti A, et al. Identification of a gene (FMR-1) containing a CGG repeat coincident with a breakpoint cluster region exhibiting length variation in fragile X syndrome. Cell. 1991;65(5):905-14.
37. Amir RE, Van den Veyver IB, Wan M, Tran CQ, Francke U, Zoghbi HY. Rett syndrome is caused by mutations in X-linked MECP2, encoding methyl-CpG-binding protein 2. Nature genetics. 1999;23(2):185-8.
38. Metzker ML. Sequencing technologies - the next generation. Nat Rev Genet. 2010;11(1):31-46.

39. Ng SB, Turner EH, Robertson PD, Flygare SD, Bigham AW, Lee C, et al. Targeted capture and massively parallel sequencing of 12 human exomes. *Nature*. 2009;461(7261):272-6.
40. Choi M, Scholl UI, Ji W, Liu T, Tikhonova IR, Zumbo P, et al. Genetic diagnosis by whole exome capture and massively parallel DNA sequencing. *Proceedings of the National Academy of Sciences of the United States of America*. 2009;106(45):19096-101.
41. Ng SB, Buckingham KJ, Lee C, Bigham AW, Tabor HK, Dent KM, et al. Exome sequencing identifies the cause of a mendelian disorder. *Nature genetics*. 2010;42(1):30-5.
42. Ng SB, Bigham AW, Buckingham KJ, Hannibal MC, McMillin M, Gildersleeve H, et al. Exome sequencing identifies MLL2 mutations as a cause of Kabuki syndrome. *Nature genetics*. 2010;42(9):790-3.
43. Clayton-Smith J, O'Sullivan J, Daly S, Bhaskar S, Day R, Anderson B, et al. Whole-exome-sequencing identifies mutations in histone acetyltransferase gene KAT6B in individuals with the Say-Barber-Biesecker variant of Ohdo syndrome. *American journal of human genetics*. 2011;89(5):675-81.
44. Tsurusaki Y, Okamoto N, Ohashi H, Kosho T, Imai Y, Hibi-Ko Y, et al. Mutations affecting components of the SWI/SNF complex cause Coffin-Siris syndrome. *Nature genetics*. 2012;44(4):376-8.
45. Santen GW, Aten E, Sun Y, Almomani R, Gilissen C, Nielsen M, et al. Mutations in SWI/SNF chromatin remodeling complex gene ARID1B cause Coffin-Siris syndrome. *Nature genetics*. 2012;44(4):379-80.
46. Jones WD, Dafou D, McEntagart M, Woppard WJ, Elmslie FV, Holder-Espinasse M, et al. De novo mutations in MLL cause Wiedemann-Steiner syndrome. *American journal of human genetics*. 2012;91(2):358-64.
47. Sawyer SL, Hartley T, Dyment DA, Beaulieu CL, Schwartzenruber J, Smith A, et al. Utility of whole-exome sequencing for those near the end of the diagnostic odyssey: time to address gaps in care. *Clinical genetics*. 2015.
48. Firth HV, Wright CF. The Deciphering Developmental Disorders (DDD) study. *Developmental medicine and child neurology*. 2011;53(8):702-3.
49. Winter R, Baraitser, M. London Dysmorphology Database [Available from: <http://www.lmdatabases.com/>].
50. POSSUM [Available from: [www.possum.net.au](http://www.possum.net.au)].
51. Hennekam RCM, Cormier-Daire V, Hall JG, Méhes K, Patton M, Stevenson RE. Elements of morphology: Standard terminology for the nose and philtrum. *American Journal of Medical Genetics Part A*. 2009;149A(1):61-76.
52. Allanson JE, Cunniff C, Hoyme HE, McGaughran J, Muenke M, Neri G. Elements of Morphology: Standard Terminology for the Head and Face. *American journal of medical genetics Part A*. 2009;149A(1):6-28.
53. Biesecker LG, Aase JM, Clericuzio C, Gurrieri F, Temple IK, Toriello H. Defining Morphology: Hands and Feet. *American journal of medical genetics Part A*. 2009;149A(1):93-127.
54. Carey JC, Cohen MM, Curry CJR, Devriendt K, Holmes LB, Verloes A. Elements of morphology: Standard terminology for the lips, mouth, and oral region. *American Journal of Medical Genetics Part A*. 2009;149A(1):77-92.
55. Hall BD, Graham JM, Cassidy SB, Opitz JM. Elements of morphology: Standard terminology for the periorbital region. *American Journal of Medical Genetics Part A*. 2009;149A(1):29-39.
56. Hunter A, Frias JL, Gillessen-Kaesbach G, Hughes H, Jones KL, Wilson L. Elements of morphology: Standard terminology for the ear. *American Journal of Medical Genetics Part A*. 2009;149A(1):40-60.

57. The American Journal of Human Genetics: Instructions for authors [Available from: <http://www.cell.com/ajhg/authors>].
58. Kohler S, Doelken SC, Mungall CJ, Bauer S, Firth HV, Bailleul-Forestier I, et al. The Human Phenotype Ontology project: linking molecular biology and disease through phenotype data. *Nucleic acids research*. 2014;42(Database issue):D966-74.
59. Graungaard AH, Skov L. Why do we need a diagnosis? A qualitative study of parents' experiences, coping and needs, when the newborn child is severely disabled. *Child: Care, Health and Development*. 2007;33(3):296-307.
60. Carmichael B, Pembrey M, Turner G, Barnicoat A. Diagnosis of fragile-X syndrome: the experiences of parents. *J Intellect Disabil Res*. 1999;43 ( Pt 1):47-53.
61. Goker-Alpan O, Schiffmann R, LaMarca ME, Nussbaum RL, McInerney-Leo A, Sidransky E. Parkinsonism among Gaucher disease carriers. *Journal of medical genetics*. 2004;41(12):937-40.
62. Sidransky E, Nalls MA, Aasly JO, Aharon-Peretz J, Annesi G, Barbosa ER, et al. Multicenter analysis of glucocerebrosidase mutations in Parkinson's disease. *New England Journal of Medicine*. 2009;361(17):1651-61.
63. Siebert M, Sidransky E, Westbroek W. Glucocerebrosidase is shaking up the synucleinopathies. *Brain : a journal of neurology*. 2014;137(Pt 5):1304-22.
64. Mitsui J, Matsukawa T, Sasaki H, Yabe I, Matsushima M, Dürr A, et al. Variants associated with Gaucher disease in multiple system atrophy. *Annals of clinical and translational neurology*. 2015;2(4):417-26.
65. Hurst JA, Baraitser M, Auger E, Graham F, Norell S. An extended family with a dominantly inherited speech disorder. *Developmental medicine and child neurology*. 1990;32(4):352-5.
66. Fisher SE, Vargha-Khadem F, Watkins KE, Monaco AP, Pembrey ME. Localisation of a gene implicated in a severe speech and language disorder. *Nature genetics*. 1998;18(2):168-70.
67. Lai CS, Fisher SE, Hurst JA, Levy ER, Hodgson S, Fox M, et al. The SPCH1 region on human 7q31: genomic characterization of the critical interval and localization of translocations associated with speech and language disorder. *American journal of human genetics*. 2000;67(2):357-68.
68. Lai CS, Fisher SE, Hurst JA, Vargha-Khadem F, Monaco AP. A forkhead-domain gene is mutated in a severe speech and language disorder. *Nature*. 2001;413(6855):519-23.
69. Haesler S, Rochefort C, Georgi B, Licznerski P, Osten P, Scharff C. Incomplete and inaccurate vocal imitation after knockdown of FoxP2 in songbird basal ganglia nucleus Area X. *PLoS biology*. 2007;5(12):e321.
70. Wiedemann H-R, Kunze, J, Dibbern H. *Atlas der klinischen Syndrome fur Klinik und Praxis*. 3rd ed. Stuttgart: Schattauer; 1989. p. 198-9.
71. Steiner CE, Marques AP. Growth deficiency, mental retardation and unusual facies. *Clin Dysmorphol*. 2000;9(2):155-6.
72. Koenig R, Meinecke P, Kuechler A, Schafer D, Muller D. Wiedemann-Steiner syndrome: three further cases. *American journal of medical genetics Part A*. 2010;152A(9):2372-5.
73. Mendelsohn BA, Pronold M, Long R, Smaoui N, Slavotinek AM. Advanced bone age in a girl with Wiedemann-Steiner syndrome and an exonic deletion in KMT2A (MLL). *American journal of medical genetics Part A*. 2014.
74. Miyake N, Tsurusaki Y, Koshimizu E, Okamoto N, Kosho T, Brown NJ, et al. Delineation of clinical features in Wiedemann-Steiner syndrome caused by KMT2A mutations. *Clinical genetics*. 2015.

75. Stellacci E, Onesimo R, Bruselles A, Pizzi S, Battaglia D, Leoni C, et al. Congenital immunodeficiency in an individual with Wiedemann-Steiner syndrome due to a novel missense mutation in KMT2A. *American journal of medical genetics Part A*. 2016.
76. Strom SP, Lozano R, Lee H, Dorrani N, Mann J, PF OL, et al. De Novo variants in the KMT2A (MLL) gene causing atypical Wiedemann-Steiner syndrome in two unrelated individuals identified by clinical exome sequencing. *BMC medical genetics*. 2014;15(1):49.
77. Yuan B, Pehlivan D, Karaca E, Patel N, Charng W-L, Gambin T, et al. Global transcriptional disturbances underlie Cornelia de Lange syndrome and related phenotypes. *The Journal of clinical investigation*. 2015;125(2):636-51.
78. Dunkerton S, Field M, Cho V, Bertram E, Whittle B, Groves A, et al. A de novo mutation in KMT2A (MLL) in monozygotic twins with Wiedemann-Steiner syndrome. *American journal of medical genetics Part A*. 2015.
79. Bramswig NC, Lüdecke H-J, Alanay Y, Albrecht B, Barthelme A, Boduroglu K, et al. Exome sequencing unravels unexpected differential diagnoses in individuals with the tentative diagnosis of Coffin-Siris and Nicolaides-Baraitser syndromes. *Human genetics*. 2015;134(6):553-68.
80. Steel D, Salpietro V, Phadke R, Pitt M, Gentile G, Massoud A, et al. Whole exome sequencing reveals a MLL de novo mutation associated with mild developmental delay and without 'hairy elbows': expanding the phenotype of Wiedemann-Steiner syndrome. *J Genet*. 2015;94(4):755-8.
81. Calvel P, Kusz-Zamelczyk K, Makrythanasis P, Janecki D, Borel C, Conne B, et al. A Case of Wiedemann-Steiner Syndrome Associated with a 46,XY Disorder of Sexual Development and Gonadal Dysgenesis. *Sex Dev*. 2015;9(5):289-95.
82. Bogershausen N, Bruford E, Wollnik B. Skirting the pitfalls: a clear-cut nomenclature for H3K4 methyltransferases. *Clinical genetics*. 2013;83(3):212-4.
83. Helbig KL, Farwell Hagman KD, Shinde DN, Mroske C, Powis Z, Li S, et al. Diagnostic exome sequencing provides a molecular diagnosis for a significant proportion of patients with epilepsy. *Genet Med*. 2016.
84. Euro E-RESC, Epilepsy Phenome/Genome P, Epi KC. De novo mutations in synaptic transmission genes including DNM1 cause epileptic encephalopathies. *American journal of human genetics*. 2014;95(4):360-70.
85. De Rubeis S, He X, Goldberg AP, Poultney CS, Samocha K, Ercument Cicek A, et al. Synaptic, transcriptional and chromatin genes disrupted in autism. *Nature*. 2014;515(7526):209-15.
86. Lederer D, Grisart B, Digilio Maria C, Benoit V, Crespin M, Ghariani Sophie C, et al. Deletion of KDM6A, a Histone Demethylase Interacting with MLL2, in Three Patients with Kabuki Syndrome. *The American Journal of Human Genetics*. 2012;90(1):119-24.
87. Issaeva I, Zonis Y, Rozovskaya T, Orlovsky K, Croce CM, Nakamura T, et al. Knockdown of ALR (MLL2) Reveals ALR Target Genes and Leads to Alterations in Cell Adhesion and Growth. *Molecular and cellular biology*. 2007;27(5):1889-903.
88. Agger K, Cloos PAC, Christensen J, Pasini D, Rose S, Rappaport J, et al. UTX and JMJD3 are histone H3K27 demethylases involved in HOX gene regulation and development. *Nature*. 2007;449(7163):731-4.
89. Fahrner JA, Bjornsson HT. Mendelian Disorders of the Epigenetic Machinery: Tipping the Balance of Chromatin States. *Annual review of genomics and human genetics*. 2014;15:269-93.
90. Tonkin ET, Wang T-J, Lisgo S, Bamshad MJ, Strachan T. NIPBL, encoding a homolog of fungal Scc2-type sister chromatid cohesion proteins and fly Nipped-B, is mutated in Cornelia de Lange syndrome. *Nature genetics*. 2004;36(6):636-41.

91. Deardorff MA, Bando M, Nakato R, Watrin E, Itoh T, Minamino M, et al. HDAC8 mutations in Cornelia de Lange syndrome affect the cohesin acetylation cycle. *Nature*. 2012;489(7415):313-7.
92. Deardorff MA, Kaur M, Yaeger D, Rampuria A, Korolev S, Pie J, et al. Mutations in Cohesin Complex Members SMC3 and SMC1A Cause a Mild Variant of Cornelia de Lange Syndrome with Predominant Mental Retardation. *The American Journal of Human Genetics*. 2012;80(3):485-94.
93. Musio A, Selicorni A, Focarelli ML, Gervasini C, Milani D, Russo S, et al. X-linked Cornelia de Lange syndrome owing to SMC1L1 mutations. *Nature genetics*. 2006;38(5):528-30.
94. Deardorff MA, Wilde JJ, Albrecht M, Dickinson E, Tennstedt S, Braunholz D, et al. RAD21 mutations cause a human cohesinopathy. *American journal of human genetics*. 2012;90(6):1014-27.
95. Butler LH, Slany R, Cui X, Cleary ML, Mason DY. The HRX proto-oncogene product is widely expressed in human tissues and localizes to nuclear structures. *Blood*. 1997;89(9):3361-70.
96. Rasio D, Schichman SA, Negrini M, Canaani E, Croce CM. Complete Exon Structure of the ALL1 Gene. *Cancer Research*. 1996;56(8):1766-9.
97. Schuettengruber B, Martinez AM, Iovino N, Cavalli G. Trithorax group proteins: switching genes on and keeping them active. *Nat Rev Mol Cell Biol*. 2011;12(12):799-814.
98. Rao RC, Dou Y. Hijacked in cancer: the KMT2 (MLL) family of methyltransferases. *Nat Rev Cancer*. 2015;15(6):334-46.
99. Milne TA, Briggs SD, Brock HW, Martin ME, Gibbs D, Allis CD, et al. MLL targets SET domain methyltransferase activity to Hox gene promoters. *Molecular cell*. 2002;10(5):1107-17.
100. Cosgrove MS, Patel A. Mixed lineage leukemia: a structure-function perspective of the MLL1 protein. *The FEBS journal*. 2010;277(8):1832-42.
101. Cosgrove MS, Patel A. Mixed lineage leukemia: a structure-function perspective of the MLL1 protein. *The FEBS journal*. 2010;277(8):1832-42.
102. Allen MD, Grummitt CG, Hilcenko C, Min SY, Tonkin LM, Johnson CM, et al. Solution structure of the nonmethyl-CpG-binding CXXC domain of the leukaemia-associated MLL histone methyltransferase. *EMBO J*. 2006;25(19):4503-12.
103. Hsieh JJ, Ernst P, Erdjument-Bromage H, Tempst P, Korsmeyer SJ. Proteolytic cleavage of MLL generates a complex of N- and C-terminal fragments that confers protein stability and subnuclear localization. *Molecular and cellular biology*. 2003;23(1):186-94.
104. Down JL. Observations on an ethnic classification of idiots. 1866. *Ment Retard*. 1995;33(1):54-6.
105. Lin HC, Le Hoang P, Hutchinson A, Chao G, Gerfen J, Loomes KM, et al. Alagille Syndrome in a Vietnamese Cohort: Mutation Analysis and Assessment of Facial Features. *American journal of medical genetics Part A*. 2012;158A(5):1005-13.
106. Kamath BM, Loomes KM, Oakey RJ, Emerick KE, Conversano T, Spinner NB, et al. Facial features in Alagille syndrome: specific or cholestasis facies? *Am J Med Genet*. 2002;112(2):163-70.
107. Rohatgi S, Clark D, Kline AD, Jackson LG, Pie J, Siu V, et al. Facial Diagnosis of Mild and Variant CdLS: Insights From a Dysmorphologist Survey. *American journal of medical genetics Part A*. 2010;0(7):1641-53.
108. Sokol RJ, Heubi JE, Balistreri WF. Intrahepatic "cholestasis facies": is it specific for Alagille syndrome? *J Pediatr*. 1983;103(2):205-8.
109. Leisti J, Hollister DW, Rimoin DL. The Floating-Harbor syndrome. *Birth Defects Orig Artic Ser*. 1975;11(5):305.

110. Pelletier G, Feingold M. Case report 1. *Syndrome Ident* 1973;1:8-9.
111. Robinson PL, Shohat M, Winter RM, Conte WJ, Gordon-Nesbitt D, Feingold M, et al. A unique association of short stature, dysmorphic features, and speech impairment (Floating-Harbor syndrome). *J Pediatr*. 1988;113(4):703-6.
112. Basel-Vanagaite L, Wolf L, Orin M, Larizza L, Gervasini C, Krantz ID, et al. Recognition of the Cornelia de Lange syndrome phenotype with facial dysmorphology novel analysis. *Clinical genetics*. 2016;89(5):557-63.
113. Ferry Q, Steinberg J, Webber C, FitzPatrick DR, Ponting CP, Zisserman A, et al. Diagnostically relevant facial gestalt information from ordinary photos. *Elife*. 2014;3:e02020.
114. Hammond P, Hutton TJ, Allanson JE, Buxton B, Campbell LE, Clayton-Smith J, et al. Discriminating power of localized three-dimensional facial morphology. *American journal of human genetics*. 2005;77(6):999-1010.
115. den Dunnen JT, Dalglish R, Maglott DR, Hart RK, Greenblatt MS, McGowan-Jordan J, et al. HGVS Recommendations for the Description of Sequence Variants: 2016 Update. *Human mutation*. 2016;37(6):564-9.
116. Yates A, Akanni W, Amode MR, Barrell D, Billis K, Carvalho-Silva D, et al. Ensembl 2016. *Nucleic acids research*. 2016;44(D1):D710-D6.
117. Wildeman M, van Ophuizen E, den Dunnen JT, Taschner PEM. Improving sequence variant descriptions in mutation databases and literature using the Mutalyzer sequence variation nomenclature checker. *Human mutation*. 2008;29(1):6-13.
118. Firth HV, Richards SM, Bevan AP, Clayton S, Corpas M, Rajan D, et al. DECIPHER: Database of Chromosomal Imbalance and Phenotype in Humans Using Ensembl Resources. *American journal of human genetics*. 2009;84(4):524-33.
119. Epi KC, Epilepsy Phenome/Genome P, Allen AS, Berkovic SF, Cossette P, Delanty N, et al. De novo mutations in epileptic encephalopathies. *Nature*. 2013;501(7466):217-21.
120. (ExAC) EAC. ExAC Dataset Cambridge, MA (URL: <http://exac.broadinstitute.org>)2015/[03]:[
121. Samocha KE, Robinson EB, Sanders SJ, Stevens C, Sabo A, McGrath LM, et al. A framework for the interpretation of de novo mutation in human disease. *Nature genetics*. 2014;46(9):944-50.
122. Freeman JV, Cole TJ, Chinn S, Jones PR, White EM, Preece MA. Cross sectional stature and weight reference curves for the UK, 1990. *Archives of Disease in Childhood*. 1995;73(1):17-24.
123. Chu-Shore CJ, Major P, Camposano S, Muzykewicz D, Thiele EA. The natural history of epilepsy in tuberous sclerosis complex. *Epilepsia*. 2010;51(7):1236-41.
124. Poisson A, Nicolas A, Cochat P, Sanlaville D, Rigard C, de Leersnyder H, et al. Behavioral disturbance and treatment strategies in Smith-Magenis syndrome. *Orphanet J Rare Dis*. 2015;10:111.
125. Aguilar-Arnal L, Hakim O, Patel VR, Baldi P, Hager GL, Sassone-Corsi P. Cycles in spatial and temporal chromosomal organization driven by the circadian clock. *Nat Struct Mol Biol*. 2013;20(10):1206-13.
126. Katada S, Sassone-Corsi P. The histone methyltransferase MLL1 permits the oscillation of circadian gene expression. *Nat Struct Mol Biol*. 2010;17(12):1414-21.
127. Hoffman JD, Cipriero KL, Sullivan KE, Kaplan PB, McDonald-McGinn DM, Zackai EH, et al. Immune abnormalities are a frequent manifestation of Kabuki syndrome. *American journal of medical genetics Part A*. 2005;135(3):278-81.
128. Argentaro A, Yang J-C, Chapman L, Kowalczyk MS, Gibbons RJ, Higgs DR, et al. Structural consequences of disease-causing mutations in the ATRX-DNMT3-DNMT3L (ADD)

- domain of the chromatin-associated protein ATRX. *Proceedings of the National Academy of Sciences*. 2007;104(29):11939-44.
129. Allen MD, Grummitt CG, Hilcenko C, Min SY, Tonkin LM, Johnson CM, et al. Solution structure of the nonmethyl-CpG-binding CXXC domain of the leukaemia-associated MLL histone methyltransferase. *The EMBO Journal*. 2006;25(19):4503-12.
130. EuroEPINOMIC-RES Consortium, Epilepsy Phenome/Genome Project, Epi4K Consortium. De novo mutations in synaptic transmission genes including DNM1 cause epileptic encephalopathies. *Am J Hum Genet*. 2014;95(4):360-70.
131. Wang J, Leung JW, Gong Z, Feng L, Shi X, Chen J. PHF6 regulates cell cycle progression by suppressing ribosomal RNA synthesis. *J Biol Chem*. 2013;288(5):3174-83.
132. Menke LA, van Belzen MJ, Alders M, Cristofoli F, Study DDD, Ehmke N, et al. CREBBP mutations in individuals without Rubinstein-Taybi syndrome phenotype. *American journal of medical genetics Part A*. 2016.
133. Park U-H, Yoon SK, Park T, Kim E-J, Um S-J. Additional Sex Comb-like (ASXL) Proteins 1 and 2 Play Opposite Roles in Adipogenesis via Reciprocal Regulation of Peroxisome Proliferator-activated Receptor  $\gamma$ . *The Journal of biological chemistry*. 2011;286(2):1354-63.
134. Kaikkonen MU, Spann N, Heinz S, Romanoski CE, Allison KA, Stender JD, et al. Remodeling of the enhancer landscape during macrophage activation is coupled to enhancer transcription. *Molecular cell*. 2013;51(3):310-25.
135. Guenther MG, Jenner RG, Chevalier B, Nakamura T, Croce CM, Canaani E, et al. Global and Hox-specific roles for the MLL1 methyltransferase. *Proceedings of the National Academy of Sciences of the United States of America*. 2005;102(24):8603-8.
136. Emond MJ, Louie T, Emerson J, Zhao W, Mathias RA, Knowles MR, et al. Exome sequencing of extreme phenotypes identifies DCTN4 as a modifier of chronic *Pseudomonas aeruginosa* infection in cystic fibrosis. *Nature genetics*. 2012;44(8):886-9.
137. Harakalova M, van Harssel JJ, Terhal PA, van Lieshout S, Duran K, Renkens I, et al. Dominant missense mutations in ABCC9 cause Cantu syndrome. *Nature genetics*. 2012;44(7):793-6.
138. van Bon BW, Gilissen C, Grange DK, Hennekam RC, Kayserili H, Engels H, et al. Cantu syndrome is caused by mutations in ABCC9. *American journal of human genetics*. 2012;90(6):1094-101.
139. De Raeve L, Keymolen K. Congenital hypertrichosis lanuginosa in a father and son. *Arch Dermatol*. 2011;147(6):746-7.
140. Sun M, Li N, Dong W, Chen Z, Liu Q, Xu Y, et al. Copy-number mutations on chromosome 17q24.2-q24.3 in congenital generalized hypertrichosis terminalis with or without gingival hyperplasia. *American journal of human genetics*. 2009;84(6):807-13.
141. Chen W, Ring J, Happle R. Congenital generalized hypertrichosis terminalis: a proposed classification and a plea to avoid the ambiguous term "Ambras syndrome". *European journal of dermatology : EJD*. 2015.
142. Petrij F, Giles RH, Dauwerse HG, Saris JJ, Hennekam RC, Masuno M, et al. Rubinstein-Taybi syndrome caused by mutations in the transcriptional co-activator CBP. *Nature*. 1995;376(6538):348-51.
143. Vidal M, Cusick Michael E, Barabási A-L. Interactome Networks and Human Disease. *Cell*. 2011;144(6):986-98.
144. Nakamura T, Mori T, Tada S, Krajewski W, Rozovskaia T, Wassell R, et al. ALL-1 Is a Histone Methyltransferase that Assembles a Supercomplex of Proteins Involved in Transcriptional Regulation. *Molecular cell*. 2010;10(5):1119-28.

145. Hughes CM, Rozenblatt-Rosen O, Milne TA, Copeland TD, Levine SS, Lee JC, et al. Menin Associates with a Trithorax Family Histone Methyltransferase Complex and with the <em>Hoxc8</em> Locus. *Molecular cell*. 2007;13(4):587-97.
146. Cho Y-W, Hong T, Hong S, Guo H, Yu H, Kim D, et al. PTIP Associates with MLL3- and MLL4-containing Histone H3 Lysine 4 Methyltransferase Complex. *The Journal of biological chemistry*. 2007;282(28):20395-406.
147. Lee JH, Skalnik DG. CpG-binding protein (CXXC finger protein 1) is a component of the mammalian Set1 histone H3-Lys4 methyltransferase complex, the analogue of the yeast Set1/COMPASS complex. *The Journal of biological chemistry*. 2005;280(50):41725-31.
148. Lee JH, Tate CM, You JS, Skalnik DG. Identification and characterization of the human Set1B histone H3-Lys4 methyltransferase complex. *The Journal of biological chemistry*. 2007;282(18):13419-28.
149. Dou Y, Milne TA, Ruthenburg AJ, Lee S, Lee JW, Verdine GL, et al. Regulation of MLL1 H3K4 methyltransferase activity by its core components. *Nat Struct Mol Biol*. 2006;13(8):713-9.
150. Ernst P, Wang J, Huang M, Goodman RH, Korsmeyer SJ. MLL and CREB bind cooperatively to the nuclear coactivator CREB-binding protein. *Molecular and cellular biology*. 2001;21(7):2249-58.
151. Li H, Durbin R. Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics*. 2009;25(14):1754-60.
152. McKenna N, Hanna M, Banks E, Sivachenko A, Cibulskis K, Kernytsky A, et al. The Genome Analysis Toolkit: a MapReduce framework for analyzing next-generation DNA sequencing data. *Genome research*. 2010;20(9):1297-303.
153. McLaren W, Pritchard B, Rios D, Chen Y, Flicek P, Cunningham F. Deriving the consequences of genomic variants with the Ensembl API and SNP Effect Predictor. *Bioinformatics*. 2010;26(16):2069-70.
154. NHLBI Exome Sequencing Project (ESP) Exome Variant Server. [Accessed on 12th January 2015]; Available at: <http://snp.gs.washington.edu/popgenSNP/>.
155. The Exome Aggregation Consortium (ExAC) Browser. [Accessed on 12th January 2015]; Available at: <http://exac.broadinstitute.org/>.
156. Sherry ST, Ward M, Sirotnik K. Use of molecular variation in the NCBI dbSNP database. *Human mutation*. 2000;15(1):68-75.
157. Sherry ST, Ward MH, Kholodov M, Baker J, Phan L, Smigielski EM, et al. dbSNP: the NCBI database of genetic variation. *Nucleic acids research*. 2001;29(1):308-11.
158. Landrum MJ, Lee JM, Riley GR, Jang W, Rubinstein WS, Church DM, et al. ClinVar: public archive of relationships among sequence variation and human phenotype. *Nucleic acids research*. 2014;42(Database issue):D980-5.
159. Wang K, Li M, Hakonarson H. ANNOVAR: functional annotation of genetic variants from high-throughput sequencing data. *Nucleic acids research*. 2010;38(16):e164.
160. Danecek P, Auton A, Abecasis G, Albers CA, Banks E, DePristo MA, et al. The variant call format and VCFtools. *Bioinformatics*. 2011;27(15):2156-8.
161. DePristo MA, Banks E, Poplin R, Garimella KV, Maguire JR, Hartl C, et al. A framework for variation discovery and genotyping using next-generation DNA sequencing data. *Nature genetics*. 2011;43(5):491-8.
162. Li H, Handsaker B, Wysoker A, Fennell T, Ruan J, Homer N, et al. The Sequence Alignment/Map format and SAMtools. *Bioinformatics*. 2009;25(16):2078-9.
163. Quinlan AR. BEDTools: The Swiss-Army Tool for Genome Feature Analysis. *Current protocols in bioinformatics / editorial board, Andreas D Baxevanis [et al]*. 2014;47:11 2 1- 34.

164. Samocha KE, Robinson EB, Sanders SJ, Stevens C, Sabo A, McGrath LM, et al. A framework for the interpretation of de novo mutation in human disease. *Nature genetics*. 2014;46(9):944-50.
165. Singh T, Kurki MI, Curtis D, Purcell SM, Crooks L, McRae J, et al. Rare loss-of-function variants in SETD1A are associated with schizophrenia and developmental disorders. *Nat Neurosci*. 2016;19(4):571-7.
166. Adzhubei IA, Schmidt S, Peshkin L, Ramensky VE, Gerasimova A, Bork P, et al. A method and server for predicting damaging missense mutations. *Nat Methods*. 2010;7(4):248-9.
167. Huang L, Jolly LA, Willis-Owen S, Gardner A, Kumar R, Douglas E, et al. A noncoding, regulatory mutation implicates HCFC1 in nonsyndromic intellectual disability. *American journal of human genetics*. 2012;91(4):694-702.
168. Yu HC, Sloan JL, Scharer G, Brebner A, Quintana AM, Achilly NP, et al. An X-linked cobalamin disorder caused by mutations in transcriptional coregulator HCFC1. *American journal of human genetics*. 2013;93(3):506-14.
169. Ashburner M, Ball CA, Blake JA, Botstein D, Butler H, Cherry JM, et al. Gene ontology: tool for the unification of biology. The Gene Ontology Consortium. *Nature genetics*. 2000;25(1):25-9.
170. Gene Ontology C. Gene Ontology Consortium: going forward. *Nucleic acids research*. 2015;43(Database issue):D1049-56.
171. Meehan RR, Lewis JD, Bird AP. Characterization of MeCP2, a vertebrate DNA binding protein with affinity for methylated DNA. *Nucleic acids research*. 1992;20(19):5085-92.
172. Todd MAM, Picketts DJ. PHF6 Interacts with the Nucleosome Remodeling and Deacetylation (NuRD) Complex. *Journal of Proteome Research*. 2012;11(8):4326-37.
173. Wang QC, Zheng Q, Tan H, Zhang B, Li X, Yang Y, et al. TMCO1 Is an ER Ca(2+) Load-Activated Ca(2+) Channel. *Cell*. 2016;165(6):1454-66.
174. Akawi N, McRae J, Ansari M, Balasubramanian M, Blyth M, Brady AF, et al. Discovery of four recessive developmental disorders using probabilistic genotype and phenotype matching among 4,125 families. *Nature genetics*. 2015;47(11):1363-9.
175. Coe BP, Witherspoon K, Rosenfeld JA, van Bon BW, Vulfovan Silhout AT, Bosco P, et al. Refining analyses of copy number variation identifies specific genes associated with developmental delay. *Nature genetics*. 2014;46(10):1063-71.
176. Cobben JM, Weiss MM, van Dijk FS, De Reuver R, de Kruiff C, Pondaag W, et al. A de novo mutation in ZMYND11, a candidate gene for 10p15.3 deletion syndrome, is associated with syndromic intellectual disability. *Eur J Med Genet*. 2014;57(11-12):636-8.
177. Wang Z, Benoit G, Liu J, Prasad S, Aarnisalo P, Liu X, et al. Structure and function of Nurr1 identifies a class of ligand-independent nuclear receptors. *Nature*. 2003;423(6939):555-60.
178. Zetterstrom RH, Solomin L, Jansson L, Hoffer BJ, Olson L, Perlmann T. Dopamine neuron agenesis in Nurr1-deficient mice. *Science*. 1997;276(5310):248-50.
179. Kultgen PL, Byrd SK, Ostrowski LE, Milgram SL. Characterization of an A-kinase anchoring protein in human ciliary axonemes. *Mol Biol Cell*. 2002;13(12):4156-66.
180. Wise A, Tenezaca L, Fernandez RW, Schatoff E, Flores J, Ueda A, et al. Drosophila mutants of the autism candidate gene neurobeachin (rugose) exhibit neuro-developmental disorders, aberrant synaptic properties, altered locomotion, and impaired adult social behavior and activity patterns. *J Neurogenet*. 2015;29(2-3):135-43.
181. Bragin E, Chatzimichali EA, Wright CF, Hurles ME, Firth HV, Bevan AP, et al. DECIPHER: database for the interpretation of phenotype-linked plausibly pathogenic sequence and copy-number variation. *Nucleic acids research*. 2014;42(Database issue):D993-D1000.

182. Hawrylycz MJ, Lein ES, Guillozet-Bongaarts AL, Shen EH, Ng L, Miller JA, et al. An anatomically comprehensive atlas of the adult human brain transcriptome. *Nature*. 2012;489(7416):391-9.
183. Drury S, Williams H, Trump N, Bousted C, Gogosene, Lench N, et al. Exome sequencing for prenatal diagnosis of fetuses with sonographic abnormalities. *Prenatal diagnosis*. 2015;35(10):1010-7.
184. Pangalos C, Hagnefelt B, Lilakos K, Konialis C. First applications of a targeted exome sequencing approach in fetuses with ultrasound abnormalities reveals an important fraction of cases with associated gene defects. *PeerJ*. 2016;4:e1955.
185. Carss KJ, Hillman SC, Parthiban V, McMullan DJ, Maher ER, Kilby MD, et al. Exome sequencing improves genetic diagnosis of structural fetal abnormalities revealed by ultrasound. *Human molecular genetics*. 2014;23(12):3269-77.
186. Alamillo CL, Powis Z, Farwell K, Shahmirzadi L, Weltmer EC, Turocy J, et al. Exome sequencing positively identified relevant alterations in more than half of cases with an indication of prenatal ultrasound anomalies. *Prenatal diagnosis*. 2015;35(11):1073-8.
187. Talkowski ME, Ordulu Z, Pillalamarri V, Benson CB, Blumenthal I, Connolly S, et al. Clinical Diagnosis by Whole-Genome Sequencing of a Prenatal Sample. *The New England journal of medicine*. 2012;367(23):2226-32.
188. Westerfield LE, Stover SR, Mathur VS, Nassef SA, Carter TG, Yang Y, et al. Reproductive genetic counseling challenges associated with diagnostic exome sequencing in a large academic private reproductive genetic counseling practice. *Prenatal diagnosis*. 2015;35(10):1022-9.
189. Crabtree JS, Scacheri PC, Ward JM, Garrett-Beal L, Emmert-Buck MR, Edgemon KA, et al. A mouse model of multiple endocrine neoplasia, type 1, develops multiple endocrine tumors. *Proc Natl Acad Sci U S A*. 2001;98(3):1118-23.
190. Stoller JZ, Huang L, Tan CC, Huang F, Zhou DD, Yang J, et al. Ash2l interacts with Tbx1 and is required during early embryogenesis. *Experimental biology and medicine (Maywood, NJ)*. 2010;235(5):569-76.
191. Bertero A, Madrigal P, Galli A, Hubner NC, Moreno I, Burks D, et al. Activin/Nodal signaling and NANOG orchestrate human embryonic stem cell fate decisions by controlling the H3K4me3 chromatin mark. *Genes & Development*. 2015;29(7):702-17.
192. Minocha S, Sung T-L, Villeneuve D, Lammers F, Herr W. Compensatory embryonic response to allele-specific inactivation of the murine X-linked gene Hcfc1. *Developmental Biology*. 2016;412(1):1-17.
193. Sutherland HG, Newton K, Brownstein DG, Holmes MC, Kress C, Semple CA, et al. Disruption of Ledgf/Psip1 Results in Perinatal Mortality and Homeotic Skeletal Transformations. *Molecular and cellular biology*. 2006;26(19):7201-10.
194. Dias C, Estruch SB, Graham SA, McRae J, Sawiak SJ, Hurst JA, et al. BCL11A Haploinsufficiency Causes an Intellectual Disability Syndrome and Dysregulates Transcription. *American journal of human genetics*. 2016;99(2):253-74.
195. Funnell AP, Prontera P, Ottaviani V, Piccione M, Giambona A, Maggio A, et al. 2p15-p16.1 microdeletions encompassing and proximal to BCL11A are associated with elevated HbF in addition to neurologic impairment. *Blood*. 2015;126(1):89-93.
196. Wright CF, Fitzgerald TW, Jones WD, Clayton S, McRae JF, van Kogelenberg M, et al. Genetic diagnosis of developmental disorders in the DDD study: a scalable analysis of genome-wide research data. *The Lancet*. 2015;385(9975):1305-14.
197. Lander ES, Botstein D. Homozygosity mapping: a way to map human recessive traits with the DNA of inbred children. *Science*. 1987;236(4808):1567-70.
198. Mueller RF, Bishop DT. Autozygosity mapping, complex consanguinity, and autosomal recessive disorders. *Journal of medical genetics*. 1993;30(9):798-9.

199. Bittles AH. Consanguinity and its relevance to clinical genetics. *Clinical genetics*. 2001;60(2):89-98.
200. Jaber L, Halpern GJ, Shohat M. The Impact of Consanguinity Worldwide. *Public Health Genomics*. 1998;1(1):12-7.
201. Carr IM, Bhaskar S, O'Sullivan J, Aldahmesh MA, Shamseldin HE, Markham AF, et al. Autozygosity mapping with exome sequence data. *Human mutation*. 2013;34(1):50-6.
202. Carr IM, Diggle CP, Touqan N, Anwar R, Sheridan EG, Bontron DT, et al. Identification of autosomal recessive disease loci using out-bred nuclear families. *Human mutation*. 2012;33(2):338-42.
203. Makrythanasis P, Nelis M, Santoni FA, Guipponi M, Vannier A, Bena F, et al. Diagnostic exome sequencing to elucidate the genetic basis of likely recessive disorders in consanguineous families. *Human mutation*. 2014;35(10):1203-10.
204. Wiszniewska J, Bi W, Shaw C, Stankiewicz P, Kang S-HL, Pursley AN, et al. Combined array CGH plus SNP genome analyses in a single assay for optimized clinical testing. *European journal of human genetics : EJHG*. 2014;22(1):79-87.
205. Mefford HC, Batshaw ML, Hoffman EP. Genomics, Intellectual Disability, and Autism. *New England Journal of Medicine*. 2012;366(8):733-43.
206. de Ligt J, Willemsen MH, van Bon BW, Kleefstra T, Yntema HG, Kroes T, et al. Diagnostic exome sequencing in persons with severe intellectual disability. *N Engl J Med*. 2012;367(20):1921-9.
207. Rauch A, Wieczorek D, Graf E, Wieland T, Endele S, Schwarzmayr T, et al. Range of genetic mutations associated with severe non-syndromic sporadic intellectual disability: an exome sequencing study. *Lancet*. 2012;380(9854):1674-82.
208. Girirajan S, Rosenfeld JA, Coe BP, Parikh S, Friedman N, Goldstein A, et al. Phenotypic heterogeneity of genomic disorders and rare copy-number variants. *N Engl J Med*. 2012;367(14):1321-31.
209. Thorvaldsdottir H, Robinson JT, Mesirov JP. Integrative Genomics Viewer (IGV): high-performance genomics data visualization and exploration. *Briefings in bioinformatics*. 2013;14(2):178-92.
210. Robinson JT, Thorvaldsdottir H, Winckler W, Guttman M, Lander ES, Getz G, et al. Integrative genomics viewer. *Nature biotechnology*. 2011;29(1):24-6.
211. Purcell SM, Moran JL, Fromer M, Ruderfer D, Solovieff N, Roussos P, et al. A polygenic burden of rare disruptive mutations in schizophrenia. *Nature*. 2014;506(7487):185-90.
212. Lim ET, Raychaudhuri S, Sanders SJ, Stevens C, Sabo A, MacArthur DG, et al. Rare complete knockouts in humans: population distribution and significant role in autism spectrum disorders. *Neuron*. 2013;77(2):235-42.
213. Manichaikul A, Mychaleckyj JC, Rich SS, Daly K, Sale M, Chen WM. Robust relationship inference in genome-wide association studies. *Bioinformatics*. 2010;26(22):2867-73.
214. Spielman RS, McGinnis RE, Ewens WJ. Transmission test for linkage disequilibrium: the insulin gene region and insulin-dependent diabetes mellitus (IDDM). *American journal of human genetics*. 1993;52(3):506-16.
215. DePristo MA, Banks E, Poplin R, Garimella KV, Maguire JR, Hartl C, et al. A framework for variation discovery and genotyping using next-generation DNA sequencing data. *Nature genetics*. 2011;43(5):491-8.
216. Katsanis N, Ansley SJ, Badano JL, Eichers ER, Lewis RA, Hoskins BE, et al. Triallelic inheritance in Bardet-Biedl syndrome, a Mendelian recessive disorder. *Science*. 2001;293(5538):2256-9.
217. Miraoui H, Dwyer AA, Sykiotis GP, Plummer L, Chung W, Feng B, et al. Mutations in FGF17, IL17RD, DUSP6, SPRY4, and FLRT3 are identified in individuals with congenital hypogonadotropic hypogonadism. *American journal of human genetics*. 2013;92(5):725-43.

218. Ramos M, Trujillano D, Olivar R, Sotillo F, Ossowski S, Manzanares J, et al. Extensive sequence analysis of CFTR, SCNN1A, SCNN1B, SCNN1G and SERPINA1 suggests an oligogenic basis for cystic fibrosis-like phenotypes. *Clinical genetics*. 2013.



