

REFERENCE

- Aaltonen, L. A., P. Peltomaki, et al. (1993). "Clues to the pathogenesis of familial colorectal cancer." *Science* 260(5109): 812-6.
- Ababou, M., S. Dutertre, et al. (2000). "ATM-dependent phosphorylation and accumulation of endogenous BLM protein in response to ionizing radiation." *Oncogene* 19(52): 5955-63.
- Abuin, A. and A. Bradley (1996). "Recycling selectable markers in mouse embryonic stem cells." *Mol Cell Biol* 16(4): 1851-6.
- Abuin, A., H. Zhang, et al. (2000). "Genetic analysis of mouse embryonic stem cells bearing Msh3 and Msh2 single and compound mutations." *Mol Cell Biol* 20(1): 149-57.
- Adam, M. A. and A. D. Miller (1988). "Identification of a signal in a murine retrovirus that is sufficient for packaging of nonretroviral RNA into virions." *J Virol* 62(10): 3802-6.
- Adams, D. J., P. J. Biggs, et al. (2004). "Mutagenic insertion and chromosome engineering resource (MICER)." *Nat Genet* 36(8): 867-71.
- Aebi, S., D. Fink, et al. (1997). "Resistance to cytotoxic drugs in DNA mismatch repair-deficient cells." *Clin Cancer Res* 3(10): 1763-7.
- Alani, E., R. A. Reenan, et al. (1994). "Interaction between mismatch repair and genetic recombination in *Saccharomyces cerevisiae*." *Genetics* 137(1): 19-39.
- Alani, E., T. Sokolsky, et al. (1997). "Genetic and biochemical analysis of Msh2p-Msh6p: Role of ATP hydrolysis and Msh2p-Msh6p subunit interactions in mismatch base pair recognition." *Molecular and Cellular Biology* 17(5): 2436-2447.
- Allen, N. D., D. G. Cran, et al. (1988). "Transgenes as probes for active chromosomal domains in mouse development." *Nature* 333(6176): 852-5.
- Amin, N. S., M. N. Nguyen, et al. (2001). "exo1-Dependent mutator mutations: model system for studying functional interactions in mismatch repair." *Mol Cell Biol* 21(15): 5142-55.
- Antoch, M. P., E. J. Song, et al. (1997). "Functional identification of the mouse circadian Clock gene by transgenic BAC rescue." *Cell* 89(4): 655-67.
- Asakawa, J., N. Nakamura, et al. (2007). "Estimation of mutation induction rates in AT-rich sequences using a genome scanning approach after X irradiation of mouse spermatogonia." *Radiat Res* 168(2): 158-67.
- Bader, S., M. Walker, et al. (1999). "Somatic frameshift mutations in the MBD4 gene of sporadic colon cancers with mismatch repair deficiency." *Oncogene* 18(56): 8044-7.
- Baer, A. and J. Bode (2001). "Coping with kinetic and thermodynamic barriers: RMCE, an efficient strategy for the targeted integration of transgenes." *Curr Opin Biotechnol* 12(5): 473-80.
- Baker, S. M., C. E. Bronner, et al. (1995). "Male mice defective in the DNA mismatch repair gene PMS2 exhibit abnormal chromosome synapsis in meiosis." *Cell* 82(2): 309-19.
- Baker, S. M., A. W. Plug, et al. (1996). "Involvement of mouse Mlh1 in DNA mismatch repair and meiotic crossing over." *Nat Genet* 13(3): 336-42.
- Ban, C. and W. Yang (1998). "Structural basis for MutH activation in *E. coli* mismatch repair and relationship of MutH to restriction endonucleases." *Embo J* 17(5): 1526-34.
- Belinsky, M. G., P. Guo, et al. (2007). "Multidrug resistance protein 4 protects bone marrow, thymus, spleen, and intestine from nucleotide analogue-induced damage." *Cancer Res* 67(1): 262-8.
- Bellacosa, A., L. Cicchillitti, et al. (1999). "MED1, a novel human methyl-CpG-binding endonuclease, interacts with DNA mismatch repair protein MLH1." *Proc Natl Acad Sci U S A* 96(7): 3969-74.
- Bergstrom, R. A., Y. You, et al. (1998). "Deletion mapping of the head tilt (het) gene in mice: a vestibular mutation causing specific absence of otoliths." *Genetics* 150(2): 815-22.
- Berns, K., E. M. Hijmans, et al. (2004). "A large-scale RNAi screen in human cells identifies new components of the p53 pathway." *Nature* 428(6981): 431-7.
- Billet, S., S. Bardin, et al. (2007). "Gain-of-function mutant of angiotensin II receptor, type 1A, causes hypertension and cardiovascular fibrosis in mice." *J Clin Invest* 117(7): 1914-25.
- Bingham, P. M., M. G. Kidwell, et al. (1982). "The molecular basis of P-M hybrid dysgenesis: the role of the P element, a P-strain-specific transposon family." *Cell* 29(3): 995-1004.
- Bjelland, S. and E. Seeberg (2003). "Mutagenicity, toxicity and repair of DNA base damage induced by oxidation." *Mutat Res* 531(1-2): 37-80.
- Bloom, D. (1954). "Congenital telangiectatic erythema resembling lupus erythematosus in dwarfs; probably a syndrome entity." *AMA Am J Dis Child* 88(6): 754-8.
- Bocker, T., A. Barusevicius, et al. (1999). "hMSH5: a human MutS homologue that forms a novel heterodimer with hMSH4 and is expressed during spermatogenesis." *Cancer Res* 59(4): 816-22.
- Bradley, A., M. Evans, et al. (1984). "Formation of germ-line chimaeras from embryo-derived

- teratocarcinoma cell lines." Nature 309(5965): 255-6.
- Breen, A. P. and J. A. Murphy (1995). "Reactions of oxyl radicals with DNA." Free Radic Biol Med 18(6): 1033-77.
- Brewen, J. G., R. J. Preston, et al. (1973). "Genetic hazards of ionizing radiations: cytogenetic extrapolations from mouse to man." Mutat Res 17(2): 245-54.
- Bronson, S. K., E. G. Plaehn, et al. (1996). "Single-copy transgenic mice with chosen-site integration." Proc Natl Acad Sci U S A 93(17): 9067-72.
- Buermeyer, A. B., S. M. Deschenes, et al. (1999). "Mammalian DNA mismatch repair." Annu Rev Genet 33: 533-64.
- Cai, W. W., J. H. Mao, et al. (2002). "Genome-wide detection of chromosomal imbalances in tumors using BAC microarrays." Nat Biotechnol 20(4): 393-6.
- Calin, G., V. Herlea, et al. (1998). "The coding region of the Bloom syndrome BLM gene and of the CBL proto-oncogene is mutated in genetically unstable sporadic gastrointestinal tumors." Cancer Res 58(17): 3777-81.
- Capecchi, M. R. (1989). "Altering the genome by homologous recombination." Science 244(4910): 1288-92.
- Carlson, C. M., A. J. Dupuy, et al. (2003). "Transposon mutagenesis of the mouse germline." Genetics 165(1): 243-56.
- Carmeliet, P., V. Ferreira, et al. (1996). "Abnormal blood vessel development and lethality in embryos lacking a single VEGF allele." Nature 380(6573): 435-9.
- Carraway, M. and M. G. Marinus (1993). "Repair of heteroduplex DNA molecules with multibase loops in *Escherichia coli*." J Bacteriol 175(13): 3972-80.
- Carter, D. M. and C. M. Radding (1971). "The role of exonuclease and beta protein of phage lambda in genetic recombination. II. Substrate specificity and the mode of action of lambda exonuclease." J Biol Chem 246(8): 2502-12.
- Cary, L. C., M. Goebel, et al. (1989). "Transposon mutagenesis of baculoviruses: analysis of *Trichoplusia ni* transposon IFP2 insertions within the FP-locus of nuclear polyhedrosis viruses." Virology 172(1): 156-69.
- Casselton, L. and M. Zolan (2002). "The art and design of genetic screens: filamentous fungi." Nat Rev Genet 3(9): 683-97.
- Cattanach, B. M. and J. Jones (1994). "Genetic imprinting in the mouse: implications for gene regulation." J Inherit Metab Dis 17(4): 403-20.
- Cejka, P., L. Stojic, et al. (2003). "Methylation-induced G(2)/M arrest requires a full complement of the mismatch repair protein hMLH1." Embo J 22(9): 2245-54.
- Celeste, A., S. Petersen, et al. (2002). "Genomic instability in mice lacking histone H2AX." Science 296(5569): 922-7.
- Chandler, K. J., R. L. Chandler, et al. (2007). "Relevance of BAC transgene copy number in mice: transgene copy number variation across multiple transgenic lines and correlations with transgene integrity and expression." Mamm Genome 18(10): 693-708.
- Chang, Y. F., J. S. Imam, et al. (2007). "The nonsense-mediated decay RNA surveillance pathway." Annu Rev Biochem 76: 51-74.
- Chao, H. H., S. E. Mentzer, et al. (2003). "Overlapping deletions define novel embryonic lethal loci in the mouse t complex." Genesis 35(2): 133-42.
- Chen, W. and S. Jinks-Robertson (1999). "The role of the mismatch repair machinery in regulating mitotic and meiotic recombination between diverged sequences in yeast." Genetics 151(4): 1299-313.
- Chen, Y., D. Yee, et al. (2000). "Genotype-based screen for ENU-induced mutations in mouse embryonic stem cells." Nat Genet 24(3): 314-7.
- Chen, Y. T. and A. Bradley (2000). "A new positive/negative selectable marker, puDeltatk, for use in embryonic stem cells." Genesis 28(1): 31-5.
- Chester, N., F. Kuo, et al. (1998). "Stage-specific apoptosis, developmental delay, and embryonic lethality in mice homozygous for a targeted disruption in the murine Bloom's syndrome gene." Genes Dev 12(21): 3382-93.
- Chick, W. S., S. E. Mentzer, et al. (2005). "X-ray-induced deletion complexes in embryonic stem cells on mouse chromosome 15." Mamm Genome 16(9): 661-71.
- Chung, Y. J., J. Jonkers, et al. (2004). "A whole-genome mouse BAC microarray with 1-Mb resolution for analysis of DNA copy number changes by array comparative genomic hybridization." Genome Res 14(1): 188-96.
- Coffin, J., Hughes, S., Varmus, H. (1997). Retroviruses, Cold Spring Harbor Laboratory Press.
- Collier, L. S., C. M. Carlson, et al. (2005). "Cancer gene discovery in solid tumours using transposon-based somatic mutagenesis in the mouse." Nature 436(7048): 272-6.
- Copeland, N. G., N. A. Jenkins, et al. (2001). "Recombineering: a powerful new tool for mouse functional genomics." Nat Rev Genet 2(10): 769-79.
- Cordes, S. P. (2005). "N-ethyl-N-nitrosourea mutagenesis: boarding the mouse mutant express."

- Microbiol Mol Biol Rev 69(3): 426-39.
- Cortellino, S., D. Turner, et al. (2003). "The base excision repair enzyme MED1 mediates DNA damage response to antitumor drugs and is associated with mismatch repair system integrity." Proc Natl Acad Sci U S A 100(25): 15071-6.
- Cox, E. C. (1976). "Bacterial mutator genes and the control of spontaneous mutation." Annu Rev Genet 10: 135-56.
- Crow, J. F. (1995). "Spontaneous mutation as a risk factor." Exp Clin Immunogenet 12(3): 121-8.
- D'Atri, S., L. Tentori, et al. (1998). "Involvement of the mismatch repair system in temozolomide-induced apoptosis." Mol Pharmacol 54(2): 334-41.
- Datta, A., M. Hendrix, et al. (1997). "Dual roles for DNA sequence identity and the mismatch repair system in the regulation of mitotic crossing-over in yeast." Proc Natl Acad Sci U S A 94(18): 9757-62.
- Davalos, A. R. and J. Campisi (2003). "Bloom syndrome cells undergo p53-dependent apoptosis and delayed assembly of BRCA1 and NBS1 repair complexes at stalled replication forks." J Cell Biol 162(7): 1197-209.
- de Martinville, B., A. R. Wyman, et al. (1982). "Assignment of first random restriction fragment length polymorphism (RFLP) locus ((D14S1) to a region of human chromosome 14." Am J Hum Genet 34(2): 216-26.
- de Vries, S. S., E. B. Baart, et al. (1999). "Mouse MutS-like protein Msh5 is required for proper chromosome synapsis in male and female meiosis." Genes Dev 13(5): 523-31.
- de Wind, N., M. Dekker, et al. (1995). "Inactivation of the mouse Msh2 gene results in mismatch repair deficiency, methylation tolerance, hyperrecombination, and predisposition to cancer." Cell 82(2): 321-30.
- de Wind, N., M. Dekker, et al. (1999). "HNPCC-like cancer predisposition in mice through simultaneous loss of Msh3 and Msh6 mismatch-repair protein functions." Nat Genet 23(3): 359-62.
- de Wind, N., M. Dekker, et al. (1998). "Mouse models for hereditary nonpolyposis colorectal cancer." Cancer Res 58(2): 248-55.
- Dehal, P., P. Predki, et al. (2001). "Human chromosome 19 and related regions in mouse: conservative and lineage-specific evolution." Science 293(5527): 104-11.
- Deng, H. K., D. Unutmaz, et al. (1997). "Expression cloning of new receptors used by simian and human immunodeficiency viruses." Nature 388(6639): 296-300.
- di Pietro, M., G. Marra, et al. (2003). "Mismatch repair-dependent transcriptome changes in human cells treated with the methylating agent N-methyl-n-nitro-N-nitrosoguanidine." Cancer Res 63(23): 8158-66.
- Ding, J., L. Yang, et al. (1998). "Cripto is required for correct orientation of the anterior-posterior axis in the mouse embryo." Nature 395(6703): 702-7.
- Ding, S., X. Wu, et al. (2005). "Efficient transposition of the piggyBac (PB) transposon in mammalian cells and mice." Cell 122(3): 473-83.
- Dizdaroglu, M. (1992). "Oxidative damage to DNA in mammalian chromatin." Mutat Res 275(3-6): 331-42.
- Doetschman, T., R. G. Gregg, et al. (1987). "Targetted correction of a mutant HPRT gene in mouse embryonic stem cells." Nature 330(6148): 576-8.
- Dohet, C., R. Wagner, et al. (1986). "Methyl-directed repair of frameshift mutations in heteroduplex DNA." Proc Natl Acad Sci U S A 83(10): 3395-7.
- Dong, J., D. F. Albertini, et al. (1996). "Growth differentiation factor-9 is required during early ovarian folliculogenesis." Nature 383(6600): 531-5.
- Duckett, D. R., J. T. Drummond, et al. (1996). "Human MutSalpha recognizes damaged DNA base pairs containing O6-methylguanine, O4-methylthymine, or the cisplatin-d(GpG) adduct." Proc Natl Acad Sci U S A 93(13): 6443-7.
- Dufort, D., L. Schwartz, et al. (1998). "The transcription factor HNF3beta is required in visceral endoderm for normal primitive streak morphogenesis." Development 125(16): 3015-25.
- Dupuy, A. J., K. Akagi, et al. (2005). "Mammalian mutagenesis using a highly mobile somatic Sleeping Beauty transposon system." Nature 436(7048): 221-6.
- Dupuy, A. J., K. Clark, et al. (2002). "Mammalian germ-line transgenesis by transposition." Proc Natl Acad Sci U S A 99(7): 4495-9.
- Dupuy, A. J., S. Fritz, et al. (2001). "Transposition and gene disruption in the male germline of the mouse." Genesis 30(2): 82-8.
- Dutertre, S., R. Sekhri, et al. (2002). "Dephosphorylation and subcellular compartment change of the mitotic Bloom's syndrome DNA helicase in response to ionizing radiation." J Biol Chem 277(8): 6280-6.
- Edelmann, W., P. E. Cohen, et al. (1996). "Meiotic pachytene arrest in MLH1-deficient mice." Cell 85(7): 1125-34.
- Edelmann, W., P. E. Cohen, et al. (1999). "Mammalian MutS homologue 5 is required for chromosome pairing in meiosis." Nat Genet 21(1): 123-7.

- Edelmann, W., A. Umar, et al. (2000). "The DNA mismatch repair genes Msh3 and Msh6 cooperate in intestinal tumor suppression." *Cancer Res* 60(4): 803-7.
- Edelmann, W., K. Yang, et al. (1997). "Mutation in the mismatch repair gene Msh6 causes cancer susceptibility." *Cell* 91(4): 467-77.
- Eizirik, E., W. J. Murphy, et al. (2001). "Molecular dating and biogeography of the early placental mammal radiation." *J Hered* 92(2): 212-9.
- Ellis, N. A., S. Ciocchi, et al. (1998). "The Ashkenazic Jewish Bloom syndrome mutation blmAsh is present in non-Jewish Americans of Spanish ancestry." *Am J Hum Genet* 63(6): 1685-93.
- Ellis, N. A., J. Groden, et al. (1995). "The Bloom's syndrome gene product is homologous to RecQ helicases." *Cell* 83(4): 655-66.
- Ellis, N. A., A. M. Roe, et al. (1994). "Linkage disequilibrium between the FES, D15S127, and BLM loci in Ashkenazi Jews with Bloom syndrome." *Am J Hum Genet* 55(3): 453-60.
- Emmons, S. W., L. Yesner, et al. (1983). "Evidence for a transposon in *Caenorhabditis elegans*." *Cell* 32(1): 55-65.
- Evans, M. J. and M. H. Kaufman (1981). "Establishment in culture of pluripotential cells from mouse embryos." *Nature* 292(5819): 154-6.
- Evans, M. J., T. von Hahn, et al. (2007). "Claudin-1 is a hepatitis C virus co-receptor required for a late step in entry." *Nature* 446(7137): 801-5.
- Fairchild, C. R., J. Maybaum, et al. (1986). "Concurrent unilateral chromatid damage and DNA strand breakage in response to 6-thioguanine treatment." *Biochem Pharmacol* 35(20): 3533-41.
- Fang, J. Y., R. Lu, et al. (2006). "Regulation of hMSH2 and hMLH1 expression in the human colon cancer cell line SW1116 by DNA methyltransferase 1." *Cancer Lett* 233(1): 124-30.
- Favor, J., A. Neuhauser-Klaus, et al. (1991). "The induction of forward and reverse specific-locus mutations and dominant cataract mutations in spermatogonia of treated strain DBA/2 mice by ethylnitrosourea." *Mutat Res* 249(2): 293-300.
- Feng, W. Y., E. H. Lee, et al. (1991). "Recombinagenic processing of UV-light photoproducts in nonreplicating phage DNA by the *Escherichia coli* methyl-directed mismatch repair system." *Genetics* 129(4): 1007-20.
- Festing, M. F., E. M. Simpson, et al. (1999). "Revised nomenclature for strain 129 mice." *Mamm Genome* 10(8): 836.
- Fire, A., S. Xu, et al. (1998). "Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*." *Nature* 391(6669): 806-11.
- Fishel, R., M. K. Lescoe, et al. (1993). "The human mutator gene homolog MSH2 and its association with hereditary nonpolyposis colon cancer." *Cell* 75(5): 1027-38.
- Flores-Rozas, H. and R. D. Kolodner (1998). "The *Saccharomyces cerevisiae* MLH3 gene functions in MSH3-dependent suppression of frameshift mutations." *Proceedings of the National Academy of Sciences of the United States of America* 95(21): 12404-12409.
- Flores-Rozas, H. and R. D. Kolodner (1998). "The *Saccharomyces cerevisiae* MLH3 gene functions in MSH3-dependent suppression of frameshift mutations." *Proc Natl Acad Sci U S A* 95(21): 12404-9.
- Folger, K. R., E. A. Wong, et al. (1982). "Patterns of integration of DNA microinjected into cultured mammalian cells: evidence for homologous recombination between injected plasmid DNA molecules." *Mol Cell Biol* 2(11): 1372-87.
- Forsburg, S. L. (2001). "The art and design of genetic screens: yeast." *Nat Rev Genet* 2(9): 659-68.
- Fox, J. G. (2007). *The Mouse in Biomedical Research*, Academic Press Inc., U.S.
- Frankenberg-Schwager, M. (1990). "Induction, repair and biological relevance of radiation-induced DNA lesions in eukaryotic cells." *Radiat Environ Biophys* 29(4): 273-92.
- Fraser, M. J., L. Cary, et al. (1995). "Assay for movement of Lepidopteran transposon IFP2 in insect cells using a baculovirus genome as a target DNA." *Virology* 211(2): 397-407.
- Fraser, M. J., T. Ciszczon, et al. (1996). "Precise excision of TTAA-specific lepidopteran transposons piggyBac (IFP2) and tagalong (TFP3) from the baculovirus genome in cell lines from two species of Lepidoptera." *Insect Mol Biol* 5(2): 141-51.
- Frengen, E., D. Weichenhan, et al. (1999). "A modular, positive selection bacterial artificial chromosome vector with multiple cloning sites." *Genomics* 58(3): 250-3.
- Friedberg, E. C., G. C. Walker, et al. (2005). *DNA Repair and Mutagenesis*, ASM Press, American Society for Microbiology.
- Friedrich, G. and P. Soriano (1991). "Promoter traps in embryonic stem cells: a genetic screen to identify and mutate developmental genes in mice." *Genes Dev* 5(9): 1513-23.
- Gangloff, S., J. P. McDonald, et al. (1994). "The yeast type I topoisomerase Top3 interacts with Sgs1, a DNA helicase homolog: a potential eukaryotic reverse gyrase." *Mol Cell Biol* 14(12): 8391-8.
- Garkavtsev, I. V., N. Kley, et al. (2001). "The Bloom syndrome protein interacts and cooperates with p53 in regulation of transcription and cell growth control." *Oncogene* 20(57): 8276-80.
- Genschel, J., L. R. Bazemore, et al. (2002). "Human exonuclease I is required for 5' and 3' mismatch

- repair." *J Biol Chem* 277(15): 13302-11.
- Genschel, J., S. J. Littman, et al. (1998). "Isolation of MutSbeta from human cells and comparison of the mismatch repair specificities of MutSbeta and MutSalpha." *J Biol Chem* 273(31): 19895-901.
- German, J. (1969). "Bloom's syndrome. I. Genetical and clinical observations in the first twenty-seven patients." *Am J Hum Genet* 21(2): 196-227.
- German, J. (1995). "Bloom's syndrome." *Dermatol Clin* 13(1): 7-18.
- German, J. (1997). "Bloom's syndrome. XX. The first 100 cancers." *Cancer Genet Cytogenet* 93(1): 100-6.
- German, J., A. M. Roe, et al. (1994). "Bloom syndrome: an analysis of consanguineous families assigns the locus mutated to chromosome band 15q26.1." *Proc Natl Acad Sci U S A* 91(14): 6669-73.
- German, J. L., 3rd and E. Passarge (1990). "Bloom's Syndrome Registry." *Int J Dermatol* 29(3): 233-4.
- Glickman, B. W. (1979). "Spontaneous mutagenesis in Escherichia coli strains lacking 6-methyladenine residues in their DNA: an altered mutational spectrum in dam- mutants." *Mutat Res* 61(2): 153-62.
- Goodhead, D. T. (1989). "The initial physical damage produced by ionizing radiations." *Int J Radiat Biol* 56(5): 623-34.
- Goodwin, N. C., Y. Ishida, et al. (2001). "DelBank: a mouse ES-cell resource for generating deletions." *Nat Genet* 28(4): 310-1.
- Goss, K. H., M. A. Risinger, et al. (2002). "Enhanced tumor formation in mice heterozygous for Blm mutation." *Science* 297(5589): 2051-3.
- Gossler, A., A. L. Joyner, et al. (1989). "Mouse embryonic stem cells and reporter constructs to detect developmentally regulated genes." *Science* 244(4903): 463-5.
- Goulaouic, H., T. Roulon, et al. (1999). "Purification and characterization of human DNA topoisomerase IIIalpha." *Nucleic Acids Res* 27(12): 2443-50.
- Gray, S. L., K. J. Cummings, et al. (2001). "Targeted disruption of the pituitary adenylate cyclase-activating polypeptide gene results in early postnatal death associated with dysfunction of lipid and carbohydrate metabolism." *Mol Endocrinol* 15(10): 1739-47.
- Green, E. L., Roderick, T. H. (1966). *Radiation Genetics. Biology of the Laboratory Mouse.* New York, McGraw-Hill: 165-185.
- Griffin, S., P. Branch, et al. (1994). "DNA mismatch binding and incision at modified guanine bases by extracts of mammalian cells: implications for tolerance to DNA methylation damage." *Biochemistry* 33(16): 4787-93.
- Grimm, S. (2004). "The art and design of genetic screens: mammalian culture cells." *Nat Rev Genet* 5(3): 179-89.
- Gruber, S. B., N. A. Ellis, et al. (2002). "BLM heterozygosity and the risk of colorectal cancer." *Science* 297(5589): 2013.
- Gu, L., Y. Hong, et al. (1998). "ATP-dependent interaction of human mismatch repair proteins and dual role of PCNA in mismatch repair." *Nucleic Acids Research* 26(5): 1173-1178.
- Guenet, J. L. (2004). "Chemical mutagenesis of the mouse genome: an overview." *Genetica* 122(1): 9-24.
- Guerra, B., O. G. Issinger, et al. (2003). "Modulation of human checkpoint kinase Chk1 by the regulatory beta-subunit of protein kinase CK2." *Oncogene* 22(32): 4933-42.
- Guo, G. (2004). Recessive genetic screen for mismatch repair components in BLM-deficient ES cells. *The Wellcome Trust Sanger Institute*, University of Cambridge.
- Guo, G., W. Wang, et al. (2004). "Mismatch repair genes identified using genetic screens in Blm-deficient embryonic stem cells." *Nature* 429(6994): 891-5.
- Gurin, C. C., M. G. Federici, et al. (1999). "Causes and consequences of microsatellite instability in endometrial carcinoma." *Cancer Res* 59(2): 462-6.
- Habraken, Y., L. Prakash, et al. (1998). "ATP-dependent assembly of a ternary complex consisting of a DNA mismatch and the yeast MSH2-MSH6 and MLH1-PMS1 protein complexes." *Journal of Biological Chemistry* 273(16): 9837-9841.
- Habraken, Y., P. Sung, et al. (1996). "Binding of insertion/deletion DNA mismatches by the heterodimer of yeast mismatch repair proteins MSH2 and MSH3." *Current Biology* 6(9): 1185-1187.
- Habraken, Y., P. Sung, et al. (1997). "Enhancement of MSH2-MSH3-mediated mismatch recognition by the yeast MLH1-PMS1 complex." *Current Biology* 7(10): 790-793.
- Haldane, J. (1915). "Reduplication in mice." *Journal Genetics* 5: 133-135.
- Handler, A. M., S. P. Gomez, et al. (1993). "A functional analysis of the P-element gene-transfer vector in insects." *Arch Insect Biochem Physiol* 22(3-4): 373-84.
- Hansen, J., T. Floss, et al. (2003). "A large-scale, gene-driven mutagenesis approach for the functional analysis of the mouse genome." *Proc Natl Acad Sci U S A* 100(17): 9918-22.
- Harfe, B. D. and S. Jinks-Robertson (2000). "Sequence composition and context effects on the generation and repair of frameshift intermediates in mononucleotide runs in Saccharomyces cerevisiae." *Genetics* 156(2): 571-8.
- Hawn, M. T., A. Umar, et al. (1995). "Evidence for a connection between the mismatch repair system and the G2 cell cycle checkpoint." *Cancer Res* 55(17): 3721-5.
- Hayakawa, T., K. Yusa, et al. (2006). "Bloom's syndrome gene-deficient phenotype in mouse primary cells

- induced by a modified tetracycline-controlled trans-silencer." *Gene* 369: 80-9.
- Heaney, J. D., A. N. Rettew, et al. (2004). "Tissue-specific expression of a BAC transgene targeted to the Hprt locus in mouse embryonic stem cells." *Genomics* 83(6): 1072-82.
- Hedges, S. B., P. H. Parker, et al. (1996). "Continental breakup and the ordinal diversification of birds and mammals." *Nature* 381(6579): 226-9.
- Heinz-Albert Becker, W.-E. L. (2001). Transposons: Eukaryotic. *Encyclopedia of life sciences*, NPG.
- Herceg, Z., W. Hulla, et al. (2001). "Disruption of Trpap causes early embryonic lethality and defects in cell cycle progression." *Nat Genet* 29(2): 206-11.
- Herman, J. G. and S. B. Baylin (2003). "Gene silencing in cancer in association with promoter hypermethylation." *N Engl J Med* 349(21): 2042-54.
- Herman, J. G., J. R. Graff, et al. (1996). "Methylation-specific PCR: a novel PCR assay for methylation status of CpG islands." *Proc Natl Acad Sci U S A* 93(18): 9821-6.
- Herman, J. G., A. Umar, et al. (1998). "Incidence and functional consequences of hMLH1 promoter hypermethylation in colorectal carcinoma." *Proc Natl Acad Sci U S A* 95(12): 6870-5.
- Hill, S. A., M. M. Stahl, et al. (1997). "Single-strand DNA intermediates in phage lambda's Red recombination pathway." *Proc Natl Acad Sci U S A* 94(7): 2951-6.
- Hoess, R. H., A. Wierzbicki, et al. (1986). "The role of the loxP spacer region in P1 site-specific recombination." *Nucleic Acids Res* 14(5): 2287-300.
- Hollingsworth, N. M., L. Ponte, et al. (1995). "MSH5, a novel MutS homolog, facilitates meiotic reciprocal recombination between homologs in *Saccharomyces cerevisiae* but not mismatch repair." *Genes Dev* 9(14): 1728-39.
- Horie, K., K. Yusa, et al. (2003). "Characterization of Sleeping Beauty transposition and its application to genetic screening in mice." *Mol Cell Biol* 23(24): 9189-207.
- Hrabe de Angelis, M. H., H. Flaswinkel, et al. (2000). "Genome-wide, large-scale production of mutant mice by ENU mutagenesis." *Nat Genet* 25(4): 444-7.
- Hsieh, P. (2001). "Molecular mechanisms of DNA mismatch repair." *Mutat Res* 486(2): 71-87.
- Hu, S., E. Otsubo, et al. (1975). "Electron microscope heteroduplex studies of sequence relations among bacterial plasmids: identification and mapping of the insertion sequences IS1 and IS2 in F and R plasmids." *J Bacteriol* 122(2): 764-75.
- Huang, J., N. Papadopoulos, et al. (1996). "APC mutations in colorectal tumors with mismatch repair deficiency." *Proc Natl Acad Sci U S A* 93(17): 9049-54.
- Hughes, M. J. and J. Jiricny (1992). "The purification of a human mismatch-binding protein and identification of its associated ATPase and helicase activities." *Journal of Biological Chemistry* 267(33): 23876-23882.
- Hunter, N. and R. H. Borts (1997). "Mlh1 is unique among mismatch repair proteins in its ability to promote crossing-over during meiosis." *Genes Dev* 11(12): 1573-82.
- Hutchinson, F. (1985). "Chemical changes induced in DNA by ionizing radiation." *Prog Nucleic Acid Res Mol Biol* 32: 115-54.
- Iaccarino, I., G. Marra, et al. (1998). "hMSH2 and hMSH6 play distinct roles in mismatch binding and contribute differently to the ATPase activity of hMutS?" *EMBO Journal* 17(9): 2677-2686.
- Ionov, Y., M. A. Peinado, et al. (1993). "Ubiquitous somatic mutations in simple repeated sequences reveal a new mechanism for colonic carcinogenesis." *Nature* 363(6429): 558-61.
- Ishida, Y. and P. Leder (1999). "RET: a poly A-trap retrovirus vector for reversible disruption and expression monitoring of genes in living cells." *Nucleic Acids Res* 27(24): e35.
- Ishikawa, J., T. Kaisho, et al. (1995). "Molecular cloning and chromosomal mapping of a bone marrow stromal cell surface gene, BST2, that may be involved in pre-B-cell growth." *Genomics* 26(3): 527-34.
- Ivics, Z., P. B. Hackett, et al. (1997). "Molecular reconstruction of Sleeping Beauty, a Tc1-like transposon from fish, and its transposition in human cells." *Cell* 91(4): 501-10.
- Iyer, R. R., A. Pluciennik, et al. (2006). "DNA mismatch repair: functions and mechanisms." *Chem Rev* 106(2): 302-23.
- Izsvak, Z., Z. Ivics, et al. (2000). "Sleeping Beauty, a wide host-range transposon vector for genetic transformation in vertebrates." *J Mol Biol* 302(1): 93-102.
- Jacobson, J. W., M. M. Medhora, et al. (1986). "Molecular structure of a somatically unstable transposable element in *Drosophila*." *Proc Natl Acad Sci U S A* 83(22): 8684-8.
- Jaenisch, R. (1976). "Germ line integration and Mendelian transmission of the exogenous Moloney leukemia virus." *Proc Natl Acad Sci U S A* 73(4): 1260-4.
- Jaenisch, R., D. Jahner, et al. (1981). "Chromosomal position and activation of retroviral genomes inserted into the germ line of mice." *Cell* 24(2): 519-29.
- Jiricny, J. (1998). "Replication errors: Challenging the genome." *EMBO Journal* 17(22): 6427-6436.
- Jones, M., R. Wagner, et al. (1987). "Repair of a mismatch is influenced by the base composition of the surrounding nucleotide sequence." *Genetics* 115(4): 605-10.
- Jones, P. A. and P. W. Laird (1999). "Cancer epigenetics comes of age." *Nat Genet* 21(2): 163-7.

- Jorgensen, E. M. and S. E. Mango (2002). "The art and design of genetic screens: *caenorhabditis elegans*." Nat Rev Genet 3(5): 356-69.
- Junop, M. S., G. Obmolova, et al. (2001). "Composite active site of an ABC ATPase: MutS uses ATP to verify mismatch recognition and authorize DNA repair." Mol Cell 7(1): 1-12.
- Justice, M. J. and V. C. Bode (1986). "Induction of new mutations in a mouse t-haplotype using ethylnitrosourea mutagenesis." Genet Res 47(3): 187-92.
- Justice, M. J., J. K. Noveroske, et al. (1999). "Mouse ENU mutagenesis." Hum Mol Genet 8(10): 1955-63.
- Kallioniemi, A., O. P. Kallioniemi, et al. (1992). "Comparative genomic hybridization for molecular cytogenetic analysis of solid tumors." Science 258(5083): 818-21.
- Karmakar, P., M. Seki, et al. (2006). "BLM is an early responder to DNA double-strand breaks." Biochem Biophys Res Commun 348(1): 62-9.
- Karow, J. K., R. K. Chakraverty, et al. (1997). "The Bloom's syndrome gene product is a 3'-5' DNA helicase." J Biol Chem 272(49): 30611-4.
- Karran, P. and M. Bignami (1992). "Self-destruction and tolerance in resistance of mammalian cells to alkylation damage." Nucleic Acids Res 20(12): 2933-40.
- Karran, P. and R. Hampson (1996). "Genomic instability and tolerance to alkylating agents." Cancer Surveys 28: 69-85.
- Karran, P. and M. G. Marinus (1982). "Mismatch correction at O6-methylguanine residues in *E. coli* DNA." Nature 296(5860): 868-9.
- Karran, P., J. Offman, et al. (2003). "Human mismatch repair, drug-induced DNA damage, and secondary cancer." Biochimie 85(11): 1149-60.
- Kasarskis, A., K. Manova, et al. (1998). "A phenotype-based screen for embryonic lethal mutations in the mouse." Proc Natl Acad Sci U S A 95(13): 7485-90.
- Kat, A., W. G. Thilly, et al. (1993). "An alkylation-tolerant, mutator human cell line is deficient in strand-specific mismatch repair." Proc Natl Acad Sci U S A 90(14): 6424-8.
- Katzenellenbogen, R. A., S. B. Baylin, et al. (1999). "Hypermethylation of the DAP-kinase CpG island is a common alteration in B-cell malignancies." Blood 93(12): 4347-53.
- Kaufman, P. D. and D. C. Rio (1992). "P element transposition in vitro proceeds by a cut-and-paste mechanism and uses GTP as a cofactor." Cell 69(1): 27-39.
- Kawate, H., K. Sakumi, et al. (1998). "Separation of killing and tumorigenic effects of an alkylating agent in mice defective in two of the DNA repair genes." Proc Natl Acad Sci U S A 95(9): 5116-20.
- Kiko, H., E. Niggemann, et al. (1979). "Physical mapping of the restriction fragments obtained from bacteriophage T4 dC-DNA with the restriction endonucleases Smal, KpnI and BglII." Mol Gen Genet 172(3): 303-12.
- Kile, B. T. and D. J. Hilton (2005). "The art and design of genetic screens: mouse." Nat Rev Genet 6(7): 557-67.
- Kim, H. C., J. C. Kim, et al. (2005). "Aberrant CpG island methylation in early-onset sporadic gastric carcinoma." J Cancer Res Clin Oncol 131(11): 733-40.
- Kim, M., B. N. Trinh, et al. (2004). "Dnmt1 deficiency leads to enhanced microsatellite instability in mouse embryonic stem cells." Nucleic Acids Res 32(19): 5742-9.
- King, W., M. D. Patel, et al. (1985). "Insertion mutagenesis of embryonal carcinoma cells by retroviruses." Science 228(4699): 554-8.
- Kissil, J. L., E. Feinstein, et al. (1997). "DAP-kinase loss of expression in various carcinoma and B-cell lymphoma cell lines: possible implications for role as tumor suppressor gene." Oncogene 15(4): 403-7.
- Kitao, S., A. Shimamoto, et al. (1999). "Mutations in RECQL4 cause a subset of cases of Rothmund-Thomson syndrome." Nat Genet 22(1): 82-4.
- Kneitz, B., P. E. Cohen, et al. (2000). "MutS homolog 4 localization to meiotic chromosomes is required for chromosome pairing during meiosis in male and female mice." Genes Dev 14(9): 1085-97.
- Koc, A., L. J. Wheeler, et al. (2003). "Replication-independent MCB gene induction and deoxyribonucleotide accumulation at G1/S in *Saccharomyces cerevisiae*." J Biol Chem 278(11): 9345-52.
- Koi, M., A. Umar, et al. (1994). "Human chromosome 3 corrects mismatch repair deficiency and microsatellite instability and reduces N-methyl-N'-nitro-N-nitrosoguanidine tolerance in colon tumor cells with homozygous hMLH1 mutation." Cancer Res 54(16): 4308-12.
- Koller, B. H., L. J. Hagemann, et al. (1989). "Germ-line transmission of a planned alteration made in a hypoxanthine phosphoribosyltransferase gene by homologous recombination in embryonic stem cells." Proc Natl Acad Sci U S A 86(22): 8927-31.
- Kolodner, R. (1996). "Biochemistry and genetics of eukaryotic mismatch repair." Genes and Development 10(12): 1433-1442.
- Kolodner, R. D. and G. T. Marsischky (1999). "Eukaryotic DNA mismatch repair." Current Opinion in Genetics and Development 9(1): 89-96.
- Korn, R., M. Schoor, et al. (1992). "Enhancer trap integrations in mouse embryonic stem cells give rise to

- staining patterns in chimaeric embryos with a high frequency and detect endogenous genes." Mech Dev 39(1-2): 95-109.
- Kothary, R., S. Clapoff, et al. (1988). "A transgene containing lacZ inserted into the dystonia locus is expressed in neural tube." Nature 335(6189): 435-7.
- Kramer, B., W. Kramer, et al. (1984). "Different base/base mismatches are corrected with different efficiencies by the methyl-directed DNA mismatch-repair system of *E. coli*." Cell 38(3): 879-87.
- Kuehn, M. R., A. Bradley, et al. (1987). "A potential animal model for Lesch-Nyhan syndrome through introduction of HPRT mutations into mice." Nature 326(6110): 295-8.
- Kuhn, E. M. and E. Therman (1986). "Cytogenetics of Bloom's syndrome." Cancer Genet Cytogenet 22(1): 1-18.
- Kunkel, T. A. and D. A. Erie (2005). "DNA mismatch repair." Annu Rev Biochem 74: 681-710.
- Kushi, A., K. Edamura, et al. (1998). "Generation of mutant mice with large chromosomal deletion by use of irradiated ES cells--analysis of large deletion around hprt locus of ES cell." Mamm Genome 9(4): 269-73.
- Lahue, R. S., S. S. Su, et al. (1987). "Requirement for d(GATC) sequences in *Escherichia coli* mutHLS mismatch correction." Proc Natl Acad Sci U S A 84(6): 1482-6.
- Lander, E. S., L. M. Linton, et al. (2001). "Initial sequencing and analysis of the human genome." Nature 409(6822): 860-921.
- Langin, T., P. Cappy, et al. (1995). "The transposable element impala, a fungal member of the Tc1-mariner superfamily." Mol Gen Genet 246(1): 19-28.
- Langland, G., J. Elliott, et al. (2002). "The BLM helicase is necessary for normal DNA double-strand break repair." Cancer Res 62(10): 2766-70.
- Learn, B. A. and R. H. Grafstrom (1989). "Methyl-directed repair of frameshift heteroduplexes in cell extracts from *Escherichia coli*." J Bacteriol 171(12): 6473-81.
- Lee, E. C., D. Yu, et al. (2001). "A highly efficient *Escherichia coli*-based chromosome engineering system adapted for recombinogenic targeting and subcloning of BAC DNA." Genomics 73(1): 56-65.
- Lefebvre, L., N. Dionne, et al. (2001). "Selection for transgene homozygosity in embryonic stem cells results in extensive loss of heterozygosity." Nat Genet 27(3): 257-8.
- Legerski, R. and C. Peterson (1992). "Expression cloning of a human DNA repair gene involved in xeroderma pigmentosum group C." Nature 359(6390): 70-3.
- Lett, J. T. (1990). "Damage to DNA and chromatin structure from ionizing radiations, and the radiation sensitivities of mammalian cells." Prog Nucleic Acid Res Mol Biol 39: 305-52.
- Li, G. M., H. Wang, et al. (1996). "Human MutSalpha specifically binds to DNA containing aminofluorene and acetylaminofluorene adducts." J Biol Chem 271(39): 24084-8.
- Lieber, M. R., Y. Ma, et al. (2003). "Mechanism and regulation of human non-homologous DNA end-joining." Nat Rev Mol Cell Biol 4(9): 712-20.
- Liebl, F. L., K. M. Werner, et al. (2006). "Genome-wide P-element screen for *Drosophila* synaptogenesis mutants." J Neurobiol 66(4): 332-47.
- Lindblom, A., P. Tannergard, et al. (1993). "Genetic mapping of a second locus predisposing to hereditary non-polyposis colon cancer." Nat Genet 5(3): 279-82.
- Lindor, N. M., Y. Furuichi, et al. (2000). "Rothmund-Thomson syndrome due to RECQ4 helicase mutations: report and clinical and molecular comparisons with Bloom syndrome and Werner syndrome." Am J Med Genet 90(3): 223-8.
- Ling, Y. H., J. Y. Chan, et al. (1992). "Consequences of 6-thioguanine incorporation into DNA on polymerase, ligase, and endonuclease reactions." Mol Pharmacol 42(5): 802-7.
- Lipkin, S. M., P. B. Moens, et al. (2002). "Meiotic arrest and aneuploidy in MLH3-deficient mice." Nat Genet 31(4): 385-90.
- Lipkin, S. M., V. Wang, et al. (2000). "MLH3: a DNA mismatch repair gene associated with mammalian microsatellite instability." Nat Genet 24(1): 27-35.
- Little, C. C., Bagg, H. J. (1924). "The occurrence of four inheritable morphological variations in mice and their possible relation to treatment with X-rays." J. Exp. Zool. 41: 45-92.
- Liu, K., S. Hipkens, et al. (2006). "Recombinase-mediated cassette exchange to rapidly and efficiently generate mice with human cardiac sodium channels." Genesis 44(11): 556-64.
- Liu, P., N. A. Jenkins, et al. (2002). "Efficient Cre-loxP-induced mitotic recombination in mouse embryonic stem cells." Nat Genet 30(1): 66-72.
- Liu, P., N. A. Jenkins, et al. (2003). "A highly efficient recombineering-based method for generating conditional knockout mutations." Genome Res 13(3): 476-84.
- Lobel, L. I., M. Patel, et al. (1985). "Construction and recovery of viable retroviral genomes carrying a bacterial suppressor transfer RNA gene." Science 228(4697): 329-32.
- Lobrich, M., P. K. Cooper, et al. (1996). "Non-random distribution of DNA double-strand breaks induced by particle irradiation." Int J Radiat Biol 70(5): 493-503.
- Loots, G. G., R. M. Locksley, et al. (2000). "Identification of a coordinate regulator of interleukins 4, 13, and 5 by cross-species sequence comparisons." Science 288(5463): 136-40.

- Lopez de Saro, F. J. and M. O'Donnell (2001). "Interaction of the beta sliding clamp with MutS, ligase, and DNA polymerase I." Proc Natl Acad Sci U S A 98(15): 8376-80.
- Lu, A. L. (1987). "Influence of GATC sequences on Escherichia coli DNA mismatch repair in vitro." J Bacteriol 169(3): 1254-9.
- Lu, A. L., S. Clark, et al. (1983). "Methyl-directed repair of DNA base-pair mismatches in vitro." Proc Natl Acad Sci U S A 80(15): 4639-43.
- Lund, A. H., G. Turner, et al. (2002). "Genome-wide retroviral insertional tagging of genes involved in cancer in Cdkn2a-deficient mice." Nat Genet 32(1): 160-5.
- Luo, G., Z. Ivics, et al. (1998). "Chromosomal transposition of a Tc1/mariner-like element in mouse embryonic stem cells." Proc Natl Acad Sci U S A 95(18): 10769-73.
- Luo, G., I. M. Santoro, et al. (2000). "Cancer predisposition caused by elevated mitotic recombination in Bloom mice." Nat Genet 26(4): 424-9.
- Lynch, H. T. and A. de la Chapelle (1999). "Genetic susceptibility to non-polyposis colorectal cancer." J Med Genet 36(11): 801-18.
- Lynch, H. T., T. C. Smyrk, et al. (1993). "Genetics, natural history, tumor spectrum, and pathology of hereditary nonpolyposis colorectal cancer: an updated review." Gastroenterology 104(5): 1535-49.
- Lyons, S. M. and P. F. Schendel (1984). "Kinetics of methylation in Escherichia coli K-12." J Bacteriol 159(1): 421-3.
- Maa, M. C., J. C. Lee, et al. (2007). "Eps8 facilitates cellular growth and motility of colon cancer cells by increasing the expression and activity of focal adhesion kinase." J Biol Chem 282(27): 19399-409.
- Malling, H. V. and L. R. Valcovic (1977). "A biochemical specific locus mutation system in mice." Arch Toxicol 38(1-2): 45-51.
- Mann, R., R. C. Mulligan, et al. (1983). "Construction of a retrovirus packaging mutant and its use to produce helper-free defective retrovirus." Cell 33(1): 153-9.
- Markowitz, S., J. Wang, et al. (1995). "Inactivation of the type II TGF-beta receptor in colon cancer cells with microsatellite instability." Science 268(5215): 1336-8.
- Marsischky, G. T., N. Filosi, et al. (1996). "Redundancy of Saccharomyces cerevisiae MSH3 and MSH6 in MSH2-dependent mismatch repair." Genes and Development 10(4): 407-420.
- Martin, R. H., A. Rademaker, et al. (1994). "Chromosomal breakage in human spermatozoa, a heterozygous effect of the Bloom syndrome mutation." Am J Hum Genet 55(6): 1242-6.
- Matsuura, S., J. Komatsu, et al. (2001). "Real-time observation of a single DNA digestion by lambda exonuclease under a fluorescence microscope field." Nucleic Acids Res 29(16): E79.
- Mayo, K. E., W. Vale, et al. (1983). "Expression-cloning and sequence of a cDNA encoding human growth hormone-releasing factor." Nature 306(5938): 86-8.
- McClintock, B. (1948). Mutable loci in maize., Carnegie Institute of Washington Year Book. 47: 155-169.
- McClintock, B. (1949). Mutable loci in maize., Carnegie Institute of Washington Year Book. 48: 142-154.
- McClintock, B. (1950). "The origin and behavior of mutable loci in maize." Proc Natl Acad Sci U S A 36(6): 344-55.
- McDaniel, L. D., N. Chester, et al. (2003). "Chromosome instability and tumor predisposition inversely correlate with BLM protein levels." DNA Repair (Amst) 2(12): 1387-404.
- McDaniel, L. D. and R. A. Schultz (1992). "Elevated sister chromatid exchange phenotype of Bloom syndrome cells is complemented by human chromosome 15." Proc Natl Acad Sci U S A 89(17): 7968-72.
- McKinnon, P. J. and K. W. Caldecott (2007). "DNA Strand Break Repair and Human Genetic Disease." Annu Rev Genomics Hum Genet 8: 37-55.
- McMahon, A. P. and A. Bradley (1990). "The Wnt-1 (int-1) proto-oncogene is required for development of a large region of the mouse brain." Cell 62(6): 1073-85.
- Menoyo, A., H. Alazzouzi, et al. (2001). "Somatic mutations in the DNA damage-response genes ATR and CHK1 in sporadic stomach tumors with microsatellite instability." Cancer Res 61(21): 7727-30.
- Michael, B. D. and P. O'Neill (2000). "Molecular biology. A sting in the tail of electron tracks." Science 287(5458): 1603-4.
- Mikkers, H., J. Allen, et al. (2002). "High-throughput retroviral tagging to identify components of specific signaling pathways in cancer." Nat Genet 32(1): 153-9.
- Millar, C. B., J. Guy, et al. (2002). "Enhanced CpG mutability and tumorigenesis in MBD4-deficient mice." Science 297(5580): 403-5.
- Mitchell, R. S., B. F. Beitzel, et al. (2004). "Retroviral DNA integration: ASLV, HIV, and MLV show distinct target site preferences." PLoS Biol 2(8): E234.
- Modrich, P. (1997). "Strand-specific mismatch repair in mammalian cells." J Biol Chem 272(40): 24727-30.
- Modrich, P. and R. Lahue (1996). "Mismatch repair in replication fidelity, genetic recombination, and cancer biology." Annu Rev Biochem 65: 101-33.
- Monk, R. J., F. G. Malik, et al. (1992). "Direct determination of the point mutation rate of a murine retrovirus." J Virol 66(6): 3683-9.
- Mortensen, R. M., D. A. Conner, et al. (1992). "Production of homozygous mutant ES cells with a single

- targeting construct." *Mol Cell Biol* 12(5): 2391-5.
- Muller, H. J. (1927). "Artificial Transmutation of the Gene." *Science* 66(1699): 84-87.
- Muniyappa, K. and C. M. Radding (1986). "The homologous recombination system of phage lambda. Pairing activities of beta protein." *J Biol Chem* 261(16): 7472-8.
- Murphy, K. C. (1991). "Lambda Gam protein inhibits the helicase and chi-stimulated recombination activities of Escherichia coli RecBCD enzyme." *J Bacteriol* 173(18): 5808-21.
- Muzumdar, M. D., L. Luo, et al. (2007). "Modeling sporadic loss of heterozygosity in mice by using mosaic analysis with double markers (MADM)." *Proc Natl Acad Sci U S A* 104(11): 4495-500.
- Mythili, E., K. A. Kumar, et al. (1996). "Characterization of the DNA-binding domain of beta protein, a component of phage lambda red-pathway, by UV catalyzed cross-linking." *Gene* 182(1-2): 81-7.
- Nackerdien, Z., G. Rao, et al. (1991). "Chemical nature of DNA-protein cross-links produced in mammalian chromatin by hydrogen peroxide in the presence of iron or copper ions." *Biochemistry* 30(20): 4873-9.
- Nagy, A., J. Rossant, et al. (1993). "Derivation of completely cell culture-derived mice from early-passage embryonic stem cells." *Proc Natl Acad Sci U S A* 90(18): 8424-8.
- Nakayama, H. (2002). "RecQ family helicases: roles as tumor suppressor proteins." *Oncogene* 21(58): 9008-21.
- Ng, H. H. and A. Bird (1999). "DNA methylation and chromatin modification." *Curr Opin Genet Dev* 9(2): 158-63.
- Ni, T. T., G. T. Marsischky, et al. (1999). "MSH2 and MSH6 are required for removal of adenine misincorporated opposite 8-oxo-guanine in *S. cerevisiae*." *Mol Cell* 4(3): 439-44.
- Nicholson, A., M. Hendrix, et al. (2000). "Regulation of mitotic homeologous recombination in yeast. Functions of mismatch repair and nucleotide excision repair genes." *Genetics* 154(1): 133-46.
- Nobrega, M. A., I. Ovcharenko, et al. (2003). "Scanning human gene deserts for long-range enhancers." *Science* 302(5644): 413.
- Nobrega, M. A., Y. Zhu, et al. (2004). "Megabase deletions of gene deserts result in viable mice." *Nature* 431(7011): 988-93.
- Nolan, P. M., J. Peters, et al. (2000). "A systematic, genome-wide, phenotype-driven mutagenesis programme for gene function studies in the mouse." *Nat Genet* 25(4): 440-3.
- Nord, A. S., P. J. Chang, et al. (2006). "The International Gene Trap Consortium Website: a portal to all publicly available gene trap cell lines in mouse." *Nucleic Acids Res* 34(Database issue): D642-8.
- Nusslein-Volhard, C. and E. Wieschaus (1980). "Mutations affecting segment number and polarity in *Drosophila*." *Nature* 287(5785): 795-801.
- O'Brien, S. J., M. Menotti-Raymond, et al. (1999). "The promise of comparative genomics in mammals." *Science* 286(5439): 458-62, 479-81.
- O'Hare, K. and G. M. Rubin (1983). "Structures of P transposable elements and their sites of insertion and excision in the *Drosophila melanogaster* genome." *Cell* 34(1): 25-35.
- Oeltjen, J. C., T. M. Malley, et al. (1997). "Large-scale comparative sequence analysis of the human and murine Bruton's tyrosine kinase loci reveals conserved regulatory domains." *Genome Res* 7(4): 315-29.
- Ohtoshi, A., A. Bradley, et al. (2006). "Generation and maintenance of Dmbx1 gene-targeted mutant alleles." *Mamm Genome* 17(7): 744-50.
- Oostlander, A. E., G. A. Meijer, et al. (2004). "Microarray-based comparative genomic hybridization and its applications in human genetics." *Clin Genet* 66(6): 488-95.
- Paddison, P. J., J. M. Silva, et al. (2004). "A resource for large-scale RNA-interference-based screens in mammals." *Nature* 428(6981): 427-31.
- Page, D. R. and U. Grossniklaus (2002). "The art and design of genetic screens: *Arabidopsis thaliana*." *Nat Rev Genet* 3(2): 124-36.
- Pan, B. F. and J. A. Nelson (1990). "Characterization of the DNA damage in 6-thioguanine-treated cells." *Biochem Pharmacol* 40(5): 1063-9.
- Pan, B. F., T. S. Priebe, et al. (1992). "Mechanisms of resistance to 6-thioguanine in a murine pancreatic tumor." *Cancer Chemother Pharmacol* 29(6): 471-4.
- Papadopoulos, N., N. C. Nicolaidis, et al. (1994). "Mutation of a mutL homolog in hereditary colon cancer." *Science* 263(5153): 1625-9.
- Parekh, V., A. McEwen, et al. (2004). "Defective extraembryonic angiogenesis in mice lacking LBP-1a, a member of the grainyhead family of transcription factors." *Mol Cell Biol* 24(16): 7113-29.
- Parker, B. O. and M. G. Marinus (1992). "Repair of DNA heteroduplexes containing small heterologous sequences in *Escherichia coli*." *Proc Natl Acad Sci U S A* 89(5): 1730-4.
- Parsons, B. L. (2003). "MED1: a central molecule for maintenance of genome integrity and response to DNA damage." *Proc Natl Acad Sci U S A* 100(25): 14601-2.
- Parsons, R., G. M. Li, et al. (1993). "Hypermutability and mismatch repair deficiency in RER+ tumor cells." *Cell* 75(6): 1227-36.
- Patton, E. E. and L. I. Zon (2001). "The art and design of genetic screens: zebrafish." *Nat Rev Genet*

- 2(12): 956-66.
- Paull, T. T., E. P. Rogakou, et al. (2000). "A critical role for histone H2AX in recruitment of repair factors to nuclear foci after DNA damage." *Curr Biol* 10(15): 886-95.
- Pedrazzi, G., C. Perrera, et al. (2001). "Direct association of Bloom's syndrome gene product with the human mismatch repair protein MLH1." *Nucleic Acids Res* 29(21): 4378-86.
- Peltomaki, P., L. A. Aaltonen, et al. (1993). "Genetic mapping of a locus predisposing to human colorectal cancer." *Science* 260(5109): 810-2.
- Pennacchio, L. A. and E. M. Rubin (2001). "Genomic strategies to identify mammalian regulatory sequences." *Nat Rev Genet* 2(2): 100-9.
- Petit, M. A., J. Dimpfl, et al. (1991). "Control of large chromosomal duplications in *Escherichia coli* by the mismatch repair system." *Genetics* 129(2): 327-32.
- Plasterk, R. H., Z. Izsvak, et al. (1999). "Resident aliens: the Tc1/mariner superfamily of transposable elements." *Trends Genet* 15(8): 326-32.
- Prolla, T. A., S. M. Baker, et al. (1998). "Tumour susceptibility and spontaneous mutation in mice deficient in Mlh1, Pms1 and Pms2 DNA mismatch repair." *Nat Genet* 18(3): 276-9.
- Prolla, T. A., D. M. Christie, et al. (1994). "Dual requirement in yeast DNA mismatch repair for MLH1 and PMS1, two homologs of the bacterial mutL gene." *Mol Cell Biol* 14(1): 407-15.
- Prolla, T. A., Q. Pang, et al. (1994). "MLH1, PMS1, and MSH2 interactions during the initiation of DNA mismatch repair in yeast." *Science* 265(5175): 1091-3.
- Prosser, H. M. R., Agnieszka K.; Steel, Karen P.; Bradley, Allan (2007 unpublished). Mosaic complementation demonstrates a regulatory role for myosin VIIa in stereocilia actin dynamics.
- Pukkila, P. J., J. Peterson, et al. (1983). "Effects of high levels of DNA adenine methylation on methyl-directed mismatch repair in *Escherichia coli*." *Genetics* 104(4): 571-82.
- Puranam, K. L. and P. J. Blackshear (1994). "Cloning and characterization of RECQL, a potential human homologue of the *Escherichia coli* DNA helicase RecQ." *J Biol Chem* 269(47): 29838-45.
- Radding, C. M. and D. M. Carter (1971). "The role of exonuclease and beta protein of phage lambda in genetic recombination. 3. Binding to deoxyribonucleic acid." *J Biol Chem* 246(8): 2513-8.
- Ramirez-Solis, R., A. C. Davis, et al. (1993). "Gene targeting in embryonic stem cells." *Methods Enzymol* 225: 855-78.
- Rampino, N., H. Yamamoto, et al. (1997). "Somatic frameshift mutations in the BAX gene in colon cancers of the microsatellite mutator phenotype." *Science* 275(5302): 967-9.
- Rao, V. A., C. Conti, et al. (2007). "Endogenous gamma-H2AX-ATM-Chk2 checkpoint activation in Bloom's syndrome helicase deficient cells is related to DNA replication arrested forks." *Mol Cancer Res* 5(7): 713-24.
- Rayssiguier, C., D. S. Thaler, et al. (1989). "The barrier to recombination between *Escherichia coli* and *Salmonella typhimurium* is disrupted in mismatch-repair mutants." *Nature* 342(6248): 396-401.
- Reaume, A. G., P. A. de Sousa, et al. (1995). "Cardiac malformation in neonatal mice lacking connexin43." *Science* 267(5205): 1831-4.
- Redon, R., S. Ishikawa, et al. (2006). "Global variation in copy number in the human genome." *Nature* 444(7118): 444-54.
- Reitmair, A. H., R. Schmits, et al. (1995). "MSH2 deficient mice are viable and susceptible to lymphoid tumours." *Nat Genet* 11(1): 64-70.
- Riccio, A., L. A. Aaltonen, et al. (1999). "The DNA repair gene MBD4 (MED1) is mutated in human carcinomas with microsatellite instability." *Nat Genet* 23(3): 266-8.
- Riley, P. A. (1994). "Free radicals in biology: oxidative stress and the effects of ionizing radiation." *Int J Radiat Biol* 65(1): 27-33.
- Rinchik, E. M. and D. A. Carpenter (1999). "N-ethyl-N-nitrosourea mutagenesis of a 6- to 11-cM subregion of the Fah-Hbb interval of mouse chromosome 7: Completed testing of 4557 gametes and deletion mapping and complementation analysis of 31 mutations." *Genetics* 152(1): 373-83.
- Robert, M. F., S. Morin, et al. (2003). "DNMT1 is required to maintain CpG methylation and aberrant gene silencing in human cancer cells." *Nat Genet* 33(1): 61-5.
- Robertson, E., A. Bradley, et al. (1986). "Germ-line transmission of genes introduced into cultured pluripotential cells by retroviral vector." *Nature* 323(6087): 445-8.
- Rogakou, E. P., D. R. Pilch, et al. (1998). "DNA double-stranded breaks induce histone H2AX phosphorylation on serine 139." *J Biol Chem* 273(10): 5858-68.
- Roos, W., M. Baumgartner, et al. (2004). "Apoptosis triggered by DNA damage O6-methylguanine in human lymphocytes requires DNA replication and is mediated by p53 and Fas/CD95/Apo-1." *Oncogene* 23(2): 359-67.
- Ross-Macdonald, P. and G. S. Roeder (1994). "Mutation of a meiosis-specific MutS homolog decreases crossing over but not mismatch correction." *Cell* 79(6): 1069-80.
- Rowley, P. T. (2005). "Inherited susceptibility to colorectal cancer." *Annu Rev Med* 56: 539-54.
- Rubin, G. M., M. G. Kidwell, et al. (1982). "The molecular basis of P-M hybrid dysgenesis: the nature of induced mutations." *Cell* 29(3): 987-94.

- Russell, W. L., E. M. Kelly, et al. (1979). "Specific-locus test shows ethylnitrosourea to be the most potent mutagen in the mouse." *Proc Natl Acad Sci U S A* 76(11): 5818-9.
- Sansom, O. J., J. Zabkiewicz, et al. (2003). "MBD4 deficiency reduces the apoptotic response to DNA-damaging agents in the murine small intestine." *Oncogene* 22(46): 7130-6.
- Santucci-Darmanin, S., S. Neyton, et al. (2002). "The DNA mismatch-repair MLH3 protein interacts with MSH4 in meiotic cells, supporting a role for this MutL homolog in mammalian meiotic recombination." *Hum Mol Genet* 11(15): 1697-706.
- Schimenti, J. C., B. J. Libby, et al. (2000). "Interdigitated deletion complexes on mouse chromosome 5 induced by irradiation of embryonic stem cells." *Genome Res* 10(7): 1043-50.
- Schwartzberg, P. L., S. P. Goff, et al. (1989). "Germ-line transmission of a c-abl mutation produced by targeted gene disruption in ES cells." *Science* 246(4931): 799-803.
- Searle, A. G. and C. V. Beechey (1974). "Cytogenetic effects of X-rays and fission neutrons in female mice." *Mutat Res* 24(2): 171-86.
- Seki, M., H. Miyazawa, et al. (1994). "Molecular cloning of cDNA encoding human DNA helicase Q1 which has homology to Escherichia coli Rec Q helicase and localization of the gene at chromosome 12p12." *Nucleic Acids Res* 22(22): 4566-73.
- Seki, T., M. Seki, et al. (1998). "Cloning of cDNA encoding a novel mouse DNA topoisomerase III (Topo IIIbeta) possessing negatively supercoiled DNA relaxing activity, whose message is highly expressed in the testis." *J Biol Chem* 273(44): 28553-6.
- Selva, E. M., A. B. Maderazo, et al. (1997). "Differential effects of the mismatch repair genes MSH2 and MSH3 on homeologous recombination in Saccharomyces cerevisiae." *Mol Gen Genet* 257(1): 71-82.
- Selva, E. M., L. New, et al. (1995). "Mismatch correction acts as a barrier to homeologous recombination in Saccharomyces cerevisiae." *Genetics* 139(3): 1175-88.
- Selzer, R. R., T. A. Richmond, et al. (2005). "Analysis of chromosome breakpoints in neuroblastoma at sub-kilobase resolution using fine-tiling oligonucleotide array CGH." *Genes Chromosomes Cancer* 44(3): 305-19.
- Shedlovsky, A., T. R. King, et al. (1988). "Saturation germ line mutagenesis of the murine t region including a lethal allele at the quaking locus." *Proc Natl Acad Sci U S A* 85(1): 180-4.
- Shedlovsky, A., J. D. McDonald, et al. (1993). "Mouse models of human phenylketonuria." *Genetics* 134(4): 1205-10.
- Shuman, H. A. and T. J. Silhavy (2003). "The art and design of genetic screens: Escherichia coli." *Nat Rev Genet* 4(6): 419-31.
- Siepkka, S. M., S. H. Yoo, et al. (2007). "Circadian mutant Overtime reveals F-box protein FBXL3 regulation of cryptochrome and period gene expression." *Cell* 129(5): 1011-23.
- Silver, L. M. (1995). *Mouse Genetics*, Oxford University Press.
- Simpson, E. M., C. C. Linder, et al. (1997). "Genetic variation among 129 substrains and its importance for targeted mutagenesis in mice." *Nat Genet* 16(1): 19-27.
- Skvorak, K., B. Vissel, et al. (2006). "Production of conditional point mutant knockin mice." *Genesis* 44(7): 345-53.
- Smits, R., N. Hofland, et al. (2000). "Somatic Apc mutations are selected upon their capacity to inactivate the beta-catenin downregulating activity." *Genes Chromosomes Cancer* 29(3): 229-39.
- Sonntag, C. V. (1987). *Chemical Basis of Radiation Biology*, Taylor & Francis.
- Sonoda, E., M. S. Sasaki, et al. (1999). "Sister chromatid exchanges are mediated by homologous recombination in vertebrate cells." *Mol Cell Biol* 19(7): 5166-9.
- Soultanas, P. and D. B. Wigley (2001). "Unwinding the 'Gordian knot' of helicase action." *Trends Biochem Sci* 26(1): 47-54.
- Spradling, A. C. and G. M. Rubin (1982). "Transposition of cloned P elements into Drosophila germ line chromosomes." *Science* 218(4570): 341-7.
- St Johnston, D. (2002). "The art and design of genetic screens: Drosophila melanogaster." *Nat Rev Genet* 3(3): 176-88.
- Stanford, W. L., J. B. Cohn, et al. (2001). "Gene-trap mutagenesis: past, present and beyond." *Nat Rev Genet* 2(10): 756-68.
- Stojic, L., N. Mojas, et al. (2004). "Mismatch repair-dependent G2 checkpoint induced by low doses of SN1 type methylating agents requires the ATR kinase." *Genes Dev* 18(11): 1331-44.
- Strand, M., T. A. Prolla, et al. (1993). "Destabilization of tracts of simple repetitive DNA in yeast by mutations affecting DNA mismatch repair." *Nature* 365(6443): 274-6.
- Su, H., X. Wang, et al. (2000). "Nested chromosomal deletions induced with retroviral vectors in mice." *Nat Genet* 24(1): 92-5.
- Sugawara, A., K. Goto, et al. (2006). "Current status of chromosomal abnormalities in mouse embryonic stem cell lines used in Japan." *Comp Med* 56(1): 31-4.
- Sugihara, K., N. Nakatsuji, et al. (1998). "Rac1 is required for the formation of three germ layers during gastrulation." *Oncogene* 17(26): 3427-33.

- Swann, P. F., T. R. Waters, et al. (1996). "Role of postreplicative DNA mismatch repair in the cytotoxic action of thioguanine." *Science* 273(5278): 1109-11.
- te Riele, H., E. R. Maandag, et al. (1992). "Highly efficient gene targeting in embryonic stem cells through homologous recombination with isogenic DNA constructs." *Proc Natl Acad Sci U S A* 89(11): 5128-32.
- te Riele, H., E. R. Maandag, et al. (1990). "Consecutive inactivation of both alleles of the pim-1 proto-oncogene by homologous recombination in embryonic stem cells." *Nature* 348(6302): 649-51.
- Thibodeau, S. N., G. Bren, et al. (1993). "Microsatellite instability in cancer of the proximal colon." *Science* 260(5109): 816-9.
- Thomas, J. W., C. LaMantia, et al. (1998). "X-ray-induced mutations in mouse embryonic stem cells." *Proc Natl Acad Sci U S A* 95(3): 1114-9.
- Thomas, K. R. and M. R. Capecchi (1987). "Site-directed mutagenesis by gene targeting in mouse embryo-derived stem cells." *Cell* 51(3): 503-12.
- Thompson, L. H., K. W. Brookman, et al. (1994). "Molecular cloning of the human nucleotide-excision-repair gene ERCC4." *Proc Natl Acad Sci U S A* 91(15): 6855-9.
- Thompson, S., A. R. Clarke, et al. (1989). "Germ line transmission and expression of a corrected HPRT gene produced by gene targeting in embryonic stem cells." *Cell* 56(2): 313-21.
- Threadgill, D. W., A. Matin, et al. (1997). "SSLPs to map genetic differences between the 129 inbred strains and closed-colony, random-bred CD-1 mice." *Mamm Genome* 8(6): 441-2.
- Tishkoff, D. X., A. L. Boerger, et al. (1997). "Identification and characterization of *Saccharomyces cerevisiae* EXO1, a gene encoding an exonuclease that interacts with MSH2." *Proc Natl Acad Sci U S A* 94(14): 7487-92.
- Tran, P. T., J. A. Simon, et al. (2001). "Interactions of Exo1p with components of MutLalpha in *Saccharomyces cerevisiae*." *Proc Natl Acad Sci U S A* 98(17): 9760-5.
- Traut, H. and W. Scheid (1971). "The production of monosomic-trisomic individuals in *Drosophila melanogaster* by x-irradiation of immature oocytes." *Mutat Res* 13(4): 429-32.
- Trinh, B. N., T. I. Long, et al. (2002). "DNA methyltransferase deficiency modifies cancer susceptibility in mice lacking DNA mismatch repair." *Mol Cell Biol* 22(9): 2906-17.
- Umar, A., M. Koi, et al. (1997). "Correction of hypermutability, N-methyl-N'-nitro-N-nitrosoguanidine resistance, and defective DNA mismatch repair by introducing chromosome 2 into human tumor cells with mutations in MSH2 and MSH6." *Cancer Res* 57(18): 3949-55.
- Umar, A., J. I. Risinger, et al. (1998). "Functional overlap in mismatch repair by human MSH3 and MSH6." *Genetics* 148(4): 1637-46.
- Umez, K. and H. Nakayama (1993). "RecQ DNA helicase of *Escherichia coli*. Characterization of the helix-unwinding activity with emphasis on the effect of single-stranded DNA-binding protein." *J Mol Biol* 230(4): 1145-50.
- Umez, K., K. Nakayama, et al. (1990). "*Escherichia coli* RecQ protein is a DNA helicase." *Proc Natl Acad Sci U S A* 87(14): 5363-7.
- Upcroft, P., B. Carter, et al. (1980). "Analysis of recombination in mammalian cells using SV40 genome segments having homologous overlapping termini." *Nucleic Acids Res* 8(12): 2725-36.
- Upcroft, P., B. Carter, et al. (1980). "Mammalian cell function mediating recombination of genetic elements." *Nucleic Acids Res* 8(23): 5835-44.
- van Beers, E. H. and P. M. Nederlof (2006). "Array-CGH and breast cancer." *Breast Cancer Res* 8(3): 210.
- van der Weyden, L., D. J. Adams, et al. (2002). "Tools for targeted manipulation of the mouse genome." *Physiol Genomics* 11(3): 133-64.
- van der Weyden, L., D. J. Adams, et al. (2005). "Null and conditional semaphorin 3B alleles using a flexible puroDeltatk loxP/FRT vector." *Genesis* 41(4): 171-8.
- Van Gelder, R. N., M. E. von Zastrow, et al. (1990). "Amplified RNA synthesized from limited quantities of heterogeneous cDNA." *Proc Natl Acad Sci U S A* 87(5): 1663-7.
- Venter, J. C., M. D. Adams, et al. (2001). "The sequence of the human genome." *Science* 291(5507): 1304-51.
- Vitaterna, M. H., D. P. King, et al. (1994). "Mutagenesis and mapping of a mouse gene, Clock, essential for circadian behavior." *Science* 264(5159): 719-25.
- von Melchner, H., J. V. DeGregori, et al. (1992). "Selective disruption of genes expressed in totipotent embryonal stem cells." *Genes Dev* 6(6): 919-27.
- von Melchner, H. and H. E. Ruley (1989). "Identification of cellular promoters by using a retrovirus promoter trap." *J Virol* 63(8): 3227-33.
- Waldman, A. S. and R. M. Liskay (1988). "Dependence of intrachromosomal recombination in mammalian cells on uninterrupted homology." *Mol Cell Biol* 8(12): 5350-7.
- Wallace, H. A., F. Marques-Kranc, et al. (2007). "Manipulating the mouse genome to engineer precise functional syntenic replacements with human sequence." *Cell* 128(1): 197-209.
- Walpita, D., A. W. Plug, et al. (1999). "Bloom's syndrome protein, BLM, colocalizes with replication protein A in meiotic prophase nuclei of mammalian spermatocytes." *Proc Natl Acad Sci U S A* 96(10):

- 5622-7.
- Wang, K. Y. and C. K. James Shen (2004). "DNA methyltransferase Dnmt1 and mismatch repair." *Oncogene* 23(47): 7898-902.
- Wang, W. and A. Bradley (2007). "A recessive genetic screen for host factors required for retroviral infection in a library of insertionally mutated Blm^{-/-} ES cells." *Genome Biol* 8(4): R48.
- Wang, W., M. Warren, et al. (2007). "Induced mitotic recombination of p53 in vivo." *Proc Natl Acad Sci U S A* 104(11): 4501-5.
- Wang, Y., D. Cortez, et al. (2000). "BASC, a super complex of BRCA1-associated proteins involved in the recognition and repair of aberrant DNA structures." *Genes Dev* 14(8): 927-39.
- Wang, Y. and J. Qin (2003). "MSH2 and ATR form a signaling module and regulate two branches of the damage response to DNA methylation." *Proc Natl Acad Sci U S A* 100(26): 15387-92.
- Ward, I. M. and J. Chen (2001). "Histone H2AX is phosphorylated in an ATR-dependent manner in response to replicational stress." *J Biol Chem* 276(51): 47759-62.
- Ward, J. F. (1985). "Biochemistry of DNA lesions." *Radiat Res Suppl* 8: S103-11.
- Ward, J. F. (1988). "DNA damage produced by ionizing radiation in mammalian cells: identities, mechanisms of formation, and reparability." *Prog Nucleic Acid Res Mol Biol* 35: 95-125.
- Ward, J. F. (1990). "The yield of DNA double-strand breaks produced intracellularly by ionizing radiation: a review." *Int J Radiat Biol* 57(6): 1141-50.
- Waters, T. R. and P. F. Swann (1997). "Cytotoxic mechanism of 6-thioguanine: hMutSalpha, the human mismatch binding heterodimer, binds to DNA containing S6-methylthioguanine." *Biochemistry* 36(9): 2501-6.
- Waterston, R. H., K. Lindblad-Toh, et al. (2002). "Initial sequencing and comparative analysis of the mouse genome." *Nature* 420(6915): 520-62.
- Watt, P. M., E. J. Louis, et al. (1995). "Sgs1: a eukaryotic homolog of E. coli RecQ that interacts with topoisomerase II in vivo and is required for faithful chromosome segregation." *Cell* 81(2): 253-60.
- Weber, F., J. de Villiers, et al. (1984). "An SV40 "enhancer trap" incorporates exogenous enhancers or generates enhancers from its own sequences." *Cell* 36(4): 983-92.
- Wei, K., A. B. Clark, et al. (2003). "Inactivation of Exonuclease 1 in mice results in DNA mismatch repair defects, increased cancer susceptibility, and male and female sterility." *Genes Dev* 17(5): 603-14.
- Wei, K., R. Kucherlapati, et al. (2002). "Mouse models for human DNA mismatch-repair gene defects." *Trends Mol Med* 8(7): 346-53.
- Weksberg, R., C. Smith, et al. (1988). "Bloom syndrome: a single complementation group defines patients of diverse ethnic origin." *Am J Hum Genet* 42(6): 816-24.
- Welsch, T., K. Endlich, et al. (2007). "Eps8 is increased in pancreatic cancer and required for dynamic actin-based cell protrusions and intercellular cytoskeletal organization." *Cancer Lett* 255(2): 205-18.
- West, S. C. (2003). "Molecular views of recombination proteins and their control." *Nat Rev Mol Cell Biol* 4(6): 435-45.
- Wieacker, P., N. Horn, et al. (1983). "Menkes kinky hair disease: a search for closely linked restriction fragment length polymorphism." *Hum Genet* 64(2): 139-42.
- Wilber, A., J. L. Linehan, et al. (2007). "Efficient and Stable Transgene Expression in Human Embryonic Stem Cells Using Transposon-Mediated Gene Transfer." *Stem Cells*.
- Wildenberg, J. and M. Meselson (1975). "Mismatch repair in heteroduplex DNA." *Proc Natl Acad Sci U S A* 72(6): 2202-6.
- Williams, R. L., D. J. Hilton, et al. (1988). "Myeloid leukaemia inhibitory factor maintains the developmental potential of embryonic stem cells." *Nature* 336(6200): 684-7.
- Wong, E., K. Yang, et al. (2002). "Mbd4 inactivation increases Cright-arrowT transition mutations and promotes gastrointestinal tumor formation." *Proc Natl Acad Sci U S A* 99(23): 14937-42.
- Wong, M. H., J. R. Saam, et al. (2000). "Genetic mosaic analysis based on Cre recombinase and navigated laser capture microdissection." *Proc Natl Acad Sci U S A* 97(23): 12601-6.
- Wu, L., S. L. Davies, et al. (2001). "Potential role for the BLM helicase in recombinational repair via a conserved interaction with RAD51." *J Biol Chem* 276(22): 19375-81.
- Wu, L., S. L. Davies, et al. (2000). "The Bloom's syndrome gene product interacts with topoisomerase III." *J Biol Chem* 275(13): 9636-44.
- Wu, L. and I. D. Hickson (2002). "The Bloom's syndrome helicase stimulates the activity of human topoisomerase IIIalpha." *Nucleic Acids Res* 30(22): 4823-9.
- Wurst, W., J. Rossant, et al. (1995). "A large-scale gene-trap screen for insertional mutations in developmentally regulated genes in mice." *Genetics* 139(2): 889-99.
- Xu, T. and G. M. Rubin (1993). "Analysis of genetic mosaics in developing and adult Drosophila tissues." *Development* 117(4): 1223-37.
- Xu, X. and D. F. Stern (2003). "NFBD1/KIAA0170 is a chromatin-associated protein involved in DNA damage signaling pathways." *J Biol Chem* 278(10): 8795-803.
- Yagi, T., Y. Ikawa, et al. (1990). "Homologous recombination at c-fyn locus of mouse embryonic stem cells

- with use of diphtheria toxin A-fragment gene in negative selection." Proc Natl Acad Sci U S A 87(24): 9918-22.
- Yamane, K. and T. J. Kinsella (2005). "Casein kinase 2 regulates both apoptosis and the cell cycle following DNA damage induced by 6-thioguanine." Clin Cancer Res 11(6): 2355-63.
- Yamane, K., J. E. Schupp, et al. (2007). "BRCA1 activates a G2-M cell cycle checkpoint following 6-thioguanine-induced DNA mismatch damage." Cancer Res 67(13): 6286-92.
- Yamane, K., K. Taylor, et al. (2004). "Mismatch repair-mediated G2/M arrest by 6-thioguanine involves the ATR-Chk1 pathway." Biochem Biophys Res Commun 318(1): 297-302.
- Yan, T., S. E. Berry, et al. (2003). "DNA mismatch repair (MMR) mediates 6-thioguanine genotoxicity by introducing single-strand breaks to signal a G2-M arrest in MMR-proficient RKO cells." Clin Cancer Res 9(6): 2327-34.
- Yang, Q., R. Zhang, et al. (2004). "The mismatch DNA repair heterodimer, hMSH2/6, regulates BLM helicase." Oncogene 23(21): 3749-56.
- Yang, Q., R. Zhang, et al. (2002). "The processing of Holliday junctions by BLM and WRN helicases is regulated by p53." J Biol Chem 277(35): 31980-7.
- Yant, S. R., L. Meuse, et al. (2000). "Somatic integration and long-term transgene expression in normal and haemophilic mice using a DNA transposon system." Nat Genet 25(1): 35-41.
- Yao, X., A. B. Buermeyer, et al. (1999). "Different mutator phenotypes in Mlh1- versus Pms2-deficient mice." Proc Natl Acad Sci U S A 96(12): 6850-5.
- You, Y., R. Bergstrom, et al. (1997). "Chromosomal deletion complexes in mice by radiation of embryonic stem cells." Nat Genet 15(3): 285-8.
- Yu, C. E., J. Oshima, et al. (1996). "Positional cloning of the Werner's syndrome gene." Science 272(5259): 258-62.
- Yu, D., H. M. Ellis, et al. (2000). "An efficient recombination system for chromosome engineering in Escherichia coli." Proc Natl Acad Sci U S A 97(11): 5978-83.
- Yusa, K., K. Horie, et al. (2004). "Genome-wide phenotype analysis in ES cells by regulated disruption of Bloom's syndrome gene." Nature 429(6994): 896-9.
- Yusa, K., J. Takeda, et al. (2004). "Enhancement of Sleeping Beauty transposition by CpG methylation: possible role of heterochromatin formation." Mol Cell Biol 24(9): 4004-18.
- Zambrowicz, B. P., G. A. Friedrich, et al. (1998). "Disruption and sequence identification of 2,000 genes in mouse embryonic stem cells." Nature 392(6676): 608-11.
- Zayed, H., Z. Izsvak, et al. (2004). "Development of hyperactive sleeping beauty transposon vectors by mutational analysis." Mol Ther 9(2): 292-304.
- Zhang, Y., F. Buchholz, et al. (1998). "A new logic for DNA engineering using recombination in Escherichia coli." Nat Genet 20(2): 123-8.
- Zheng, B., D. W. Larkin, et al. (1999). "The mPer2 gene encodes a functional component of the mammalian circadian clock." Nature 400(6740): 169-73.
- Zheng, B., A. A. Mills, et al. (1999). "A system for rapid generation of coat color-tagged knockouts and defined chromosomal rearrangements in mice." Nucleic Acids Res 27(11): 2354-60.
- Zheng, B., M. Sage, et al. (1999). "Engineering a mouse balancer chromosome." Nat Genet 22(4): 375-8.
- Zheng, B., M. Sage, et al. (2000). "Engineering mouse chromosomes with Cre-loxP: range, efficiency, and somatic applications." Mol Cell Biol 20(2): 648-55.
- Zhou, B. B. and S. J. Elledge (2000). "The DNA damage response: putting checkpoints in perspective." Nature 408(6811): 433-9.
- Zijlstra, M., E. Li, et al. (1989). "Germ-line transmission of a disrupted beta 2-microglobulin gene produced by homologous recombination in embryonic stem cells." Nature 342(6248): 435-8.