

# References

- Abzhanov, A., M. Protas, B. R. Grant, P. R. Grant, and C. J. Tabin (2004). Bmp4 and morphological variation of beaks in Darwin's finches. *Science (New York, N.Y.)* 305(5689), 1462–1465. [1.3.4](#)
- Altshuler, D., J. N. Hirschhorn, M. Klannemark, C. M. Lindgren, M. C. Vohl, J. Nemesh, C. R. Lane, S. F. Schaffner, S. Bolk, C. Brewer, et al. (2000). The common PPARgamma Pro12Ala polymorphism is associated with decreased risk of type 2 diabetes. *Nature Genetics* 26(1), 76–80. [1.2.1](#)
- Baerlocher, G. M., I. Vulto, G. de Jong, and P. M. Lansdorp (2006). Flow cytometry and FISH to measure the average length of telomeres (flow FISH). *Nature Protocols* 1(5), 2365–2376. [4.1](#)
- Bahar, R., C. H. Hartmann, K. A. Rodriguez, A. D. Denny, R. A. Busuttill, M. E. T. Dollé, R. B. Calder, G. B. Chisholm, B. H. Pollock, C. A. Klein, et al. (2006). Increased cell-to-cell variation in gene expression in ageing mouse heart. *Nature* 441(7096), 1011–1014. [3.1](#), [3.8](#)
- Bailey, T. L., M. Boden, F. A. Buske, M. Frith, C. E. Grant, L. Clementi, J. Ren, W. W. Li, and W. S. Noble (2009). MEME Suite: Tools for motif discovery and searching. *Nucleic Acids Research* 37, 202–208. [2.2](#)
- Baker, D. J., T. Wijshake, T. Tchkonina, N. K. LeBrasseur, B. G. Childs, B. van de Sluis, J. L. Kirkland, and J. M. van Deursen (2011). Clearance of p16Ink4a-positive senescent cells delays ageing-associated disorders. *Nature* 479, 232–236. [3.8](#)

- Balding, D. J., M. Bishop, and C. Cannings (2008). *Handbook of Statistical Genetics*. Handbook of Statistical Genetics: Third Edition. Chichester, UK: John Wiley & Sons, Ltd. [1.2.2.2](#)
- Barnett, D. W., E. K. Garrison, A. R. Quinlan, M. P. Strmberg, and G. T. Marth (2011, June). Bamtools: A C++ API and toolkit for analyzing and managing BAM files. *Bioinformatics* 27(12), 1691–1692. [4.7](#)
- Barzilai, N., D. M. Huffman, R. H. Muzumdar, and A. Bartke (2012). The Critical Role of Metabolic Pathways in Aging. *Diabetes* 61(6), 1315–1322. [3.8](#)
- Basilevsky, A. (1994). *Statistical Factor Analysis and Related Methods*. Wiley Series in Probability and Statistics. Wiley-Blackwell. [1.3.3](#)
- Bates, D., M. Maechler, B. Bolker, and S. Walker (2014). *lme4: Linear mixed-effects models using Eigen and S4*. [3.4](#)
- Bell, A. C. and G. Felsenfeld (2000, May). Methylation of a CTCF-dependent boundary controls imprinted expression of the Igf2 gene. *Nature* 405(6785), 482–485. [2.1](#)
- Bell, A. C., A. G. West, and G. Felsenfeld (1999, August). The protein CTCF is required for the enhancer blocking activity of vertebrate insulators. *Cell* 98(3), 387–396. [2.1](#)
- Bell, J. T., A. a. Pai, J. K. Pickrell, D. J. Gaffney, R. Pique-Regi, J. F. Degner, Y. Gilad, and J. K. Pritchard (2011, January). DNA methylation patterns associate with genetic and gene expression variation in HapMap cell lines. *Genome Biology* 12(1), R10. [1.3.6](#)
- Bell, J. T. and T. D. Spector (2012, October). DNA methylation studies using twins: what are they telling us? *Genome Biology* 13(10), 172. [1.3.6](#)
- Benjamini, Y. and Y. Hochberg (1995). Controlling the false discovery rate: a practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society, Series B* 57(1), 289–300. [1.2.3](#), [2.2](#), [2.6](#)

- Bentley, D. R., S. Balasubramanian, H. P. Swerdlow, G. P. Smith, J. Milton, C. G. Brown, K. P. Hall, D. J. Evers, C. L. Barnes, H. R. Bignell, et al. (2008). Accurate whole human genome sequencing using reversible terminator chemistry. *Nature* 456(7218), 53–59. [1.3.2](#)
- Birney, E., J. a. Stamatoyannopoulos, A. Dutta, R. Guigó, T. R. Gingeras, E. H. Margulies, Z. Weng, M. Snyder, E. T. Dermitzakis, R. E. Thurman, et al. (2007, June). Identification and analysis of functional elements in 1% of the human genome by the ENCODE pilot project. *Nature* 447(7146), 799–816. [2.19](#)
- Bishop, C. (2006). *Pattern recognition and machine learning*, Volume 4 of *Information science and statistics*. Springer. [1.3.3](#)
- Blasco, M. A. (2005, August). Telomeres and human disease: ageing, cancer and beyond. *Nature Reviews. Genetics* 6(8), 611–622. [4.1](#)
- Borneman, A. R., T. a. Gianoulis, Z. D. Zhang, H. Yu, J. Rozowsky, M. R. Seringhaus, L. Y. Wang, M. Gerstein, and M. Snyder (2007, August). Divergence of transcription factor binding sites across related yeast species. *Science (New York, N.Y.)* 317(5839), 815–819. [1.3.5](#)
- Boyer, L. A., T. I. Lee, M. F. Cole, S. E. Johnstone, S. S. Levine, J. P. Zucker, M. G. Guenther, R. M. Kumar, H. L. Murray, R. G. Jenner, et al. (2005, September). Core transcriptional regulatory circuitry in human embryonic stem cells. *Cell* 122(6), 947–956. [1.3.5](#)
- Broer, L., V. Codd, D. R. Nyholt, J. Deelen, M. Mangino, G. Willemsen, E. Albrecht, N. Amin, M. Beekman, E. J. C. de Geus, et al. (2013, October). Meta-analysis of telomere length in 19,713 subjects reveals high heritability, stronger maternal inheritance and a paternal age effect. *European Journal of Human Genetics : EJHG* 21(10), 1163–8. [4.3.3](#)
- Brookes, A. J. (1999). The essence of SNPs. *Gene* 234, 177–186. [1.1.3](#)

- Browning, B. L. and Z. Yu (2009). Simultaneous Genotype Calling and Haplotype Phasing Improves Genotype Accuracy and Reduces False-Positive Associations for Genome-wide Association Studies. *American Journal of Human Genetics* 85(6), 847–861. [2.4](#)
- Bulger, M. and M. Groudine (2011, February). Functional and mechanistic diversity of distal transcription enhancers. *Cell* 144(3), 327–339. [2.8](#), [5.2](#)
- Campos, E. I. and D. Reinberg (2009, January). Histones: annotating chromatin. *Annual Review of Genetics* 43(1), 559–599. [1.3.6](#)
- Castle, J. C., M. Biery, H. Bouzek, T. Xie, R. Chen, K. Misura, S. Jackson, C. D. Armour, J. M. Johnson, C. A. Rohl, et al. (2010). DNA copy number, including telomeres and mitochondria, assayed using next-generation sequencing. *BMC Genomics* 11(1), 244. [4.1](#)
- Cawthon, R. M. (2009, February). Telomere length measurement by a novel monochrome multiplex quantitative PCR method. *Nucleic Acids Research* 37(3), e21–e21. [4.1](#)
- Chaix, R., M. Somel, D. P. Kreil, P. Khaitovich, and G. A. Lunter (2008). Evolution of primate gene expression: Drift and corrective sweeps? *Genetics* 180, 1379–1389. [2.8](#)
- Cheung, V. G., R. R. Nayak, I. X. Wang, S. Elwyn, S. M. Cousins, M. Morley, and R. S. Spielman (2010, January). Polymorphic cis- and trans-regulation of human gene expression. *PLoS Biology* 8(9), e1000480. [1.3.4](#)
- Chu, Y. and D. R. Corey (2012, August). RNA sequencing: platform selection, experimental design, and data interpretation. *Nucleic Acid Therapeutics* 22(4), 271–4. [1.3.2](#)
- Clancy, D. J., D. Gems, L. G. Harshman, S. Oldham, H. Stocker, E. Hafen, S. J. Leevers, and L. Partridge (2001). Extension of life-span by loss of CHICO, a *Drosophila*

- insulin receptor substrate protein. *Science (New York, N.Y.)* 292(5514), 104–106. [3.8](#)
- Computing, R Foundation for Statistical Vienna, A. (2008). R: A language and environment for statistical computing. [3.4](#), [4.3.1](#)
- Cong, L., F. A. Ran, D. Cox, S. Lin, R. Barretto, N. Habib, P. D. Hsu, X. Wu, W. Jiang, L. A. Marraffini, et al. (2013, February). Multiplex genome engineering using CRISPR/Cas systems. *Science (New York, N.Y.)* 339(6121), 819–23. [1.3.5](#)
- Cooper, G. M., E. a. Stone, G. Asimenos, E. D. Green, S. Batzoglou, and A. Sidow (2005). Distribution and intensity of constraint in mammalian genomic sequence. *Genome Research* 15(7), 901–913. [2.7](#)
- Core, L. J., J. J. Waterfall, and J. T. Lis (2008, December). Nascent RNA sequencing reveals widespread pausing and divergent initiation at human promoters. *Science (New York, N.Y.)* 322(5909), 1845–1848. [1.3.2](#)
- Cuddapah, S., R. Jothi, D. E. Schones, T. Y. Roh, K. Cui, and K. Zhao (2009). Global analysis of the insulator binding protein CTCF in chromatin barrier regions reveals demarcation of active and repressive domains. *Genome Research* 19(1), 24–32. [2.1](#)
- Cusanovich, D. A., B. Pavlovic, J. K. Pritchard, and Y. Gilad (2014). The Functional Consequences of Variation in Transcription Factor Binding. *PLoS Genetics* 10(3), 1–30. [1.3.5](#)
- de Magalhães, J. a. P., J. a. Curado, and G. M. Church (2009). Meta-analysis of age-related gene expression profiles identifies common signatures of aging. *Bioinformatics* 25(7), 875–881. [3.1](#)
- Degner, J. F., A. a. Pai, R. Pique-Regi, J.-B. Veyrieras, D. J. Gaffney, J. K. Pickrell, S. De Leon, K. Michelini, N. Lewellen, G. E. Crawford, et al. (2012, February). DNase I sensitivity QTLs are a major determinant of human expression variation. *Nature* 482(7385), 390–394. [1.2.3](#), [2.1](#), [2.3](#), [2.7](#), [2.7](#), [2.8](#)

- Dimas, A. S., S. Deutsch, B. E. Stranger, S. B. Montgomery, C. Borel, H. Attar-Cohen, C. Ingle, C. Beazley, M. Gutierrez Arcelus, M. Sekowska, et al. (2009, September). Common regulatory variation impacts gene expression in a cell type-dependent manner. *Science (New York, N.Y.)* 325(5945), 1246–1250. [1.3.4](#)
- Ding, Z., M. Mangino, A. Aviv, UK10 Consortium, T. Spector, and R. Durbin (2014, January). Estimating telomere length from whole genome sequence data. *Nucleic Acids Research* 42(9), doi: 10.1093/nar/gku181. [1.4](#)
- Ding, Z., Y. Ni, S. Timmer, er W, B.-K. Lee, A. Battenhouse, S. Louzada, ra, F. Yang, I. Dunham, et al. (2014, November). Quantitative Genetics of CTCF Binding Reveal Local Sequence Effects and Different Modes of X-Chromosome Association. *PLoS Genetics* 10(11), e1004798. [1.4](#), [2](#), [5.1](#)
- Dixon, A. L., L. Liang, M. F. Moffatt, W. Chen, S. Heath, K. C. C. Wong, J. Taylor, E. Burnett, I. Gut, M. Farrall, et al. (2007, October). A genome-wide association study of global gene expression. *Nature Genetics* 39(10), 1202–1207. [1.3.4](#)
- Dixon, J. R., S. Selvaraj, F. Yue, A. Kim, Y. Li, Y. Shen, M. Hu, J. S. Liu, and B. Ren (2012, May). Topological domains in mammalian genomes identified by analysis of chromatin interactions. *Nature* 485(7398), 376–380. [1.3.6](#)
- Dohm, J. C., C. Lottaz, T. Borodina, and H. Himmelbauer (2008, August). Substantial biases in ultra-short read data sets from high-throughput DNA sequencing. *Nucleic Acids Research* 36(16), e105—e105. [4.3.1](#)
- Dostie, J. and J. Dekker (2007). Mapping networks of physical interactions between genomic elements using 5C technology. *Nature Protocols* 2(4), 988–1002. [1.3.2](#)
- Dueck, D., Q. D. Morris, and B. J. Frey (2005). Multi-way clustering of microarray data using probabilistic sparse matrix factorization. *Bioinformatics* 21, i144–i151. [1.3.3](#)
- Ekelund, J., D. Lichtermann, I. Hovatta, P. Ellonen, J. Suvisaari, J. D. Terwilliger, H. Juvonen, T. Varilo, R. Arajärvi, M. L. Kokko-Sahin, et al. (2000). Genome-

- wide scan for schizophrenia in the Finnish population: evidence for a locus on chromosome 7q22. *Human Molecular Genetics* 9(7), 1049–1057. [1.2.1](#)
- Elnitski, L., V. X. Jin, P. J. Farnham, and S. J. Jones (2006, December). Locating mammalian transcription factor binding sites: A survey of computational and experimental techniques. *Genome Research* 16(12), 1455–1464. [1.3.5](#)
- Emilsson, V., G. Thorleifsson, B. Zhang, A. S. Leonardson, F. Zink, J. Zhu, S. Carlson, A. Helgason, G. B. Walters, S. Gunnarsdottir, et al. (2008). Genetics of gene expression and its effect on disease. *Nature* 452(7186), 423–428. [1.3.3](#)
- Farh, K. K.-H., A. Marson, er, J. Zhu, M. Kleinewietfeld, W. J. Housley, S. Beik, N. Shores, H. Whitton, R. J. H. Ryan, et al. (2014). Genetic and epigenetic fine mapping of causal autoimmune disease variants. *Nature*. [2.8](#)
- Finkel, T., M. Serrano, and M. A. Blasco (2007). The common biology of cancer and ageing. *Nature* 448(7155), 767–774. [3.8](#)
- Fisher, R. A. (1919). The Correlation between Relatives on the Supposition of Mendelian Inheritance. *Transactions of the Royal Society of Edinburgh* 52(02), 399–433. [1.1.2](#)
- Forrest, A. R. R., H. Kawaji, M. Rehli, J. K. Baillie, M. J. L. de Hoon, T. Lassmann, M. Itoh, K. M. Summers, H. Suzuki, C. O. Daub, et al. (2014, March). A promoter-level mammalian expression atlas. *Nature* 507(7493), 462–70. [1.3.4](#)
- Franke, A., D. P. B. McGovern, J. C. Barrett, K. Wang, G. L. Radford-Smith, T. Ahmad, C. W. Lees, T. Balschun, J. Lee, R. Roberts, et al. (2010, November). Genome-wide meta-analysis increases to 71 the number of confirmed Crohn’s disease susceptibility loci. *Nature Genetics* 42(12), 1118–1125. [1.2.5](#)
- Friedman, D. B. and T. E. Johnson (1988). Three mutants that extend both mean and maximum life span of the nematode, *Caenorhabditis elegans*, define the age-1 gene. *Journal of Gerontology* 43(4), B102–B109. [3.8](#)

- Furey, T. S. (2012, December). ChIP-seq and beyond: new and improved methodologies to detect and characterize protein-DNA interactions. *Nature Reviews Genetics* 13(12), 840–852. [1.3.2](#)
- Fusi, N., O. Stegle, and N. D. Lawrence (2012, January). Joint modelling of confounding factors and prominent genetic regulators provides increased accuracy in genetical genomics studies. *PLoS Computational Biology* 8(1), e1002330. [1.3.3](#)
- Gaffney, D. J., J.-B. Veyrieras, J. F. Degner, R. Pique-Regi, A. a. Pai, G. E. Crawford, M. Stephens, Y. Gilad, and J. K. Pritchard (2012, January). Dissecting the regulatory architecture of gene expression QTLs. *Genome Biology* 13(1), R7. [1.3.7](#)
- Gärtner, C. F. (1849). *Versuche und Beobachtungen über die Bastarderzeugung im Pflanzenreich*. Stuttgart. [1.1.1](#)
- Gibson, G. (2008). The environmental contribution to gene expression profiles. *Nature Reviews. Genetics* 9(8), 575–581. [1.3.3](#)
- Glass, D., A. Viñuela, M. N. Davies, A. Ramasamy, L. Parts, D. Knowles, A. A. Brown, A. K. Hedman, K. S. Small, A. Buil, et al. (2013). Gene expression changes with age in skin, adipose tissue, blood and brain. *Genome Biology* 14(7), R75. [3.8](#)
- Goriely, A. and A. O. Wilkie (2012, February). Paternal Age Effect Mutations and Selfish Spermatogonial Selection: Causes and Consequences for Human Disease. *The American Journal of Human Genetics* 90(2), 175–200. [5.2](#)
- Göring, H. H. H., J. E. Curran, M. P. Johnson, T. D. Dyer, J. Charlesworth, S. A. Cole, J. B. M. Jowett, L. J. Abraham, D. L. Rainwater, A. G. Comuzzie, et al. (2007, October). Discovery of expression QTLs using large-scale transcriptional profiling in human lymphocytes. *Nature Genetics* 39(10), 1208–1216. [1.3.4](#)
- Grant, C. E., T. L. Bailey, and W. S. Noble (2011). FIMO: Scanning for occurrences of a given motif. *Bioinformatics* 27(7), 1017–1018. [2.2](#)



- Grundberg, E., K. S. Small, A. s. K. Hedman, A. Nica, ra C, A. Buil, S. Keildson, J. T. Bell, T.-P. Yang, E. Meduri, et al. (2012). Mapping cis- and trans-regulatory effects across multiple tissues in twins. *Nature Genetics* 44(10), 1084–1089. [1.3.4](#), [3.2](#), [3.7](#)
- Gudmundsson, J., P. Sulem, V. Steinthorsdottir, J. T. Bergthorsson, G. Thorleifsson, A. Manolescu, T. Rafnar, D. Gudbjartsson, B. A. Agnarsson, A. Baker, et al. (2007, August). Two variants on chromosome 17 confer prostate cancer risk, and the one in TCF2 protects against type 2 diabetes. *Nature Genetics* 39(8), 977–983. [1.2.5](#)
- Guelen, L., L. Pagie, E. Brasset, W. Meuleman, M. B. Faza, W. Talhout, B. H. Eussen, A. de Klein, L. Wessels, W. de Laat, et al. (2008, June). Domain organization of human chromosomes revealed by mapping of nuclear lamina interactions. *Nature* 453(7197), 948–951. [1.3.6](#)
- Gusella, J. F., N. S. Wexler, P. M. Conneally, S. L. Naylor, M. A. Anderson, R. E. Tanzi, P. C. Watkins, K. Ottina, M. R. Wallace, and A. Y. Sakaguchi (1983). A polymorphic DNA marker genetically linked to Huntington’s disease. *Nature* 306(5940), 234–238. [1.2.1](#)
- Haldane, J. B. S. (1919). The combination of linkage values and the calculation of distances between the loci of linked factors. *Journal of Genetics* 8(21), 299–309. [1.1.3](#)
- Hastie, T., R. Tibshirani, M. B. Eisen, A. Alizadeh, R. Levy, L. Staudt, W. C. Chan, D. Botstein, and P. Brown (2000). Gene shaving as a method for identifying distinct sets of genes with similar expression patterns. *Genome Biology* 1(2). [1.3.3](#), [3.1](#), [3.8](#)
- Heinz, S., C. E. Romanoski, C. Benner, K. a. Allison, M. U. Kaikkonen, L. D. Orozco, and C. K. Glass (2013, November). Effect of natural genetic variation on enhancer selection and function. *Nature* 503(7477), 487–92. [2.1](#), [2.7](#), [2.8](#)
- Helgadottir, A., G. Thorleifsson, A. Manolescu, S. Gretarsdottir, T. Blondal, A. Jonasdottir, A. Jonasdottir, A. Sigurdsson, A. Baker, A. Palsson, et al. (2007, June). A

- common variant on chromosome 9p21 affects the risk of myocardial infarction. *Science (New York, N.Y.)* 316(5830), 1491–1493. [1.2.5](#)
- Henson, J. D., A. A. Neumann, T. R. Yeager, and R. R. Reddel (2002). Alternative lengthening of telomeres in mammalian cells. *Oncogene* 21, 598–610. [4.1](#)
- Herndon, L. A., P. J. Schmeissner, J. M. Dudaronek, P. A. Brown, K. M. Listner, Y. Sakano, M. C. Paupard, D. H. Hall, and M. Driscoll (2002). Stochastic and genetic factors influence tissue-specific decline in ageing *C. elegans*. *Nature* 419(6909), 808–814. [3.8](#)
- Hindorff, L. a., P. Sethupathy, H. a. Junkins, E. M. Ramos, J. P. Mehta, F. S. Collins, and T. a. Manolio (2009, June). Potential etiologic and functional implications of genome-wide association loci for human diseases and traits. *Proceedings of the National Academy of Sciences of the United States of America* 106(23), 9362–9367. [1.2.5](#), [2.7](#)
- Holzenberger, M., J. Dupont, B. Ducos, P. Leneuve, A. Gélöën, P. C. Even, P. Cervera, and Y. Le Bouc (2003). IGF-1 receptor regulates lifespan and resistance to oxidative stress in mice. *Nature* 421(6919), 182–187. [3.8](#)
- Hotelling, H. (1933). Analysis of a complex of statistical variables into principal components. *Journal of Educational Psychology* 24(6), 417–441. [1.3.3](#)
- Houtkooper, R. H., C. Argmann, S. Houten, er M, C. Cantó, E. H. Jeninga, P. A. Andreux, C. Thomas, R. Doenlen, K. Schoonjans, et al. (2011). The metabolic footprint of aging in mice. [3.8](#)
- Howie, B. N., P. Donnelly, and J. Marchini (2009, June). A flexible and accurate genotype imputation method for the next generation of genome-wide association studies. *PLoS Genetics* 5(6), e1000529. [2.4](#)
- Huang, D. W., B. T. Sherman, and R. A. Lempicki (2009). Systematic and integrative analysis of large gene lists using DAVID bioinformatics resources. *Nature Protocols* 4(1), 44–57. [3.7](#)

- Hughes, J. R., N. Roberts, S. McGowan, D. Hay, E. Giannoulatou, M. Lynch, M. De Gobbi, S. Taylor, R. Gibbons, and D. R. Higgs (2014). Analysis of hundreds of cis-regulatory landscapes at high resolution in a single, high-throughput experiment. *Nature Genetics* 46, 205–12. [5.2](#)
- Hwang, W. Y., Y. Fu, D. Reyon, M. L. Maeder, S. Q. Tsai, S. J. D. er, R. Peterson, all T, J.-R. J. Yeh, et al. (2013). Efficient genome editing in zebrafish using a CRISPR-Cas system. *Nature Biotechnology* 31(3), 227–9. [1.3.5](#)
- Hyun, M. K., C. Ye, and E. Eskin (2008). Accurate discovery of expression quantitative trait loci under confounding from spurious and genuine regulatory hotspots. *Genetics* 180(4), 1909–1925. [1.3.3](#)
- Ingolia, N. T. (2014, March). Ribosome profiling: new views of translation, from single codons to genome scale. *Nature Reviews. Genetics* 15(3), 205–13. [1.3.2](#)
- International Cancer Genome Consortium (2010, April). International network of cancer genome projects. *Nature* 465(7291), 966–966. [1.1.3](#)
- Jeffreys, A. J., R. Neumann, M. Panayi, S. Myers, and P. Donnelly (2005, June). Human recombination hot spots hidden in regions of strong marker association. *Nature Genetics* 37(6), 601–606. [1.1.3](#)
- Jostins, L., S. Ripke, R. K. Weersma, R. H. Duerr, D. P. McGovern, K. Y. Hui, J. C. Lee, L. P. Schumm, Y. Sharma, C. a. Anderson, et al. (2012). Host-microbe interactions have shaped the genetic architecture of inflammatory bowel disease. *Nature* 491(7422), 119–24. [1.2.5](#)
- Kamb, A., D. Shattuck-Eidens, R. Eeles, Q. Liu, N. A. Gruis, W. Ding, C. Hussey, T. Tran, Y. Miki, and J. Weaver-Feldhaus (1994). Analysis of the p16 gene (CDKN2) as a candidate for the chromosome 9p melanoma susceptibility locus. *Nature Genetics* 8(1), 23–26. [1.2.5](#)

- Kanehisa, M., S. Goto, S. Kawashima, Y. Okuno, and M. Hattori (2004). The KEGG resource for deciphering the genome. *Nucleic Acids Research* 32(90001), D277–D280. [1.3.8](#), [3.1](#)
- Kang, H. M., J. H. Sul, S. K. Service, N. a. Zaitlen, S.-Y. Kong, N. B. Freimer, C. Sabatti, and E. Eskin (2010, March). Variance component model to account for sample structure in genome-wide association studies. *Nature Genetics* 42(4), 348–354. [1.2.2.4](#)
- Kang, H. M., N. A. Zaitlen, C. M. Wade, A. Kirby, D. Heckerman, M. J. Daly, and E. Eskin (2008, February). Efficient control of population structure in model organism association mapping. *Genetics* 178(3), 1709–1723. [1.2.2.4](#)
- Kasowski, M., F. Grubert, C. Heffelfinger, M. Hariharan, A. Asabere, S. M. Waszak, L. Habegger, J. Rozowsky, M. Shi, A. Urban, et al. (2010, April). Variation in transcription factor binding among humans. *Science (New York, N.Y.)* 328(5975), 232–235. [1.3.5](#), [1.3.5](#), [2.1](#), [2.7](#), [2.8](#)
- Kilpinen, H., S. M. Waszak, A. R. Gschwind, S. K. Raghav, R. M. Witwicki, A. Orioli, E. Migliavacca, M. Wiederkehr, M. Gutierrez-Arcelus, N. I. Panousis, et al. (2013, November). Coordinated effects of sequence variation on DNA binding, chromatin structure, and transcription. *Science (New York, N.Y.)* 342(6159), 744–7. [2.8](#)
- Kimura, M. and A. Aviv (2011, July). Measurement of telomere DNA content by dot blot analysis. *Nucleic Acids Research* 39(12), e84—e84. [4.3.3](#), [4.3.3](#)
- Kimura, M., R. C. Stone, S. C. Hunt, J. Skurnick, X. Lu, X. Cao, C. B. Harley, and A. Aviv (2010, September). Measurement of telomere length by the Southern blot analysis of terminal restriction fragment lengths. *Nature Protocols* 5(9), 1596–1607. [4.1](#)
- Kircher, M., D. M. Witten, P. Jain, B. J. O’Roak, G. M. Cooper, and J. Shendure (2014, January). A general framework for estimating the relative pathogenicity of human genetic variants. *Nature Genetics* 46(3), 310–5. [1.3.5](#)

- Kleinjan, D. A. and V. van Heyningen (2005). Long-range control of gene expression: emerging mechanisms and disruption in disease. *American Journal of Human Genetics* 76, 8–32. [1.3.4](#)
- Kong, A., M. L. Frigge, G. Masson, S. Besenbacher, P. Sulem, G. Magnusson, S. A. Gudjonsson, A. Sigurdsson, A. Jonasdottir, A. Jonasdottir, et al. (2012, August). Rate of de novo mutations and the importance of father’s age to disease risk. *Nature* 488(7412), 471–475. [5.2](#)
- Kong, A., D. F. Gudbjartsson, J. Sainz, G. M. Jonsdottir, S. A. Gudjonsson, B. Richardsson, S. Sigurdardottir, J. Barnard, B. Hallbeck, G. Masson, et al. (2002, June). A high-resolution recombination map of the human genome. *Nature Genetics* 31(3), 241–247. [1.1.3](#)
- Krueger, F., B. Kreck, A. Franke, and S. R. Andrews (2012, February). DNA methylation analysis using short bisulfite sequencing data. *Nature Methods* 9(2), 145–151. [1.3.2](#)
- Krueger, G. G., R. G. Langley, C. Leonardi, N. Yeilding, C. Guzzo, Y. Wang, L. T. Dooley, and M. Lebwohl (2007, February). A human interleukin-12/23 monoclonal antibody for the treatment of psoriasis. *The New England Journal of Medicine* 356(6), 580–592. [1.2.5](#)
- Kunarso, G., N.-Y. Chia, J. Jeyakani, C. Hwang, X. Lu, Y.-S. Chan, H.-H. Ng, and G. Bourque (2010, July). Transposable elements have rewired the core regulatory network of human embryonic stem cells. *Nature Genetics* 42(7), 631–634. [1.3.5](#), [2.1](#)
- Laajala, T. D., S. Raghav, S. Tuomela, R. Lahesmaa, T. Aittokallio, and L. L. Elo (2009, January). A practical comparison of methods for detecting transcription factor binding sites in ChIP-seq experiments. *BMC Genomics* 10(1), 618. [1.3.5](#)
- Lander, E. S. and S. Botstein (1989, January). Mapping mendelian factors underlying quantitative traits using RFLP linkage maps. *Genetics* 121(1), 185. [1.1.3](#)

- Lappalainen, T., M. Sammeth, M. R. Friedländer, P. A. C. 't Hoen, J. Monlong, M. a. Rivas, M. González-Porta, N. Kurbatova, T. Griebel, P. G. Ferreira, et al. (2013). Transcriptome and genome sequencing uncovers functional variation in humans. *Nature* 501, 506–11. [1.3.4](#), [2.7](#), [5.2](#)
- Lawlor, D. A., R. M. Harbord, J. A. C. Sterne, N. Timpson, and G. D. Smith (2008, April). Mendelian randomization: Using genes as instruments for making causal inferences in epidemiology. *Statistics in Medicine* 27(8), 1133–1163. [1.3.8](#)
- Leal, S. M. (1998). *Genetics and Analysis of Quantitative Traits*. Sinauer Associates. [1.2.2.2](#)
- Lee, B. K., A. A. Bhinge, A. Battenhouse, R. M. McDaniell, Z. Liu, L. Song, Y. Ni, E. Birney, J. D. Lieb, T. S. Furey, et al. (2012). Cell-type specific and combinatorial usage of diverse transcription factors revealed by genome-wide binding studies in multiple human cells. *Genome Research* 22, 9–24. [2.1](#), [2.2](#), [2.7](#)
- Lee, C., C. Grasso, and M. F. Sharlow (2002, March). Multiple sequence alignment using partial order graphs. *Bioinformatics (Oxford, England)* 18(3), 452–464. [2.26](#)
- Leek, J. T. and J. D. Storey (2007). Capturing heterogeneity in gene expression studies by surrogate variable analysis. *PLoS Genetics* 3(9), 1724–1735. [1.3.3](#), [3.1](#), [3.7](#)
- Lewis, E. B. (1945, March). The Relation of Repeats to Position Effect in *Drosophila Melanogaster*. *Genetics* 30(2), 137–166. [1.3.4](#)
- Li, H. and R. Durbin (2009, July). Fast and accurate short read alignment with Burrows-Wheeler transform. *Bioinformatics* 25(14), 1754–1760. [2.2](#)
- Li, H., H. B. saker, A. Wysoker, T. Fennell, J. Ruan, N. Homer, G. Marth, G. Abecasis, R. Durbin, et al. (2009). The Sequence Alignment / Map format and SAMtools. *Bioinformatics* 25(16), 2078–2079. [2.4](#)
- Li, H., J. Ruan, and R. Durbin (2008, November). Mapping short DNA sequencing reads and calling variants using mapping quality scores. *Genome Research* 18(11), 1851–1858. [3.2](#)

- Lieberman-Aiden, E., N. L. van Berkum, L. Williams, M. Imakaev, T. Ragoczy, A. Telling, I. Amit, B. R. Lajoie, P. J. Sabo, M. O. Dorschner, et al. (2009). Comprehensive mapping of long-range interactions reveals folding principles of the human genome. *Science (New York, N.Y.)* 326(5950), 289–293. [1.3.2](#)
- Liebermeister, W. (2002). Linear modes of gene expression determined by independent component analysis. *Bioinformatics (Oxford, England)* 18(1), 51–60. [1.3.3](#)
- Lindblad-Toh, K., M. Garber, O. Zuk, M. F. Lin, B. J. Parker, S. Washietl, P. Kheradpour, J. Ernst, G. Jordan, E. Mauceli, et al. (2011, October). A high-resolution map of human evolutionary constraint using 29 mammals. *Nature* 478(7370), 476–482. [2.1](#)
- Listgarten, J., C. Lippert, and D. Heckerman (2012). Fast-LMM-Select for confounding from spatial structure and rare variants. *Nature Genetics*. [1.2.2.4](#)
- Listgarten, J., C. Lippert, C. M. Kadie, R. I. Davidson, E. Eskin, and D. Heckerman (2012, June). Improved linear mixed models for genome-wide association studies. *Nature Methods* 9(6), 525–526. [1.2.2.4](#)
- Lu, T., Y. Pan, S.-Y. Kao, C. Li, I. Kohane, J. Chan, and B. A. Yankner (2004). Gene regulation and DNA damage in the ageing human brain. *Nature* 429(6994), 883–891. [3.1](#)
- Luo, D. F., M. M. Bui, A. Muir, N. K. Maclaren, G. Thomson, and J. X. She (1995). Affected-sib-pair mapping of a novel susceptibility gene to insulin-dependent diabetes mellitus (IDDM8) on chromosome 6q25-q27. *American Journal of Human Genetics* 57, 911–919. [1.2.1](#)
- MacDonald, M. E., A. Novelletto, C. Lin, D. Tagle, G. Barnes, G. Bates, S. Taylor, B. Allitto, M. Altherr, and R. Myers (1992, May). The Huntington’s disease candidate region exhibits many different haplotypes. *Nature Genetics* 1(2), 99–103. [1.2.1](#)

- Manolio, T. a., L. D. Brooks, and F. S. Collins (2008). A HapMap harvest of insights into the genetics of common disease. *Journal of Clinical Investigation* 118(5), 1590–1605. [1.2.5](#)
- Marguerat, S., A. Schmidt, S. Codlin, W. Chen, R. Aebersold, and J. Bähler (2012). Quantitative analysis of fission yeast transcriptomes and proteomes in proliferating and quiescent cells. *Cell* 151(3), 671–683. [1.3.7](#)
- Martens, U. M., J. M. Zijlmans, S. S. Poon, W. Dragowska, J. Yui, E. A. Chavez, R. K. Ward, and P. M. Lansdorp (1998). Short telomeres on human chromosome 17p. *Nature Genetics* 18(1), 76–80. [4.1](#)
- Mathew, C. G. and C. M. Lewis (2004). Genetics of inflammatory bowel disease: progress and prospects. *Human Molecular Genetics* 13 Spec No(90001), R161–R168. [1.2.1](#)
- Maurano, M. T., H. Wang, T. Kutuyavin, and J. a. Stamatoyannopoulos (2012, March). Widespread site-dependent buffering of human regulatory polymorphism. *PLoS Genetics* 8(3), e1002599. [1.2.3](#), [2.1](#), [2.7](#), [2.7](#), [2.8](#)
- McCarroll, S. a., C. T. Murphy, S. Zou, S. D. Pletcher, C.-S. Chin, Y. N. Jan, C. Kenyon, C. I. Bargmann, and H. Li (2004). Comparing genomic expression patterns across species identifies shared transcriptional profile in aging. *Nature Genetics* 36(2), 197–204. [3.8](#)
- McDaniell, R., B.-K. Lee, L. Song, Z. Liu, A. P. Boyle, M. R. Erdos, L. J. Scott, M. A. Morken, K. S. Kucera, A. Battenhouse, et al. (2010, April). Heritable individual-specific and allele-specific chromatin signatures in humans. *Science (New York, N.Y.)* 328(5975), 235–239. [1.3.5](#), [1.3.6](#), [2.1](#), [2.7](#), [2.7](#), [2.8](#)
- McLaren, W., B. Pritchard, D. Rios, Y. Chen, P. Flicek, and F. Cunningham (2010, August). Deriving the consequences of genomic variants with the Ensembl API and SNP Effect Predictor. *Bioinformatics* 26(16), 2069–2070. [1.3.5](#)



- McVean, G. (2009, October). A genealogical interpretation of principal components analysis. *PLoS Genetics* 5(10), e1000686. 1.3.3
- McVicker, G., B. van de Geijn, J. F. Degner, C. E. Cain, N. E. Banovich, A. Raj, N. Lewellen, M. Myrthil, Y. Gilad, and J. K. Pritchard (2013, November). Identification of genetic variants that affect histone modifications in human cells. *Science (New York, NY)* 342(6159), 747–749. 1.2.3, 1.3.6, 2.1, 2.8, 5.2
- Mein, C. A., L. Esposito, M. G. Dunn, G. C. Johnson, A. E. Timms, J. V. Goy, A. N. Smith, L. Sebag-Montefiore, M. E. Merriman, A. J. Wilson, et al. (1998). A search for type 1 diabetes susceptibility genes in families from the United Kingdom. *Nature Genetics* 19(3), 297–300. 1.2.1
- Mendel, G. (1865). Versuche über Pflanzenhybriden. *Verhandlungen Des Naturforschenden Vereines in Brünn, Bd.* 1.1.1
- Merkenschlager, M. and D. T. Odom (2013, March). CTCF and cohesin: Linking gene regulatory elements with their targets. *Cell* 152(6), 1285–1297. 2.1
- Moayyeri, A., C. J. Hammond, A. M. Valdes, and T. D. Spector (2013a). Cohort profile: Twinsuk and healthy ageing twin study. *International Journal of Epidemiology* 42(1), 76–85. 3.2
- Moayyeri, A., C. J. Hammond, A. M. Valdes, and T. D. Spector (2013b). Cohort profile: Twinsuk and healthy ageing twin study. *International Journal of Epidemiology* 42(1), 76–85. 4.1, 4.2
- Montgomery, S. B., M. Sammeth, M. Gutierrez-Arcelus, R. P. Lach, C. Ingle, J. Nisbett, R. Guigo, and E. T. Dermitzakis (2010, January). Transcriptome genetics using second generation sequencing in a Caucasian population. *Nature* 464(7289), 773–777. 2.1, 2.3, 3.1
- Moon, T. K. (1996). The expectation-maximization algorithm. *IEEE Signal Processing Magazine* 13, 47–60. 1.2.2.3

- Morley, M., M. Morley, C. M. Molony, C. M. Molony, T. M. Weber, T. M. Weber, J. L. Devlin, J. L. Devlin, K. G. Ewens, K. G. Ewens, et al. (2004, August). Genetic analysis of genome-wide variation in human gene expression. *Nature* 430(7001), 743–7. 1.3.4
- Morris, A. P., B. F. Voight, T. M. Teslovich, T. Ferreira, A. V. Segrè, V. Steinthorsdottir, R. J. Strawbridge, H. Khan, H. Grallert, A. Mahajan, et al. (2012). Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. *Nature Genetics* 44, 981–990. 1.2.5
- Myers, S., L. Bottolo, C. Freeman, G. McVean, and P. Donnelly (2005, October). A fine-scale map of recombination rates and hotspots across the human genome. *Science (New York, N.Y.)* 310(5746), 321–324. 1.1.3
- Needham, J. (1942). *New paths in genetics*, Volume 34. Harper & Brothers. 1.3.4
- Nejentsev, S., N. Walker, D. Riches, M. Egholm, and J. A. Todd (2009). Rare variants of IFIH1, a gene implicated in antiviral responses, protect against type 1 diabetes. *Science (New York, N.Y.)* 324, 387–389. 1.2.5
- Nica, A., ra C, L. Parts, D. Glass, J. Nisbet, A. Barrett, M. Sekowska, M. Travers, S. Potter, E. Grundberg, et al. (2011, February). The architecture of gene regulatory variation across multiple human tissues: The MuTHER study. *PLoS Genetics* 7(2), e1002003. 1.3.3, 3.2
- Noonan, J. P. and A. S. McCallion (2010, September). Genomics of long-range regulatory elements. *Annual Review of Genomics and Human Genetics* 11(1), 1–23. 2.1
- Novembre, J., T. Johnson, K. Bryc, Z. Kutalik, A. R. Boyko, A. Auton, A. Indap, K. S. King, S. Bergmann, M. R. Nelson, et al. (2008). Genes mirror geography within Europe. *Nature* 456(7219), 98–101. 1.3.3
- Novembre, J. and M. Stephens (2008). Interpreting principal component analyses of spatial population genetic variation. *Nature Genetics* 40(5), 646–649. 1.3.3

- Odom, D. T., R. D. Dowell, E. S. Jacobsen, W. Gordon, T. W. Danford, K. D. MacIsaac, P. A. Rolfe, er, C. M. Conboy, D. K. Gifford, et al. (2007, June). Tissue-specific transcriptional regulation has diverged significantly between human and mouse. *Nature Genetics* 39(6), 730–732. [1.3.5](#)
- Park, P. J. (2009, September). ChIP-seq: advantages and challenges of a maturing technology. *Nature Reviews. Genetics* 10(10), 669–680. [1.3.5](#)
- Parker, M., X. Chen, A. Bahrami, J. Dalton, M. Rusch, G. Wu, J. Easton, N.-K. Cheung, M. Dyer, E. R. Mardis, et al. (2012). Assessing telomeric DNA content in pediatric cancers using whole-genome sequencing data. *Genome Biology* 13, R113. [4.1](#)
- Parts, L., O. Stegle, J. Winn, and R. Durbin (2011). Joint genetic analysis of gene expression data with inferred cellular phenotypes. *PLoS Genetics* 7. [3.1](#), [3.3](#)
- Pearson, K. (1901, November). LIII. On lines and planes of closest fit to systems of points in space. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science* 2(11), 559–572. [1.3.3](#)
- Petretto, E., J. Mangion, N. J. Dickens, S. A. Cook, M. Kumaran, e K, H. Lu, J. Fischer, H. Maatz, V. Kren, et al. (2006, October). Heritability and tissue specificity of expression quantitative trait loci. *PLoS Genetics* 2(10), 1625–1633. [1.3.4](#)
- Phillips, J. E. and V. G. Corces (2009). CTCF: Master Weaver of the Genome. [2.1](#)
- Pickrell, J. K., J. C. Marioni, A. a. Pai, J. F. Degner, B. E. Engelhardt, E. Nkadori, J.-B. Veyrieras, M. Stephens, Y. Gilad, and J. K. Pritchard (2010, April). Understanding mechanisms underlying human gene expression variation with RNA sequencing. *Nature* 464(7289), 768–772. [2.1](#), [3.1](#)
- Pompella, A., A. Visvikis, A. Paolicchi, V. De Tata, and A. F. Casini (2003). The changing faces of glutathione, a cellular protagonist. In *Biochemical Pharmacology*, Volume 66, pp. 1499–1503. [3.8](#)

- Pournara, I. and L. Wernisch (2007). Factor analysis for gene regulatory networks and transcription factor activity profiles. *BMC Bioinformatics* 8(1), 61. [1.3.3](#)
- Price, A. L., A. Helgason, G. Thorleifsson, S. a. McCarroll, A. Kong, and K. Stefansson (2011). Single-tissue and cross-tissue heritability of gene expression via identity-by-descent in related or unrelated individuals. *PLoS Genetics* 7(2), e1001317. [1.3.4](#)
- Price, A. L., N. J. Patterson, R. M. Plenge, M. E. Weinblatt, N. A. Shadick, and D. Reich (2006, August). Principal components analysis corrects for stratification in genome-wide association studies. *Nat Genet* 38(8), 904–909. [1.3.3](#)
- Quinlan, A. R. and I. M. Hall (2010). BEDTools: A flexible suite of utilities for comparing genomic features. *Bioinformatics* 26(6), 841–842. [2.3](#)
- Rakyan, V. K., H. Beyan, T. A. Down, M. I. Hawa, S. Maslau, D. Aden, A. Daunay, F. Busato, C. A. Mein, B. Manfras, et al. (2011, September). Identification of type 1 Diabetes-associated DNA methylation variable positions that precede disease diagnosis. *PLoS Genetics* 7(9), e1002300. [1.3.6](#)
- Reddy, T. E., J. Gertz, F. Pauli, K. S. Kucera, K. E. Varley, K. M. Newberry, G. K. Marinov, A. Mortazavi, B. A. Williams, L. Song, et al. (2012). Effects of sequence variation on differential allelic transcription factor occupancy and gene expression. *Genome Research* 22, 860–869. [2.1](#), [2.7](#)
- Reis-Filho, J. S. and L. Pusztai (2011). Gene expression profiling in breast cancer: classification, prognostication, and prediction. *Lancet* 378(9805), 1812–23. [3.1](#)
- Rhee, H. S. and B. F. Pugh (2011). Comprehensive genome-wide protein-DNA interactions detected at single-nucleotide resolution. *Cell* 147(6), 1408–1419. [1.3.2](#)
- Riordan, J. R., J. M. Rommens, B. Kerem, N. Alon, R. Rozmahel, Z. Grzelczak, J. Zielenski, S. Lok, N. Plavsic, and J. L. Chou (1989). Identification of the cystic fibrosis gene: cloning and characterization of complementary DNA. *Science (New York, N.Y.)* 245(4922), 1066–1073. [1.2.1](#)

- Robles-Espinoza, C. D., Harl, M. , A. J. Ramsay, L. G. Aoude, V. Quesada, Z. Ding, K. a. Pooley, A. L. Pritchard, J. C. Tiffen, et al. (2014). POT1 loss-of-function variants predispose to familial melanoma. *Nature Genetics* 46, 478–81. [1.4](#), [4.5](#), [4.10](#)
- Samassekou, O., M. Gadji, R. Drouin, and J. Yan (2010, September). Sizing the ends: Normal length of human telomeres. *Annals of Anatomy* 192(5), 284–291. [4.1](#)
- Sandelin, A., W. Alkema, P. Engström, W. W. Wasserman, and B. Lenhard (2004). JASPAR: an open-access database for eukaryotic transcription factor binding profiles. *Nucleic Acids Research* 32(90001), D91–D94. [2.2](#)
- Sanguinetti, G., G. Sanguinetti, N. D. Lawrence, N. D. Lawrence, M. Rattray, and M. Rattray (2006). Probabilistic inference of transcription factor cocentrations and gene-specific regulatory activities. *Bioinformatics* 22, 2775–2781. [1.3.3](#)
- Schadt, E. E., J. Lamb, X. Yang, J. Zhu, S. Edwards, D. Guhathakurta, S. K. Sieberts, S. Monks, M. Reitman, C. Zhang, et al. (2005). An integrative genomics approach to infer causal associations between gene expression and disease. *Nature Genetics* 37, 710–717. [1.3.8](#)
- Schena, M., D. Shalon, R. W. Davis, and P. O. Brown (1995). Quantitative monitoring of gene expression patterns with a complementary DNA microarray. *Science (New York, N.Y.)* 270(5235), 467–470. [1.3.2](#)
- Schmidt, D., P. C. Schwalie, C. S. Ross-Innes, A. Hurtado, G. D. Brown, J. S. Carroll, P. Flicek, and D. T. Odom (2010, May). A CTCF-independent role for cohesin in tissue-specific transcription. *Genome Research* 20(5), 578–588. [2.1](#)
- Schmidt, D., P. C. Schwalie, M. D. Wilson, B. Ballester, A. Goncalves, C. Kutter, G. D. Brown, A. Marshall, P. Flicek, and D. T. Odom (2012, January). Waves of retrotransposon expansion remodel genome organization and CTCF binding in multiple mammalian lineages. *Cell* 148(1-2), 335–348. [2.8](#)

- Schmidt, D., M. D. Wilson, B. Ballester, P. C. Schwalie, G. D. Brown, A. Marshall, C. Kutter, S. Watt, C. P. Martinez-Jimenez, S. Mackay, et al. (2010, May). Five-vertebrate ChIP-seq reveals the evolutionary dynamics of transcription factor binding. *Science (New York, N.Y.)* 328(5981), 1036–1040. [1.3.5](#), [2.1](#)
- Scott, L. J., K. L. Mohlke, L. L. Bonnycastle, C. J. Willer, Y. Li, W. L. Duren, M. R. Erdos, H. M. Stringham, P. S. Chines, A. U. Jackson, et al. (2007). A genome-wide association study of type 2 diabetes in Finns detects multiple susceptibility variants. *Science (New York, N.Y.)* 316(5829), 1341–1345. [1.2.5](#)
- Segal, E. and J. Widom (2009). From DNA sequence to transcriptional behaviour: a quantitative approach. *Nature Reviews. Genetics* 10(7), 443–456. [1.3.5](#), [1.3.6](#)
- Shivaswamy, S., A. Bhinge, Y. Zhao, S. Jones, M. Hirst, and V. R. Iyer (2008). Dynamic remodeling of individual nucleosomes across a eukaryotic genome in response to transcriptional perturbation. *PLoS Biology* 6, 0618–0630. [2.2](#)
- Sie, L., S. Loong, and E. K. Tan (2009, July). Utility of lymphoblastoid cell lines. *Journal of Neuroscience Research* 87(9), 1953–1959. [2.1](#)
- Simonis, M., P. Klous, I. Homminga, R.-J. Galjaard, E.-J. Rijkers, F. Grosveld, J. P. P. Meijerink, and W. de Laat (2009). High-resolution identification of balanced and complex chromosomal rearrangements by 4C technology. *Nature Methods* 6(11), 837–842. [1.3.2](#)
- Skelly, D. A., J. Ronald, and J. M. Akey (2009). Inherited variation in gene expression. *Annual Review of Genomics and Human Genetics* 10(1), 313–332. [1.3.4](#)
- Small, K. S., A. K. Hedman, E. Grundberg, A. Nica, et al., G. Thorleifsson, A. Kong, U. Thorsteindottir, S.-Y. Shin, H. B. Richards, et al. (2011, June). Identification of an imprinted master trans regulator at the KLF14 locus related to multiple metabolic phenotypes. *Nature Genetics* 43(6), 561–564. [1.3.4](#), [3.8](#)
- Sopher, B. L., P. D. Ladd, V. V. Pineda, R. Libby, et al., T. S. M. Sunkin, J. B. Hurley, C. Thienes, et al., P. Gaasterl, et al. (2011, June). CTCF Regulates Ataxin-7 Expres-

- sion through Promotion of a Convergently Transcribed, Antisense Noncoding RNA. *Neuron* 70(6), 1071–1084. [2.1](#)
- Southern, E. M. (1992). Detection of specific sequences among DNA fragments separated by gel electrophoresis. 1975. *Biotechnology (Reading, Mass.)* 24, 122–139. [1.3.2](#)
- Spielman, R. S., L. A. Bastone, J. T. Burdick, M. Morley, W. J. Ewens, and V. G. Cheung (2007, March). Common genetic variants account for differences in gene expression among ethnic groups. *Nature Genetics* 39(2), 226–231. [2.1](#)
- Splinter, E., H. Heath, J. Kooren, R. J. Palstra, P. Klous, F. Grosveld, N. Galjart, and W. De Laat (2006, September). CTCF mediates long-range chromatin looping and local histone modification in the beta-globin locus. *Genes and Development* 20(17), 2349–2354. [2.1](#)
- Stedman, W., H. Kang, S. Lin, J. L. Kissil, M. S. Bartolomei, and P. M. Lieberman (2008, March). Cohesins localize with CTCF at the KSHV latency control region and at cellular c-myc and H19/Igf2 insulators. *The EMBO Journal* 27(4), 654–666. [2.1](#)
- Stefflova, K., D. Thybert, M. D. Wilson, I. Streeter, J. Aleksic, P. Karagianni, A. Brazma, D. J. Adams, I. Talianidis, J. C. Marioni, et al. (2013, August). Cooperativity and rapid evolution of cobound transcription factors in closely related mammals. *Cell* 154(3), 530–540. [2.1](#), [2.7](#), [2.8](#)
- Stegle, O., L. Parts, R. Durbin, and J. Winn (2010, May). A bayesian framework to account for complex non-genetic factors in gene expression levels greatly increases power in eQTL studies. *PLoS Computational Biology* 6(5), 1–11. [1.3.3](#), [3.1](#)
- Storey, J. D. and R. Tibshirani (2003, August). Statistical significance for genomewide studies. *Proceedings of the National Academy of Sciences of the United States of America* 100(16), 9440–9445. [1.2.3](#), [2.5](#), [2.7](#), [2.11](#)

- Stranger, B. E., S. B. Montgomery, A. S. Dimas, L. Parts, O. Stegle, C. E. Ingle, M. Sekowska, G. D. Smith, D. Evans, M. Gutierrez-Arcelus, et al. (2012, April). Patterns of Cis regulatory variation in diverse human populations. *PLoS Genetics* 8(4), e1002639. [1.3.4](#), [2.4](#)
- Stranger, B. E., A. Nica, ra C, M. S. Forrest, A. Dimas, C. P. Bird, C. Beazley, C. E. Ingle, M. Dunning, P. Flicek, et al. (2007). Population genomics of human gene expression. *Nature Genetics* 39(10), 1217–1224. [1.3.4](#), [1.3.4](#), [2.1](#)
- Suzuki, H., A. R. R. Forrest, E. van Nimwegen, C. O. Daub, P. J. Balwierz, K. M. Irvine, T. Lassmann, T. Ravasi, Y. Hasegawa, M. J. L. de Hoon, et al. (2009, May). The transcriptional network that controls growth arrest and differentiation in a human myeloid leukemia cell line. *Nature Genetics* 41(5), 553–562. [1.3.5](#)
- Taiwo, O., G. Wilson, T. Morris, S. Seisenberger, W. Reik, D. Pearce, S. Beck, and L. Butcher (2012, April). Methylome analysis using MeDIP-seq with low DNA concentrations. *Nature Protocols* 7(4), 617–636. [1.3.2](#)
- Taub, M. A., H. Corrada Bravo, and R. A. Irizarry (2010). Overcoming bias and systematic errors in next generation sequencing data. *Genome Medicine* 2, 87. [1.3.2](#)
- The 1000 Genomes Consortium (2010, October). A map of human genome variation from population-scale sequencing. *Nature* 467(7319), 1061–1073. [1.1.3](#), [2.1](#), [4.1](#)
- The 1000 Genomes Consortium (2012, November). An integrated map of genetic variation from 1,092 human genomes. *Nature* 491(7422), 56–65. [2.4](#)
- The Fantom Consortium (2014, March). A promoter-level mammalian expression atlas. *Nature* 507(7493), 462–470. [1.3.5](#), [1.3.7](#)
- The International HapMap 3 Consortium (2010, September). Integrating common and rare genetic variation in diverse human populations. *Nature* 467(9), 52–8. [1.1.3](#)
- Tipping, M. E. and C. M. Bishop (1997). Probabilistic principal component analysis. *Journal of the Royal Statistical Society. Series B (Statistical Methodology)* 61, 611–622. [1.3.3](#)



- Tompa, M., N. Li, T. L. Bailey, G. M. Church, B. De Moor, E. Eskin, A. Favorov, et al. (2005, January). Assessing computational tools for the discovery of transcription factor binding sites. *Nature Biotechnology* 23(1), 137–144. [1.3.5](#)
- Tsui, L. C., M. Buchwald, D. Barker, J. C. Braman, R. Knowlton, J. W. Schumm, H. Eiberg, J. Mohr, D. Kennedy, and N. Plavsic (1985). Cystic fibrosis locus defined by a genetically linked polymorphic DNA marker. *Science (New York, N.Y.)* 230(4729), 1054–1057. [1.2.1](#)
- Tuch, B. B., D. J. Galgoczy, A. D. Hernday, H. Li, and A. D. Johnson (2008, February). The evolution of combinatorial gene regulation in fungi. *PLoS Biology* 6(2), 0352–0364. [1.3.5](#)
- Valdes, A. M., T. Andrew, J. P. Gardner, M. Kimura, E. Oelsner, L. F. Cherkas, A. Aviv, and T. D. Spector (2005, August). Obesity, cigarette smoking, and telomere length in women. *Lancet* 366(9486), 662–664. [4.3.3](#)
- van de Nobelen, S., M. Rosa-Garrido, J. Leers, H. Heath, W. Souchit, L. Joosen, I. Jonkers, J. Demmers, M. van der Reijden, V. Torrano, et al. (2010, January). CTCF regulates the local epigenetic state of ribosomal DNA repeats. *Epigenetics & Chromatin* 3(1), 19. [2.1](#)
- Veyrieras, J. B., S. Kudaravalli, S. Y. Kim, E. T. Dermitzakis, Y. Gilad, M. Stephens, and J. K. Pritchard (2008, March). High-resolution mapping of expression-QTLs yields insight into human gene regulation. *PLoS Genetics* 4(3), 452–64. [1.3.4](#)
- Vinuela, A., L. B. Snoek, J. A. G. Riksen, and J. E. Kammenga (2012). Aging Uncouples Heritability and Expression-QTL in *Caenorhabditis elegans*. *G3; Genes/Genomes/Genetics* 2, 597–605. [3.8](#)
- Wellcome Trust Case Control Consortium (2007, June). Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. *Nature* 447(7145), 661–678. [1.2.2](#), [1.2.5](#)

- Welter, D., J. MacArthur, J. Morales, T. Burdett, P. Hall, H. Junkins, A. Klemm, P. Flicek, T. Manolio, L. Hindorff, et al. (2014). The NHGRI GWAS Catalog, a curated resource of SNP-trait associations. *Nucleic Acids Research* 42. [1.2.2](#)
- Willcox, B. J., T. A. Donlon, Q. He, R. Chen, i, J. S. Grove, K. Yano, K. H. Masaki, D. C. Willcox, B. Rodriguez, et al. (2008). FOXO3A genotype is strongly associated with human longevity. *Proceedings of the National Academy of Sciences of the United States of America* 105(37), 13987–13992. [3.8](#)
- Williams, N. M., M. I. Rees, P. Holmans, N. Norton, A. G. Cardno, L. A. Jones, K. C. Murphy, S. R. D. ers, G. McCarthy, et al. (1999). A two-stage genome scan for schizophrenia susceptibility genes in 196 affected sibling pairs. *Human Molecular Genetics* 8(9), 1729–1739. [1.2.1](#)
- Wilson, M. D., N. L. Barbosa-Morais, D. Schmidt, C. M. Conboy, L. Vanes, V. L. J. Tybulewicz, E. M. C. Fisher, S. Tavaré, and D. T. Odom (2008, October). Species-specific transcription in mice carrying human chromosome 21. *Science (New York, N. Y.)* 322(5900), 434–438. [1.3.5](#)
- Wittkopp, P. J., B. K. Haerum, and A. G. Clark (2004, July). Evolutionary changes in cis and trans gene regulation. *Nature* 430(6995), 85–88. [1.3.4](#)
- Wittkopp, P. J. and G. Kalay (2011). Cis-regulatory elements: molecular mechanisms and evolutionary processes underlying divergence. [5.2](#)
- Wray, G. a. and G. a. Wray (2007, March). The evolutionary significance of. *Genetics* 8(3), 206–216. [1.3.4](#)
- Yamazaki, K., D. McGovern, J. Ragoussis, M. Paolucci, H. Butler, D. Jewell, L. Cardon, M. Takazoe, T. Tanaka, T. Ichimori, et al. (2005). Single nucleotide polymorphisms in TNFSF15 confer susceptibility to Crohn’s disease. *Human Molecular Genetics* 14, 3499–3506. [1.2.5](#)

- Yusufzai, T. M., H. Tagami, Y. Nakatani, and G. Felsenfeld (2004, January). CTCF Tethers an Insulator to Subnuclear Sites, Suggesting Shared Insulator Mechanisms across Species. *Molecular Cell* 13(2), 291–298. [2.1](#)
- Zhang, X., E. L. Moen, C. Liu, W. Mu, E. R. Gamazon, S. M. Delaney, C. Wing, L. A. Godley, M. E. Dolan, and W. Zhang (2014, June). Linking the genetic architecture of cytosine modifications with human complex traits. *Human Molecular Genetics* 1200(22), ddu313–. [1.3.6](#)
- Zhang, Z., E. Ersoz, C.-Q. Lai, R. J. Todhunter, H. K. Tiwari, M. a. Gore, P. J. Bradbury, J. Yu, D. K. Arnett, J. M. Ordovas, et al. (2010, April). Mixed linear model approach adapted for genome-wide association studies. *Nature Genetics* 42(4), 355–360. [1.2.2.4](#)
- Zheng, W., H. Zhao, E. Mancera, L. M. Steinmetz, and M. Snyder (2010, April). Genetic analysis of variation in transcription factor binding in yeast. *Nature* 464(7292), 1187–1191. [1.3.5](#), [1.3.5](#)
- Zhou, X. and M. Stephens (2012, July). Genome-wide efficient mixed-model analysis for association studies. *Nature Genetics* 44(7), 821–824. [1.2.2.4](#)
- Zollner, S. and J. K. Pritchard (2007). Overcoming the winner’s curse: estimating penetrance parameters from case-control data. *American Journal of Human Genetics* 80(4), 605–615. [1.2.4](#)